



GROHE SPA

SPECIFIERS' CATALOGUE **2023**



GROHE

TABLE OF CONTENTS

| | | | | |
|---------------------------------|---------------------|--|-------------------------|--------------|
| SPA Bath Taps | Taps and Ceramics | Allure Brilliant Icon 3D / Atrio Icon 3D | 24 | |
| | | Atrio | 25 | |
| | | Atrio Private Collection | 39 | |
| | | Allure | 46 | |
| | | Allure Brilliant | 58 | |
| | | Grandera | 72 | |
| | | Glass module | 83 | |
| | | SPA Showers | Showers and Thermostats | Aquasymphony |
| F-digital Deluxe | 87 | | | |
| Rainshower Aqua ceiling showers | 90 | | | |
| Rainshower Aqua head showers | 91 | | | |
| Rainshower Aqua body sprays | 94 | | | |
| Rainshower Aqua hand showers | 95 | | | |
| Rainshower Aqua trigger sprays | 97 | | | |
| SPA shower accessories | 98 | | | |
| SPA thermostats | 100 | | | |
| Bath Taps | Single Lever Mixers | | | Lineare |
| | | Eurocube Joy | 135 | |
| | | Eurocube | 141 | |
| | | GROHE Plus | 152 | |
| | | Europlus | 164 | |
| | | Essence | 165 | |
| | | Eurodisc Joy | 180 | |
| | | Eurodisc Cosmopolitan | 183 | |
| | | Concetto | 190 | |
| | | Eurostyle Cosmopolitan | 199 | |
| | | Eurostyle | 206 | |
| | | Eurosmart Cosmopolitan | 216 | |
| | | Eurosmart | 227 | |
| | | Eurosmart Care | 238 | |
| | | BauEdge | 243 | |
| | | BauLoop | 249 | |
| | | BauFlow | 255 | |
| | | Two Handle fittings | Costa L | 257 |
| | | Universal | Universal | 261 |

GROHE

TABLE OF CONTENTS

| | | | |
|---------------------|----------------|--------------------------------|-----|
| | Bath Sets | Talentofill | 262 |
| | Accessories | Selection | 264 |
| | | Selection Cube | 270 |
| | | Essentials | 273 |
| | | Essentials Cube | 281 |
| | | BauCosmopolitan | 285 |
| | | Essentials Authentic | 288 |
| Thermostats | Grohtherm | Grohtherm SmartControl | 307 |
| | | Grohtherm 2 handle trim sets | 320 |
| | | Grohtherm 2000 | 327 |
| | | Grohtherm Cube | 333 |
| | | Grohtherm 1000 Cosmopolitan | 337 |
| | | Grohtherm 1000 | 339 |
| | | Grohtherm 1000 Performance | 343 |
| | | Grohtherm 800 Cosmopolitan | 347 |
| | | Grohtherm 800 | 350 |
| | | Grohtherm 500 | 352 |
| Concealed Solutions | | GROHE Rapido SmartBox | 364 |
| | | GROHE Rapido | 366 |
| | | GROHE Rapido C / stop valves | 367 |
| Showers | GROHE Digital | F-digital Controllers | 378 |
| | Shower Systems | Rainshower System SmartControl | 379 |
| | | Rainshower SmartActive System | 383 |
| | | Rainshower System | 386 |
| | | Euphoria SmartControl System | 389 |
| | | Euphoria Shower System | 392 |
| | | Tempesta System | 401 |
| | | Shower System Accessories | 406 |
| | Head Showers | Head Showers | 408 |
| | | Side showers | 429 |
| | Showers | Rainshower SmartActive | 430 |
| | | Rainshower | 437 |
| | | Relaxa | 439 |
| | | Euphoria | 441 |
| | | Tempesta | 450 |

GROHE TABLE OF CONTENTS

| | | | | |
|------------------------|---------------------|--------------------------------------|--|-----|
| | | Tempesta-F Trigger Sprays | 466 | |
| | | Shower Hoses | 468 | |
| | | Shower hoses available until 06/2023 | 472 | |
| | | Shower Accessories | 476 | |
| Kitchen Fittings | Water Systems | GROHE Blue Professional | 509 | |
| | | GROHE Blue Home | 515 | |
| | | GROHE Blue Pure | 524 | |
| | | GROHE Blue Accessories | 529 | |
| | | GROHE Red | 534 | |
| | | Waste separation systems | 538 | |
| | | Premium Lines | K7 | 539 |
| | | | Foot Control | 540 |
| | | | Minta / Minta SmartControl / Minta Touch | 541 |
| | | | Zedra / Zedra SmartControl / Zedra Touch | 546 |
| | | | Essence | 548 |
| | | | Eurocube | 551 |
| | | Competence Lines | Eurodisc Cosmopolitan | 552 |
| | | | Eurodisc | 553 |
| | | | Concetto | 554 |
| | | | Eurostyle Cosmopolitan | 557 |
| | | | Eurosmart Cosmopolitan | 559 |
| | | | Eurosmart | 562 |
| | | | Euroeco / Euroeco Special | 565 |
| | | | Costa | 566 |
| | | | Bau Lines | 568 |
| | | | Soap dispensers | 571 |
| | | Kitchen sinks | Stainless steel sinks | 572 |
| | | | Composite sinks | 579 |
| | Commercial Fittings | Electronic Fittings | Eurocube E | 594 |
| | | | Essence E | 597 |
| | | | Bluetooth monitoring | 600 |
| | | | Europlus E | 609 |
| | | | Eurosmart Cosmopolitan E | 611 |
| Euroeco Cosmopolitan E | | | 620 | |
| Bau Cosmopolitan E | | | 624 | |

GROHE

TABLE OF CONTENTS

| | | | |
|----------------------|---------------------|-----------------------------------|-----|
| | Special Thermostats | Grohtherm Micro | 627 |
| | | Grohtherm Special | 628 |
| | | Grohtherm XL | 632 |
| | Single-Lever Mixers | Eurosmart Care | 633 |
| | | Vertica Eurostyle Cosmopolitan | 638 |
| | | Commercial Showers | 639 |
| | | Euroeco Special | 642 |
| | | Hospita | 646 |
| | | Euroeco Single Sequential | 647 |
| | Self-Closing Taps | Eurodisc SE | 649 |
| | | Eurosmart Cosmopolitan T | 650 |
| | | Euroeco Cosmopolitan T | 651 |
| Shower Toilet | | GROHE Sensia Arena | 658 |
| | | Manual bidet seat | 661 |
| Ceramics | | Essence | 670 |
| | | Cube Ceramic | 675 |
| | | Euro Ceramic | 678 |
| | | BauEdge Ceramic | 684 |
| | | Bau Ceramic | 686 |
| | | Acrylic shower trays | 695 |
| Installation Systems | Rapid SLX | Rapid SLX | 700 |
| | Rapid SL | Rapid SL for WC | 702 |
| | | Rapid SL for Urinal | 713 |
| | | Rapid SL for Wash Basin and Bidet | 715 |
| | | Rapid SL for the Disabled | 718 |
| | | Rapid SL Fitting Supports | 720 |
| | | Rapid SL Accessories | 721 |
| Flushing Systems | WC | Flushing Cisterns | 726 |
| | | Accessories for Flushing Cisterns | 729 |
| | | WC Flush Valves | 735 |
| | | Electronic Actuators for WC | 737 |
| | Urinal | Electronic Actuators for Urinal | 742 |
| | | Urinal Flush Valves | 747 |
| Actuations | WC | Flush Plates for WC | 752 |
| | | GROHE Fresh | 760 |

GROHE

TABLE OF CONTENTS

| | | |
|---|---|-----|
| | Flush Plates for WC Flush Valves | 761 |
| | Urinal | 762 |
| Connection and Security Technology | Angle Valves | 766 |
| | WAS valves | 770 |
| | Safety Systems | 771 |
| Spare Parts and Accessories | Cartridges | 774 |
| | Thermo elements and thermostatic cartridges | 776 |
| | Aquadimmer | 779 |
| | Head parts | 780 |
| | Spare parts for two-handle taps | 783 |
| | Extension sets | 784 |
| | Unions | 785 |
| | Outlets and spouts | 786 |
| | Flow straighteners | 787 |
| | Waste sets and traps | 789 |
| | Connections and non-return valves | 792 |
| | Spare parts for electronics | 793 |
| | Diverter | 794 |
| | Hoses | 795 |
| | Spare parts for kitchen taps | 796 |
| | Spare parts for showers | 797 |
| | Miscellaneous | 799 |
| | Special tools | 800 |
| | Cleaning and care | 801 |
| | Spare parts for sanitary systems | 802 |
| Spare parts for shower toilet | 804 | |
| Spare parts for Ceramics | 805 | |
| Survey of Contents | | 806 |
| Replacement Products | | 826 |
| Packaging Index | | 829 |
| LIXIL makes better homes a reality for everyone, everywhere | | 842 |

IDENTIFY YOUR WATER SYSTEM

By identifying the plumbing system in your home, you can select the product that is best suited to your water pressure. The majority of GROHE's products can be used with most systems and we have a number of products that are suited to low Pressure. Water pressure is measured in bar. Please refer to the diagrams to help identify your water system.

GRAVITY FED SYSTEMS

Measure from the base of the cold water tank to the exact position of where the water is coming out from in a vertical measurement (if it's a shower it will be to where the shower head is or if it's a tap to where the spout of the tap finishes). For each metre in vertical distance you will have 0.1 bar in pressure. So if you select a kitchen tap that requires 0.5 bar pressure then you will need 5 metres in vertical distance, if you select a basin tap that requires 0.2 bar then you will require 2 metres as you will see in the below drawing.




Fig 1

FOR EXAMPLE WATER PRESSURE CAN BE CALCULATED AS FOLLOWS:

| | |
|------------------------------|------------------------|
| Upstairs bathroom shower | 1 m = 0.1 bar pressure |
| Upstairs bathroom basin taps | 2 m = 0.2 bar pressure |
| Kitchen Tap | 5 m = 0.5 bar pressure |




Fig 2

GRAVITY FED (LOW PRESSURE) SYSTEMS

Your home has:

- A cold water storage tank in the loft
- A hot water cylinder (usually in an airing cupboard)
- NO shower pump

How does it work?

- 1 - Cold water is fed to a storage tank in the loft
- 2 - Water passes to a cylinder where it is heated by a boiler circuit flow
- 3 - The pressure of water is determined by distance from the bottom of cold water tank to the top of highest outlet (Fig 2)

BOOSTED GRAVITY FED WATER SYSTEM

Your home has:

- A cold water storage tank in the loft
- A hot water cylinder (usually in an airing cupboard)
- An additional booster pump

How does it work?

- 1 - Cold water is fed to a storage tank in the loft
- 2 - Water passes to a cylinder where it is heated by a boiler circuit flow
- 3 - The pressure of water is determined by a separately installed pump (1–3 bar/dynamic) (Fig 3)




Fig 3

MAINS HIGH PRESSURE WATER SYSTEM

Your home has:

- An unvented cylinder with an expansion vessel (usually located in a garage or service cupboard)
- NO cold water tank in the loft
- NO shower pump

How does it work?

- 1 - Cold water delivered at mains pressure (min 1.5 bar & 20 l/min.)
- 2 - Water passes to a cylinder where it is heated by a boiler circuit flow
- 3 - An expansion vessel replaces the storage tank in loft to deal with expansion
- 4 - The water pressure is determined by mains pressure (Fig 4)




Fig 4

COMBINATION BOILER WATER SYSTEM

Your home has:

- A combination boiler for hot water on demand (usually located in the kitchen)
- NO storage tanks
- NO shower pump

How does it work?

- 1 - Cold water delivered at mains pressure (min 1.0 bar to boiler & cold supply)
- 2 - Water is heated as it travels through the combination boiler providing hot water on demand
- 3 - The pressure is dictated by the incoming mains and the flow of water is determined by the power of the selected boiler (Fig 5)




Fig 5

GROHE GUARANTEE

GROHE products are designed to be both visionary and innovative with quality always guaranteed. Purchasing GROHE products means your investment is perfectly balanced in terms of quality, technology and design with sustainable production.

THE 5 YEAR MANUFACTURER'S GUARANTEE

GROHE shall grant guarantee services to the end consumer in accordance with the terms and conditions set forth below for all products supplied to the end customer under the GROHE brand, which are tagged as products to which the "GROHE Manufacturer's 5-year Guarantee" is applicable.

http://www.grohe.co.uk/en_gb/our-service/guarantee.html



THE 2 YEARS PLUS MANUFACTURER'S GUARANTEE

GROHE shall grant guarantee services to the end consumer in accordance with the terms and conditions set forth below for all products supplied to the end customer under the GROHE brand, which are tagged as products to which the "GROHE 2 years plus Manufacturer's Guarantee" is applicable.

http://www.grohe.co.uk/en_gb/our-service/guarantee.html



GROHE HELPDESK YOUR RELIABLE CONTACT



We'd love to help you – offering a friendly and helpful service

No matter what issues or questions you may have, you can find the right contact person for you.

Order management

(Ordering and Delivery Service)

Tel. 0208 283 2840

orders-uk@grohe.com

Opening Times:

Monday – Wednesday: 8:30-17:00

Thursday – Friday: 8:30-16:00

Customer Service

(Warranty, Technical, General Enquiries)

Tel. 0208 283 2840

info-uk@grohe.com

Opening Times:

Monday – Wednesday: 8:30-17:00

Thursday – Friday: 8:30-16:00

Projects

(Quotations, Architects, Developers)

Tel. 0208 283 2840

projects-uk@grohe.com

Opening Times:

Monday – Wednesday: 8:30-17:00

Thursday – Friday: 8:30-16:00

This pricelist replaces all previous editions. General conditions of sale and delivery apply.
We reserve the right to make changes to specifications, dimensions and design.

CERTIFICATES



The Water Regulations Advisory Scheme (WRAS) assesses water fitting products to ensure that they do not waste, misuse, unduly consume or contaminate the water supply, in order to show compliance with Regulation 4 of the requirements of the Water Supply (Water Fittings) Regulations 1999. GROHE have over 600 products that have been approved by WRAS and a further selection that are in the process of being approved. The WRAS Approved product logo is shown on our website against each approved product. Please visit www.grohe.co.uk for our up-to-date listing.





SPECIFIERS'
CATALOGUE
2023
EDITION FOR PROFESSIONALS



GROHE SPA

**SALUS PER AQUAM
HEALTH THROUGH WATER**

Nothing compares to the power of water –
it is cleansing, invigorating and healing.

A true elixir of life, water gives us precious moments of indulgent bliss. By harnessing these positive effects, we can switch off from the noise of the outside world to find peace for body, mind and soul. By immersing ourselves in soothing water rituals, we can inspire the senses to find equilibrium and hidden strength. Guided by the underlying belief that water is the source of vital energy, GROHE has revitalized GROHE SPA as a timeless sub-brand. A decade after GROHE SPA was first launched, our passion for water is tangible in every detail of every product.

Aimed at architects, designers and specifiers, as well as high-end showrooms, GROHE SPA represents the apex of what we can achieve. We are redefining what is possible to lift innovation, technology and precision to uncharted levels. We curate only the most exclusive, luxurious products to create exquisite places of retreat. Progressive designs are fused with carefully selected colors, materials and finishes. Versatile customization options transform the bathroom into a home spa, impeccably tailored to individual preferences.

GROHE SPA bathes us in blissful new multisensory experiences. Soothing, memorable and distinctive – just like the calming sound of water.

MEETING THREE MACROTRENDS

URBANISATION

EASY TO USE & INTUITIVE -
GENDER NEUTRAL &
INCLUSIVE HOSPITALITY

HEALTH & WELLBEING

CRAFTING WELLNESS -
MINIMALIST DESIGN -
HYGIENE

SUSTAINABILITY

SUSTAINABLE ARCHITECTURE -
USE OF UNIVERSAL COMPONENTS -
MATERIAL REDUCTION



THREE PILLARS AS ENABLERS


EXCLUSIVITY

FOR DEDICATED
DISTRIBUTORS



EXPERIENCE

THE
FIVE SENSES




NEW LUXURY

BESPOKE
SOLUTIONS



GROHE SPA AS OPPORTUNITY FOR GROHE PARTNERS TO INCREASE
THEIR ATTRACTIVENESS AND MAXIMIZE THE PERFORMANCE



GROHE SPA WAS CREATED
FOR TWO REASONS


01

Support GROHE premium partners with the offer of exclusive products
conceived for high-end showrooms and A&D

02

Enable GROHE partners to stand out on the market thanks to unique products
that bring to the highest expression GROHE key values of Design, Technology,
Quality and Sustainability.

TO MEET THE NEEDS OF VIP ENDCONSUMERS AND A&D
GROHE HAS CONCEIVED TAILOR-MADE PRODUCTS AND SERVICES



GROHE SPA has been conceived to bring to the highest expression the key values of GROHE and LIXIL thanks to the sophistication of SPA designs, cutting-edge new technologies, innovative sustainability concepts and the GROHE high quality promise.

SPA partners implementing the shop-in-shop SPA flagship concept will be supported for launch events, sharing of project specifications and presence on the new SPA website as the where to buy point of sales for the new Sub-brand. SPA comprises a dedicated portfolio of products that are not sold by GROHE to DIY & e-Com. Such products are clearly identified with SPA logo in the relevant pricebook section.





GROHE
SPA BATH TAPS



**CONTENTS**


| | |
|--|----|
| Allure Brilliant Icon 3D / Atrio Icon 3D | 24 |
| Atrio | 25 |
| Atrio Private Collection | 39 |
| Allure | 46 |
| Allure Brilliant | 58 |
| Grandera | 72 |
| Glass module | 83 |



GROHE SPA

ALLURE BRILLIANT ICON 3D / ATRIO ICON 3D


| Ref. No. | Colour | EAN |
|------------|-----------------|---------------|
| 20 635 SD0 | stainless steel | 4005176759642 |



Allure Brilliant
3-hole wall-mount basin mixer
GROHE Water Saving 5.0 l/min. flow limiter
 spout with integrated mousseur
 red and blue markings on handles for hot and cold water
 valves hot/cold with ceramic headparts
 pressure-proof, flexible connection hoses
 between spout and side valves
 projection 256 mm

technical data
 flow pressure min 0.5 bar
recommended pressure 1.0 - 5.0 bar
 if static pressure is more than 5 bar fit pressure reducer
 avoid major pressure differences between cold and hot water supply
 max. temperature hot water inlet: 80°C
 recommended temperature hot water inlet (energy saving): 60°C


| | | |
|------------|-----------------|---------------|
| 20 634 SD0 | stainless steel | 4005176759635 |
|------------|-----------------|---------------|



Allure Brilliant
3-hole deck-mount basin mixer
GROHE Water Saving 5.0 l/min. flow limiter
 spout with integrated mousseur
 red and blue markings on handles for hot and cold water
 valves hot/cold with ceramic headparts
 Push-open waste set 1 1/4"
 pressure-proof, flexible connection hoses
 between spout and side valves

technical data
 flow pressure min 0.5 bar
recommended pressure 1.0 - 5.0 bar
 if static pressure is more than 5 bar fit pressure reducer
 avoid major pressure differences between cold and hot water supply
 flow rate at 3 bar flow pressure: approx. 5 l/min
 max. temperature hot water inlet: 80°C
 recommended temperature hot water inlet (energy saving): 60°C


| | | |
|------------|-----------------|---------------|
| 20 664 SD0 | stainless steel | 4005176763243 |
|------------|-----------------|---------------|



Atrio Icon 3D
3-hole deck-mount basin mixer
 open spout for pure laminar water flow
 red and blue markings on handles for hot and cold water
 valves hot/cold with ceramic headparts
 Push-open waste set 1 1/4"
 pressure-proof, flexible connection hoses
 between spout and side valves

technical data
 flow pressure min 0.5 bar
recommended pressure 1.0 - 5.0 bar
 if static pressure is more than 5 bar fit pressure reducer
 avoid major pressure differences between cold and hot water supply
 flow rate at 3 bar flow pressure: approx. 5 l/min
 max. temperature hot water inlet: 80°C
 recommended temperature hot water inlet (energy saving): 60°C

| | | |
|------------|-----------------|---------------|
| 20 665 SD0 | stainless steel | 4005176763250 |
|------------|-----------------|---------------|



Atrio Icon 3D
3-hole wall-mount basin mixer
 open spout for pure laminar water flow
 red and blue markings on handles for hot and cold water
 valves hot/cold with ceramic headparts
 pressure-proof, flexible connection hoses
 between spout and side valves
 projection 235 mm


technical data
 flow pressure min 0.5 bar
recommended pressure 1.0 - 5.0 bar
 if static pressure is more than 5 bar fit pressure reducer
 avoid major pressure differences between cold and hot water supply
 flow rate at 3 bar flow pressure: approx. 5 l/min
 max. temperature hot water inlet: 80°C
 recommended temperature hot water inlet (energy saving): 60°C



GROHE SPA


GROHE
ATRIO

SPA BATH
TAPS




| Ref. No. | Colour | EAN |
|------------|-----------------------|---------------|
| 24 363 000 | Chrome | 4005176762215 |
| 24 363 DC0 | supersteel | 4005176760914 |
| 24 363 GL0 | cool sunrise | 4005176760921 |
| 24 363 DA0 | warm sunset | 4005176760907 |
| 24 363 AL0 | brushed hard graphite | 4005176760891 |

Atrio
Basin mixer 1/2"
M-Size
 monobloc installation
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE EcoJoy 5.7 l/min laminar mousseur
 swivel tubular C-spout with mousseur
 stop limiter
 Push-open waste set 1 1/4"
 flexible connection hoses




| Ref. No. | Colour | EAN |
|------------|-----------------------|---------------|
| 24 362 000 | Chrome | 4005176760846 |
| 24 362 DC0 | supersteel | 4005176760877 |
| 24 362 GL0 | cool sunrise | 4005176760884 |
| 24 362 DA0 | warm sunset | 4005176760860 |
| 24 362 AL0 | brushed hard graphite | 4005176760853 |

Atrio
Single-lever basin mixer 1/2"
L-Size
 monobloc installation
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE EcoJoy 5.7 l/min laminar mousseur
 swivel tubular C-spout with mousseur
 stop limiter
 Push-open waste set 1 1/4"
 flexible connection hoses



| Ref. No. | Colour | EAN |
|------------|-----------------------|---------------|
| 24 365 000 | Chrome | 4005176760976 |
| 24 365 DC0 | supersteel | 4005176761003 |
| 24 365 GL0 | cool sunrise | 4005176761010 |
| 24 365 DA0 | warm sunset | 4005176760990 |
| 24 365 AL0 | brushed hard graphite | 4005176760983 |

Atrio
Basin mixer 1/2"
XL-Size
 monobloc installation
for free-standing basins
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE EcoJoy 5.7 l/min laminar mousseur
 swivel tubular C-spout with mousseur
 stop limiter
 Push-open waste set 1 1/4"
 flexible connection hoses




| Ref. No. | Colour | EAN |
|------------|-----------------------|---------------|
| 29 410 000 | Chrome | 4005176762680 |
| 29 410 DC0 | supersteel | 4005176763427 |
| 29 410 GL0 | cool sunrise | 4005176763434 |
| 29 410 DA0 | warm sunset | 4005176763410 |
| 29 410 AL0 | brushed hard graphite | 4005176763403 |

Atrio
Two-hole basin mixer joystick
 wall mounted
without concealed body
 set for final installation for 23 429 000
 GROHE FeatherControl Joystick cartridge
GROHE Long-Life Shine durable sparkling sheen
GROHE EcoJoy 5.7 l/min laminar mousseur
 centre distance 110 mm
 projection 185 mm


| | | |
|------------|-----------------------|---------------|
| 29 406 000 | Chrome | 4005176762727 |
| 29 406 DC0 | supersteel | 4005176762758 |
| 29 406 GL0 | cool sunrise | 4005176762765 |
| 29 406 DA0 | warm sunset | 4005176762741 |
| 29 406 AL0 | brushed hard graphite | 4005176762734 |

ditto, projection 221 mm




| | | |
|------------|--|---------------|
| 23 429 000 | | 4005176993695 |
|------------|--|---------------|

Single-lever mixer 1/2", concealed body
 for 2 hole basin mixer
without finishing trim set
 GROHE FeatherControl Joystick cartridge
 wall installation
 installation device
 DR-brass
 allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve




| | | |
|------------|-----------------------|---------------|
| 24 364 000 | Chrome | 4005176762222 |
| 24 364 DC0 | supersteel | 4005176760952 |
| 24 364 GL0 | cool sunrise | 4005176760969 |
| 24 364 DA0 | warm sunset | 4005176760945 |
| 24 364 AL0 | brushed hard graphite | 4005176760938 |

Atrio
Bidet mixer 1/2"
M-Size
 monobloc installation
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
 rapid installation system
 tubular C-spout with ball-joint mousseur
 pop-up waste set 1 1/4"
 flexible connection hoses




| | | |
|------------|-----------------------|---------------|
| 24 366 000 | Chrome | 4005176762239 |
| 24 366 DC0 | supersteel | 4005176761041 |
| 24 366 GL0 | cool sunrise | 4005176761058 |
| 24 366 DA0 | warm sunset | 4005176761034 |
| 24 366 AL0 | brushed hard graphite | 4005176761027 |

Atrio
Single-lever shower mixer 1/2"
 wall mounted
GROHE SilkMove 35 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
 adjustable flow rate limiter
 shower bottom outlet 1/2" with
 integrated non return-valve
 covered S-unions
 protected against backflow



| Ref. No. | Colour | EAN |
|------------|-----------------------|---------------|
| 24 367 000 | Chrome | 4005176762246 |
| 24 367 DC0 | supersteel | 4005176761089 |
| 24 367 GL0 | cool sunrise | 4005176761096 |
| 24 367 DA0 | warm sunset | 4005176761072 |
| 24 367 AL0 | brushed hard graphite | 4005176761065 |

Aerio
Single-lever bath/shower mixer 1/2"
wall mounted
GROHE SilkMove 35 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
adjustable flow rate limiter
automatic diverter: bath/shower
cast spout
mousseur
shower bottom outlet 1/2" with
integrated non return-valve
covered S-unions
protected against backflow




| Ref. No. | Colour | EAN |
|------------|-----------------------|---------------|
| 24 354 000 | Chrome | 4005176762062 |
| 24 354 DC0 | supersteel | 4005176761591 |
| 24 354 GL0 | cool sunrise | 4005176761607 |
| 24 354 DA0 | warm sunset | 4005176761584 |
| 24 354 AL0 | brushed hard graphite | 4005176761577 |

Aerio
Single-lever shower mixer trim
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
wall escutcheon with GROHE FastFixation
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set



| | |
|---|---------------|
| 35 604 000 | 4005176698774 |
| GROHE Rapido SmartBox universal rough-in box for concealed installation | |



| Ref. No. | Colour | EAN |
|------------|-----------------------|---------------|
| 24 355 000 | Chrome | 4005176762079 |
| 24 355 DC0 | supersteel | 4005176761638 |
| 24 355 GL0 | cool sunrise | 4005176761645 |
| 24 355 DA0 | warm sunset | 4005176761621 |
| 24 355 AL0 | brushed hard graphite | 4005176761614 |

Aerio
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
wall escutcheon with GROHE FastFixation
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set



| | |
|---|---------------|
| 35 604 000 | 4005176698774 |
| GROHE Rapido SmartBox universal rough-in box for concealed installation | |




GROHE SPA

GROHE
ATRIO

Ref. No. Colour EAN



| | | |
|------------|-----------------------|---------------|
| 24 356 000 | Chrome | 4005176762086 |
| 24 356 DC0 | supersteel | 4005176761164 |
| 24 356 GL0 | cool sunrise | 4005176761171 |
| 24 356 DA0 | warm sunset | 4005176761669 |
| 24 356 AL0 | brushed hard graphite | 4005176761652 |



Aerio

Single-lever mixer with 3-way diverter

set for final installation for

GROHE Rapido SmartBox 35 600/35 604

GROHE SilkMove 46 mm ceramic cartridge

GROHE Long-Life Shine durable sparkling sheen

wall escutcheon with GROHE FastFixation

(covered escutcheon- and shaft sealing, covered fixing)

metal escutcheon, retroactively 6° adjustable

metal lever

3-way diverter

flow performance:

outlet A = 27 l/min,

outlet B = 27 l/min,

outlet C = 27 l/min


without roughing-in-set



| | |
|---|---------------|
| 35 604 000 | 4005176698774 |
| GROHE Rapido SmartBox universal rough-in box for concealed installation | |



| | | |
|------------|-----------------------|---------------|
| 24 357 000 | Chrome | 4005176762093 |
| 24 357 DC0 | supersteel | 4005176761201 |
| 24 357 GL0 | cool sunrise | 4005176761218 |
| 24 357 DA0 | warm sunset | 4005176761195 |
| 24 357 AL0 | brushed hard graphite | 4005176761188 |



Aerio

Thermostatic mixer for 1 outlet with shut off valve

set for final installation for

GROHE Rapido SmartBox 35 600/35 604

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE Long-Life Shine durable sparkling sheen

wall escutcheon with GROHE FastFixation

(covered escutcheon- and shaft sealing, covered fixing)

metal escutcheon, retroactively 6° adjustable

GROHE SafeStop safety button at 38°C

(calibration required)

GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included

built-in non return valve

and dirt strainers

ceramic stop valve, 120°

metal handles

flow performance:

outlet B = 27 l/min

outlet C = 30 l/min

without roughing-in-set



| | |
|---|---------------|
| 35 604 000 | 4005176698774 |
| GROHE Rapido SmartBox universal rough-in box for concealed installation | |



Ref. No. Colour EAN



| | | |
|------------|-----------------------|---------------|
| 24 358 000 | Chrome | 4005176762109 |
| 24 358 DC0 | supersteel | 4005176761362 |
| 24 358 GL0 | cool sunrise | 4005176761379 |
| 24 358 DA0 | warm sunset | 4005176761355 |
| 24 358 AL0 | brushed hard graphite | 4005176761348 |

Atrio

Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve

set for final installation for
GROHE Rapido SmartBox 35 600/35 604

GROHE TurboStat compact cartridge
with wax thermoelement

GROHE Long-Life Shine durable sparkling sheen
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed head and hand shower symbol

GROHE SafeStop safety button at 38°C
(calibration required)

GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included

GROHE AquaDimmer, integrated shut off/diverter valve



metal handles

flow performance:

outlet B = 27 l/min

outlet C = 30 l/min

without roughing-in-set



| | |
|--|---------------|
| 35 604 000 | 4005176698774 |
| GROHE Rapido SmartBox universal rough-in box for concealed installation | |



| | | |
|------------|-----------------------|---------------|
| 24 359 000 | Chrome | 4005176762116 |
| 24 359 DC0 | supersteel | 4005176761409 |
| 24 359 GL0 | cool sunrise | 4005176761416 |
| 24 359 DA0 | warm sunset | 4005176761393 |
| 24 359 AL0 | brushed hard graphite | 4005176761386 |

Atrio

Thermostatic bath tub mixer for 2 outlets with integrated shut off/diverter valve

set for final installation for
GROHE Rapido SmartBox 35 600/35 604

GROHE TurboStat compact cartridge
with wax thermoelement

GROHE Long-Life Shine durable sparkling sheen
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed hand shower and bath filler symbol

GROHE SafeStop safety button at 38°C
(calibration required)

GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included

GROHE AquaDimmer, integrated shut off/diverter valve



metal handles

flow performance:


outlet B = 27 l/min

outlet C = 30 l/min

without roughing-in-set




| | |
|--|---------------|
| 35 604 000 | 4005176698774 |
| GROHE Rapido SmartBox universal rough-in box for concealed installation | |



| Ref. No. | Colour | EAN |
|------------|-----------------------|---------------|
| 24 368 000 | Chrome | 4005176761102 |
| 24 368 DC0 | supersteel | 4005176761133 |
| 24 368 EN0 | brushed nickel | 4005176761140 |
| 24 368 GL0 | cool sunrise | 4005176761157 |
| 24 368 DA0 | warm sunset | 4005176761126 |
| 24 368 AL0 | brushed hard graphite | 4005176761119 |


Atrio
Single-lever bath mixer, floor mounted
 set for final installation for 45 984 001
without roughing-in-set
GROHE SilkMove 35 mm ceramic cartridge
 with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
 automatic diverter: bath/shower
 spout with mousseur
 projection 301 mm
 integrated non-return valve
 in the shower outlet 1/2"
 with shower holder
 hand shower Rainshower Aqua Stick (26 866)
 Silverflex shower hose 1250 mm
 protected against backflow

| | | |
|--|--|---------------|
| 45 984 001 | | 4005176992056 |
| Rough-in set 1/2" for floor-mounted mixers/spouts | | |




| | | |
|------------|-----------------------|---------------|
| 20 658 000 | Chrome | 4005176763007 |
| 20 658 DC0 | supersteel | 4005176763038 |
| 20 658 GL0 | cool sunrise | 4005176763045 |
| 20 658 DA0 | warm sunset | 4005176763021 |
| 20 658 AL0 | brushed hard graphite | 4005176763014 |

Atrio
Pillar tap 1/2" XS-Size
 headpart 1/2" - 90°
GROHE Long-Life Shine durable sparkling sheen
GROHE EcoJoy 5.7 l/min laminar mousseur
 rapid installation system
 mousseur
 fixed spout
 with lever handle



| | | |
|------------|-----------------------|---------------|
| 21 145 000 | Chrome | 4005176763311 |
| 21 145 DC0 | supersteel | 4005176763359 |
| 21 145 GL0 | cool sunrise | 4005176763366 |
| 21 145 DA0 | warm sunset | 4005176763342 |
| 21 145 AL0 | brushed hard graphite | 4005176763335 |

Atrio
Basin mixer, 1/2" L-Size
 ceramic headparts 1/2", 90°
GROHE EcoJoy 5.7 l/min laminar mousseur
 rapid installation system
 swivel tubular spout with mousseur and stop limiter
 Push-open waste set 1 1/4"
 flexible connection hoses
 with lever handles
 Two different sets of caps included. One set with „H" and „C" marking, one set without marking.



| | | |
|------------|-----------------------|---------------|
| 21 144 000 | Chrome | 4005176763267 |
| 21 144 DC0 | supersteel | 4005176763298 |
| 21 144 GL0 | cool sunrise | 4005176763304 |
| 21 144 DA0 | warm sunset | 4005176763281 |
| 21 144 AL0 | brushed hard graphite | 4005176763274 |


Atrio
Basin mixer, 1/2" L-Size
 ceramic headparts 1/2", 90°
GROHE Long-Life Shine durable sparkling sheen
GROHE EcoJoy 5.7 l/min laminar mousseur
 rapid installation system
 swivel tubular spout with mousseur and stop limiter
 Push-open waste set 1 1/4"
 flexible connection hoses
 with cross handles
 Two different sets of caps included. One set with „H" and „C" marking, one set without marking.



GROHE SPA


GROHE
ATRIO

SPA BATH
TAPS




| Ref. No. | Colour | EAN |
|------------|-----------------------|---------------|
| 21 149 000 | Chrome | 4005176762017 |
| 21 149 DC0 | supersteel | 4005176761249 |
| 21 149 GL0 | cool sunrise | 4005176761256 |
| 21 149 DA0 | warm sunset | 4005176761232 |
| 21 149 AL0 | brushed hard graphite | 4005176761225 |

Atrio Basin mixer, 1/2" XL-Size
 for free-standing basins
 ceramic headparts 1/2", 90°
GROHE Long-Life Shine durable sparkling sheen
GROHE EcoJoy 5.7 l/min laminar mousseur
 rapid installation system
 swivel tubular spout with mousseur and stop limiter
 Push-open waste set 1 1/4"
 flexible connection hoses
 with cross handles
 Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.




| Ref. No. | Colour | EAN |
|------------|-----------------------|---------------|
| 20 649 000 | Chrome | 4005176762949 |
| 20 649 DC0 | supersteel | 4005176762987 |
| 20 649 GL0 | cool sunrise | 4005176762994 |
| 20 649 DA0 | warm sunset | 4005176762970 |
| 20 649 AL0 | brushed hard graphite | 4005176762963 |

Atrio Three-hole basin mixer 1/2" M-Size
 ceramic headparts 1/2", 90°
GROHE Long-Life Shine durable sparkling sheen
GROHE EcoJoy 5.7 l/min laminar mousseur
 swivel tubular spout with mousseur and stop limiter
 pop-up waste set 1 1/4"
 flexible connection hoses between spout and side valves
 with lever handles
 Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.



| Ref. No. | Colour | EAN |
|------------|-----------------------|---------------|
| 20 643 000 | Chrome | 4005176762871 |
| 20 643 DC0 | supersteel | 4005176762925 |
| 20 643 GL0 | cool sunrise | 4005176762932 |
| 20 643 DA0 | warm sunset | 4005176762918 |
| 20 643 AL0 | brushed hard graphite | 4005176762901 |



Atrio Three-hole basin mixer 1/2" M-Size
 ceramic headparts 1/2", 90°
GROHE Long-Life Shine durable sparkling sheen
GROHE EcoJoy 5.7 l/min laminar mousseur
 swivel tubular spout with mousseur and stop limiter
 pop-up waste set 1 1/4"
 pressure-proof, flexible connection hoses
 between spout and side valves
 with cross handles
 Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.







| Ref. No. | Colour | EAN |
|------------|-----------------------|---------------|
| 20 662 000 | Chrome | 4005176763168 |
| 20 662 DC0 | supersteel | 4005176763205 |
| 20 662 GL0 | cool sunrise | 4005176763212 |
| 20 662 DA0 | warm sunset | 4005176763199 |
| 20 662 AL0 | brushed hard graphite | 4005176763182 |



Atrio Three-hole basin mixer 1/2" S-Size
 wall mounted
 set for final installation for 29 025 002
without concealed body
 valves hot/cold
 with headparts 1/2" - 90°
GROHE Long-Life Shine durable sparkling sheen
GROHE EcoJoy 5.7 l/min laminar mousseur
 centre distance 200 mm
 projection 180 mm
 with lever handles
 Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.



| | Ref. No. | Colour | EAN |
|---|--|-----------------------|---------------|
|  | 20 661 000 | Chrome | 4005176763090 |
| | 20 661 DC0 | supersteel | 4005176763137 |
| | 20 661 EN0 | brushed nickel | 4005176763144 |
| | 20 661 GL0 | cool sunrise | 4005176763151 |
| | 20 661 DA0 | warm sunset | 4005176763120 |
| | 20 661 AL0 | brushed hard graphite | 4005176763113 |
|  | <p>Atrio 3-hole basin mixer wall mounted set for final installation for 29 025 002 without concealed body valves hot/cold with headparts 1/2" - 90° GROHE Long-Life Shine durable sparkling sheen GROHE EcoJoy 5.7 l/min laminar mousseur centre distance 200 mm projection 180 mm with cross handles Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.</p> | | |

| | | | |
|---|--|--|---------------|
|  | 29 025 002 | | 4005176519895 |
|  | <p>Two-handle basin mixer concealed body, 1/2" for 3-hole basin mixer wall installation without finishing trim set DR-brass installation device allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve</p> | | |

| | | | |
|---|---|--|---------------|
|  | 24 353 000 | Chrome | 4005176761300 |
| | 24 353 DC0 | supersteel | 4005176761331 |
| | 24 353 GL0 | cool sunrise | 4005176761560 |
| | 24 353 DA0 | warm sunset | 4005176761324 |
| | 24 353 AL0 | brushed hard graphite | 4005176761317 |
| |  | <p>Atrio Bidet mixer 1/2" M-Size ceramic headparts 1/2", 90° GROHE Long-Life Shine durable sparkling sheen rapid installation system ball-joint mousseur bow spout pop-up waste set 1 1/4" flexible connection hoses with cross handles Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.</p> | |


| | | | |
|---|---|---|---------------|
|  | 26 895 000 | Chrome | 4005176762185 |
| | 26 895 DC0 | supersteel | 4005176760792 |
| | 26 895 GL0 | cool sunrise | 4005176760808 |
| | 26 895 DA0 | warm sunset | 4005176760785 |
| | 26 895 AL0 | brushed hard graphite | 4005176760778 |
| |  | <p>Atrio Shower mixer 1/2" wall mounted ceramic headparts 1/2", 90° shower outlet 1/2" integrated non-return valves in the shower outlet 1/2" covered S-unions protected against backflow with cross handles Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.</p> | |



GROHE SPA


GROHE
ATRIO

SPA BATH
TAPS




| Ref. No. | Colour | EAN |
|------------|-----------------------|---------------|
| 25 268 000 | Chrome | 4005176762147 |
| 25 268 DC0 | supersteel | 4005176761461 |
| 25 268 GL0 | cool sunrise | 4005176761478 |
| 25 268 DA0 | warm sunset | 4005176761454 |
| 25 268 AL0 | brushed hard graphite | 4005176761447 |

Aerio
Bath / shower mixer 1/2"
 wall mounted
 ceramic headparts 1/2", 90°
GROHE Long-Life Shine durable sparkling sheen
 automatic diverter: bath/shower
 tubular spout
 with stop restriction
 mousseur
 covered S-unions
 protected against backflow
 without shower set
 with cross handles
 Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.




| Ref. No. | Colour | EAN |
|------------|-----------------------|---------------|
| 25 272 000 | Chrome | 4005176762154 |
| 25 272 DC0 | supersteel | 4005176761508 |
| 25 272 EN0 | brushed nickel | 4005176761515 |
| 25 272 GL0 | cool sunrise | 4005176761522 |
| 25 272 DA0 | warm sunset | 4005176761492 |
| 25 272 AL0 | brushed hard graphite | 4005176761485 |

Aerio
Bath / shower mixer 1/2"
 floor-mounted installation
 with high pillar unions (765 mm)
 set for final installation for 45 984 001
 ceramic headparts 1/2", 90°
GROHE Long-Life Shine durable sparkling sheen
 automatic diverter: bath/shower
 spout with mousseur
 projection 301 mm
 integrated non-return valve
 in the shower outlet 1/2"
 hand shower Rainshower Aqua Stick (26 866)
 with shower holder
 Silverflex shower hose 1250 mm (28 362)
 protected against backflow, with cross handles
 Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.



| | |
|------------|---------------|
| 45 984 001 | 4005176992056 |
|------------|---------------|


Rough-in set 1/2"
 for floor-mounted bath mixers/spouts and shower mixers
without finishing trim set
 installation plate with 360° horizontal and 3° vertical adjustment
 installation depth 53-157 mm for bath mixers/spouts, depth compensation 104 mm
 installation depth 65-157 mm for shower mixers, depth compensation 92 mm
 two 1/2" female connections (hot/cold supplies)
 flushing plug
 Can take a single mixed supply
 fixing material




| Ref. No. | Colour | EAN |
|------------|-----------------------|---------------|
| 29 397 000 | Chrome | 4005176754111 |
| 29 397 DC0 | supersteel | 4005176754142 |
| 29 397 GL0 | cool sunrise | 4005176754159 |
| 29 397 DA0 | warm sunset | 4005176754135 |
| 29 397 AL0 | brushed hard graphite | 4005176754128 |


Aerio
Concealed stop-valve trim
 for concealed valve 35 028 000 or 29 032 000
GROHE Long-Life Shine durable sparkling sheen
 installation depth adjustable
 20-80 mm
 escutcheon with screwable wall sealing
 with lever handle





| | Ref. No. | Colour | EAN |
|---|------------|-----------------------|---------------|
|  | 29 396 000 | Chrome | 4005176754067 |
| | 29 396 DC0 | supersteel | 4005176754098 |
| | 29 396 GL0 | cool sunrise | 4005176754104 |
| | 29 396 DA0 | warm sunset | 4005176754081 |
| | 29 396 AL0 | brushed hard graphite | 4005176754074 |




Atrio
Concealed stop-valve trim
 for concealed valve 35 028 000 or 29 032 000
GROHE Long-Life Shine durable sparkling sheen
 installation depth adjustable
 20-80 mm
 escutcheon with screwable wall sealing
 with cross handle


| | | | |
|---|--|--|---------------|
|  | 35 028 000 | | 4005176908316 |
| | GROHE Rapido C Rough-in for single volume control for grid installation of Grohtherm Custom Shower system built-in box with removable protection cover waterproof membrane base for wall sealing for masonry and drywall installation fixing points for front and back wall body of DR brass pre-assembled ceramic headpart 3/4" connection threads 1/2" installation depth 70 - 95 mm | | |




| | Ref. No. | Colour | EAN |
|---|------------|-----------------------|---------------|
|  | 29 407 000 | Chrome | 4005176762772 |
| | 29 407 DC0 | supersteel | 4005176762802 |
| | 29 407 GL0 | cool sunrise | 4005176762819 |
| | 29 407 DA0 | warm sunset | 4005176762796 |
| | 29 407 AL0 | brushed hard graphite | 4005176762789 |



Atrio
5-hole bath/shower combination
 ceramic headparts 1/2", 90°
GROHE Long-Life Shine durable sparkling sheen
 Consisting of:
 pre-assembled spout fixing
 with lever handles
 bath spout with mousseur and diverter bath/shower
 hand shower Rainshower Aqua Stick 6.6 l/min
 shower hose 2000 mm
 flexible connection hoses
 connection for shower hose
 protected against backflow
 can be used with 29 037 002
 Two different sets of caps included. One set with
 „H“ and „C“ marking, one set without marking.

| | Ref. No. | Colour | EAN |
|---|------------|-----------------------|---------------|
|  | 29 408 000 | Chrome | 4005176762826 |
| | 29 408 DC0 | supersteel | 4005176762857 |
| | 29 408 GL0 | cool sunrise | 4005176762864 |
| | 29 408 DA0 | warm sunset | 4005176762840 |
| | 29 408 AL0 | brushed hard graphite | 4005176762833 |



Atrio
5-hole bath/shower combination
 ceramic headparts 1/2", 90°
GROHE Long-Life Shine durable sparkling sheen
 Consisting of:
 pre-assembled spout fixing
 with cross handles
 bath spout with mousseur and diverter bath/shower
 hand shower Rainshower Aqua Stick 6.6 l/min
 shower hose 2000 mm
 flexible connection hoses
 connection for shower hose
 protected against backflow
 can be used with 29 037 002
 Two different sets of caps included. One set with
 „H“ and „C“ marking, one set without marking.




GROHE SPA

GROHE
ATRIO

SPA BATH
TAPS


Ref. No. Colour EAN

29 037 002 4005176519918



**4/5-hole bath combination (optional)
baseframe for installation
under tiled surround**

base frame
drainage box with
integrated outlet for splash water
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve
caps to cover screw fixations always come in chrome color



| | | |
|------------|-----------------------|---------------|
| 13 487 000 | Chrome | 4005176761683 |
| 13 487 DC0 | supersteel | 4005176761720 |
| 13 487 GL0 | cool sunrise | 4005176761737 |
| 13 487 DA0 | warm sunset | 4005176761713 |
| 13 487 AL0 | brushed hard graphite | 4005176761706 |

Atrio

Bath spout
wall mounted

GROHE Long-Life Shine durable sparkling sheen
mousseur
projection 171 mm

| | | |
|------------|-----------------------|---------------|
| 37 624 000 | Chrome | 4005176416095 |
| 37 624 DC0 | supersteel | 4005176416125 |
| 37 624 GL0 | cool sunrise | 4005176529054 |
| 37 624 DA0 | warm sunset | 4005176529061 |
| 37 624 AL0 | brushed hard graphite | 4005176529115 |

Arena Cosmopolitan S

Flush plate

for dual flush or start & stop actuation
for pneumatic drop valve AV1
compatible with Rapid SL/GD2 1.13 m

for vertical installation

130 x 172 mm
made of ABS

GROHE Long-Life Shine durable sparkling sheen


GROHE Water Saving - Less water, perfect flow

flush plate with magnetic holder and fixing brackets included



















compatible with Rapid SLX

for use with Rapid SL and Uniset with GD 2 cistern please order shaft 40 911 000
(sold separately)

colours BE and EN available until 31 March 2023






| | | Ref. No. | Colour | EAN |
|---|---|--|-----------------------|------------------|
|  |  |  40 884 000 | Chrome | 4005176754326 |
| | | 40 884 DC0 | supersteel | 4005176752926 |
| | | 40 884 EN0 | brushed nickel | 4005176752933 |
| | | 40 884 GL0 | cool sunrise | 4005176752940 |
| | | 40 884 DA0 | warm sunset | 4005176752919 |
| | | 40 884 AL0 | brushed hard graphite | 4005176752902 |
| | | Atrio | | |
| | | Glass/soap dish holder | | |
| | | fits glass 40 882 000 or soap dispenser 40 886 xx0 (please order separately) | | |
| | | material: metal | | |
| | | concealed fastening | | |
| | | GROHE Long-Life Shine durable sparkling sheen | | |
|  |  |  40 886 000 | Chrome | 4005176754012 |
| | | 40 886 DC0 | supersteel | 4005176754531 |
| | | 40 886 EN0 | brushed nickel | 4005176754548 |
| | | 40 886 GL0 | cool sunrise | 4005176754555 |
| | | 40 886 DA0 | warm sunset | 4005176754524 |
| | | 40 886 AL0 | brushed hard graphite | 4005176754517 |
| | | Soap dispenser | | |
| | | material: glass / metal | | |
| | | filling quantity 160 ml | | |
| | | fits holder Atrio 40 884 xx0 (please order separately) | | |
| | | GROHE Long-Life Shine durable sparkling sheen | | |
|  |  |  40 882 000 | Chrome | 4005176754494 |
| | | | | Glass |
| | | material: glass | | |
| | | fits holders Allure 40 278 001 and Atrio 40 884 xx0 (please order separately) | | |
|  |  |  40 885 000 | Chrome | 4005176752957 |
| | | 40 885 DC0 | supersteel | 4005176753985 |
| | | 40 885 EN0 | brushed nickel | 4005176753992 |
| | | 40 885 GL0 | cool sunrise | 4005176754005 |
| | | 40 885 DA0 | warm sunset | 4005176753978 |
| | | 40 885 AL0 | brushed hard graphite | 4005176753961 |
| | | Atrio | | |
| | | Glass/soap dish holder | | |
| | | fits soap dish 40 883 000 or hair dryer inlet 40 964 001 (please order separately) | | |
| | | material: metal | | |
| | | concealed fastening | | |
| | | GROHE Long-Life Shine durable sparkling sheen | | |
|  |  |  40 883 000 | Chrome | 4005176755262 |
| | | | | Soap dish |
| | | material: glass | | |
| | | fits holders Allure (40 963 001) and Atrio (40 885 xx0), please order separately | | |
|  |  |  40 964 001 | black | 4005176531019 |
| | | | | Allure |
| | | Hair dryer inlet | | |
| | | material: plastic | | |
| | | fits holders Allure (40 963 xx1) and Atrio (40 885 xx0), please order separately | | |



GROHE SPA

GROHE
ATRIO


SPA BATH
TAPS



GROHE SPA

| Ref. No. | Colour | EAN |
|------------|-----------------------|---------------|
| 40 887 000 | Chrome | 4005176754562 |
| 40 887 DC0 | supersteel | 4005176754593 |
| 40 887 EN0 | brushed nickel | 4005176754609 |
| 40 887 GL0 | cool sunrise | 4005176754616 |
| 40 887 DA0 | warm sunset | 4005176754586 |
| 40 887 AL0 | brushed hard graphite | 4005176754579 |


Aerio
Towel ring
material: metal
concealed fastening
GROHE Long-Life Shine durable sparkling sheen



GROHE SPA

| Ref. No. | Colour | EAN |
|------------|-----------------------|---------------|
| 40 888 000 | Chrome | 4005176754623 |
| 40 888 DC0 | supersteel | 4005176754654 |
| 40 888 EN0 | brushed nickel | 4005176754661 |
| 40 888 GL0 | cool sunrise | 4005176754678 |
| 40 888 DA0 | warm sunset | 4005176754647 |
| 40 888 AL0 | brushed hard graphite | 4005176754630 |


Aerio
Towel bar
material: metal
2 arms, not pivotable
length 489 mm
concealed fastening
GROHE Long-Life Shine durable sparkling sheen



GROHE SPA

| Ref. No. | Colour | EAN |
|------------|-----------------------|---------------|
| 40 889 000 | Chrome | 4005176754685 |
| 40 889 DC0 | supersteel | 4005176754715 |
| 40 889 EN0 | brushed nickel | 4005176754722 |
| 40 889 GL0 | cool sunrise | 4005176754739 |
| 40 889 DA0 | warm sunset | 4005176754708 |
| 40 889 AL0 | brushed hard graphite | 4005176754692 |


Aerio
Towel rail
650 mm (drilling length 600 mm)
material: metal
concealed fastening
GROHE Long-Life Shine durable sparkling sheen



GROHE SPA

| Ref. No. | Colour | EAN |
|------------|-----------------------|---------------|
| 40 890 000 | Chrome | 4005176754746 |
| 40 890 DC0 | supersteel | 4005176754777 |
| 40 890 EN0 | brushed nickel | 4005176754784 |
| 40 890 GL0 | cool sunrise | 4005176754791 |
| 40 890 DA0 | warm sunset | 4005176754760 |
| 40 890 AL0 | brushed hard graphite | 4005176754753 |


Aerio
Robe hook
material: metal
concealed fastening
GROHE Long-Life Shine durable sparkling sheen



GROHE SPA

| Ref. No. | Colour | EAN |
|------------|-----------------------|---------------|
| 40 891 000 | Chrome | 4005176754807 |
| 40 891 DC0 | supersteel | 4005176754838 |
| 40 891 EN0 | brushed nickel | 4005176755088 |
| 40 891 GL0 | cool sunrise | 4005176755095 |
| 40 891 DA0 | warm sunset | 4005176754821 |
| 40 891 AL0 | brushed hard graphite | 4005176754814 |

Aerio
Toilet roll holder
material: metal
concealed fastening
without cover
GROHE Long-Life Shine durable sparkling sheen




| Ref. No. | Colour | EAN |
|------------|-----------------------|---------------|
| 40 892 000 | Chrome | 4005176755101 |
| 40 892 DC0 | supersteel | 4005176755132 |
| 40 892 EN0 | brushed nickel | 4005176755149 |
| 40 892 GL0 | cool sunrise | 4005176755156 |
| 40 892 DA0 | warm sunset | 4005176755125 |
| 40 892 AL0 | brushed hard graphite | 4005176755118 |

Atrio
Toilet brush set
 material: glass / metal
 wall mounted
 concealed fastening
GROHE Long-Life Shine durable sparkling sheen

| | | |
|------------|--------------|---------------|
| 40 791 001 | white | 4005176323409 |
| 40 791 KS1 | velvet black | 4005176336379 |

Spare Brush Head



| Ref. No. | Colour | EAN |
|------------|-----------------------|---------------|
| 30 609 000 | Chrome | 4005176762208 |
| 30 609 DC0 | supersteel | 4005176760839 |
| 30 609 AL0 | brushed hard graphite | 4005176760822 |

Atrio
Two handle sink mixer 1/2"
 C-spout
 monobloc installation
GROHE Long-Life Shine durable sparkling sheen
 ceramic headparts 1/2", 90°
 selectable swivel area : 0° / 150° / 360°
 flexible connection hoses
 rapid installation system
 mousseur


| | | |
|------------|-----------------------|---------------|
| 30 362 000 | Chrome | 4005176496479 |
| 30 362 DC0 | supersteel | 4005176496486 |
| 30 362 AL0 | brushed hard graphite | 4005176497292 |

available until 30 September 2023, will be replaced by 30 609



GROHE SPA

ATRIO PRIVATE COLLECTION




| Ref. No. | Colour | EAN |
|------------|-----------------------|---------------|
| 21 138 000 | Chrome | 4005176499081 |
| 21 138 DC0 | supersteel | 4005176510557 |
| 21 138 GL0 | cool sunrise | 4005176510496 |
| 21 138 DA0 | warm sunset | 4005176510571 |
| 21 138 AL0 | brushed hard graphite | 4005176510618 |

Aerio Private Collection Basin mixer, 1/2"

L-Size

ceramic headparts 1/2", 90°
GROHE Long-Life Shine durable sparkling sheen
GROHE EcoJoy 5.7 l/min laminar mousseur
 rapid installation system
 swivel tubular spout with mousseur and stop limiter
 Push-open waste set 1 1/4"
 flexible connection hoses
 knobs with metal inlay
 can be combined with 48 456 000 or 48 457 000



| | | |
|------------|-----------------------|---------------|
| 21 142 000 | Chrome | 4005176510052 |
| 21 142 DC0 | supersteel | 4005176509957 |
| 21 142 GL0 | cool sunrise | 4005176509896 |
| 21 142 DA0 | warm sunset | 4005176509971 |
| 21 142 AL0 | brushed hard graphite | 4005176510014 |

Aerio Private Collection Basin mixer, 1/2"

XL-Size

for free-standing basins
 ceramic headparts 1/2", 90°
GROHE Long-Life Shine durable sparkling sheen
GROHE EcoJoy 5.7 l/min laminar mousseur
 rapid installation system
 swivel tubular spout with mousseur and stop limiter
 Push-open waste set 1 1/4"
 flexible connection hoses
 knobs with metal inlay
 can be combined with 48 456 000 or 48 457 000



| | |
|------------|---------------|
| 48 456 000 | 4005176520778 |
|------------|---------------|

Aerio Private Collection

Inlays made from White Attica Caesarstone material

can be combined with Aerio Private Collection:
 one-hole basin mixer L-Size 21 138
 one-hole basin mixer XL-Size 21 142
 Caesarstone is a quartz composite material. Structures and textures on the surface may vary and are unique.




| | |
|------------|---------------|
| 48 457 000 | 4005176520785 |
|------------|---------------|


Aerio Private Collection

Inlays made from Vanilla Noir Caesarstone material

can be combined with Aerio Private Collection:
 one-hole basin mixer L-Size 21 138
 one-hole basin mixer XL-Size 21 142
 Caesarstone is a quartz composite material. Structures and textures on the surface may vary and are unique.









| | Ref. No. | Colour | EAN |
|---|--|-----------------------|---------------|
|  | 20 589 000 | Chrome | 4005176511691 |
| | 20 589 DC0 | supersteel | 4005176511592 |
| | 20 589 GL0 | cool sunrise | 4005176503306 |
| | 20 589 DA0 | warm sunset | 4005176511615 |
| | 20 589 AL0 | brushed hard graphite | 4005176511653 |
| | Aerio Private Collection 3-hole basin mixer wall mounted set for final installation for 29 025 002 without concealed body valves hot/cold with headparts 1/2" - 90° GROHE Long-Life Shine durable sparkling sheen GROHE EcoJoy 5.7 l/min laminar mousseur centre distance 200 mm projection 180 mm knobs with metal inlay can be combined with 48 460 000 or 48 461 000 | | |
| | 29 025 002 | | 4005176519895 |
| | Rough-in set for 3-hole basin mixer | | |



| | | | |
|--|--|-----------------------|---------------|
|  | 20 595 000 | Chrome | 4005176511233 |
| | 20 595 DC0 | supersteel | 4005176511158 |
| | 20 595 GL0 | cool sunrise | 4005176511110 |
| | 20 595 DA0 | warm sunset | 4005176511172 |
| | 20 595 AL0 | brushed hard graphite | 4005176511219 |
| | Aerio Private Collection Three-hole basin mixer 1/2" M-Size ceramic headparts 1/2", 90° GROHE Long-Life Shine durable sparkling sheen GROHE EcoJoy 5.7 l/min laminar mousseur swivel tubular spout with mousseur and stop limiter pop-up waste set 1 1/4" pressure-proof, flexible connection hoses between spout and side valves knobs with metal inlay can be combined with 48 460 000 or 48 461 000 | | |

| | | | |
|---|---|--|---------------|
|  | 48 460 000 | | 4005176523816 |
| | Aerio Private Collection Inlays made from White Attica Caesarstone material can be combined with Aerio Private Collection: three-hole basin mixer M-Size 20 595 three-hole basin mixer wall mounted 20 589 Caesarstone is a quartz composite material. Structures and textures on the surface may vary and are unique. | | |

| | | | |
|---|---|--|---------------|
|  | 48 461 000 | | 4005176523823 |
| | Aerio Private Collection Inlays made from Vanilla Noir Caesarstone material can be combined with Aerio Private Collection: three-hole basin mixer M-Size 20 595 three-hole basin mixer wall mounted 20 589 Caesarstone is a quartz composite material. Structures and textures on the surface may vary and are unique. | | |

| | Ref. No. | Colour | EAN |
|---|--|--------------------------|---------------|
|  |  | 25 226 000 Chrome | 4005176508554 |
| | 25 226 DC0 supersteel | 4005176508455 | |
| | 25 226 GL0 cool sunrise | 4005176508394 | |
| | 25 226 DA0 warm sunset | 4005176508479 | |
| | 25 226 AL0 brushed hard graphite | 4005176508516 | |
|  | <p>Atrio Private Collection 5-hole bath/shower combination ceramic headparts 1/2", 90° GROHE Long-Life Shine durable sparkling sheen Consisting of: pre-assembled spout fixing knobs with inlay, can be combined with 48 462 000 or 48 463 000 bath spout with mousseur and diverter bath/shower hand shower 6.6 l/min shower hose 2000 mm flexible connection hoses connection for shower hose protected against backflow can be used with 29 037 002</p> | | |
| | 29 037 002 | | 4005176519918 |
| | <p>baseframe for installation under tiled surround</p> | | |

| | | | |
|--|--|---|---------------|
|  |  | 25 229 000 Chrome | 4005176507977 |
| | | 25 229 DC0 supersteel | 4005176507878 |
| | | 25 229 GL0 cool sunrise | 4005176507816 |
| | | 25 229 DA0 warm sunset | 4005176507892 |
| | | 25 229 AL0 brushed hard graphite | 4005176507939 |
|  | <p>Atrio Private Collection Bath / shower mixer 1/2" floor-mounted installation with high pillar unions (765 mm) set for final installation for 45 984 001 without roughing-in-set ceramic headparts 1/2", 90° GROHE Long-Life Shine durable sparkling sheen automatic diverter: bath/shower swivel tubular spout with mousseur and stop limiter projection 301 mm integrated non-return valve in the shower outlet 1/2" hand shower with holder Silverflex shower hose 1250 mm (28 362) protected against backflow knobs with inlay, can be combined with 48 462 000 or 48 463 000</p> | | |



| | | | |
|---|--|-------------------|---------------|
|  |  | 48 462 000 | 4005176523830 |
| | <p>Atrio Private Collection Inlays made from White Attica Caesarstone material can be combined with Atrio Private Collection: tub filler 25 226 bath mixer 25 229 Caesarstone is a quartz composite material. Structures and textures on the surface may vary and are unique.</p> | | |

| | | | |
|---|--|-------------------|---------------|
|  |  | 48 463 000 | 4005176523847 |
| | <p>Atrio Private Collection Inlays made from Vanilla Noir Caesarstone material can be combined with Atrio Private Collection: tub filler 25 226 bath mixer 25 229 Caesarstone is a quartz composite material. Structures and textures on the surface may vary and are unique.</p> | | |



GROHE SPA

GROHE ATRIO PRIVATE COLLECTION

| | Ref. No. | Colour | EAN |
|---|--|-----------------------|---------------|
|  | 24 396 000 | Chrome | 4005176786204 |
| | 24 396 DC0 | supersteel | 4005176786211 |
| | 24 396 GL0 | cool sunrise | 4005176786228 |
| | 24 396 DA0 | warm sunset | 4005176786235 |
| | 24 396 AL0 | brushed hard graphite | 4005176786242 |
|  | <p>Atrio Private Collection Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve with knob chrome set for final installation for GROHE Rapido SmartBox 35 600/35 604 GROHE TurboStat compact cartridge with wax thermoelement GROHE Long-Life Shine durable sparkling sheen wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable printed head and hand shower symbol GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included GROHE AquaDimmer, integrated shut off/diverter valve knobs with metal inlay can be combined with 48 466 000 or 48 467 000 flow performance: outlet B = 27 l/min outlet C = 30 l/min without roughing-in-set</p> | | |


| | | | |
|--|---|------------|---------------|
|  |  | 48 466 000 | 4005176523878 |
| | <p>Atrio Private Collection Inlays made from White Attica Caesarstone material can be combined with Atrio Private Collection: thermostatic shower mixer 24 396 Caesarstone is a quartz composite material. Structures and textures on the surface may vary and are unique.</p> | | |

| | | | |
|---|---|------------|---------------|
|  |  | 48 467 000 | 4005176523885 |
| | <p>Atrio Private Collection Inlays made from Vanilla Noir Caesarstone material can be combined with Atrio Private Collection: thermostatic shower mixer 24 396 Caesarstone is a quartz composite material. Structures and textures on the surface may vary and are unique.</p> | | |




GROHE SPA

ATRIO PRIVATE COLLECTION




| Ref. No. | Colour | EAN |
|------------|-----------------------|---------------|
| 21 134 000 | Chrome | 4005176499067 |
| 21 134 DC0 | supersteel | 4005176510915 |
| 21 134 GL0 | cool sunrise | 4005176510854 |
| 21 134 DA0 | warm sunset | 4005176510939 |
| 21 134 AL0 | brushed hard graphite | 4005176510977 |

Atrio Private Collection
Basin mixer, 1/2"
L-Size
 ceramic headparts 1/2", 90°
GROHE Long-Life Shine durable sparkling sheen
GROHE EcoJoy 5.7 l/min laminar mousseur
 rapid installation system
 swivel tubular spout with mousseur and stop limiter
 Push-open waste set 1 1/4"
 flexible connection hoses
 for stick handles
 to be combined with stick sets 48 458, 48 459 or 48 646, please order separately




| Ref. No. | Colour | EAN |
|------------|-----------------------|---------------|
| 21 140 000 | Chrome | 4005176510458 |
| 21 140 DC0 | supersteel | 4005176510359 |
| 21 140 GL0 | cool sunrise | 4005176510298 |
| 21 140 DA0 | warm sunset | 4005176510373 |
| 21 140 AL0 | brushed hard graphite | 4005176510410 |

Atrio Private Collection
Basin mixer, 1/2"
XL-Size
for free-standing basins
 ceramic headparts 1/2", 90°
GROHE Long-Life Shine durable sparkling sheen
GROHE EcoJoy 5.7 l/min laminar mousseur
 rapid installation system
 swivel tubular spout with mousseur and stop limiter
 Push-open waste set 1 1/4"
 flexible connection hoses
 for stick handles
 to be combined with stick sets 48 458, 48 459 or 48 646, please order separately




| Ref. No. | Colour | EAN |
|------------|-----------------------|---------------|
| 20 587 000 | Chrome | 4005176512070 |
| 20 587 DC0 | supersteel | 4005176511974 |
| 20 587 GL0 | cool sunrise | 4005176511936 |
| 20 587 DA0 | warm sunset | 4005176511998 |
| 20 587 AL0 | brushed hard graphite | 4005176512032 |

Atrio Private Collection
3-hole basin mixer
 wall mounted
 set for final installation for 29 025 002
without concealed body
 valves hot/cold
 with headparts 1/2" - 90°
GROHE Long-Life Shine durable sparkling sheen
GROHE EcoJoy 5.7 l/min laminar mousseur
 centre distance 200 mm
 projection 180 mm
 for stick handles
 to be combined with stick sets 48 458, 48 459 or 48 646, please order separately



| Ref. No. | Colour | EAN |
|------------|-----------------------|---------------|
| 20 593 000 | Chrome | 4005176511516 |
| 20 593 DC0 | supersteel | 4005176511455 |
| 20 593 GL0 | cool sunrise | 4005176511417 |
| 20 593 DA0 | warm sunset | 4005176511479 |
| 20 593 AL0 | brushed hard graphite | 4005176499272 |

Atrio Private Collection
Three-hole basin mixer 1/2"
M-Size
 ceramic headparts 1/2", 90°
GROHE Long-Life Shine durable sparkling sheen
GROHE EcoJoy 5.7 l/min laminar mousseur
 swivel tubular spout with mousseur and stop limiter
 pop-up waste set 1 1/4"
 pressure-proof, flexible connection hoses
 between spout and side valves
 for stick handles
 to be combined with stick sets 48 458, 48 459 or 48 646, please order separately



| Ref. No. | Colour | EAN |
|------------|-----------------------|---------------|
| 25 227 000 | Chrome | 4005176508356 |
| 25 227 DC0 | supersteel | 4005176508257 |
| 25 227 GL0 | cool sunrise | 4005176508196 |
| 25 227 DA0 | warm sunset | 4005176508271 |
| 25 227 AL0 | brushed hard graphite | 4005176508318 |

**Aerio Private Collection
Bath / shower mixer 1/2"**

floor-mounted installation
with high pillar unions (765 mm)
set for final installation for
45 984 001

without roughing-in-set
ceramic headparts 1/2", 90°

GROHE Long-Life Shine durable sparkling sheen
automatic diverter: bath/shower
swivel tubular spout with mousseur and stop limiter
projection 301 mm
integrated non-return valve
in the shower outlet 1/2"
hand shower with holder
Silverflex shower hose 1250 mm (28 362)
protected against backflow
for stick handles

to be combined with stick sets 48 464, 48 465 or 48 651, please order separately



| | | |
|------------|-----------------------|---------------|
| 48 458 000 | | 4005176523793 |
| 48 458 DC0 | supersteel | 4005176787249 |
| 48 458 GL0 | cool sunrise | 4005176787256 |
| 48 458 DA0 | warm sunset | 4005176788468 |
| 48 458 AL0 | brushed hard graphite | 4005176788475 |

**Aerio Private Collection
Sticks made from White Attica Caesarstone material**

can be combined with Aerio Private Collection:
one-hole basin mixer L-Size 21 134
one-hole basin mixer XL-Size 21 140
three-hole basin mixers 20 587 and 20 593
bath mixer 25 227

Two different sets of caps included. One set with
„H“ and „C“ marking, one set without marking.
Caesarstone is a quartz composite material. Structures and textures on the
surface may vary and are unique.



| | | |
|------------|-----------------------|---------------|
| 48 459 000 | | 4005176523809 |
| 48 459 DC0 | supersteel | 4005176788482 |
| 48 459 GL0 | cool sunrise | 4005176788499 |
| 48 459 DA0 | warm sunset | 4005176788505 |
| 48 459 AL0 | brushed hard graphite | 4005176788512 |

**Aerio Private Collection
Sticks made from Vanilla Noir Caesarstone material**

can be combined with Aerio Private Collection:
one-hole basin mixer L-Size 21 134
one-hole basin mixer XL-Size 21 140
three-hole basin mixers 20 587 and 20 593
bath mixer 25 227


Two different sets of caps included. One set with
„H“ and „C“ marking, one set without marking.
Caesarstone is a quartz composite material. Structures and textures on the
surface may vary and are unique.





GROHE SPA

GROHE ATRIO PRIVATE COLLECTION



| Ref. No. | Colour | EAN |
|------------|-----------------------|---------------|
| 25 224 000 | Chrome | 4005176508950 |
| 25 224 DC0 | supersteel | 4005176508851 |
| 25 224 GL0 | cool sunrise | 4005176508790 |
| 25 224 DA0 | warm sunset | 4005176508875 |
| 25 224 AL0 | brushed hard graphite | 4005176508912 |

Atrio Private Collection 5-hole bath/shower combination

ceramic headparts 1/2", 90°

GROHE Long-Life Shine durable sparkling sheen

Consisting of:

pre-assembled spout fixing

for stick handles

to be combined with stick sets 48 464, 48 465 or 48 651, please order separately

bath spout with mousseur and diverter bath/shower

hand shower 6.6 l/min

shower hose 2000 mm

flexible connection hoses

connection for shower hose

protected against backflow

can be used with 29 037 002



| Ref. No. | Colour | EAN |
|------------|-----------------------|---------------|
| 48 464 000 | supersteel | 4005176523854 |
| 48 464 DC0 | supersteel | 4005176788529 |
| 48 464 GL0 | cool sunrise | 4005176788536 |
| 48 464 DA0 | warm sunset | 4005176788543 |
| 48 464 AL0 | brushed hard graphite | 4005176788550 |

Atrio Private Collection

Sticks made from **White Attica Caesarstone** material

can be combined with Atrio Private Collection:

tub filler 25 224

bath mixer 25 227

Two different sets of caps included. One set with

„H“ and „C“ marking, one set without marking.

Caesarstone is a quartz composite material. Structures and textures on the surface may vary and are unique.



| Ref. No. | Colour | EAN |
|------------|-----------------------|---------------|
| 48 465 000 | supersteel | 4005176523861 |
| 48 465 DC0 | supersteel | 4005176788567 |
| 48 465 GL0 | cool sunrise | 4005176788574 |
| 48 465 DA0 | warm sunset | 4005176788581 |
| 48 465 AL0 | brushed hard graphite | 4005176788598 |

Atrio Private Collection

Sticks made from **Vanilla Noir Caesarstone** material

can be combined with Atrio Private Collection:


tub filler 25 224

bath mixer 25 227

Two different sets of caps included. One set with


„H“ and „C“ marking, one set without marking.

Caesarstone is a quartz composite material. Structures and textures on the surface may vary and are unique.




| Ref. No. | Colour | EAN |
|------------|----------------------|---------------|
| 32 757 001 | Chrome | 4005176498589 |
| 32 757 GN1 | brushed cool sunrise | 4005176499326 |
| 32 757 DL1 | brushed warm sunset | 4005176499340 |
| 32 757 A01 | hard graphite | 4005176499357 |

Allure
Basin mixer 1/2"
M-Size
 monobloc installation
 swivelling spout
 28 mm ceramic cartridge
 with **GROHE SilkMove**
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving 5.7 l/min. flow limiter
GROHE FastFixation Plus installation system
GROHE AquaGuide adjustable slim air mousseur
 pop-up waste set 1 1/4"
 flexible connection hoses
 temperature limiter




| Ref. No. | Colour | EAN |
|------------|----------------------|---------------|
| 32 146 001 | Chrome | 4005176499388 |
| 32 146 GN1 | brushed cool sunrise | 4005176499425 |
| 32 146 DL1 | brushed warm sunset | 4005176499449 |
| 32 146 A01 | hard graphite | 4005176499456 |

Allure
Single-lever basin mixer 1/2"
L-Size
 monobloc installation
 swivelling spout
 28 mm ceramic cartridge
 with **GROHE SilkMove**
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving 5.7 l/min. flow limiter
GROHE FastFixation Plus installation system
GROHE AquaGuide adjustable slim air mousseur
 pop-up waste set 1 1/4"
 flexible connection hoses
 temperature limiter




| Ref. No. | Colour | EAN |
|------------|----------------------|---------------|
| 23 403 001 | Chrome | 4005176499487 |
| 23 403 GN1 | brushed cool sunrise | 4005176499524 |
| 23 403 DL1 | brushed warm sunset | 4005176499548 |
| 23 403 A01 | hard graphite | 4005176499555 |

Allure
Basin mixer 1/2"
XL-Size
 monobloc installation
 swivelling spout
for free-standing basins
 28 mm ceramic cartridge
 with **GROHE SilkMove**
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving 5.7 l/min. flow limiter
 smooth body
GROHE AquaGuide adjustable slim air mousseur
 projection 185 mm
 height 377 mm
 push-to-open waste set
 flexible connection hoses
 temperature limiter




| Ref. No. | Colour | EAN |
|------------|----------------------|---------------|
| 23 856 001 | Chrome | 4005176499586 |
| 23 856 GN1 | brushed cool sunrise | 4005176499623 |
| 23 856 DL1 | brushed warm sunset | 4005176499647 |
| 23 856 A01 | hard graphite | 4005176499654 |

Allure
Single-lever basin mixer floor mounted
 monobloc installation
for free-standing basins
 set for final installation for 45 984 001
 28 mm ceramic cartridge
 with **GROHE SilkMove**
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving 5.7 l/min. flow limiter
 smooth body
GROHE AquaGuide adjustable slim air mousseur
 projection 185 mm
 temperature limiter




| | | |
|------------|--|---------------|
| 45 984 001 | | 4005176992056 |
|------------|--|---------------|

Rough-in set 1/2"
 for floor-mounted bath mixers/spouts and shower mixers
without finishing trim set
 installation plate with 360° horizontal and 3° vertical adjustment
 installation depth 53-157 mm for bath mixers/spouts, depth compensation 104 mm
 installation depth 65-157 mm for shower mixers, depth compensation 92 mm
 two 1/2" female connections (hot/cold supplies)
 flushing plug
 Can take a single mixed supply
 fixing material



| Ref. No. | Colour | EAN |
|------------|----------------------|---------------|
| 20 188 001 | Chrome | 4005176499685 |
| 20 188 GN1 | brushed cool sunrise | 4005176499722 |
| 20 188 DL1 | brushed warm sunset | 4005176499746 |
| 20 188 A01 | hard graphite | 4005176499753 |

Allure
Three-hole basin mixer 1/2"
M-Size
 deck mounted
 ceramic headparts 1/2", 90°
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving 5.7 l/min. flow limiter
GROHE AquaGuide adjustable slim air mousseur
 projection 143 mm
 pressure-proof, flexible connection hoses
 between spout and side valves
 pop-up waste set 1 1/4"



| Ref. No. | Colour | EAN |
|------------|----------------------|---------------|
| 20 189 002 | Chrome | 4005176499784 |
| 20 189 GN2 | brushed cool sunrise | 4005176499821 |
| 20 189 DL2 | brushed warm sunset | 4005176499845 |
| 20 189 A02 | hard graphite | 4005176499852 |

Allure
Three-hole basin mixer 1/2"
S-Size
 wall mounted, with lever handles
without concealed body
 set for final installation for 29 025 000
 valves hot/cold
 with headparts 1/2" - 90°
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving 5.7 l/min. flow limiter
 Precision Control with haptic click feedback (optional)
GROHE AquaGuide adjustable slim air mousseur
 projection 150 mm

| Ref. No. | Colour | EAN |
|------------|----------------------|---------------|
| 20 193 002 | Chrome | 4005176499883 |
| 20 193 GN2 | brushed cool sunrise | 4005176499920 |
| 20 193 DL2 | brushed warm sunset | 4005176499944 |
| 20 193 A02 | hard graphite | 4005176499951 |

29 025 002
 Rough-in set for 3-hole basin mixer




| | Ref. No. | Colour | EAN |
|--|--|----------------------|---------------|
| | 19 309 002 | Chrome | 4005176499982 |
| | 19 309 GN2 | brushed cool sunrise | 4005176514173 |
| | 19 309 DL2 | brushed warm sunset | 4005176514227 |
| | 19 309 A02 | hard graphite | 4005176514302 |
| | Allure 2-hole basin mixer S-Size wall mounted without concealed body set for final installation for 23 429 000 GROHE FeatherControl Joystick cartridge GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving 5.7 l/min. flow limiter GROHE AquaGuide adjustable slim air mousseur centre distance 110 mm projection 154 mm | | |
| | 19 386 002 | Chrome | 4005176512995 |
| | 19 386 GN2 | brushed cool sunrise | 4005176512810 |
| | 19 386 DL2 | brushed warm sunset | 4005176512872 |
| | 19 386 A02 | hard graphite | 4005176512971 |
| | ditto, projection 212 mm | | |
| | 23 429 000 | | 4005176993695 |
| | Set for final installation for 2-hole basin mixer | | |
| | 24 160 001 | Chrome | 4005176596230 |
| | 24 160 GN1 | brushed cool sunrise | 4005176596278 |
| | 24 160 DL1 | brushed warm sunset | 4005176598692 |
| | 24 160 A01 | hard graphite | 4005176598708 |
| | Allure Bidet mixer 1/2" M-Size monobloc installation 28 mm ceramic cartridge with GROHE SilkMove GROHE Long-Life Shine durable sparkling sheen ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses | | |
| | 32 846 001 | Chrome | 4005176506895 |
| | 32 846 GN1 | brushed cool sunrise | 4005176506734 |
| | 32 846 DL1 | brushed warm sunset | 4005176506796 |
| | 32 846 A01 | hard graphite | 4005176506871 |
| | Allure Single-lever shower mixer 1/2" exposed wall mounted GROHE SilkMove 35 mm ceramic cartridge GROHE Long-Life Shine durable sparkling sheen GROHE FastFixation installation system adjustable flow rate limiter shower front outlet 1/2" with integrated non return-valve covered S-unions protected against backflow | | |
| | 32 826 001 | Chrome | 4005176507076 |
| | 32 826 GN1 | brushed cool sunrise | 4005176506918 |
| | 32 826 DL1 | brushed warm sunset | 4005176506970 |
| | 32 826 A01 | hard graphite | 4005176507052 |
| | Allure Single-lever bath mixer 1/2" exposed wall mounted GROHE SilkMove 35 mm ceramic cartridge GROHE Long-Life Shine durable sparkling sheen GROHE FastFixation installation system adjustable flow rate limiter automatic diverter: bath/shower cast spout mousseur shower bottom outlet 1/2" with integrated non return-valve covered S-unions protected against backflow | | |
| | | | |



GROHE SPA


GROHE
ALLURE

SPA BATH
TAPS



| Ref. No. | Colour | EAN |
|------------|----------------------|---------------|
| 18 968 001 | Chrome | 4005176514586 |
| 18 968 GN1 | brushed cool sunrise | 4005176514401 |
| 18 968 DL1 | brushed warm sunset | 4005176514463 |
| 18 968 A01 | hard graphite | 4005176514562 |

Allure
Shower and bath tray
 for installation with 32 846 001 and 32 826 001
 easy to click on and remove
 material: acrylic glass
 width 315 mm
 depth 136 mm




| | | |
|------------|----------------------|---------------|
| 19 317 001 | Chrome | 4005176513756 |
| 19 317 GN1 | brushed cool sunrise | 4005176513572 |
| 19 317 DL1 | brushed warm sunset | 4005176513633 |
| 19 317 A01 | hard graphite | 4005176513732 |

Allure
Single-lever shower mixer trim
 set for final installation for
 GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
 wall escutcheon with **GROHE FastFixation**
 (covered escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
 metal lever
 flow performance:
 outlet B or C = 30 l/min
without roughing-in-set



35 604 000 4005176698774
GROHE Rapido SmartBox universal rough-in box for concealed installation



| | | |
|------------|----------------------|---------------|
| 19 315 001 | Chrome | 4005176514159 |
| 19 315 GN1 | brushed cool sunrise | 4005176513978 |
| 19 315 DL1 | brushed warm sunset | 4005176514036 |
| 19 315 A01 | hard graphite | 4005176514135 |

Allure
Single-lever mixer with 2-way diverter
 set for final installation for
 GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
 wall escutcheon with **GROHE FastFixation**
 (covered escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
 metal lever
 automatic 2-way diverter
 flow performance:
 outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set




35 604 000 4005176698774
GROHE Rapido SmartBox universal rough-in box for concealed installation



Ref. No. Colour EAN



| | | |
|------------|----------------------|---------------|
| 29 176 001 | Chrome | 4005176507779 |
| 29 176 GN1 | brushed cool sunrise | 4005176507618 |
| 29 176 DL1 | brushed warm sunset | 4005176507670 |
| 29 176 A01 | hard graphite | 4005176507755 |




Allure
Single-lever mixer with 3-way diverter
 set for final installation for
 GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
 wall escutcheon with **GROHE FastFixation**
 (covered escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
 metal lever
3-way diverter
 flow performance:
 outlet A = 27 l/min,
 outlet B = 27 l/min,
 outlet C = 27 l/min
without roughing-in-set



| | |
|--|---------------|
| 35 604 000 | 4005176698774 |
| GROHE Rapido SmartBox universal rough-in box for concealed installation | |



| | | |
|------------|----------------------|---------------|
| 19 380 002 | Chrome | 4005176513190 |
| 19 380 GN2 | brushed cool sunrise | 4005176513015 |
| 19 380 DL2 | brushed warm sunset | 4005176513077 |
| 19 380 A02 | hard graphite | 4005176513176 |



Allure
Thermostat for concealed installation with one valve
 set for final installation for
 GROHE Rapido SmartBox 35 600/35 604
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE Long-Life Shine durable sparkling sheen
 wall escutcheon with **GROHE FastFixation**
 (covered escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
 built-in non return valve
 and dirt strainers
 ceramic stop valve, 120°
 metal handles
 flow performance:
 outlet B = 27 l/min
 outlet C = 30 l/min
without roughing-in-set



| | |
|--|---------------|
| 35 604 000 | 4005176698774 |
| GROHE Rapido SmartBox universal rough-in box for concealed installation | |



GROHE SPA


GROHE ALLURE

SPA BATH TAPS

Ref. No. Colour EAN



| | | |
|------------|----------------------|---------------|
| 29 181 002 | Chrome | 4005176558993 |
| 29 181 GN2 | brushed cool sunrise | 4005176559037 |
| 29 181 DL2 | brushed warm sunset | 4005176559051 |
| 29 181 A02 | hard graphite | 4005176559068 |



Allure
Thermostat for concealed installation with 2-way diverter head shower/hand shower

set for final installation for
GROHE Rapido SmartBox 35 600/35 604

GROHE TurboStat compact cartridge
with wax thermoelement

GROHE Long-Life Shine durable sparkling sheen
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed head and hand shower symbol

GROHE SafeStop safety button at 38°C
(calibration required)

GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve

flow performance:

outlet B = 27 l/min

outlet C = 30 l/min


without roughing-in-set



35 604 000 4005176698774
GROHE Rapido SmartBox universal rough-in box for concealed installation



| | | |
|------------|----------------------|---------------|
| 19 446 002 | Chrome | 4005176512797 |
| 19 446 GN2 | brushed cool sunrise | 4005176512612 |
| 19 446 DL2 | brushed warm sunset | 4005176512674 |
| 19 446 A02 | hard graphite | 4005176512773 |



Allure
Thermostat for concealed installation with 2-way diverter hand shower/bath filler

set for final installation for
GROHE Rapido SmartBox 35 600/35 604

GROHE TurboStat compact cartridge
with wax thermoelement

GROHE Long-Life Shine durable sparkling sheen
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed hand shower and bath filler symbol

GROHE SafeStop safety button at 38°C
(calibration required)

GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve

flow performance:

outlet B = 27 l/min

outlet C = 30 l/min


without roughing-in-set



35 604 000 4005176698774
GROHE Rapido SmartBox universal rough-in box for concealed installation



| | | |
|------------|----------------------|---------------|
| 25 221 001 | Chrome | 4005176509438 |
| 25 221 GN1 | brushed cool sunrise | 4005176509254 |
| 25 221 DL1 | brushed warm sunset | 4005176509315 |
| 25 221 A01 | hard graphite | 4005176509414 |



Allure
5-hole bath/shower combination

for installation under tiled surround
ceramic headparts 1/2", 90°

GROHE Long-Life Shine durable sparkling sheen
Consisting of:

pre-assembled spout fixing
with lever handles

bath spout with mousseur and diverter bath/shower

Sena hand shower 6.6 l/min











shower hose 2000 mm

flexible connection hoses

connection for shower hose

protected against backflow

optional baseframes for installation: 29 037 001/29 037 002


| | Ref. No. | Colour | EAN |
|---|---|--|---------------|
|  |  | 19 316 001 Chrome | 4005176513954 |
| | | 19 316 GN1 brushed cool sunrise | 4005176513770 |
| | | 19 316 DL1 brushed warm sunset | 4005176513831 |
| | | 19 316 A01 hard graphite | 4005176513930 |
| | | Allure 4-hole single-lever bath combination for installation under tiled surround GROHE Long-Life Shine durable sparkling sheen single lever mixer operating element diverter bath/shower Sena hand shower 6.6 l/min shower hose 2000 mm optional baseframes for installation: 29 037 001/29 037 002 | |
|  |  | 29 037 001 | 4005176455490 |
| | | 4/5-hole bath combination (optional) baseframe for installation under tiled surround base frame drainage box with integrated outlet for splash water caps to cover screw fixations always come in chrome color | |
|  |  | 29 037 002 | 4005176519918 |
| | | 4/5-hole bath combination (optional) baseframe for installation under tiled surround base frame drainage box with integrated outlet for splash water allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve caps to cover screw fixations always come in chrome color | |
|  |  | 25 222 001 Chrome | 4005176509230 |
| | | 25 222 GN1 brushed cool sunrise | 4005176509056 |
| | | 25 222 DL1 brushed warm sunset | 4005176509117 |
| | | 25 222 A01 hard graphite | 4005176509216 |
| | | Allure Single-lever bath mixer 1/2", floor mounted set for final installation for 45 984 001 without roughing-in-set GROHE SilkMove 35 mm ceramic cartridge GROHE Long-Life Shine durable sparkling sheen automatic diverter: bath/shower spout with mousseur projection 263 mm integrated non-return valve in the shower outlet 1/2" with shower holder Sena hand shower 6.6 l/min shower hose 1250 mm protected against backflow | |
|  |  | 45 984 001 | 4005176992056 |
| | | Rough-in set 1/2" for floor-mounted bath mixers/spouts and shower mixers without finishing trim set installation plate with 360° horizontal and 3° vertical adjustment installation depth 53-157 mm for bath mixers/spouts, depth compensation 104 mm installation depth 65-157 mm for shower mixers, depth compensation 92 mm two 1/2" female connections (hot/cold supplies) flushing plug Can take a single mixed supply fixing material | |





GROHE SPA


GROHE
ALLURE


SPA BATH
TAPS


| | Ref. No. | Colour | EAN |
|--|------------|----------------------|---------------|
|  | 13 317 001 | Chrome | 4005176514869 |
| | 13 317 GN1 | brushed cool sunrise | 4005176514685 |
| | 13 317 DL1 | brushed warm sunset | 4005176514746 |
| | 13 317 A01 | hard graphite | 4005176514845 |
| <p>Allure Cascade spout for bath and shower wall mounted with decorative glass cover plate GROHE Long-Life Shine durable sparkling sheen projection 169 mm</p> | | | |





| | | | |
|---|---|--------|---------------|
|  | 13 264 001 | Chrome | 4005176515149 |
| | <p>Allure Bath spout 3/4" wall mounted GROHE Long-Life Shine durable sparkling sheen projection 167 mm caché mousseur</p> | | |





| | | | |
|---|------------|----------------------|---------------|
|  | 19 590 001 | Chrome | 4005176512599 |
| | 19 590 GN1 | brushed cool sunrise | 4005176512414 |
| | 19 590 DL1 | brushed warm sunset | 4005176512476 |
| | 19 590 A01 | hard graphite | 4005176512575 |
| <p>Allure 3-way diverter set for final installation for 29 033 000 without concealed body bayonet union escutcheon installation depth adjustable 66 - 113 mm only for use with concealed body GROHE Long-Life Shine durable sparkling sheen</p> | | | |



| | | | |
|---|---|--|---------------|
|  | 29 033 000 | | 4005176845338 |
| | <p>5-way diverter concealed body wall installation with ceramic sealing disks connection cold and hot 1/2" 2 outlets 1/2" 1 bath outlet 3/4" installation depth adjustable 66 - 113 mm DR-brass</p> | | |





| | | | |
|--|------------|----------------------|---------------|
|  | 19 334 001 | Chrome | 4005176513558 |
| | 19 334 GN1 | brushed cool sunrise | 4005176513374 |
| | 19 334 DL1 | brushed warm sunset | 4005176513435 |
| | 19 334 A01 | hard graphite | 4005176513534 |
| <p>Allure Concealed stop-valve trim for concealed valve 35 028 000 or 29 032 000 GROHE Long-Life Shine durable sparkling sheen installation depth adjustable 20-80 mm escutcheon with screwable wall sealing with lever handle</p> | | | |






Ref. No. Colour EAN

35 028 000 4005176908316




GROHE Rapido C
Rough-in for single volume control
for grid installation of Grohtherm Custom Shower system
built-in box with removable protection cover
waterproof membrane base for wall sealing
for masonry and drywall installation
fixing points for front and back wall
body of DR brass
pre-assembled ceramic headpart 3/4"
connection threads 1/2"
installation depth 70 - 95 mm


29 032 000 4005176845277





Concealed valve
pre-assembled headpart 1/2"
threaded union 1/2"
installation depth adjustable
43 - 91 mm
DR-brass




| | Ref. No. | Colour | EAN |
|---|--|----------------------|---------------|
|  | 40 278 001 | Chrome | 4005176531545 |
| | 40 278 GN1 | brushed cool sunrise | 4005176531583 |
| | 40 278 DL1 | brushed warm sunset | 4005176531606 |
| | 40 278 A01 | hard graphite | 4005176531613 |
| | Allure Glass/soap dish holder fits glass 40 882 000 or soap dispenser 40 306 xx3 (please order separately) material: metal concealed fastening GROHE Long-Life Shine durable sparkling sheen | | |




| | | | |
|---|---|-----------------------|---------------|
|  | 40 886 000 | Chrome | 4005176754012 |
| | 40 886 DC0 | supersteel | 4005176754531 |
| | 40 886 EN0 | brushed nickel | 4005176754548 |
| | 40 886 GL0 | cool sunrise | 4005176754555 |
| | 40 886 DA0 | warm sunset | 4005176754524 |
| | 40 886 AL0 | brushed hard graphite | 4005176754517 |
| | Soap dispenser material: glass / metal filling quantity 160 ml fits holder Atrio 40 884 xx0 (please order separately) GROHE Long-Life Shine durable sparkling sheen | | |




| | | | |
|--|------------|--|---------------|
|  | 40 882 000 | Chrome | 4005176754494 |
| | | Glass material: glass fits holders Allure 40 278 001 and Atrio 40 884 xx0 (please order separately) | |




| | | | |
|---|--|----------------------|---------------|
|  | 40 963 001 | Chrome | 4005176530913 |
| | 40 963 GN1 | brushed cool sunrise | 4005176530951 |
| | 40 963 DL1 | brushed warm sunset | 4005176530975 |
| | 40 963 A01 | hard graphite | 4005176530982 |
| | Allure Glass/soap dish holder for soap dish 40 883 00 or hair dryer inlet 40 964 001 (please order separately) material: metal concealed fastening GROHE Long-Life Shine durable sparkling sheen | | |















| | | | |
|---|------------|---|---------------|
|  | 40 883 000 | Chrome | 4005176755262 |
| | | Soap dish material: glass fits holders Allure (40 963 001) and Atrio (40 885 xx0), please order separately | |



| | | | |
|---|------------|---|---------------|
|  | 40 964 001 | black | 4005176531019 |
| | | Allure Hair dryer inlet material: plastic fits holders Allure (40 963 xx1) and Atrio (40 885 xx0), please order separately | |




| | | Ref. No. | Colour | EAN |
|---|---|--|----------------------|---------------|
|  |  | 40 284 001 | Chrome | 4005176531941 |
| | | 40 284 GN1 | brushed cool sunrise | 4005176531989 |
| | | 40 284 DL1 | brushed warm sunset | 4005176532009 |
| | | 40 284 A01 | hard graphite | 4005176532016 |
| | | Allure Robe hook material: metal concealed fastening GROHE Long-Life Shine durable sparkling sheen | | |
|  |  | 40 342 001 | Chrome | 4005176531644 |
| | | 40 342 GN1 | brushed cool sunrise | 4005176531682 |
| | | 40 342 DL1 | brushed warm sunset | 4005176531705 |
| | | 40 342 A01 | hard graphite | 4005176531712 |
| | | Allure Double towel bar material: metal pivotable 90° length 460 mm concealed fastening GROHE Long-Life Shine durable sparkling sheen | | |
|  |  | 40 341 001 | Chrome | 4005176531743 |
| | | 40 341 GN1 | brushed cool sunrise | 4005176531781 |
| | | 40 341 DL1 | brushed warm sunset | 4005176531804 |
| | | 40 341 A01 | hard graphite | 4005176531811 |
| | | Allure Towel rail center distance 569 mm material: metal concealed fastening GROHE Long-Life Shine durable sparkling sheen | | |
|  |  | 40 339 001 | Chrome | 4005176531026 |
| | | 40 339 GN1 | brushed cool sunrise | 4005176531064 |
| | | 40 339 DL1 | brushed warm sunset | 4005176531088 |
| | | 40 339 A01 | hard graphite | 4005176531095 |
| | | Allure Towel ring material: metal concealed fastening GROHE Long-Life Shine durable sparkling sheen | | |
|  |  | 40 955 001 | Chrome | 4005176531842 |
| | | 40 955 GN1 | brushed cool sunrise | 4005176531880 |
| | | 40 955 DL1 | brushed warm sunset | 4005176531903 |
| | | 40 955 A01 | hard graphite | 4005176531910 |
| | | Allure Grab rail material: metal concealed fastening center distance 269 mm GROHE Long-Life Shine durable sparkling sheen | | |
|  |  | 40 279 001 | Chrome | 4005176532047 |
| | | 40 279 GN1 | brushed cool sunrise | 4005176532085 |
| | | 40 279 DL1 | brushed warm sunset | 4005176532108 |
| | | 40 279 A01 | hard graphite | 4005176532115 |
| | | Allure Toilet roll holder without cover material: metal concealed fastening GROHE Long-Life Shine durable sparkling sheen | | |



GROHE SPA


GROHE
ALLURE

SPA BATH
TAPS




| Ref. No. | Colour | EAN |
|------------|----------------------|---------------|
| 40 956 001 | Chrome | 4005176532146 |
| 40 956 GN1 | brushed cool sunrise | 4005176532184 |
| 40 956 DL1 | brushed warm sunset | 4005176532207 |
| 40 956 A01 | hard graphite | 4005176532214 |

Allure
Spare toilet paper holder
 without cover
 material: metal
 concealed fastening
GROHE Long-Life Shine durable sparkling sheen




| Ref. No. | Colour | EAN |
|------------|----------------------|---------------|
| 40 340 001 | Chrome | 4005176532245 |
| 40 340 GN1 | brushed cool sunrise | 4005176532283 |
| 40 340 DL1 | brushed warm sunset | 4005176532306 |
| 40 340 A01 | hard graphite | 4005176532313 |

Allure
Toilet brush set
 wall mounted
 concealed fastening
 material: glass / metal
GROHE Long-Life Shine durable sparkling sheen




| Ref. No. | Colour | EAN |
|------------|----------------------|---------------|
| 40 965 001 | Chrome | 4005176531125 |
| 40 965 GN1 | brushed cool sunrise | 4005176531163 |
| 40 965 DL1 | brushed warm sunset | 4005176531187 |
| 40 965 A01 | hard graphite | 4005176531194 |

Allure
Shelf
 wall mounted
 material: glass / metal
 concealed fastening
 width 600 mm
 depth 100 mm
GROHE Long-Life Shine durable sparkling sheen



| Ref. No. | Colour | EAN |
|------------|----------------------|---------------|
| 40 966 001 | Chrome | 4005176531224 |
| 40 966 GN1 | brushed cool sunrise | 4005176531262 |
| 40 966 DL1 | brushed warm sunset | 4005176531286 |
| 40 966 A01 | hard graphite | 4005176531293 |

Allure
Shower basket
 wall mounted
 material: metal/plastic
 with draining function
 concealed fastening
 width 300 mm
 depth 100 mm
 height 66 mm
GROHE Long-Life Shine durable sparkling sheen



| Ref. No. | Colour | EAN |
|------------|----------------------|---------------|
| 40 967 001 | Chrome | 4005176531323 |
| 40 967 GN1 | brushed cool sunrise | 4005176531361 |
| 40 967 DL1 | brushed warm sunset | 4005176531385 |
| 40 967 A01 | hard graphite | 4005176531392 |

Allure
Beauty / shaving mirror
 wall mounted
 magnification: x 7
 material: glass / metal
 concealed fastening
GROHE Long-Life Shine durable sparkling sheen




| | Ref. No. | Colour | EAN | |
|-----------|---|---|---|---|
| | GROHE SPA | 24 341 000 24 341 DC0 24 341 AL0 | Chrome supersteel brushed hard graphite | 4005176759659 4005176759680 4005176759673 |
| | | Allure Brilliant Basin mixer 1/2" M-Size monobloc installation 28 mm ceramic cartridge with GROHE SilkMove temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving 5.0 l/min. flow limiter GROHE FastFixation installation system spout with integrated mousseur pop-up waste set 1 1/4" flexible connection hoses | | |
| | GROHE SPA | 24 342 000 24 342 DC0 24 342 AL0 | Chrome supersteel brushed hard graphite | 4005176759697 4005176759710 4005176759703 |
| | | ditto, smooth body | | |
| | GROHE SPA | 24 397 000 24 397 DC0 24 397 AL0 | Chrome supersteel brushed hard graphite | 4005176795541 4005176795558 4005176795565 |
| | | Allure Brilliant Private Collection basin mixer with knurled lever | | |
| | GROHE SPA | 24 398 000 24 398 DC0 24 398 AL0 | Chrome supersteel brushed hard graphite | 4005176795572 4005176795589 4005176795596 |
| | | Allure Brilliant Private Collection basin mixer with white Caesarstone inlay | | |
| | GROHE SPA | 24 399 000 24 399 DC0 24 399 AL0 | Chrome supersteel brushed hard graphite | 4005176794933 4005176794940 4005176794957 |
| | | Allure Brilliant Private Collection basin mixer with black Caesarstone inlay | | |
| | GROHE SPA | 24 344 000 24 344 DC0 24 344 AL0 | Chrome supersteel brushed hard graphite | 4005176759734 4005176759758 4005176759741 |
| | | Allure Brilliant Single-lever basin mixer 1/2" L-Size monobloc installation 28 mm ceramic cartridge with GROHE SilkMove temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving 5.0 l/min. flow limiter GROHE FastFixation installation system spout with integrated mousseur pop-up waste set 1 1/4" flexible connection hoses | | |
| | GROHE SPA | 24 345 000 24 345 DC0 24 345 AL0 | Chrome supersteel brushed hard graphite | 4005176759765 4005176759789 4005176759772 |
| | | ditto, smooth body | | |
| | GROHE SPA | 24 400 000 24 400 DC0 24 400 AL0 | Chrome supersteel brushed hard graphite | 4005176794964 4005176794971 4005176795428 |
| | Allure Brilliant Private Collection basin mixer with knurled lever | | | |
| GROHE SPA | 24 408 000 24 408 DC0 24 408 AL0 | Chrome supersteel brushed hard graphite | 4005176795435 4005176795442 4005176795459 | |
| | Allure Brilliant Private Collection basin mixer with white Caesarstone inlay | | | |
| GROHE SPA | 24 414 000 24 414 DC0 24 414 AL0 | Chrome supersteel brushed hard graphite | 4005176795466 4005176794056 4005176794865 | |
| | Allure Brilliant Private Collection basin mixer with black Caesarstone inlay | | | |



GROHE SPA

GROHE ALLURE BRILLIANT



| Ref. No. | Colour | EAN |
|------------|-----------------------|---------------|
| 24 346 000 | Chrome | 4005176759796 |
| 24 346 DC0 | supersteel | 4005176759826 |
| 24 346 AL0 | brushed hard graphite | 4005176759819 |

Allure Brilliant
Basin mixer 1/2"
XL-Size
 monobloc installation
for free-standing basins
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving 5.0 l/min. flow limiter
GROHE FastFixation installation system
 spout with integrated mousseur
 smooth body
 flexible connection hoses

| | | |
|------------|-----------------------|---------------|
| 24 417 000 | Chrome | 4005176794872 |
| 24 417 DC0 | supersteel | 4005176794896 |
| 24 417 AL0 | brushed hard graphite | 4005176794902 |


Allure Brilliant Private Collection basin mixer with knurled lever

| | | |
|------------|-----------------------|---------------|
| 24 418 000 | Chrome | 4005176794919 |
| 24 418 DC0 | supersteel | 4005176794926 |
| 24 418 AL0 | brushed hard graphite | 4005176795473 |

**Allure Brilliant Private Collection basin mixer with white
Caesarstone inlay**








| | | |
|------------|-----------------------|---------------|
| 24 419 000 | Chrome | 4005176795480 |
| 24 419 DC0 | supersteel | 4005176795497 |
| 24 419 AL0 | brushed hard graphite | 4005176795503 |


**Allure Brilliant Private Collection basin mixer with black
Caesarstone inlay**





| | |
|------------|---------------|
| 29 086 000 | 4005176935497 |
|------------|---------------|

Rough-in set 1/2"
 for floor-mounted tub spouts and mixers
without finishing trim set
 installation plate with 360° horizontal and 3° vertical adjustment
 installation depth 47-151 mm
 depth compensation 104 mm
 two 1/2" female connections (hot/cold supplies)
 flushing plug





| | Ref. No. | Colour | EAN |
|---|------------|-----------------------|---------------|
|  | 20 627 000 | Chrome | 4005176760167 |
| | 20 627 DC0 | supersteel | 4005176760198 |
| | 20 627 AL0 | brushed hard graphite | 4005176760181 |
| Allure Brilliant Three-hole basin mixer 1/2" M-Size ceramic headparts 1/2", 90° GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving 5.0 l/min. flow limiter spout with integrated mousseur pop-up waste set 1 1/4" pressure-proof, flexible connection hoses between spout and side valves | | | |
|  | 20 667 000 | Chrome | 4005176795510 |
| | 20 667 DC0 | supersteel | 4005176795527 |
| | 20 667 AL0 | brushed hard graphite | 4005176795534 |
| Allure Brilliant Private Collection three-hole basin mixer with knurled trapeze handles | | | |
|  | 20 668 000 | Chrome | 4005176795008 |
| | 20 668 DC0 | supersteel | 4005176795015 |
| | 20 668 AL0 | brushed hard graphite | 4005176795022 |
| Allure Brilliant Private Collection three-hole basin mixer with white Caesarstone trapeze handles | | | |
|  | 20 669 000 | Chrome | 4005176795039 |
| | 20 669 DC0 | supersteel | 4005176795046 |
| | 20 669 AL0 | brushed hard graphite | 4005176795053 |
| Allure Brilliant Private Collection three-hole basin mixer with black Caesarstone trapeze handles | | | |
|  | 20 670 000 | Chrome | 4005176791680 |
| | 20 670 DC0 | supersteel | 4005176791697 |
| | 20 670 AL0 | brushed hard graphite | 4005176791703 |
| Allure Brilliant Private Collection three-hole basin mixer with knurled knob handles | | | |
|  | 20 671 000 | Chrome | 4005176791710 |
| | 20 671 DC0 | supersteel | 4005176791727 |
| | 20 671 AL0 | brushed hard graphite | 4005176791734 |
| Allure Brilliant Private Collection three-hole basin mixer with white Caesarstone knob handles | | | |
|  | 20 672 000 | Chrome | 4005176791741 |
| | 20 672 DC0 | supersteel | 4005176791758 |
| | 20 672 AL0 | brushed hard graphite | 4005176791963 |
| Allure Brilliant Private Collection three-hole basin mixer with black Caesarstone knob handles | | | |








| | | | |
|---|------------|-----------------------|---------------|
|  | 20 626 000 | Chrome | 4005176760136 |
| | 20 626 DC0 | supersteel | 4005176760150 |
| | 20 626 AL0 | brushed hard graphite | 4005176760143 |
| Allure Brilliant Three-hole basin mixer 1/2" S-Size ceramic headparts 1/2", 90° GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving 5.0 l/min. flow limiter low spout with integrated mousseur pop-up waste set 1 1/4" pressure-proof, flexible connection hoses between spout and side valves | | | |


















| | Ref. No. | Colour | EAN |
|---|--|-----------------------|---------------|
|  | 20 628 000 | Chrome | 4005176760204 |
| | 20 628 DC0 | supersteel | 4005176760235 |
| | 20 628 AL0 | brushed hard graphite | 4005176760228 |
|  | Allure Brilliant Three-hole basin mixer 1/2" S-Size wall mounted without concealed body set for final installation for 29 025 002 valves hot/cold with headparts 1/2" - 90° GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving 5.0 l/min. flow limiter spout with integrated mousseur projection 161 mm | | |
| |  | | |
| |  | | |
| | 20 629 000 | Chrome | 4005176760242 |
| | 20 629 DC0 | supersteel | 4005176759628 |
| | 20 629 AL0 | brushed hard graphite | 4005176759611 |
| | ditto, projection 210 mm | | |

| | | | |
|--|--|--|---------------|
| | 29 025 002 | | 4005176519895 |
|  | Two-handle basin mixer concealed body, 1/2" for 3-hole basin mixer wall installation without finishing trim set DR-brass installation device allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve | | |
| |  | | |


| | | | |
|---|---|-----------------------|---------------|
|  | 29 402 000 | Chrome | 4005176760037 |
| | 29 402 DC0 | supersteel | 4005176760051 |
| | 29 402 AL0 | brushed hard graphite | 4005176760044 |
|  | Allure Brilliant 2-hole basin mixer S-Size wall mounted without concealed body set for final installation for 23 200 000 GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving 5.0 l/min. flow limiter spout with integrated mousseur centre distance 110 mm projection 161 mm | | |
| |  | | |

| | Ref. No. | Colour | EAN | |
|---|--|---|---|---|
|  |  29 403 000 29 403 DC0 29 403 ALO | Chrome supersteel brushed hard graphite | 4005176760068 4005176760082 4005176760075 | |
| | Allure Brilliant 2-hole basin mixer M-Size wall mounted without concealed body set for final installation for GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving 5.0 l/min. flow limiter spout with integrated mousseur centre distance 110 mm projection 210 mm min. recommended pressure 1.0 bar | | | |
| |  |  29 517 000 29 517 DC0 29 517 ALO | Chrome supersteel brushed hard graphite | 4005176795060 4005176795077 4005176795084 |
| | Allure Brilliant Private Collection two-hole basin mixer with knurled handle | | | |
|  |  29 519 000 29 519 DC0 29 519 ALO | Chrome supersteel brushed hard graphite | 4005176795091 4005176794988 4005176794995 | |
| | Allure Brilliant Private Collection two-hole basin mixer with white Caesarstone handle | | | |
| |  |  29 521 000 29 521 DC0 29 521 ALO | Chrome supersteel brushed hard graphite | 4005176795602 4005176795619 4005176795626 |
| | | Allure Brilliant Private Collection two-hole basin mixer with black Caesarstone handle | | |
| | | | | |
|  | 23 200 000 | | 4005176908354 | |
| | Single-lever mixer 1/2", concealed body for 2 hole basin mixer wall installation without finishing trim set GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter installation depth 45 to 75 mm DR-brass installation device | | | |
|  | 23 200 002 | | 4005176519901 | |
| | Single-lever mixer 1/2", concealed body for 2 hole basin mixer wall installation without finishing trim set GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter spout can be positioned on the right or left installation depth 45 to 75 mm DR-brass installation device allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve | | | |
|  |  24 347 000 24 347 DC0 24 347 ALO | Chrome supersteel brushed hard graphite | 4005176759833 4005176759864 4005176759857 | |
| | Allure Brilliant Bidet mixer 1/2" M-Size 28 mm ceramic cartridge with GROHE SilkMove temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE FastFixation installation system ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses | | | |
| |  | | | |
| | | | | |



GROHE SPA

GROHE ALLURE BRILLIANT




| Ref. No. | Colour | EAN |
|------------|-----------------------|---------------|
| 24 277 000 | Chrome | 4005176759918 |
| 24 277 DC0 | supersteel | 4005176759932 |
| 24 277 AL0 | brushed hard graphite | 4005176759925 |

Allure Brilliant
Single-lever shower mixer trim
 set for final installation for
 GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
 wall escutcheon with **GROHE FastFixation**
 (covered escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
 flow performance:
 outlet B or C = 30 l/min
without roughing-in-set



| | | |
|------------|--|---------------|
| 35 604 000 | | 4005176698774 |
|------------|--|---------------|

GROHE Rapido SmartBox universal rough-in box for concealed installation



| Ref. No. | Colour | EAN |
|------------|-----------------------|---------------|
| 24 279 000 | Chrome | 4005176759949 |
| 24 279 DC0 | supersteel | 4005176759963 |
| 24 279 AL0 | brushed hard graphite | 4005176759956 |

Allure Brilliant
Single-lever mixer with 2-way diverter
 set for final installation for
 GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
 wall escutcheon with **GROHE FastFixation**
 (covered escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
 metal lever
 automatic 2-way diverter
 flow performance:
 outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set



| | | |
|------------|-----------------------|---------------|
| 24 425 000 | Chrome | 4005176795220 |
| 24 425 DC0 | supersteel | 4005176795237 |
| 24 425 AL0 | brushed hard graphite | 4005176795244 |

Allure Brilliant Private Collection single-lever mixer with 2-way diverter with knurled handle



| | | |
|------------|-----------------------|---------------|
| 24 426 000 | Chrome | 4005176795251 |
| 24 426 DC0 | supersteel | 4005176795268 |
| 24 426 AL0 | brushed hard graphite | 4005176795275 |

Allure Brilliant Private Collection single-lever mixer with 2-way diverter with white Caesarstone handle



| | | |
|------------|-----------------------|---------------|
| 24 427 000 | Chrome | 4005176795282 |
| 24 427 DC0 | supersteel | 4005176795299 |
| 24 427 AL0 | brushed hard graphite | 4005176795305 |

Allure Brilliant Private Collection single-lever mixer with 2-way diverter with black Caesarstone handle



| | | |
|------------|--|---------------|
| 35 604 000 | | 4005176698774 |
|------------|--|---------------|


GROHE Rapido SmartBox universal rough-in box for concealed installation



| Ref. No. | Colour | EAN |
|----------|--------|-----|
|----------|--------|-----|



| | | |
|------------|-----------------------|---------------|
| 24 340 000 | Chrome | 4005176759970 |
| 24 340 DC0 | supersteel | 4005176759994 |
| 24 340 ALO | brushed hard graphite | 4005176759987 |




Allure Brilliant
Single-lever mixer with 3-way diverter
 set for final installation for
 GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
 wall escutcheon with **GROHE FastFixation**
 (covered escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
 metal lever
3-way diverter
 flow performance:
 outlet A = 27 l/min,
 outlet B = 27 l/min,
 outlet C = 27 l/min
without roughing-in-set



| | | |
|--|--|---------------|
| 35 604 000 | | 4005176698774 |
| GROHE Rapido SmartBox universal rough-in box for concealed installation | | |

| | | |
|------------|-----------------------|---------------|
| 24 154 000 | Chrome | 4005176481185 |
| 24 154 DC0 | supersteel | 4005176574238 |
| 24 154 ALO | brushed hard graphite | 4005176585920 |

Grotherm Cube
Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve
 set for final installation for
 GROHE Rapido SmartBox 35 600/35 604
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE Long-Life Shine durable sparkling sheen
 wall escutcheon with **GROHE FastFixation**
 (covered escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
 printed head and hand shower symbol
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
 GROHE AquaDimmer, integrated shut off/diverter valve
 flow performance:
 outlet B = 27 l/min
 outlet C = 30 l/min
without roughing-in-set



| | | |
|------------|-----------------------|---------------|
| 24 428 000 | Chrome | 4005176795343 |
| 24 428 DC0 | supersteel | 4005176795350 |
| 24 428 ALO | brushed hard graphite | 4005176795367 |

Grotherm Cube thermostatic shower mixer for 2 outlets with knurled handle



| | | |
|------------|-----------------------|---------------|
| 24 429 000 | Chrome | 4005176795374 |
| 24 429 DC0 | supersteel | 4005176795381 |
| 24 429 ALO | brushed hard graphite | 4005176795398 |

Grotherm Cube thermostatic shower mixer for 2 outlets with white Caesarstone handle



| | | |
|------------|-----------------------|---------------|
| 24 430 000 | Chrome | 4005176795404 |
| 24 430 DC0 | supersteel | 4005176795411 |
| 24 430 ALO | brushed hard graphite | 4005176794889 |

Grotherm Cube thermostatic shower mixer for 2 outlets with black Caesarstone handle








| | | |
|--|--|---------------|
| 35 604 000 | | 4005176698774 |
| GROHE Rapido SmartBox universal rough-in box for concealed installation | | |



GROHE SPA

GROHE ALLURE BRILLIANT

| | Ref. No. | Colour | EAN |
|--|------------|-----------------------|---------------|
|  | 29 405 000 | Chrome | 4005176760105 |
| | 29 405 DC0 | supersteel | 4005176760129 |
| | 29 405 AL0 | brushed hard graphite | 4005176760112 |
|  | 29 523 000 | Chrome | 4005176795633 |
| | 29 523 DC0 | supersteel | 4005176795640 |
| | 29 523 AL0 | brushed hard graphite | 4005176795657 |
|  | 29 525 000 | Chrome | 4005176795107 |
| | 29 525 DC0 | supersteel | 4005176795114 |
| | 29 525 AL0 | brushed hard graphite | 4005176795121 |
|  | 29 527 000 | Chrome | 4005176795138 |
| | 29 527 DC0 | supersteel | 4005176795145 |
| | 29 527 AL0 | brushed hard graphite | 4005176795152 |






Allure Brilliant
4-hole single-lever bath combination
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
 pre-assembled spout fixing
 single lever mixer operating element
 bath spout with integrated mousseur
 diverter bath/shower
 hand shower Euphoria Cube+ 6.5 l/min
 metal shower hose 2000 mm (always chrome for any colour of the set)
 flexible connection hoses
 connection for shower hose
 protected against backflow
 for use with 29 037 000

Allure Brilliant Private Collection four-hole bath combination with knurled handle

Allure Brilliant Private Collection four-hole bath combination with white Caesarstone handle

Allure Brilliant Private Collection four-hole bath combination with black Caesarstone handle

| | | | |
|---|---|--|---------------|
|  | 29 037 000 | | 4005176865749 |
| | <p>4/5-hole bath combination (optional) baseframe for installation under tiled surround base frame drainage box with integrated outlet for splash water caps to cover screw fixations always come in chrome color</p> | | |
|  | | | |



| Ref. No. | Colour | EAN |
|------------|-----------------------|---------------|
| 24 348 000 | Chrome | 4005176759871 |
| 24 348 DC0 | supersteel | 4005176759901 |
| 24 348 AL0 | brushed hard graphite | 4005176759895 |


Allure Brilliant
Single-lever bath mixer 1/2", floor mounted
 set for final installation for 45 984 001
without roughing-in-set
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
 automatic diverter: bath/shower
 spout with integrated mousseur
 projection 270 mm
 integrated non-return valve
 in the shower outlet 1/2"
 with shower holder
 hand shower Euphoria Cube+
 metal shower hose 1250 mm
 protected against backflow

| | | |
|------------|--|---------------|
| 24 348 001 | Chrome | 4005176770616 |
| | ditto, hand shower with 6.5 l/min flow limiter | |

| | | |
|------------|---|---------------|
| 24 422 000 | Chrome | 4005176795169 |
| 24 422 DC0 | supersteel | 4005176795176 |
| 24 422 AL0 | brushed hard graphite | 4005176795183 |
| | Allure Brilliant Private Collection floor mounted bath mixer with knurled handle | |


| | | |
|------------|---|---------------|
| 24 423 000 | Chrome | 4005176795312 |
| 24 423 DC0 | supersteel | 4005176795329 |
| 24 423 AL0 | brushed hard graphite | 4005176795336 |
| | Allure Brilliant Private Collection floor mounted bath mixer with white Caesarstone handle | |

| | | |
|------------|---|---------------|
| 24 424 000 | Chrome | 4005176795190 |
| 24 424 DC0 | supersteel | 4005176795206 |
| 24 424 AL0 | brushed hard graphite | 4005176795213 |
| | Allure Brilliant Private Collection floor mounted bath mixer with black Caesarstone handle | |



| | |
|------------|---------------|
| 45 984 001 | 4005176992056 |
|------------|---------------|









Rough-in set 1/2"
 for floor-mounted bath mixers/spouts and shower mixers
without finishing trim set
 installation plate with 360° horizontal and 3° vertical adjustment
 installation depth 53-157 mm for bath mixers/spouts, depth compensation 104 mm
 installation depth 65-157 mm for shower mixers, depth compensation 92 mm
 two 1/2" female connections (hot/cold supplies)
 flushing plug
 Can take a single mixed supply
 fixing material



| | |
|------------|---------------|
| 29 086 000 | 4005176935497 |
|------------|---------------|


Rough-in set 1/2"
 for floor-mounted tub spouts and mixers
without finishing trim set
 installation plate with 360° horizontal and 3° vertical adjustment
 installation depth 47-151 mm
 depth compensation 104 mm
 two 1/2" female connections (hot/cold supplies)
 flushing plug



| | | Ref. No. | Colour | EAN |
|---|---|--|-----------------------|---------------|
|  |  | 13 486 000 | Chrome | 4005176756634 |
| | | 13 486 DC0 | supersteel | 4005176756658 |
| | | 13 486 AL0 | brushed hard graphite | 4005176756641 |
| | | Allure Brilliant Cascade spout for bath and shower wall mounted GROHE Long-Life Shine durable sparkling sheen projection 180 mm | | |
|  |  | 13 485 000 | Chrome | 4005176756603 |
| | | 13 485 DC0 | supersteel | 4005176756627 |
| | | 13 485 AL0 | brushed hard graphite | 4005176756610 |
| | | Allure Brilliant Bath spout wall mounted GROHE Long-Life Shine durable sparkling sheen projection 161 mm spout with integrated mousseur | | |
|  |  | 29 399 000 | Chrome | 4005176754197 |
| | | 29 399 DC0 | supersteel | 4005176754210 |
| | | 29 399 AL0 | brushed hard graphite | 4005176754203 |
| | | Allure Brilliant 5-way diverter set for final installation for 29 033 000 without concealed body GROHE Long-Life Shine durable sparkling sheen installation depth adjustable 66 - 113 mm | | |
|  |  | 29 033 000 | | 4005176845338 |
| | | 5-way diverter concealed body wall installation with ceramic sealing disks connection cold and hot 1/2" 2 outlets 1/2" 1 bath outlet 3/4" installation depth adjustable 66 - 113 mm DR-brass | | |
| | | Allure Brilliant Concealed stop-valve trim set for final installation for 29 032 000 (preassembled headpart 1/2") 29 068 000 (preassembled ceramic headpart 1/2" - not to be used as shut-off) 35 028 000 GROHE Long-Life Shine durable sparkling sheen installation depth adjustable 43 - 91 mm | | |
| | | Allure Brilliant Concealed stop-valve trim set for final installation for 29 032 000 (preassembled headpart 1/2") 29 068 000 (preassembled ceramic headpart 1/2" - not to be used as shut-off) 35 028 000 GROHE Long-Life Shine durable sparkling sheen installation depth adjustable 43 - 91 mm | | |



Ref. No. Colour EAN

29 032 000 4005176845277



Concealed valve
pre-assembled headpart 1/2"
threaded union 1/2"
installation depth adjustable
43 - 91 mm
DR-brass


35 028 000 4005176908316



GROHE Rapido C
Rough-in for single volume control
for grid installation of Grohtherm Custom Shower system
built-in box with removable protection cover
waterproof membrane base for wall sealing
for masonry and drywall installation
fixing points for front and back wall
body of DR brass
pre-assembled ceramic headpart 3/4"
connection threads 1/2"
installation depth 70 - 95 mm



26 858 000 Chrome 4005176759079




Rainshower Aqua 230
Head shower set 286 mm, 1 spray
Consisting of:
head shower Rainshower Allure 230 (26 877 000)
material: metal
1 spray pattern:
Rain
Shower arm Rainshower 286 mm (27 709 000)
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-limescale system



26 856 000 Chrome 4005176759031
ditto, with non-restricted flow




26 859 000 Chrome 4005176758836



Rainshower Aqua 230
Head shower set ceiling 154 mm, 1 spray
Consisting of:
head shower Rainshower Allure 230 (26 877 000)
material: metal
1 spray pattern:
Rain
shower arm Rainshower ceiling 154 mm (27 711 000)
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-limescale system



26 802 000 Chrome 4005176722776
26 802 DC0 supersteel 4005176722899
26 802 AL0 brushed hard graphite 4005176722905















Rainshower Aqua
Body spray cube 2 spray
spray pattern:
PureRain, ActiveJet
including concealed body and compound seal
75 x 75 mm
pivoting range ± 15° rotatable
connection thread 1/2"
throw distance 600 mm
GROHE Water Saving 3.3 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-limescale system
min. recommended pressure 1.0 bar
not suitable for instantaneous heater



GROHE SPA



















GROHE ALLURE BRILLIANT

| | Ref. No. | Colour | EAN |
|---|--|---|---|
|   | 26 884 000 | Chrome | 4005176759307 |
| <p>Rainshower Aqua Cube Stick Hand shower 1 spray Normal spray material: metal GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses min. recommended pressure 1.0 bar</p> | | | |
|   | 26 850 000 26 850 DC0 26 850 AL0 | Chrome supersteel brushed hard graphite | 4005176754456 4005176754470 4005176754463 |
| <p>Allure Brilliant Shower outlet elbow, 1/2" male thread protected against backflow material: metal GROHE Long-Life Shine durable sparkling sheen</p> | | | |
|   | 26 847 000 26 847 DC0 26 847 AL0 | Chrome supersteel brushed hard graphite | 4005176755057 4005176755071 4005176755064 |
| <p>Allure Brilliant Wall hand Shower holder non-adjustable material: metal GROHE Long-Life Shine durable sparkling sheen</p> | | | |
|   | 40 564 000 40 564 DC0 40 564 AL0 | Chrome supersteel brushed hard graphite | 4005176912740 4005176491795 4005176491788 |
| <p>Bottle trap for wash basin GROHE Long-Life Shine durable sparkling sheen brass body</p> | | | |
|   | 40 565 000 40 565 DC0 40 565 AL0 | Chrome supersteel brushed hard graphite | 4005176912757 4005176491702 4005176491696 |
| <p>Waste set with push-open plug for wash basins with overflow for replacement in an existing system GROHE Long-Life Shine durable sparkling sheen</p> | | | |
|   | 38 732 000 38 732 DC0 38 732 AL0 | Chrome supersteel brushed hard graphite | 4005176836114 4005176431371 4005176339127 |
| <p>Skate Cosmopolitan Flush plate for dual flush or start & stop actuation for pneumatic drop valve AV1 for vertical and horizontal installation GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving - Less water, perfect flow for combination with Rapid SL 1.13 m with GD 2 cistern for use with Rapid SLX please order shaft 66 791 000 (sold separately)</p> | | | |



GROHE SPA

GROHE ALLURE BRILLIANT


| | | Ref. No. | Colour | EAN |
|---|---|---|--------|---------------|
|  |  | 40 894 000 | Chrome | 4005176755170 |
| |  | Allure Brilliant Holder with soap dispenser material: glass / metal filling quantity 150 ml concealed fastening GROHE Long-Life Shine durable sparkling sheen | | |
|  |  | 40 893 000 | Chrome | 4005176755163 |
| |  | Allure Brilliant Holder with tumbler material: glass / metal concealed fastening GROHE Long-Life Shine durable sparkling sheen | | |
|  |  | 40 906 000 | Chrome | 4005176754388 |
| |  | Allure Brilliant Shelf with tumbler material: glass / metal concealed fastening GROHE Long-Life Shine durable sparkling sheen | | |
|  |  | 40 907 000 | Chrome | 4005176754395 |
| |  | Allure Brilliant Shelf with soap dish GROHE Long-Life Shine durable sparkling sheen | | |
|  |  | 40 895 000 | Chrome | 4005176754333 |
| |  | Allure Brilliant Towel bar 2 arms, not pivotable length 431 mm concealed fastening GROHE Long-Life Shine durable sparkling sheen | | |
|  |  | 40 896 000 | Chrome | 4005176754340 |
| |  | Allure Brilliant Towel rail 650 mm (drilling length 600 mm) material: metal concealed fastening GROHE Long-Life Shine durable sparkling sheen | | |



GROHE SPA

GROHE ALLURE BRILLIANT


| | Ref. No. | Colour | EAN |
|--|----------|--------|-----|
|--|----------|--------|-----|



40 897 000 **Chrome** **4005176754357**

Allure Brilliant
Robe hook
 material: metal
 concealed fastening
GROHE Long-Life Shine durable sparkling sheen


| | Ref. No. | Colour | EAN |
|--|----------|--------|-----|
|--|----------|--------|-----|



40 898 000 **Chrome** **4005176754364**

Allure Brilliant
Toilet roll holder
 without cover
 material: metal
 concealed fastening
GROHE Long-Life Shine durable sparkling sheen

| | Ref. No. | Colour | EAN |
|--|----------|--------|-----|
|--|----------|--------|-----|















40 900 000 **Chrome** **4005176754371**

Allure Brilliant
Toilet brush set
 material: glass / metal
 wall mounted
 concealed fastening
GROHE Long-Life Shine durable sparkling sheen



GROHE SPA

GROHE GRANDERA

| | Ref. No. | Colour | EAN |
|---|---|-------------|---------------|
|  |  24 369 000 | Chrome | 4005176758089 |
| | 24 369 IGO | chrome/gold | 4005176758119 |
| | 24 369 DAO | warm sunset | 4005176758102 |
|  | Grandera Basin mixer 1/2" M-Size monobloc installation 28 mm ceramic cartridge with GROHE SilkMove temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving - Less water, perfect flow GROHE FastFixation installation system GROHE AquaGuide adjustable mousseur 5.7 l/min pop-up waste set 1 1/4" flexible connection hoses | | |
|  |  20 666 000 | Chrome | 4005176761546 |
| | 20 666 IGO | chrome/gold | 4005176761553 |
| | | | |
|  | Grandera Two-handle basin mixer, 1/2" L-Size monobloc installation valves hot/cold with headparts 1/2" - 90° GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving - Less water, perfect flow GROHE AquaGuide adjustable mousseur 5.7 l/min swivel spout pop-up waste set 1 1/4" flexible connection hoses | | |
|  |  24 371 000 | Chrome | 4005176758164 |
| | 24 371 IGO | chrome/gold | 4005176758171 |
| | | | |
|  | Grandera Basin mixer 1/2" XL-Size for free-standing basins 28 mm ceramic cartridge with GROHE SilkMove temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving - Less water, perfect flow GROHE FastFixation installation system GROHE AquaGuide adjustable mousseur 5.7 l/min smooth body flexible connection hoses | | |
|  |  20 624 000 | Chrome | 4005176758034 |
| | 20 624 IGO | chrome/gold | 4005176758058 |
| | | | |
|  | Grandera Three-hole basin mixer 1/2" S-Size valves hot/cold with headparts 1/2" - 90° GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving - Less water, perfect flow GROHE AquaGuide adjustable mousseur 5.7 l/min pop-up waste set 1 1/4" pressure-proof, flexible connection hoses between spout and side valves | | |




GROHE SPA

GROHE GRANDERA


SPA BATH
TAPS

| Ref. No. | Colour | EAN |
|----------|--------|-----|
|----------|--------|-----|



| | | |
|------------|-------------|---------------|
| 20 619 000 | Chrome | 4005176757921 |
| 20 619 IGO | chrome/gold | 4005176757952 |
| 20 619 DA0 | warm sunset | 4005176757945 |

Grandera
Three-hole basin mixer 1/2"
M-Size
 valves hot/cold
 with headparts 1/2" - 90°
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving - Less water, perfect flow
GROHE AquaGuide adjustable mousseur 5.7 l/min
 pop-up waste set 1 1/4"
 pressure-proof, flexible connection hoses
 between spout and side valves





| | | |
|------------|-------------|---------------|
| 20 622 000 | Chrome | 4005176757976 |
| 20 622 IGO | chrome/gold | 4005176757990 |

Grandera
Three-hole basin mixer 1/2"
S-Size
 wall mounted
 set for final installation for
 29 025 002
without concealed body
 valves hot/cold
 with headparts 1/2" - 90°
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving - Less water, perfect flow
GROHE AquaGuide adjustable mousseur 5.7 l/min
 centre distance 200 mm
 projection 177 mm


| | | |
|------------|-------------|---------------|
| 20 623 000 | Chrome | 4005176758010 |
| 20 623 IGO | chrome/gold | 4005176758027 |

ditto, projection 234 mm

| | | |
|------------|--|---------------|
| 29 025 002 | | 4005176519895 |
|------------|--|---------------|



Two-handle basin mixer
concealed body, 1/2"
 for 3-hole basin mixer
 wall installation
without finishing trim set
 DR-brass
 installation device
 allows for waterproofing of wall construction surrounding the concealed body
 with sealing sleeve



| | | |
|------------|-------------|---------------|
| 29 416 000 | Chrome | 4005176757778 |
| 29 416 IGO | chrome/gold | 4005176757792 |
| 29 416 DA0 | warm sunset | 4005176757785 |

Grandera
2-hole basin mixer
S-Size
 wall mounted
 set for final installation for
 23 319 000
without concealed body
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving - Less water, perfect flow
GROHE AquaGuide adjustable mousseur 5.7 l/min
 centre distance 110 mm
 projection 177 mm

| | | |
|------------|-------------|---------------|
| 29 417 000 | Chrome | 4005176757815 |
| 29 417 IGO | chrome/gold | 4005176757822 |

ditto, projection 234 mm




GROHE SPA

GROHE GRANDERA

Ref. No. Colour EAN


23 319 000 4005176931192



Grandera
Single-lever mixer 1/2", concealed body
for 2 hole basin mixer
wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
installation depth 45 to 75 mm
installation device




24 372 000 **Chrome** 4005176758195
24 372 IGO **chrome/gold** 4005176758218



Grandera
Bidet mixer 1/2"
M-Size
monobloc installation
28 mm ceramic cartridge
with **GROHE SilkMove**
temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE FastFixation installation system
ball-joint mousseur
pop-up waste set 1 1/4"
flexible connection hoses




24 373 000 **Chrome** 4005176758232
24 373 IGO **chrome/gold** 4005176758256



Grandera
Single-lever shower mixer 1/2"
wall mounted
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
adjustable flow rate limiter
integrated hand shower holder
shower outlet 1/2"
integrated non-return valve
covered S-unions
protected against backflow



24 374 000 **Chrome** 4005176758263
24 374 IGO **chrome/gold** 4005176758287



Grandera
Single-lever bath/shower mixer 1/2"
wall mounted
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
adjustable flow rate limiter
integrated hand shower holder
automatic diverter: bath/shower
mousseur
integrated non-return valve
in the shower outlet 1/2"
covered S-unions
protected against backflow



GROHE SPA


GROHE GRANDERA

SPA BATH TAPS

Ref. No. Colour EAN



24 259 000 Chrome 4005176758348
24 259 IGO chrome/gold 4005176758355




Grandera
Single-lever shower mixer trim
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set



35 604 000 4005176698774
GROHE Rapido SmartBox universal rough-in box for concealed installation



24 260 000 Chrome 4005176758362
24 260 IGO chrome/gold 4005176758386
24 260 DAO warm sunset 4005176758379




Grandera
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set



35 604 000 4005176698774
GROHE Rapido SmartBox universal rough-in box for concealed installation




29 418 000 Chrome 4005176757839
29 418 IGO chrome/gold 4005176757853



Grandera
4-hole single-lever bath combination
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
Consisting of:
pre-assembled spout fixing
single lever mixer operating element
bath spout with mousseur and diverter bath/shower
Grandera hand shower 7.6 l/min
metal shower hose
flexible connection hoses
connection for shower hose
protected against backflow
can be used with 29 037 000




29 415 000 Chrome 4005176757693
29 415 IGO chrome/gold 4005176757754



Grandera
5-hole bath/shower combination
ceramic headparts 1/2", 90°
GROHE Long-Life Shine durable sparkling sheen
Consisting of:
pre-assembled spout fixing
single lever mixer operating element
bath spout with mousseur and diverter bath/shower
Grandera hand shower 7.6 l/min
metal shower hose
flexible connection hoses
connection for shower hose
protected against backflow
can be used with 29 037 000

Ref. No. Colour EAN


29 037 000 4005176865749



4/5-hole bath combination (optional) baseframe for installation under tiled surround
 base frame
 drainage box with integrated outlet for splash water
 caps to cover screw fixations always come in chrome color




24 375 000 Chrome 4005176758300
 24 375 1G0 chrome/gold 4005176758317



Grandera
Single-lever bath mixer 1/2", floor mounted
 set for final installation for 45 984 001
without roughing-in set
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
 automatic diverter: bath/shower
 spout with mousseur
 projection 320 mm
 integrated non-return valves in the shower outlet 1/2"
 with shower holder
 Grandera hand shower 7.6 l/min
 Silverflex shower hose 1250 mm
 protected against backflow


45 984 001 4005176992056



Rough-in set 1/2"
 for floor-mounted bath mixers/spouts and shower mixers
without finishing trim set
 installation plate with 360° horizontal and 3° vertical adjustment
 installation depth 53-157 mm for bath mixers/spouts, depth compensation 104 mm
 installation depth 65-157 mm for shower mixers, depth compensation 92 mm
 two 1/2" female connections (hot/cold supplies)
 flushing plug
 Can take a single mixed supply
 fixing material




13 484 000 Chrome 4005176757716
 13 484 1G0 chrome/gold 4005176757747
 13 484 DA0 warm sunset 4005176757730



Grandera
Bath spout
 wall mounted
GROHE Long-Life Shine durable sparkling sheen
 mousseur
 projection 177 mm



29 420 000 Chrome 4005176757891
 29 420 1G0 chrome/gold 4005176757914
 29 420 DA0 warm sunset 4005176757907



Grandera
Volume Control Trim
 set for final installation for 35 028 000
 29 032 000 (preassembled headpart 1/2")
GROHE Long-Life Shine durable sparkling sheen
 installation depth adjustable
 43 - 91 mm




GROHE SPA

GROHE GRANDERA

SPA BATH TAPS



Ref. No. Colour EAN

29 032 000 4005176845277



Concealed valve pre-assembled headpart 1/2" threaded union 1/2" installation depth adjustable 43 - 91 mm DR-brass


35 028 000 4005176908316



GROHE Rapido C Rough-in for single volume control for grid installation of Grohtherm Custom Shower system built-in box with removable protection cover waterproof membrane base for wall sealing for masonry and drywall installation fixing points for front and back wall body of DR brass pre-assembled ceramic headpart 3/4" connection threads 1/2" installation depth 70 - 95 mm




26 852 000 Chrome 4005176758492
26 852 IGO chrome/gold 4005176758515



Grandera Stick Hand shower 1 spray Rain spray pattern material: metal GROHE Water Saving 6.6 l/min flow limiter GROHE DreamSpray perfect spray pattern Inner WaterGuide for a longer life GROHE CoolTouch prevents scalding on hot surfaces GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Universal Mounting System. Fits all standard shower hoses




26 901 000 Chrome 4005176757518
26 901 IGO chrome/gold 4005176757501



Grandera Stick Wall holder set 1 spray Consisting of: Stick hand shower (26 852 xx0) wall hand shower holder (26 896 xx0) Rotaflex Metal Long-Life TwistStop shower hose 1500 mm (28 417) GROHE Water Saving 7.6 l/min flow limiter GROHE DreamSpray perfect spray pattern Inner WaterGuide for a longer life GROHE CoolTouch prevents scalding on hot surfaces GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system



26 901 00F Chrome 4005176757525



Grandera Stick Wall holder set 1 spray Consisting of: Stick hand shower wall hand shower holder (26 896 xx0) Rotaflex Metal Long-Life TwistStop shower hose 1500 mm (28 417) GROHE Water Saving 7.6 l/min flow limiter GROHE DreamSpray perfect spray pattern Inner WaterGuide for a longer life GROHE CoolTouch prevents scalding on hot surfaces GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system



| | | Ref. No. | Colour | EAN |
|--|-------------|----------------------|----------------|---------------|
| | | GROHE SPA 26 853 000 | Chrome | 4005176758522 |
| | | GROHE SPA 26 853 IGO | chrome/gold | 4005176758539 |
| <p>Grandera Stick Shower rail set 1 spray Consisting of: Stick hand shower (26 852 xx0) shower rail 900 mm (27 785) Rotaflex Metal Long-Life TwistStop shower hose 1750 mm (28 025) GROHE Water Saving 7.6 l/min flow limiter GROHE DreamSpray perfect spray pattern Inner WaterGuide for a longer life GROHE CoolTouch prevents scalding on hot surfaces GROHE FastFixation Plus adjustable distance between brackets, to adapt to existing holes GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system suitable for instantaneous heater</p> | | | | |
| | | GROHE SPA 26 854 000 | Chrome | 4005176758546 |
| | | GROHE SPA 26 854 ENO | brushed nickel | 4005176758553 |
| <p>Rainshower Grandera 210 Head shower 1 spray Rain material: metal GROHE Water Saving 6.6 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system</p> | | | | |
| | | GROHE SPA 26 898 000 | Chrome | 4005176758560 |
| | | GROHE SPA 26 898 IGO | chrome/gold | 4005176758584 |
| GROHE SPA 26 898 DA0 | warm sunset | 4005176758577 | | |
| <p>Grandera 210 Head shower 1 spray 221 x 221 mm material: metal with ball joint rotation angle ± 15° connection thread 1/2" GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system</p> | | | | |
| | | GROHE SPA 26 899 000 | Chrome | 4005176758607 |
| | | | | |
| <p>Rainshower Grandera Shower arm ceiling 142 mm material: metal length 142 mm connection thread 1/2" Grandera escutcheon GROHE Long-Life Shine durable sparkling sheen</p> | | | | |
| | | GROHE SPA 26 900 000 | Chrome | 4005176758614 |
| | | GROHE SPA 26 900 IGO | chrome/gold | 4005176758638 |
| GROHE SPA 26 900 DA0 | warm sunset | 4005176758621 | | |
| <p>Rainshower Grandera Shower arm 286 mm projection 286 mm material: metal connection thread 1/2" Grandera escutcheon GROHE Long-Life Shine durable sparkling sheen</p> | | | | |



| | | Ref. No. | Colour | EAN |
|--|--|--|--------------------------------------|---|
| | | 29 032 000 | | 4005176845277 |
| | | Concealed valve pre-assembled headpart 1/2" threaded union 1/2" installation depth adjustable 43 - 91 mm DR-brass | | |
| | | 29 802 000 | | 4005176504853 |
| | | Concealed stop valve 3/4" pre-assembled headpart 3/4" short spindle protection sleeve thread union 3/4" DR-brass | | |
| | | 29 811 000 | | 4005176062711 |
| | | Concealed stop valve 1/2" preassembled ceramic headpart 1/2" 180° threaded union 1/2" installation depth adjustable 25 - 80 mm DR-brass | | |
| | | 26 854 000 26 854 EN0 | Chrome brushed nickel | 4005176758546 4005176758553 |
| | | Rainshower Grandera 210 Head shower 1 spray Rain material: metal GROHE Water Saving 6.6 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system | | |
| | | 26 897 000 26 897 IGO 26 897 DA0 | Chrome chrome/gold warm sunset | 4005176758447 4005176758461 4005176758454 |
| | | Grandera Shower outlet elbow, 1/2" material: metal male thread protected against backflow GROHE Long-Life Shine durable sparkling sheen | | |
| | | 26 896 000 26 896 IGO 26 896 DA0 | Chrome chrome/gold warm sunset | 4005176758416 4005176758430 4005176758423 |
| | | Grandera Wall hand Shower holder material: metal GROHE Long-Life Shine durable sparkling sheen | | |



GROHE SPA

GROHE
GRANDERA


Ref. No.

Colour

EAN

28 912 000 ★ Chrome

4005176266751



Bottle trap, 1 1/4"

for basins

brass

(screw-top for cleaning)

large sliding escutcheon

GROHE Long-Life Shine durable sparkling sheen



GROHE SPA



GROHE GRANDERA

| | | Ref. No. | Colour | EAN |
|--|---|------------|----------------|---------------|
|  |  | 40 910 000 | Chrome | 4005176754845 |
| | | 40 910 IGO | chrome/gold | 4005176754852 |
| Grandera holder with ceramic soap dispenser material: ceramic/metal filling quantity 110 ml GROHE Long-Life Shine durable sparkling sheen | | | | |
|  |  | 40 909 000 | Chrome | 4005176754432 |
| | | 40 909 IGO | chrome/gold | 4005176754449 |
| Grandera holder with ceramic tumbler material: ceramic/metal concealed fastening GROHE Long-Life Shine durable sparkling sheen | | | | |
|  |  | 40 923 000 | Chrome | 4005176754869 |
| | | 40 923 IGO | chrome/gold | 4005176754876 |
| Grandera soap dish with holder material: ceramic/metal concealed fastening GROHE Long-Life Shine durable sparkling sheen | | | | |
|  |  | 40 929 000 | Chrome | 4005176754913 |
| | | 40 929 IGO | chrome/gold | 4005176754937 |
| | | 40 929 ENO | brushed nickel | 4005176754920 |
| Grandera Towel ring Ø 205 mm material: metal concealed fastening GROHE Long-Life Shine durable sparkling sheen | | | | |
|  |  | 40 928 000 | Chrome | 4005176754883 |
| | | 40 928 IGO | chrome/gold | 4005176754906 |
| | | 40 928 ENO | brushed nickel | 4005176754890 |
| Grandera Towel rail 600 mm GROHE Long-Life Shine durable sparkling sheen | | | | |
|  |  | 40 930 000 | Chrome | 4005176754944 |
| | | 40 930 IGO | chrome/gold | 4005176754968 |
| Grandera Robe hook material: metal concealed fastening GROHE Long-Life Shine durable sparkling sheen | | | | |





GROHE SPA

GROHE GRANDERA

| | Ref. No. | Colour | EAN |
|---|--|----------------|---------------|
|  | 40 960 000 | Chrome | 4005176754999 |
| | 40 960 IGO | chrome/gold | 4005176755019 |
| | 40 960 ENO | brushed nickel | 4005176755002 |
|  | Grandera Bath grip material: metal length 385 mm concealed fastening GROHE Long-Life Shine durable sparkling sheen | | |

| | Ref. No. | Colour | EAN |
|---|---|----------------|---------------|
|  | 40 908 000 | Chrome | 4005176754401 |
| | 40 908 IGO | chrome/gold | 4005176754425 |
| | 40 908 ENO | brushed nickel | 4005176754418 |
|  | Grandera Toilet roll holder without cover material: metal concealed fastening GROHE Long-Life Shine durable sparkling sheen | | |

| | Ref. No. | Colour | EAN |
|--|---|-------------|---------------|
|  | 40 946 000 | Chrome | 4005176754975 |
| | 40 946 IGO | chrome/gold | 4005176754982 |
|  | Grandera Toilet brush set material: ceramic GROHE Long-Life Shine durable sparkling sheen | | |



GROHE SPA

GROHE GLASS MODULE

Ref. No.

Colour


EAN



39 980 KS0

velvet black

4005176770647



Glass Cover Skate Cosmopolitan

for Rapid SL 1.13 m

with flushing cistern GD 2

for connecting shower toilet Sensia Arena or common wall-hung WCs for tiled/plastered walls

two-piece glass cover made of tempered safety glass (8 mm)

upper part removable for maintenance

flush plate Skate Cosmopolitan, chrome, flush plate is kept flush with glass cover

HPL mounting plate with hole pattern for all connections

mounting plate with concealed water connection for shower toilet Sensia Arena

mounting plate with with quality edges in silver finish

Set for noise protection


including accessory for mounting glass plate and WC ceramic



39 980 LS0

moon white

4005176754487



Glass Cover Skate Cosmopolitan

for Rapid SL 1.13 m

with flushing cistern GD 2

for connecting shower toilet Sensia Arena or common wall-hung WCs for tiled/plastered walls

two-piece glass cover made of tempered safety glass (8 mm)

upper part removable for maintenance

flush plate Skate Cosmopolitan, chrome, flush plate is kept flush with glass cover

HPL mounting plate with hole pattern for all connections


mounting plate with concealed water connection for shower toilet Sensia Arena


mounting plate with with quality edges in silver finish

Set for noise protection

including accessory for mounting glass plate and WC ceramic

GROHE SPA
SPA SHOWERS





CONTENTS

| | |
|---------------------------------|-----|
| Aquasymphony | 86 |
| F-digital Deluxe | 87 |
| Rainshower Aqua ceiling showers | 90 |
| Rainshower Aqua head showers | 91 |
| Rainshower Aqua body sprays | 94 |
| Rainshower Aqua hand showers | 95 |
| Rainshower Aqua trigger sprays | 97 |
| SPA shower accessories | 98 |
| SPA thermostats | 100 |

| Ref. No. | Colour | EAN |
|------------|--------|---------------|
| 26 863 000 | Chrome | 4005176758874 |



**Rainshower Aqua 40" AquaSymphony
Ceiling shower 6+ sprays with light**

1016 mm x 762 mm x 145 mm
material: metal

minimum flow rate 25 l/min
min. recommended pressure 3.0 bar

- 1 x AquaCurtain
 - 1 x Pure XL spray
 - 1 x 2 mist spray
 - 2 x GROHE PureRain spray 400 x 190 mm
 - 2 x XL Waterfall (separately controlled)
 - 1 x 4 Bokoma Spray with adjustment angle 20° and combinations
- full spectrum LED: soft light with changing rainbow colours
individually adjustable: permanent lighting with colour selection
power supply for light 12 V DC
CE approved

SpeedClean anti-limescale system
GROHE DreamSpray perfect spray pattern

GROHE Long-Life Shine finish
requires rough-in set (26 865 000), F-digital Deluxe base unit box (26 864 000), Bluetooth unit (36 475 000) and various cable connections – all to be ordered separately due to installation situation.


The ceiling construction must be appropriate for the static requirement of the product (total product weight > 70 kg). Ceiling shower has to be controlled by 8 outlets + 1 hand shower outlet and the performance of the waste must be of sufficient size (> 100 l/min). For detailed planning please see separate planning & installation guide before start.

recommendation: configuration with Grohtherm SmartControl

- 3 x Grohtherm SmartControl (29 126 000)
- 3 x GROHE Rapido SmartBox (35 604 000)

1 x Rainshower Aqua Cube Stick wall holder set 1 spray (26 886 000)

this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A++



| | | |
|------------|--------|---------------|
| 26 865 000 | Chrome | 4005176758898 |
|------------|--------|---------------|


**Rainshower Aqua 40"
Roughing-in set**

for use with Rainshower F-Series 40" AquaSymphony ceiling shower
1000 mm x 745 mm x 152 mm

min. installation depth: 167 mm

Waterways: Brass
1/2" connections

The ceiling construction must be appropriate for the static requirement of the product (total product weight > 70 kg). Ceiling shower has to be controlled by 8 outlets + 1 hand shower outlet and the performance of the waste must be of sufficient size (> 100 l/min). For detailed planning please see separate planning & installation guide before start.





| Ref. No. | Colour | EAN |
|------------|--------|---------------|
| 36 475 000 | Chrome | 4005176758751 |

GROHE F-digital Deluxe

Bluetooth unit BT-01A for Apple and Android devices

with integrated electronic for wireless data communication
wall mounted
86 x 73 x 42 mm

Features:

- reset switch
- status indicator (LED)
- stand alone/maximum configuration
- one-to-one connection
- with safety cut-off mechanism (1 user)
- safety shutdown in case of connection loss
- connection cable set for data communication and power supply (5 m each)
- CE approved

Bluetooth transmitter power supply: 12 V

Bluetooth transmitter frequency: 2.4 GHz

Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver

requires Base Unit Box 2.0 (36 476 000) or Base Unit Box 4.0 (26 864 000) – to be ordered separately

Bluetooth-enabled device (Bluetooth V2.1 or higher) necessary

System requirements

Android

operating system: as of release 2.3.3

pixel density: 160 dpi minimum

display resolution: 320 x 470 pixels per inch


System requirements

Apple

iPod touch 4/5, iPhone 4/5, iPad/ iPad mini**

Apple operating system: as of release iOS 6.0 and above

Mobile devices and GROHE SPA F-digital deluxe App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/ iTunes or Google Play store.



| | | |
|------------|--------|---------------|
| 36 476 000 | Chrome | 4005176758768 |
|------------|--------|---------------|

GROHE F-digital Deluxe

Base unit box 2.0 Bluetooth (BCU V2.0)

for connecting light, sound and steam modules

Consisting of:

2 plug connections, each for one pair of sound modules (36 473 000)

2 plug connections, each for one pair of light modules (36 472 000) or

1 ceiling shower (27 865 000) with integrated light

2 plug connections for steam module (29 414 000), including 1 connection for steam generator and 1 connection for temperature sensor

2 plug connections for power supply (per power supply max. 4 devices light/ sound)

2 plug connections for Bluetooth unit (supply voltage and data line)


CE approved

must be accessible for service

optional the base unit box can be placed into

extra equipment 36 474 000

component to be ordered separately



| | | |
|------------|--------|---------------|
| 26 864 000 | Chrome | 4005176758881 |
|------------|--------|---------------|

GROHE F-digital Deluxe

Base unit box 4.0 Bluetooth F-Series 40" (BCU V4.0)

to control LightCurtain of Rainshower F-Series 40" AquaSymphony ceiling shower

additional light, sound and steam modules can be connected and controlled

Consisting of:

2 plug connections, each for one pair of sound modules (36 473 000)

1 plug connection for one pair of light modules (36 472 000)

1 plug connection LightCurtain for Rainshower Aqua 40" AquaSymphony

(26 863 000)

2 plug connections for steam module (29 414 000), including 1 connection for steam generator and 1 connection for temperature sensor

2 plug connections for power supply (per power supply max. 4 devices light/ sound)



2 plug connections for Bluetooth unit (supply voltage and data line)

CE approved

must be accessible for service


optional the base unit box can be placed into extra equipment 36 474 000

component to be ordered separately






Ref. No. Colour EAN




36 474 000 Chrome 4005176758744

**GROHE F-digital Deluxe
Rough-in set base unit box**
for use with base unit box (26 864 000 or 36 476 000)
550 x 700 x 110 mm
height (100 mm) and depth (50 mm) adjustable
with adjustable front frame for installation in wall niches
with adjustable front frame for installation in wall niches
galvanized and powder coated (RAL 9010, pure white) steel plate
1 mm thick steel plate
with two mounting rails and elbow for power outlets
and mounting materials




36 473 000 Chrome 4005176758737

**Rainshower F-digital Deluxe
Sound set**
127 x 127 mm per module
full range stereo speaker
Consisting of:
2 speakers with plug connections
waterproof & corrosion protected
GROHE Long-Life Shine durable sparkling sheen
requires rough-in set (29 413 000), F-digital Deluxe base unit box (26 864 000 or 36 476 000), Bluetooth unit (36 475 000) and various cable connections – all to be ordered separately due to installation situation
For detailed planning and product information please contact your local GROHE Customer Service.




29 413 000 Chrome 4005176758683

**Rainshower F-digital Deluxe
Rough-in set sound set**
for use with double sound modules (36 473 000)
Consisting of:
- 2 rough-in sets (115 x 115 x 62-87 mm)
- 2 cable extensions (5 m each)
- 1 Y-piece















36 472 000 Chrome 4005176758720









**Rainshower F-digital Deluxe
Light set**
127 x 127 mm per module
full spectrum LED: soft light with changing rainbow colours
individually adjustable: permanent lighting with colour selection
Consisting of:
- 1 light module with two plug connections
- 1 light module with one plug connection
waterproof & corrosion protected
supply voltage: 12 V DC
CE approved
GROHE Long-Life Shine durable sparkling sheen
requires rough-in set (29 412 000), F-digital Deluxe base unit box (26 864 000 or 36 476 000), Bluetooth unit (36 475 000) and various cable connections – all to be ordered separately due to installation situation
this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A+
For detailed planning and product information please contact your local GROHE Customer Service.























29 412 000 Chrome 4005176758676







**Rainshower F-digital Deluxe
Rough-in set light set**
for use with double light modules (36 472 000)
Consisting of:
- 2 rough-in sets (115 x 115 x 62-87 mm)
- 2 cable extensions (5 m each)


| | Ref. No. | Colour | EAN |
|---|------------|--------|---------------|
|   | 29 414 000 | Chrome | 4005176758690 |
| <p>GROHE F-digital Deluxe Rough-in set steam generator for use with steam module (26 828 000 or 26 829 000) Consisting of:</p> <ul style="list-style-type: none"> - 1 rough-in box for steam outlet (115 x 115 x 49-77 mm) - 1 rough-in box for temperature sensor (58 x 83 x 80-105 mm) - 1 cable extension temperature sensor, 5 m - 1 cable extension steam generator, 5 m | | | |
|   | 42 636 000 | Chrome | 4005176758805 |
| <p>GROHE F-digital Deluxe Cable extension for power supply, 5 m connection between power supply (42 633 000 or 42 638 000) and base unit box (26 864 000 or 36 476 000) each power supply needs a separate extension cable cable extension up to 5 m</p> | | | |
|   | 42 635 000 | Chrome | 4005176758799 |
| <p>GROHE F-digital Deluxe Cable extension light set, 5 m connection between base unit box (26 864 000 or 36 476 000) and light modules (36 472 000) each light module needs a separate extension cable cable extension up to 10 m</p> | | | |
|   | 42 633 000 | Chrome | 4005176758775 |
| <p>GROHE F-digital Deluxe Power supply base unit box power supply for base unit box (26 864 000 or 36 476 000) each power supply for 2 light/sound modules (36 472 000 or 36 473 000) total 2 power supplies max (8 devices max.) can be connected to the base unit box with one power supply 4 devices (light/sound modules) can be driven per light module: 1 device per sound module: 1 device input voltage: 90-240 V AC, 50-60Hz output voltage: 12 V DC CE approved</p> | | | |
|   | 42 634 000 | Chrome | 4005176758782 |
| <p>GROHE F-digital Deluxe Cable extension steam generator, 5 m extension between base unit box (26 864 000 or 36 476 000) and steam generator (26 868 000 or 26 869 000) cable extension up to 10 m</p> | | | |
|   | 42 637 000 | Chrome | 4005176758812 |
| <p>GROHE F-digital Deluxe Cable extension temperature sensor, 5 m extension between base unit box (26 864 000 or 36 476 000) and temperature sensor cable extension up to 5 m</p> | | | |

| | Ref. No. | Colour | EAN |
|---|--|--------|---------------|
|   | 26 873 000 | Chrome | 4005176759178 |
| | <p>Rainshower Aqua 20" Ceiling shower 1 spray Rain 508 x 508 mm material: metal connection thread 1/2" GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system</p> | | |
|   | 26 888 000 | Chrome | 4005176759390 |
| | <p>Rainshower Aqua 15" Ceiling shower 3 sprays Rain, Bokoma Spray, Waterfall and combinations 381 mm (width) x 17 mm (height) x 456 mm (depth) material: metal GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen GROHE XL Waterfall extra wide waterfall spray SpeedClean anti-limescale system flow of single spray at 3 bar: 1 x Rain spray 300 mm: ca. 20 l/min 2 x XL Waterfall: 1 Waterfall: 20 l, 2 Waterfall: 32 l/min 4 x Bokoma Spray with adjustment angle 20°: 20 l/min head shower has to be controlled by 4 outlets</p> | | |
|   | 26 883 000 | Chrome | 4005176759291 |
| | <p>Rainshower Aqua 230 Ceiling shower 1 spray Rain 230 x 230 mm material: metal connection thread 1/2" GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system</p> | | |
|   | 26 874 000 | Chrome | 4005176759192 |
| | <p>Rainshower Aqua 10" Ceiling shower 1 spray Rain 254 x 254 mm material: metal connection thread 1/2" GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system</p> | | |

| | Ref. No. | Colour | EAN |
|---|---|--------|---------------|
|   | 26 887 000 | Chrome | 4005176759383 |
| | <p>Rainshower Aqua 15" Head shower 3 sprays Rain, Bokoma Spray, Waterfall and combinations 381 mm (width) x 60 mm (height) x 677 mm (depth) material: metal GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen GROHE XL Waterfall extra wide waterfall spray SpeedClean anti-limescale system flow of single spray at 3 bar: 1 x Rain spray 300 mm: ca. 20 l/min 2 x XL Waterfall: 1 Waterfall: 20 l, 2 Waterfall: 32 l/min 4 x Bokoma Spray with adjustment angle 20°: 20 l/min Requires Rough-in (26 042) - to be ordered separately head shower has to be controlled by 4 outlets</p> | | |
|   | 26 855 000 | Chrome | 4005176759024 |
| | <p>Rainshower Aqua 15" Roughing-in set for use with Rainshower F-Series 15" Multi Spray head shower 295 mm (width) x 121 mm (height) x 181 mm (depth) Max. installation depth: 91 mm Min. wall thickness: not less than 200 mm Minimum screw-in depth of stud bolts: 14 mm Full metal construction Waterways: Brass 1/2" connections</p> | | |
|   | 26 890 000 | Chrome | 4005176759420 |
| | <p>Rainshower Aqua 75 Head shower 1 spray Normal spray sprayface: metal GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system</p> | | |
|   | 26 862 000 | Chrome | 4005176758867 |
| | <p>Rainshower Aqua 10" Head shower set 422 mm, 1 spray Consisting of: head shower Rainshower Aqua 10" (26 871) 1 spray pattern: Rain shower arm Rainshower square 422 mm (26 145 000) GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system suitable for instantaneous heater</p> | | |
|   | 26 860 000 | Chrome | 4005176758843 |
| | <p>Rainshower Aqua 10" Head shower set 286 mm, 1 spray Consisting of: head shower Rainshower Aqua 10" (26 872) material: metal 1 spray pattern: Rain Shower arm Rainshower 286 mm (27 488 000) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system</p> | | |
| | 26 857 000 | Chrome | 4005176759055 |
| | <p>ditto, with non-restricted flow</p> | | |


| | Ref. No. | Colour | EAN |
|---|--|--------|---------------|
|   | 26 861 000 | Chrome | 4005176758850 |
| | <p>Rainshower Aqua 10" Head shower set ceiling 142 mm, 1 spray Consisting of: head shower Rainshower Aqua 10" (26 872) material: metal 1 spray pattern: Rain Rainshower shower arm ceiling 142 mm (27 485 000) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system</p> | | |
|   | 26 872 000 | Chrome | 4005176759161 |
| | <p>Rainshower Aqua 10" Head shower 1 spray Rain 254 x 254 mm material: metal Ball joint +/- 20° rotatable connection thread 1/2" GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system</p> | | |
| | 26 871 000 | Chrome | 4005176759147 |
| | ditto, with non-restricted flow | | |
|   | 26 858 000 | Chrome | 4005176759079 |
| | <p>Rainshower Aqua 230 Head shower set 286 mm, 1 spray Consisting of: head shower Rainshower Allure 230 (26 877 000) material: metal 1 spray pattern: Rain Shower arm Rainshower 286 mm (27 709 000) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system</p> | | |
| | 26 856 000 | Chrome | 4005176759031 |
| | ditto, with non-restricted flow | | |
|   | 26 877 00D | Chrome | 4005176759239 |
| | <p>Rainshower Aqua 230 Head shower 1 spray Rain 230 x 230 mm material: metal ball joint with turning angle ± 15° connection thread 1/2" GROHE Water Saving 7.6 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system suitable for instantaneous heater min. recommended pressure 1.0 bar</p> | | |
|   | 26 859 000 | Chrome | 4005176758836 |
| | <p>Rainshower Aqua 230 Head shower set ceiling 154 mm, 1 spray Consisting of: head shower Rainshower Allure 230 (26 877 000) material: metal 1 spray pattern: Rain shower arm Rainshower ceiling 154 mm (27 711 000) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system</p> | | |

| | Ref. No. | Colour | EAN |
|---|--|--------|---------------|
|   | 26 868 000 | Chrome | 4005176759116 |
| | <p>Rainshower Aqua 230 Head shower 1 spray Rain 230 x 230 mm material: metal ball joint with turning angle $\pm 15^\circ$ connection thread 1/2" GROHE Water Saving 6.6 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system suitable for instantaneous heater</p> | | |
| | 26 877 000 | Chrome | 4005176759222 |
| | ditto, with GROHE Water Saving 9.5 l/min flow imiter | | |
| | 26 876 000 | Chrome | 4005176759215 |
| | ditto, with non-restricted flow | | |
|   | 27 709 000 | Chrome | 4005176909029 |
| | <p>Rainshower Shower arm 286 mm material: metal connection thread 1/2" with square escutcheon and rectangular arm suitable for square Rainshower Allure and Euphoria Cube head shower GROHE Long-Life Shine durable sparkling sheen</p> | | |
|   | 27 711 000 | Chrome | 4005176909115 |
| | <p>Rainshower Shower arm ceiling 154 mm material: metal connection thread 1/2" GROHE Long-Life Shine durable sparkling sheen</p> | | |


















| Ref. No. | Colour | EAN |
|------------|-----------------------|---------------|
| 26 801 000 | Chrome | 4005176722769 |
| 26 801 DC0 | supersteel | 4005176722837 |
| 26 801 BE0 | polished nickel | 4005176722813 |
| 26 801 EN0 | brushed nickel | 4005176722783 |
| 26 801 GL0 | cool sunrise | 4005176722790 |
| 26 801 GN0 | brushed cool sunrise | 4005176722820 |
| 26 801 DA0 | warm sunset | 4005176722851 |
| 26 801 DL0 | brushed warm sunset | 4005176722868 |
| 26 801 A00 | hard graphite | 4005176722806 |
| 26 801 AL0 | brushed hard graphite | 4005176722844 |






















Rainshower Aqua
Body spray round 2 spray
 spray pattern:
 PureRain, ActiveJet
 including concealed body and compound seal
 ØOslash; 75 mm
 pivoting range ± 15° rotatable
 connection thread 1/2"
 throw distance 600 mm
GROHE Water Saving 3.3 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-limescale system
 min. recommended pressure 1.0 bar
not suitable for instantaneous heater











| Ref. No. | Colour | EAN |
|------------|-----------------------|---------------|
| 26 802 000 | Chrome | 4005176722776 |
| 26 802 DC0 | supersteel | 4005176722899 |
| 26 802 GN0 | brushed cool sunrise | 4005176722882 |
| 26 802 DL0 | brushed warm sunset | 4005176722912 |
| 26 802 A00 | hard graphite | 4005176722875 |
| 26 802 AL0 | brushed hard graphite | 4005176722905 |











Rainshower Aqua
Body spray cube 2 spray
 spray pattern:
 PureRain, ActiveJet
 including concealed body and compound seal
 75 x 75 mm
 pivoting range ± 15° rotatable
 connection thread 1/2"
 throw distance 600 mm
GROHE Water Saving 3.3 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-limescale system
 min. recommended pressure 1.0 bar
not suitable for instantaneous heater

| | Ref. No. | Colour | EAN | |
|---|---|---|--|---------------|
|   |  26 866 000 26 866 DC0 26 866 BE0 26 866 EN0 26 866 GL0 26 866 GN0 26 866 DA0 26 866 DL0 26 866 A00 26 866 AL0 | Chrome supersteel polished nickel brushed nickel cool sunrise brushed cool sunrise warm sunset brushed warm sunset hard graphite brushed hard graphite | 4005176758904 4005176758959 4005176758935 4005176758973 4005176758980 4005176758997 4005176758942 4005176758966 4005176758911 4005176758928 | |
| | Rainshower Aqua Stick Hand shower 1 spray Normal spray material: metal GROHE Water Saving 6.6 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses | | | |
| |   |  26 889 000 | Chrome ditto, with non-restricted flow | 4005176759406 |
| | | Rainshower Aqua Stick Hand shower 1 spray Normal spray material: metal GROHE Water Saving 7.6 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar | | |
| |   |  26 892 000 | Chrome | 4005176759451 |
| | | Rainshower Aqua Stick Wall holder set 1 spray material: metal hand shower Rainshower Aqua Stick (26 889 000) wall shower holder (26 894 000) shower hose (28 151 002) GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life | | |
| |   |  26 894 000 | Chrome | 4005176758652 |
| | | Rainshower Aqua Wall hand Shower holder non-adjustable material: metal GROHE Long-Life Shine durable sparkling sheen | | |
| |   |  26 893 000 | Chrome | 4005176758645 |
| | | Rainshower Aqua Adapter 1/2" x 1/2" material: metal for use with hand shower holder or shower rail GROHE Long-Life Shine durable sparkling sheen | | |

| | Ref. No. | Colour | EAN |
|---|--|---|---|
|   |  26 867 000 | Chrome | 4005176759000 |
| | Rainshower Aqua Cube Stick Hand shower 1 spray Normal spray material: metal GROHE Water Saving 6.6 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses | | |
| |  26 885 000 | Chrome | 4005176759314 |
| |  26 885 DC0 | supersteel | 4005176759345 |
| |  26 885 DL0 26 885 A00 26 885 AL0 | brushed warm sunset hard graphite brushed hard graphite | 4005176759352 4005176759321 4005176759338 |
| ditto, with 9.5 l/min flow limiter | | | |
|   |  26 886 000 | Chrome | 4005176759376 |
| | Rainshower Aqua Cube Stick Wall holder set 1 spray hand shower, metal (26 885 000) wall shower holder (26 847 000) metal shower hose 1500 mm (28 417) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting | | |
|   |  26 847 000 | Chrome | 4005176755057 |
| |  26 847 DC0 | supersteel | 4005176755071 |
| |  26 847 AL0 | brushed hard graphite | 4005176755064 |
| Allure Brilliant Wall hand Shower holder non-adjustable material: metal GROHE Long-Life Shine durable sparkling sheen | | | |
|   |  26 850 000 | Chrome | 4005176754456 |
| |  26 850 DC0 | supersteel | 4005176754470 |
| |  26 850 AL0 | brushed hard graphite | 4005176754463 |
| Allure Brilliant Shower outlet elbow, 1/2" male thread protected against backflow material: metal GROHE Long-Life Shine durable sparkling sheen | | | |
|   | 28 143 000 | Chrome | 4005176601347 |
| | Relexaflex Metal Long-Life Metal shower hose 1500 1500 mm material: metal GROHE Long-Life strengthened model tensile strength 750 N pressure resistance up to 16 bar heat resistance 75°C AntiFold bendproof universal connection G 1/2" x 1/2" GROHE Long-Life Shine durable sparkling sheen | | |

| | Ref. No. | Colour | EAN |
|---|--|--------|---------------|
|  | 26 841 000 | Chrome | 4005176754241 |
|  | <p>Rainshower Aqua Wall holder set with self-closing angle valve, 1 spray Consisting of: hand shower with trigger control (26 839) valve with integrated shower holder (26 842) Silverflex Long-Life shower hose 1250 mm (26 335) GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system TwistStop preventing the hose from twisting Min. recommended pressure 0.5 bar Please refer to local norms regarding installation.</p> | | |
| | 26 840 000 | Chrome | 4005176754234 |
| | ditto, shower hose 1000 mm | | |
|  | 26 843 000 | Chrome | 4005176754265 |
|  | <p>Rainshower Aqua Wall holder set with angle valve 1 spray Consisting of: hand shower with trigger control (26 839) valve with integrated shower holder (26 842) Silverflex Long-Life shower hose 1250 mm (26 335) GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system TwistStop preventing the hose from twisting Please refer to local norms regarding installation.</p> | | |
|  | 26 839 000 | Chrome | 4005176754227 |
|  | <p>Rainshower Aqua Hand shower 1 spray with trigger control material: metal GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Universal Mounting System. Fits all standard shower hoses Min. recommended pressure 0.5 bar Please refer to local norms regarding installation.</p> | | |
|  | 26 842 000 | Chrome | 4005176754258 |
|  | <p>Rainshower Aqua Valve with wall shower holder escutcheon connection thread 1/2" GROHE Long-Life Shine durable sparkling sheen Please refer to local norms regarding installation.</p> | | |









| | Ref. No. | Colour | EAN | |
|---|--|-----------------------|---------------|---------------|
|   | 27 074 000 ★ | Chrome | 4005176833083 | |
| | 27 074 DC0 ★ | supersteel | 4005176374487 | |
| | 27 074 LSO | moon white | 4005176873591 | |
| | 27 074 GL0 ★ | cool sunrise | 4005176338984 | |
| | 27 074 GN0 ★ | brushed cool sunrise | 4005176427084 | |
| | 27 074 DA0 ★ | warm sunset | 4005176338977 | |
| | 27 074 DL0 ★ | brushed warm sunset | 4005176427091 | |
| | 27 074 A00 | hard graphite | 4005176338991 | |
| | 27 074 AL0 ★ | brushed hard graphite | 4005176339004 | |
| | Rainshower Wall hand Shower holder non-adjustable with round escutcheon GROHE Long-Life Shine durable sparkling sheen | | | |
|   | 27 057 000 ★ | Chrome | 4005176830457 | |
| | 27 057 DC0 ★ | supersteel | 4005176371196 | |
| | 27 057 GL0 ★ | cool sunrise | 4005176338946 | |
| | 27 057 GN0 ★ | brushed cool sunrise | 4005176426933 | |
| | 27 057 DA0 ★ | warm sunset | 4005176338939 | |
| | 27 057 DL0 ★ | brushed warm sunset | 4005176426940 | |
| | 27 057 AL0 ★ | brushed hard graphite | 4005176338960 | |
| | 27 057 A00 | hard graphite | 4005176338953 | |
| | Rainshower Shower outlet elbow, 1/2" male thread with round escutcheon protected against backflow GROHE Long-Life Shine durable sparkling sheen | | | |
| |   | 27 075 000 | Chrome | 4005176833090 |
| Rainshower Wall hand Shower holder non-adjustable with square escutcheon GROHE Long-Life Shine durable sparkling sheen | | | | |
|   | 27 076 000 | Chrome | 4005176833106 | |
| | Rainshower Shower outlet elbow male thread with square escutcheon protected against backflow GROHE Long-Life Shine durable sparkling sheen | | | |
|   | 26 370 000 | Chrome | 4005176341380 | |
| | Euphoria Cube Shower outlet elbow, 1/2" with wall shower holder male thread protected against backflow GROHE Long-Life Shine durable sparkling sheen | | | |









GROHE SPA











GROHE SPA SHOWER ACCESSORIES

| | Ref. No. | Colour | EAN |
|---|---|-------------|---------------|
|  |  26 900 000 | Chrome | 4005176758614 |
| | 26 900 IGO | chrome/gold | 4005176758638 |
| | 26 900 DA0 | warm sunset | 4005176758621 |
|  | Rainshower Grandera Shower arm 286 mm projection 286 mm material: metal connection thread 1/2" Grandera escutcheon GROHE Long-Life Shine durable sparkling sheen | | |

| | | | |
|---|---|--------|---------------|
|  |  26 899 000 | Chrome | 4005176758607 |
| | Rainshower Grandera Shower arm ceiling 142 mm material: metal length 142 mm connection thread 1/2" Grandera escutcheon GROHE Long-Life Shine durable sparkling sheen | | |
| |  | | |


| | | | |
|--|--|-----------------------|---------------|
|  |  26 847 000 | Chrome | 4005176755057 |
| | 26 847 DC0 | supersteel | 4005176755071 |
| | 26 847 AL0 | brushed hard graphite | 4005176755064 |
|  | Allure Brilliant Wall hand Shower holder non-adjustable material: metal GROHE Long-Life Shine durable sparkling sheen | | |

| | | | |
|---|---|-----------------------|---------------|
|  |  26 850 000 | Chrome | 4005176754456 |
| | 26 850 DC0 | supersteel | 4005176754470 |
| | 26 850 AL0 | brushed hard graphite | 4005176754463 |
|  | Allure Brilliant Shower outlet elbow, 1/2" male thread protected against backflow material: metal GROHE Long-Life Shine durable sparkling sheen | | |

| | Ref. No. | Colour | EAN |
|---|------------|--------|---------------|
|   | 26 879 000 | Chrome | 4005176759253 |
| <p>Grohtherm F Single volume control trim for use with rough-in box 35 028 000 (1/2" connections) sold separately metal handle for volume control metal wall escutcheon with hidden fixing and hidden sealing GROHE Long-Life Shine durable sparkling sheen</p> | | | |
|   | 35 028 000 | | 4005176908316 |
| <p>GROHE Rapido C Rough-in for single volume control for grid installation of Grohtherm Custom Shower system built-in box with removable protection cover waterproof membrane base for wall sealing for masonry and drywall installation fixing points for front and back wall body of DR brass pre-assembled ceramic headpart 3/4" connection threads 1/2" installation depth 70 - 95 mm</p> | | | |
|   | 26 880 000 | Chrome | 4005176759260 |
| <p>Grohtherm F Triple volume control trim for use with rough-in box 35 031 000 (1/2" connections) sold separately metal handles for volume control metal wall escutcheon with hidden fixing and hidden sealing vertical and horizontal installation GROHE Long-Life Shine durable sparkling sheen</p> | | | |
|   | 26 878 000 | Chrome | 4005176759246 |
| <p>Grohtherm F Wall shower union with integrated shower holder shower outlet 1/2" vertical and horizontal installation protected against backflow for use with rough-in box 35 034 000 (1/2" connection), sold separately hand shower and shower hose sold separately</p> | | | |
|   | 35 107 000 | Chrome | 4005176758706 |
| <p>Grohtherm F Rough-in box for wall shower union 26 878 000 for grid installation of Grohtherm Custom Shower system built-in box with removable protection cover waterproof membrane base for wall sealing flushing plug for masonry and drywall installation fixing points for front and back wall body of DR brass 1/2" connections installation depth 70 - 95 mm</p> | | | |



| Ref. No. | Colour | EAN |
|------------|-----------------------|---------------|
| 29 123 000 | Chrome | 4005176413292 |
| 29 123 GN0 | brushed cool sunrise | 4005176558122 |
| 29 123 DL0 | brushed warm sunset | 4005176558092 |
| 29 123 A00 | hard graphite | 4005176558054 |
| 29 123 AL0 | brushed hard graphite | 4005176558061 |




Grotherm SmartControl
Thermostat for concealed installation with one valve
 set for final installation for
 GROHE Rapido SmartBox 35 600/35 604
 metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE Long-Life Shine durable sparkling sheen
GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow
 exchangeable symbols
GROHE TurboStat compact cartridge with wax thermoelement
 GROHE ProGrip with knurl structure
GROHE SafeStop safety button at 38°C (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
 built-in non return valve and dirt strainers
without roughing-in-set
 flow performance:
 outlet A (to external shut-off) = 34 l/min
 outlet B/C = 29 l/min



35 604 000 4005176698774
GROHE Rapido SmartBox universal rough-in box for concealed installation

| | | |
|------------|----------------------|---------------|
| 29 124 000 | Chrome | 4005176413308 |
| 29 124 DC0 | supersteel | 4005176526329 |
| 29 124 GN0 | brushed cool sunrise | 4005176558207 |
| 29 124 DL0 | brushed warm sunset | 4005176558177 |
| 29 124 A00 | hard graphite | 4005176558139 |



Grotherm SmartControl
Thermostat for concealed installation with 2 valves
 set for final installation for
 GROHE Rapido SmartBox 35 600/35 604
 metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE Long-Life Shine durable sparkling sheen
GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow
 exchangeable symbols
GROHE TurboStat compact cartridge with wax thermoelement
 GROHE ProGrip with knurl structure
GROHE SafeStop safety button at 38°C (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
 built-in non return valve and dirt strainers
 multiple outlets can be run simultaneously
without roughing-in-set
 flow performance:
 outlet B = 24 l/min
 outlet C = 26 l/min
 outlet B+C = 29 l/min




35 604 000 4005176698774
GROHE Rapido SmartBox universal rough-in box for concealed installation



Ref. No. Colour EAN

29 125 000 Chrome 4005176413315




Grotherm SmartControl
Thermostat for concealed installation with 2 valves and integrated shower holder
 set for final installation for
 GROHE Rapido SmartBox 35 600/35 604
 metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE Long-Life Shine durable sparkling sheen
GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow
 exchangeable symbols
GROHE TurboStat compact cartridge with wax thermoelement
 GROHE ProGrip with knurl structure
GROHE SafeStop safety button at 38°C (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
 built-in non return valve and dirt strainers
 multiple outlets can be run simultaneously
 integrated shower union with shower outlet 1/2"
without roughing-in-set
 flow performance:
 outlet B = 24 l/min
 hand shower = 12 l/min
 outlet B + hand shower = 27 l/min



35 604 000 4005176698774
GROHE Rapido SmartBox universal rough-in box for concealed installation

29 126 000 Chrome 4005176413322
 29 126 DC0 supersteel 4005176526343
 29 126 GN0 brushed cool sunrise 4005176558368
 29 126 DL0 brushed warm sunset 4005176558337
 29 126 A00 hard graphite 4005176558290
 29 126 AL0 brushed hard graphite 4005176558306


Grotherm SmartControl
Thermostat for concealed installation with 3 valves
 set for final installation for
 GROHE Rapido SmartBox 35 600/35 604
 metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE Long-Life Shine durable sparkling sheen
GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow
 exchangeable symbols
GROHE TurboStat compact cartridge with wax thermoelement
 GROHE ProGrip with knurl structure
GROHE SafeStop safety button at 38°C (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
 built-in non return valve and dirt strainers
 multiple outlets can be run simultaneously
without roughing-in-set
 flow performance:
 outlet A = 23 l/min
 outlet B = 27 l/min
 outlet C = 23 l/min
 outlet A + B = 33 l/min
 outlet A + B + C = 36 l/min



35 604 000 4005176698774
GROHE Rapido SmartBox universal rough-in box for concealed installation



| Ref. No. | Colour | EAN |
|------------|-----------------------|---------------|
| 29 127 000 | Chrome | 4005176413339 |
| 29 127 DC0 | supersteel | 4005176526350 |
| 29 127 A00 | hard graphite | 4005176558375 |
| 29 127 AL0 | brushed hard graphite | 4005176558382 |
| 29 127 DL0 | brushed warm sunset | 4005176558412 |
| 29 127 GN0 | brushed cool sunrise | 4005176558443 |

**Grohtherm SmartControl****Triple volume control trim**

set for final installation for
GROHE Rapido SmartBox 35 600/35 604/35 601
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon
and shaft sealing, covered fixing), retroactively 6° adjustable
10 mm thin profile escutcheon

GROHE Long-Life Shine durable sparkling sheen

GROHE SmartControl push for ON-OFF, turn for volume adjustment from
GROHE Water Saving to full flow

exchangeable symbols

GROHE ProGrip with knurl structure

multiple outlets can be run simultaneously

without roughing-in-set

flow performance:

outlet D = 28 l/min

outlet E = 28 l/min

outlet A = 28 l/min

outlet D+E+A = 65 l/min

optional flow reducer for CALGreen compliance included



35 604 000 4005176698774
GROHE Rapido SmartBox universal rough-in box for concealed installation

| | | |
|------------|-----------------------|---------------|
| 29 118 000 | Chrome | 4005176412240 |
| 29 118 DC0 | supersteel | 4005176455032 |
| 29 118 GL0 | cool sunrise | 4005176492976 |
| 29 118 DA0 | warm sunset | 4005176492990 |
| 29 118 AL0 | brushed hard graphite | 4005176455049 |

Grohtherm SmartControl**Thermostat for concealed installation with one valve**

set for final installation for
GROHE Rapido SmartBox 35 600/35 604
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon
and shaft sealing, covered fixing), retroactively 6° adjustable

GROHE Long-Life Shine durable sparkling sheen

GROHE SmartControl push for ON-OFF, turn for volume adjustment from
GROHE Water Saving to full flow

exchangeable symbols

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE ProGrip with knurl structure

GROHE SafeStop safety button at 38°C

(calibration required)

GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included

built-in non return valve


and dirt strainers

without roughing-in-set

flow performance:

outlet A (to external shut-off) = 34 l/min

outlet B/C = 29 l/min




35 604 000 4005176698774
GROHE Rapido SmartBox universal rough-in box for concealed installation



| Ref. No. | Colour | EAN |
|----------|--------|-----|
|----------|--------|-----|

| | | |
|------------|-------------------------|---------------|
| 29 119 000 | ★ Chrome | 4005176412257 |
| 29 119 DC0 | ★ supersteel | 4005176455056 |
| 29 119 GL0 | ★ cool sunrise | 4005176493041 |
| 29 119 DA0 | ★ warm sunset | 4005176493065 |
| 29 119 AL0 | ★ brushed hard graphite | 4005176455063 |



Grotherm SmartControl

Thermostat for concealed installation with 2 valves

set for final installation for

GROHE Rapido SmartBox 35 600/35 604

metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable

GROHE Long-Life Shine durable sparkling sheen

GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow

exchangeable symbols

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE ProGrip with knurl structure

GROHE SafeStop safety button at 38°C

(calibration required)

GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included

built-in non return valve

and dirt strainers

multiple outlets can be run simultaneously

without roughing-in-set

flow performance:

outlet B = 24 l/min

outlet C = 26 l/min

outlet B+C = 29 l/min



35 604 000

4005176698774

GROHE Rapido SmartBox universal rough-in box for concealed installation

29 120 000 Chrome

4005176412264

Grotherm SmartControl

Thermostat for concealed installation with 2 valves and integrated shower holder

set for final installation for

GROHE Rapido SmartBox 35 600/35 604

metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable

GROHE Long-Life Shine durable sparkling sheen

GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow

exchangeable symbols

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE ProGrip with knurl structure

GROHE SafeStop safety button at 38°C

(calibration required)

GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included

built-in non return valve

and dirt strainers

multiple outlets can be run simultaneously

integrated shower union with shower outlet 1/2"


without roughing-in-set

flow performance:

outlet B = 24 l/min

hand shower = 12 l/min

outlet B + hand shower = 27 l/min



35 604 000


4005176698774

GROHE Rapido SmartBox universal rough-in box for concealed installation



| Ref. No. | Colour | EAN |
|----------|--------|-----|
|----------|--------|-----|

| | | |
|------------|-------------------------|---------------|
| 29 121 000 | ★ Chrome | 4005176412271 |
| 29 121 DC0 | ★ supersteel | 4005176455094 |
| 29 121 GL0 | ★ cool sunrise | 4005176493188 |
| 29 121 DA0 | ★ warm sunset | 4005176493201 |
| 29 121 AL0 | ★ brushed hard graphite | 4005176455100 |



Grotherm SmartControl

Thermostat for concealed installation with 3 valves

set for final installation for

GROHE Rapido SmartBox 35 600/35 604

metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable

GROHE Long-Life Shine durable sparkling sheen

GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow exchangeable symbols

GROHE TurboStat compact cartridge with wax thermoelement

GROHE ProGrip with knurl structure

GROHE SafeStop safety button at 38°C

(calibration required)

GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included

built-in non return valve

and dirt strainers

multiple outlets can be run simultaneously

without roughing-in-set

flow performance:

outlet A = 23 l/min

outlet B = 27 l/min

outlet C = 23 l/min

outlet A + B = 33 l/min

outlet A + B + C = 36 l/min



35 604 000

4005176698774

GROHE Rapido SmartBox universal rough-in box for concealed installation

| | | |
|------------|-----------------------|---------------|
| 29 122 000 | Chrome | 4005176412288 |
| 29 122 DC0 | supersteel | 4005176455117 |
| 29 122 GL0 | cool sunrise | 4005176515194 |
| 29 122 DA0 | warm sunset | 4005176515217 |
| 29 122 AL0 | brushed hard graphite | 4005176455124 |

Grotherm SmartControl

Triple volume control trim

set for final installation for

GROHE Rapido SmartBox 35 600/35 604/35 601

metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable

10 mm thin profile escutcheon

GROHE Long-Life Shine durable sparkling sheen

GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow

exchangeable symbols

GROHE ProGrip with knurl structure

multiple outlets can be run simultaneously

without roughing-in-set


flow performance:

outlet D = 28 l/min

outlet E = 28 l/min

outlet A = 28 l/min

outlet D+E+A = 65 l/min



35 604 000

4005176698774

GROHE Rapido SmartBox universal rough-in box for concealed installation





PROFESSIONAL

GROHE

FOR THE PROS, FROM THE PROS GROHE PROFESSIONAL

YOUR DAILY SUPPORTER

We know the great number of tasks and challenges the installers face every day. That is why making their work life easier has always been at the heart of our innovation mindset.

TO MEET THE NEEDS OF INSTALLERS, WHOLESALEERS, SHOWROOMS AND A&D GROHE HAS CONCEIVED TAILOR-MADE PRODUCTS AND SERVICES




GROHE Professional has been conceived as an answer to nowadays needs of the experts of the sanitaryware world: wholesalers, showrooms, installers and project developers.

They are at the heart of GROHE efforts and require the latest state-of-the-art professional solutions when designing and delivering a new bathroom or kitchen to their end-consumers.

HIDDEN CHAMPIONS: GROHE PROFESSIONAL DEDICATED SKUS TO STAND AHEAD OF COMPETITION

- Dedicated SKUs with Universal concealed solutions easy to be stocked by the wholesaler for multiple budgets and design options
- Matching colors of faucets and flush plates
- Matching ceramics for toilets and basins to avoid splashing effects
- Vertical or horizontal flush plate installation depending on design needs
- Shower element compatible with Nordics Leakage box for wooden houses
- 3 outlets for multi-function showering just with one concealed box
- Bottom inlets for shower elements speeding up the installation time and avoiding extra piping
- No master plumber required for later installation of flush plates, saving precious time of the installers





GROHE

GROHE

MEET JONAS D'HAEGER

29, loves spending
time with his family

Based in
Lebbeke

Expert in
sanitary
installations

GROHE partner
since 2015

Over 210 jobs
completed



MEET SERVIC GROH

GROHE




Offer a
warranty
extension for
professional
products
to your
customers

PROFESSIONAL

GROHE

HIS FAVOURITE
CE PROGRAM:
E +



Scan products to **quickly access** technical information



Preferred connection

Get in touch with a GROHE technician with one click



Scan to join, book trainings and much more

GROHE PROFESSIONAL CONTRIBUTES TO TACKLE THE LABOUR FORCE SHORTAGE AND OPTIMIZES THE BUSINESS OF INSTALLERS

- Aims to offer the best installers a better service experience and to enable them to optimize their business
- GROHE + training courses give opportunities to installers to increase technical competences, become GROHE experts and receive a certification
- Access to specific trainings to maximize the operations of installers and their interaction with their customer
- Certified installers also receive extra benefits e.g. allowance to give extended warranty to consumers and leads accessible via GROHE + for future paid installation work
- More visibility of installer's expertise and certified status thanks to GROHE website with over 1 M clicks per month

PART OF LIXIL





GROHE PROFESSIONAL CONTRIBUTES TO TACKLE THE LABOUR FORCE SHORTAGE & DEVELOPS THE NEXT GENERATIONS

- With our GIVE Program we are supporting to close the gap of skilled installers
- Introduce GROHE to young and developing plumbing students and to collaborate with installers schools across the EMENA region
- To help improve facilities, GROHE sets up a fully functioning training environment with modern equipment, training material and a written examination that will set new industry standards
- Planned to have 100 collaborations by 2025 more visibility of installer's expertise and certified status thanks to GROHE website with over 1 M clicks per month
- After the training we support the plumbing students with potential work experience or placements with GROHE partners


worldskills
COMPETITION 2022
SPECIAL EDITION

Within the GIVE Program GROHE also supports WorldSkills as Global Partner to demonstrate what impact skilled professionals can have today and for the more sustainable future.

EVERY DROP COUNTS

GROHE'S RESOURCE-EFFICIENT TECHNOLOGIES

GROHE CLIMATE CARE




Making it easy for our endconsumers to find our sustainable, climate-friendly product solutions.

Products in green or with our Climate Care logo have a sustainable impact like water- or energy-saving.

On our websites, users can also filter for water- and energy-saving solutions.

For more information about sustainability at GROHE, please visit [green.grohe.com](https://www.green.grohe.com)





- 1 **GROHE**
SENSIA ARENA
- 2 **GROHE**
CERAMICS
- 3 **GROHE**
SILKMOVE ES
- 4 **GROHE**
SENSE AND
GROHE SENSE GUARD
- 5 **GROHE**
ECOJOY
- 6 **GROHE** CRADLE TO
CRADLE CERTIFIED®
GOLD TEMPESTA
SHOWER RAIL SET
- 7 **GROHE** THERMOSTAT
WITH ECOBUTTON
- 8 **GROHE** TOUCHLESS
TAPS
- 9 **GROHE**
BLUE

GROHE
BATH TAPS





CONTENTS

| | | |
|---------------------|------------------------|-----|
| Single Lever Mixers | Lineare | 126 |
| | Eurocube Joy | 135 |
| | Eurocube | 141 |
| | GROHE Plus | 152 |
| | Europlus | 164 |
| | Essence | 165 |
| | Eurodisc Joy | 180 |
| | Eurodisc Cosmopolitan | 183 |
| | Concetto | 190 |
| | Eurostyle Cosmopolitan | 199 |
| | Eurostyle | 206 |
| | Eurosmart Cosmopolitan | 216 |
| | Eurosmart | 227 |
| | Eurosmart Care | 238 |
| | BauEdge | 243 |
| | BauLoop | 249 |
| | BauFlow | 255 |
| Two Handle fittings | Costa L | 257 |
| Universal | Universal | 261 |
| Bath Sets | Talentofill | 262 |
| Accessories | Selection | 264 |
| | Selection Cube | 270 |
| | Essentials | 273 |
| | Essentials Cube | 281 |
| | BauCosmopolitan | 285 |
| | Essentials Authentic | 288 |

GROHE PLUS

ACCURACY THAT GOES BEYOND DESIGN

Imagine a bathroom that offers not just sleek, cutting-edge, bold design design, but also confidence and control. Where you can tell water temperature at a glance and switch water flow with just a swipe of your hand. A room where nothing is left to chance, where form delivers function in a sleek, tactile package. With the new GROHE Plus you can make it a reality.

This innovative range puts control and convenience in your hands, delivering accurate temperature information at a glance. The GROHE Plus range includes some taps with a temperature display, so you know the water will always be just the right temperature. GROHE Plus also offers a new level of ergonomic comfort and practical function too, presented in a silhouette of architectural strength and elegance, with surfaces so sleek they invite interaction.



23 959 003
L-Size
Basin mixer
with LED water temperature display
and two sprays
with smooth body
with push-open waste set

DESIGN OPTIONS FOR EVERY CONCEPT

THE PERFECT FINISH

Whether your bathroom is a space of timeless elegance or slick minimalist styling, the GROHE Plus is a perfect fit. The Plus range features a broad selection of sizes, with models from compact basin mixers to wall-mounted taps and show-stopping floor-standing bath filler. GROHE Plus taps are also available in three durable, desirable finishes. Choose between the dazzling chrome finish or the more architectural SuperSteel or Brushed Hard Graphite, according to your taste.

23 871 DC3

Basin mixer M-Size with pop-up waste set



32 612 003

Basin mixer S-Size with pop-up waste set



33 547 003 + 40 954 000

Shower mixer with shower set + tray

CO-ORDINATED BATHROOM IN GROHE COLOURS

When it comes to perfect bathroom design, the ultimate guide should be the own personal style. GROHE has developed GROHE Colours as an enabler to put vision into reality.





































The combination of outstanding design lines and exclusive colours gives the ultimate freedom of choice to perfectly express individuality. Whether tone-on-tone colour scheme, a harmony of contrasting colours, the shining golden beauty of Cool Sunrise or the intriguing elegance of Brushed Hard Graphite – GROHE Colours are the perfect choice. A carefully selected range of 10 colours and finishes offering countless options to complement every interior design.

There is more to it than just the obvious beauty. GROHE Colours come with GROHE PVD quality. This outstanding finish ensures both maximum colour brilliance as well as unparalleled material resistance.


















GROHE Colours are not driven by fashion. They open new dimensions to express personal style in bathroom design. Taps, showers and accessories are all perfectly aligned in a preferred colour with GROHE quality to stay perfect in finish and function for the years to come.



GROHE COLOURS


| PRODUCT RANGE | COLOUR OPTIONS | | | | | | | | | | |
|------------------|---|---|---|---|---|---|---|---|---|---|---|
| | CHROME | SUPERSTEEL | POLISHED NICKEL | BRUSHED NICKEL | COOL SUNRISE | BRUSHED COOL SUNRISE | WARM SUNSET | BRUSHED WARM SUNSET | HARD GRAPHITE | BRUSHED HARD GRAPHITE | |
| GRANDERA |  |  | | | | | | | | | |
| ALLURE BRILLIANT |  |  |  | | | | | |  |  | |
| ATRIO |  |  |  | |  | |  | | |  | |
| ESSENCE |  |  |  |  |  |  |  |  |  |  |  |
| EUROCUBE |  |  |  | | | | | | |  | |
| LINEARE |  |  |  | | | | | | |  | |
| GROHE PLUS |  |  |  | | | | | | |  | |

GROHE BATHROOM COMBINATIONS

| | | THERMOSTATS | | | | | | | | | SHOWER SYSTEMS | | | | | HEAD SHOWERS | | | | | | | |
|------------------------|---|--------------------|------------------------|------------------------------|----------------|----------------|----------------|----------------------------|----------------|----------------------------|----------------|--------------------------------|-------------------|------------------------------|----------------------|-----------------|-----------------|---------------------|------------------------------------|----------------|----------------|--------------|--------------|
| | | DESIGN THERMOSTATS | GROHTHERM SMARTCONTROL | GROHTHERM 2-HANDLE TRIM SETS | GROHTHERM CUBE | GROHTHERM 3000 | GROHTHERM 2000 | GROHTHERM 1000 PERFORMANCE | GROHTHERM 1000 | GROHTHERM 800 COSMOPOLITAN | GROHTHERM 800 | RAINSHOWER SYSTEM SMARTCONTROL | RAINSHOWER SYSTEM | EUPHORIA SMARTCONTROL SYSTEM | EUPHORIA SYSTEM CUBE | EUPHORIA SYSTEM | TEMPESTA SYSTEM | DESIGN HEAD SHOWERS | AQUASYMPHONY / RAINSHOWER F-SERIES | RAINSHOWER 360 | RAINSHOWER 310 | EUPHORIA 260 | TEMPESTA 210 |
| ALLURE BRILLIANT |  | | • | | • | | | | | | | • | • | • | • | | | • | • | | • | | |
| ALLURE |  | | • | | | • | | | | | • | • | • | | | | | • | • | | • | | |
| ATRIO |  | • | • | | | • | | | | | • | • | • | | | | | • | • | • | • | | |
| GRANDERA |  | | | | | | | | | | | • | • | | | | | • | • | | • | | |
| LINEARE |  | | • | • | | • | | | | | • | • | • | | • | | | | • | • | • | • | |
| EUROCUBE |  | | • | • | • | | | | | | | | • | • | | | | | • | | • | | |
| GROHE PLUS |  | | • | • | | • | | | | | • | • | • | | • | | | | • | • | • | • | |
| ESSENCE |  | | • | • | | • | | | | | • | • | • | | | | | | • | | • | | |
| EURODISC COSMOPOLITAN |  | | • | • | | | • | | | | • | | • | | • | | | | | | • | • | |
| CONCETTO |  | | | • | | | | • | | • | | | | | • | | | | | | • | | |
| EUROSTYLE COSMOPOLITAN |  | | | • | | | | • | | • | | | | | • | | | | | | • | | |
| EUROSTYLE |  | | | • | | | | • | • | | | | | | • | | | | | | • | | |
| EUROSMART COSMOPOLITAN |  | | | • | | | | • | | • | | | | | | • | | | | | | | • |
| EUROSMART |  | | | • | | | | • | • | | | | | | • | | | | | | | | • |
| BAUEDGE |  | | | | | | | | | • | | | | | | • | | | | | | | • |
| BAULOOP |  | | | | | | | | | • | | | | | | • | | | | | | | • |
| BAUFLOW |  | | | | | | | | | • | | | | | | • | | | | | | | • |


| HAND SHOWERS | | | | | | | CERAMIC | | | | ACCESSORIES | | | | | ACTUATIONS | | | |
|---------------------|------|------------------------|--------------|---------------|----------|----------|--------------|---------|--------------|-------------|--------------------|----------------|-----------------|------------|------------------|--------------------|-------------------|--------------------|-----------|
| DESIGN HAND SHOWERS | SENA | RAINSHOWER SMARTACTIVE | POWER & SOUL | EUPHORIA CUBE | EUPHORIA | TEMPESTA | CUBE CERAMIC | ESSENCE | EURO CERMAIC | BAU CERAMIC | DESIGN ACCESSORIES | SELECTION CUBE | ESSENTIALS CUBE | ESSENTIALS | BAU COSMOPOLITAN | SKATE COSMOPOLITAN | NOVA COSMOPOLITAN | ARENA COSMOPOLITAN | SKATE AIR |
| • | | | | • | | | • | | | | • | • | • | | | • | | | |
| • | • | | | | | | • | | | | • | • | | | | • | | | |
| | • | | | | | | | • | | | • | | | | | | • | | |
| • | | | | | | | | | | | • | | | | | | | | |
| | • | • | • | | • | | • | • | | | | • | | • | | | • | | |
| | | | | • | | | • | | | | | • | • | | | • | | | |
| | • | | | • | | | • | • | | | | | • | • | | • | • | • | |
| | | • | • | | • | | | • | | | | | • | | | | • | | |
| | | • | • | | • | | | | • | | | | • | | | | • | | |
| | | | | | • | | | | • | | | | • | | | | • | | • |
| | | | | | | • | | | • | | | | • | | | | | • | |
| | | | | | | | | | • | | | | • | | | | | • | |
| | | | | | | | | | | • | | | | • | | | | | • |
| | | | | | | | | | | | | | | • | | | | | • |
| | | | | | | | | | | | | | | | • | | | | • |
| | | | | | | | | | | | | | | | | • | | | • |
| | | | | | | | | | | | | | | | | | • | | • |
| | | | | | | | | | | | | | | | | | | • | • |
| | | | | | | | | | | | | | | | | | | | • |

GROHE LINEARE




| Ref. No. | Colour | EAN |
|------------|-----------------------|---------------|
| 32 109 001 | Chrome | 4005176408373 |
| 32 109 DC1 | supersteel | 4005176412691 |
| 32 109 AL1 | brushed hard graphite | 4005176586118 |

Lineare
Basin mixer 1/2"
XS-Size
 monobloc installation
 metal lever
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving SpeedClean mousseur 5.7 l/min
GROHE FastFixation Plus installation system
 pop-up waste set 1 1/4"
 flexible connection hoses




| | | |
|------------|-----------------------|---------------|
| 23 791 001 | Chrome | 4005176409097 |
| 23 791 DC1 | supersteel | 4005176412707 |
| 23 791 AL1 | brushed hard graphite | 4005176586125 |

Lineare
Basin mixer 1/2"
XS-Size
 monobloc installation
 metal lever
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving SpeedClean mousseur 5.7 l/min
GROHE FastFixation Plus installation system
 smooth body with push-open pop-up waste set 1 1/4"
 flexible connection hoses



| | | |
|------------|--------|---------------|
| 23 790 001 | Chrome | 4005176408380 |
|------------|--------|---------------|









Lineare
Basin mixer 1/2"
XS-Size
 monobloc installation
 metal lever
GROHE SilkMove Energy Saving 28 mm ceramic cartridge
 with energy saving function via cold start
 with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving SpeedClean mousseur 5.7 l/min
GROHE FastFixation Plus installation system
 pop-up waste set 1 1/4"
 flexible connection hoses




| | | |
|------------|------------|---------------|
| 32 114 001 | Chrome | 4005176409103 |
| 32 114 DC1 | supersteel | 4005176412714 |

Lineare
Basin mixer 1/2"
S-Size
 monobloc installation
 metal lever
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving SpeedClean mousseur 5.7 l/min
GROHE FastFixation Plus installation system
 pop-up waste set 1 1/4"
 flexible connection hoses

GROHE LINEARE



| | Ref. No. | Colour | EAN |
|---|--|-----------------------|---------------|
|  | 23 106 001 | Chrome | 4005176409110 |
| | 23 106 DC1 | supersteel | 4005176412721 |
| | 23 106 AL1 | brushed hard graphite | 4005176586149 |
|  | <p>Lineare Basin mixer 1/2" S-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving SpeedClean mousseur 5.7 l/min GROHE FastFixation Plus installation system smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses</p> | | |
|  | 23 296 001 | Chrome | 4005176409127 |
| | 23 296 DC1 | supersteel | 4005176412738 |
| | <p>Lineare Single-lever basin mixer 1/2" L-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving SpeedClean mousseur 5.7 l/min GROHE FastFixation Plus installation system swivel spout with mousseur and stop limiter pop-up waste set 1 1/4" flexible connection hoses</p> | | |
|  | | | |
|  | 23 405 001 | Chrome | 4005176409134 |
| | 23 405 DC1 | supersteel | 4005176412745 |
| | 23 405 AL1 | brushed hard graphite | 4005176586163 |
|  | <p>Lineare Basin mixer 1/2" XL-Size monobloc installation metal lever for free-standing basins 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving SpeedClean mousseur 5.7 l/min GROHE FastFixation Plus rapid installation system smooth body flexible connection hoses min. recommended pressure 1.0 bar</p> | | |
|  | 20 304 001 | Chrome | 4005176409141 |
| | <p>Lineare Three-hole basin mixer 1/2" M-Size metal lever ceramic headparts 1/2", 90° GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving SpeedClean mousseur 5.7 l/min GROHE FastFixation installation system pop-up waste set 1 1/4" pressure-proof, flexible connection hoses between spout and side valves union nut 1/2" x 10.5 mm</p> | | |
| |  | | |

| Ref. No. | Colour | EAN |
|------------|-----------------------|---------------|
| 19 409 001 | Chrome | 4005176409158 |
| 19 409 DC1 | supersteel | 4005176412752 |
| 19 409 AL1 | brushed hard graphite | 4005176586170 |




Lineare
2-hole basin mixer
M-Size
 wall mounted
 set for final installation for
 23 571 000
without concealed body
 metal escutcheon
 metal lever
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
 centre distance 110 mm
 projection 149 mm

| | | |
|------------|-----------------------|---------------|
| 23 444 001 | Chrome | 4005176411977 |
| 23 444 DC1 | supersteel | 4005176412769 |
| 23 444 AL1 | brushed hard graphite | 4005176586187 |




Lineare
2-hole basin mixer
L-Size
 wall mounted
 set for final installation for
 23 571 000
without concealed body
 metal escutcheon
 metal lever
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
 centre distance 110 mm
 projection 207 mm

| | | |
|------------|--|---------------|
| 23 571 000 | | 4005176334276 |
|------------|--|---------------|




Single-lever mixer 1/2", universal concealed body
 for 2 hole basin mixer
 wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
 adjustable flow rate limiter
 with temperature limiter
 spout can be positioned on the right or left
 DR-brass
 installation device
 allows for waterproofing of wall construction surrounding the concealed body
 with sealing sleeve

| | | |
|------------|------------|---------------|
| 33 848 001 | Chrome | 4005176409172 |
| 33 848 DC1 | supersteel | 4005176412776 |





Lineare
Bidet mixer 1/2"
S-Size
 monobloc installation
 metal lever
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE FastFixation Plus installation system
 ball-joint mousseur
 pop-up waste set 1 1/4"
 flexible connection hoses

GROHE LINEARE


| | Ref. No. | Colour | EAN |
|---|------------|-----------------------|---------------|
|  | 33 865 001 | Chrome | 4005176409202 |
| | 33 865 DC1 | supersteel | 4005176412790 |
| | 33 865 AL1 | brushed hard graphite | 4005176586217 |


Lineare
Single-lever shower mixer 1/2"
 wall mounted
 metal lever
GROHE SilkMove 35 mm ceramic cartridge
 with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
 shower outlet 1/2"
 integrated non-return valve
 covered S-unions
 protected against backflow




| | | | |
|---|------------|--------|---------------|
|  | 34 719 000 | Chrome | 4005176457654 |
|---|------------|--------|---------------|


Grotherm SmartControl
Thermostatic shower mixer 1/2"
 wall mounted
GROHE CoolTouch prevents scalding on hot surfaces
GROHE Long-Life Shine durable sparkling sheen
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SmartControl push for ON-OFF, turn for volume adjustment from
GROHE Water Saving to full flow
 integrated **GROHE EasyReach** shower tray
 shower bottom outlet 1/2"
 built-in non return valve
 and dirt strainers
 protected against backflow




| | | | |
|---|------------|-----------------------|---------------|
|  | 33 849 001 | Chrome | 4005176409189 |
| | 33 849 DC1 | supersteel | 4005176412783 |
| | 33 849 AL1 | brushed hard graphite | 4005176586200 |


Lineare
Single-lever bath/shower mixer 1/2"
 wall mounted
 metal lever
GROHE SilkMove 35 mm ceramic cartridge
 with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
 automatic diverter: bath/shower
 mousseur
 shower outlet 1/2"
 integrated non-return valve
 covered S-unions
 protected against backflow
 pillar installation optional with pillar unions 12 030 000



| | | | |
|---|------------|--------|---------------|
|  | 34 718 000 | Chrome | 4005176457647 |
|---|------------|--------|---------------|


Grotherm SmartControl
Thermostatic bath/shower mixer 1/2"
 wall mounted
GROHE CoolTouch prevents scalding on hot surfaces
GROHE Long-Life Shine durable sparkling sheen
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SmartControl push for ON-OFF, turn for volume adjustment from
GROHE Water Saving to full flow
 integrated **GROHE EasyReach** shower tray
 shower bottom outlet 1/2"
 bath spout with mousseur
 built-in non return valve
 and dirt strainers
 protected against backflow





| Ref. No. | Colour | EAN |
|------------|--------|---------------|
| 33 850 001 | Chrome | 4005176409196 |

Lineare
Single-lever bath/shower mixer 1/2"
 wall mounted
 metal lever
GROHE SilkMove 35 mm ceramic cartridge
 with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
 automatic diverter: bath/shower
 mousseur
 shower outlet 1/2"
 integrated non-return valve
 covered S-unions
 protected against backflow
 with shower set
 Consisting of:
 hand shower Sena Stick (26 465)
 wall shower holder Tempesta 100
 Cosmopolitan (27 594 000)
 Silverflex shower hose 1.500 mm (28 364)




| | | |
|------------|-----------------------|---------------|
| 24 063 001 | Chrome | 4005176465703 |
| 24 063 DC1 | supersteel | 4005176465727 |
| 24 063 AL1 | brushed hard graphite | 4005176586248 |

Lineare
Single-lever shower mixer trim
 set for final installation for
 GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
 wall escutcheon with **GROHE FastFixation**
 (covered escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
 metal lever
 flow performance:
 outlet B or C = 30 l/min
without roughing-in-set



35 604 000 4005176698774
GROHE Rapido SmartBox universal rough-in box for concealed
 installation



| | | |
|------------|-----------------------|---------------|
| 24 064 001 | Chrome | 4005176465710 |
| 24 064 DC1 | supersteel | 4005176465734 |
| 24 064 AL1 | brushed hard graphite | 4005176586255 |


Lineare
Single-lever mixer with 2-way diverter
 set for final installation for
 GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
 wall escutcheon with **GROHE FastFixation**
 (covered escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
 metal lever
 automatic 2-way diverter
 flow performance:
 outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set



35 604 000 4005176698774
GROHE Rapido SmartBox universal rough-in box for concealed
 installation

GROHE LINEARE


| Ref. No. | Colour | EAN |
|------------|-----------------------|---------------|
| 24 095 001 | Chrome | 4005176480645 |
| 24 095 DC1 | supersteel | 4005176480652 |
| 24 095 AL1 | brushed hard graphite | 4005176586262 |




Lineare
Single-lever mixer with 3-way diverter
 set for final installation for
 GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
 wall escutcheon with **GROHE FastFixation**
 (covered escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
 metal lever
3-way diverter
 flow performance:
 outlet A = 27 l/min,
 outlet B = 27 l/min,
 outlet C = 27 l/min
without roughing-in-set




35 604 000 4005176698774
GROHE Rapido SmartBox universal rough-in box for concealed installation



25 113 000 Chrome 4005176881862
Lineare
Two-handed Bath/Shower mixer 1/2"
 deck mounted
 metal handles
 GROHE Long-Life headpart 3/4"
 automatic diverter: bath/shower
 integrated non-return valves in the
 shower outlet 1/2"
recommended pressure 0.2-5.0 bar
GROHE Long-Life Shine durable sparkling sheen




25 104 000 Chrome 4005176881794
Lineare
Two-handed Bath filler 1/2"
 deck mounted
 metal handles
 GROHE Long-Life headpart 3/4"
recommended pressure 0.2-5.0 bar
GROHE Long-Life Shine durable sparkling sheen



19 577 001 Chrome 4005176409233
 19 577 DC1 supersteel 4005176412820
 19 577 EN1 brushed nickel 4005176413018
 19 577 AL1 brushed hard graphite 4005176586224
Lineare
4-hole single-lever bath combination
GROHE SilkMove 35 mm ceramic cartridge
 with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
 pre-assembled spout fixing
 single lever mixer operating element
 metal lever
 bath inlet with mousseur
 diverter bath/shower
 hand shower Sena Stick (26 465)
 metal shower hose 2000 mm (always chrome for any colour of the set)
 flexible connection hoses
 connection for shower hose
 protected against backflow
 for use with 29 037 000


Ref. No. Colour EAN

19 965 001 Chrome 4005176409240




Lineare
3-hole single-lever bath combination
 Three hole installation
GROHE SilkMove 35 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
 single lever mixer operating element
 diverter bath/shower
 hand shower Sena Stick (26 465)
 metal shower hose 2000 mm (always chrome for any colour of the set)
 flexible connection hoses
 connection for shower hose
 protected against backflow
 for use with 29 037 000
 for combination with 28 990 / 28 991

29 037 000 4005176865749




4/5-hole bath combination (optional)
baseframe for installation
under tiled surround
 base frame
 drainage box with
 integrated outlet for splash water
 caps to cover screw fixations always come in chrome color

23 792 001 Chrome 4005176409257
 23 792 DC1 supersteel 4005176412837
 23 792 EN1 brushed nickel 4005176413001
 23 792 AL1 brushed hard graphite 4005176586231













Lineare
Single-lever bath mixer 1/2", floor mounted
 set for final installation for
 45 984 001
without roughing-in-set
GROHE SilkMove 35 mm ceramic cartridge
 with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
 automatic diverter: bath/shower
 spout with mousseur
 projection 271 mm
 integrated non-return valve
 in the shower outlet 1/2"
 with shower holder
 hand shower Sena Stick (26 465)
 shower hose 1250 mm
 protected against backflow

45 984 001 4005176992056




Rough-in set 1/2"
 for floor-mounted bath mixers/spouts and shower mixers
without finishing trim set
 installation plate with 360° horizontal and 3° vertical adjustment
 installation depth 53-157 mm for bath
 mixers/spouts, depth compensation 104 mm
 installation depth 65-157 mm for shower mixers, depth compensation 92 mm
 two 1/2" female connections (hot/cold supplies)
 flushing plug
 Can take a single mixed supply
 fixing material

GROHE LINEARE


| | Ref. No. | Colour | EAN |
|---|--|------------------------------------|--|
|   | 29 086 000 | | 4005176935497 |
| | <p>Rough-in set 1/2" for floor-mounted tub spouts and mixers without finishing trim set installation plate with 360° horizontal and 3° vertical adjustment installation depth 47-151 mm depth compensation 104 mm two 1/2" female connections (hot/cold supplies) flushing plug</p> | | |
|   | 13 383 001 13 383 DC1 | Chrome supersteel | 4005176418167 4005176418174 |
| | <p>Lineare Bath spout wall mounted GROHE Long-Life Shine durable sparkling sheen mousseur male thread 1/2" projection 170 mm</p> | | |
|   | 34 705 000 | Chrome | 4005176413285 |
| | <p>Grotherm SmartControl Perfect shower set with Rainshower SmartActive 310 Consisting of: concealed thermostat with 3 valves Grotherm SmartControl set for final installation (29 121 000) GROHE Rapido SmartBox 35 600/35 604 Rainshower 310 head shower set (26 475) including head shower with 2 sprays, horizontal shower arm 400 mm and head shower rough-in (26 483 000) Euphoria Cosmopolitan Stick handshower (27 367) Rainshower wall holder (27 074 000) Rainshower wall union 1/2" (27 057 000) Silverflex shower hose 1.500 mm (28 364)</p> | | |
|   | 19 952 000 ★ Chrome 19 952 DC0 ★ supersteel 19 952 AL0 ★ brushed hard graphite | | 4005176174230 4005176467776 4005176353376 |
| | <p>Talentofill Inlet, pop-up and waste-system set for final installation escutcheon supply part waste plug fixing set</p> <p>in combination with Talentofill 28 990 000/28 991 000</p> | | |
|   | 19 025 000 | Chrome | 4005176209154 |
| | <p>Talento Waste and overflow set for baths set for final installation escutcheon waste plug fixing set in combination with Talento 28 939 000/28 943 000 GROHE Long-Life Shine durable sparkling sheen</p> | | |

GROHE LINEARE



| Ref. No. | Colour | EAN |
|--------------|-----------------------|---------------|
| 28 912 000 ★ | Chrome | 4005176266751 |
| 28 912 DC0 ★ | supersteel | 4005176467905 |
| 28 912 AL0 ★ | brushed hard graphite | 4005176467844 |











Bottle trap, 1 1/4"
for basins
brass
(screw-top for cleaning)
large sliding escutcheon
GROHE Long-Life Shine durable sparkling sheen













| | | |
|------------|-----------------------|---------------|
| 37 601 000 | Chrome | 4005176416057 |
| 37 601 DC0 | supersteel | 4005176416088 |
| 37 601 AL0 | brushed hard graphite | 4005176529030 |

Nova Cosmopolitan S
Flush plate
for dual flush or start & stop actuation
for pneumatic drop valve AV1
compatible with Rapid SL/GD2 1.13 m
for vertical installation
130 x 172 mm
made of ABS
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving - Less water, perfect flow
flush plate with magnetic holder and fixing brackets included
compatible with Rapid SLX
for use with Rapid SL and Uniset with GD 2 cistern please order shaft 40 911 000
(sold separately)



GROHE EUROCUBE JOY



| | Ref. No. | Colour | EAN |
|---|---|--------|---------------|
|  | 23 654 000 | Chrome | 4005176342080 |
|  | Eurocube Joy Basin mixer 1/2" S-Size monobloc installation metal lever GROHE FeatherControl Joystick cartridge GROHE Water Saving SpeedClean mousseur 5.7 l/min GROHE FastFixation Plus installation system pop-up waste set 1 1/4" flexible connection hoses | | |
|  | 23 656 000 | Chrome | 4005176342103 |
|  | Eurocube Joy Basin mixer 1/2" S-Size monobloc installation metal lever GROHE FeatherControl Joystick cartridge GROHE Water Saving SpeedClean mousseur 5.7 l/min GROHE FastFixation Plus installation system smooth body flexible connection hoses | | |
|  | 23 657 000 | Chrome | 4005176342110 |
|  | Eurocube Joy Basin mixer 1/2" M-Size monobloc installation metal lever GROHE FeatherControl Joystick cartridge GROHE Water Saving SpeedClean mousseur 5.7 l/min GROHE FastFixation Plus installation system pop-up waste set 1 1/4" flexible connection hoses | | |
|  | 23 658 000 | Chrome | 4005176342127 |
|  | Eurocube Joy Basin mixer 1/2" M-Size monobloc installation metal lever GROHE FeatherControl Joystick cartridge GROHE Water Saving SpeedClean mousseur 5.7 l/min GROHE FastFixation Plus installation system smooth body flexible connection hoses | | |
|  | 23 661 000 | Chrome | 4005176342158 |
|  | Eurocube Joy Basin mixer 1/2" XL-Size monobloc installation metal lever for free-standing basins GROHE FeatherControl Joystick cartridge GROHE Water Saving SpeedClean mousseur 5.7 l/min GROHE FastFixation Plus installation system smooth body flexible connection hoses | | |




GROHE EUROCUBE JOY




| | Ref. No. | Colour | EAN | |
|---|--|------------|---------------|---------------|
|  | 19 997 000 | Chrome | 4005176342189 | |
|  | <p>Eurocube Joy 2-hole basin mixer M-Size wall mounted set for final installation for 23 429 000 without concealed body GROHE Water Saving SpeedClean mousseur 5.7 l/min centre distance 110 mm projection 170 mm</p> | 19 998 000 | Chrome | 4005176342196 |
|  | 23 429 000 | | 4005176993695 | |
|  | <p>Single-lever mixer 1/2", concealed body for 2 hole basin mixer without finishing trim set GROHE FeatherControl Joystick cartridge wall installation installation device DR-brass allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve</p> | | | |
|  | 23 664 000 | Chrome | 4005176342202 | |
|  | <p>Eurocube Joy Bidet mixer 1/2" monobloc installation metal lever GROHE FeatherControl Joystick cartridge GROHE Water Saving ball-joint mousseur 5.7 l/min GROHE FastFixation Plus installation system pop-up waste set 1 1/4" flexible connection hoses</p> | | | |
|  | 23 665 000 | Chrome | 4005176342219 | |
|  | <p>Eurocube Joy Single-lever shower mixer 1/2" wall mounted metal lever GROHE FeatherControl Joystick cartridge shower bottom outlet 1/2" with integrated non return-valve protected against backflow</p> | | | |
|  | 34 488 000 | Chrome | 4005176940620 | |
|  | <p>Grohtherm Cube Thermostatic shower mixer 1/2" wall mounted GROHE Long-Life Shine durable sparkling sheen GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" built-in non return valves dirt strainers protected against backflow covered S-unions GROHE Water Saving - Less water, perfect flow</p> | | | |

GROHE EUROCUBE JOY


| | Ref. No. | Colour | EAN |
|---|---|---|----------------------|
|  |  | 23 666 000 Chrome | 4005176342226 |
| | | <p>Eurocube Joy Single-lever bath/shower mixer 1/2" wall mounted metal lever GROHE FeatherControl Joystick cartridge GROHE XL Waterfall integrated non-return valve in the shower outlet 1/2" S-unions protected against backflow</p> | |

| | | | |
|---|--|---|----------------------|
|  |  | 34 497 000 Chrome | 4005176940675 |
| | | <p>Grohtherm Cube Thermostatic bath/shower mixer 1/2" wall mounted GROHE Long-Life Shine durable sparkling sheen GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off GROHE AquaDimmer Eco with multiple function: - integrated GROHE EcoButton (economy button with economy stop for shower) - flow control - diverter: bath/shower shower bottom outlet 1/2" GROHE XL Waterfall flow straightener built-in non return valves dirt strainers protected against backflow covered S-unions GROHE Water Saving - Less water, perfect flow</p> | |

| | | | |
|---|---|---|--|
|  |  | 24 061 000 Chrome | 4005176465680 |
| | | <p>Eurocube Single-lever shower mixer trim set for final installation for GROHE Rapido SmartBox 35 600/35 604 GROHE SilkMove 46 mm ceramic cartridge wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever flow performance: outlet B or C = 30 l/min without roughing-in-set</p> | |
| | |  | 35 604 000 4005176698774 GROHE Rapido SmartBox universal rough-in box for concealed installation |

| | | | |
|---|---|---|--|
|  |  | 24 062 000 Chrome | 4005176465697 |
| | | <p>Eurocube Single-lever mixer with 2-way diverter set for final installation for GROHE Rapido SmartBox 35 600/35 604 GROHE SilkMove 46 mm ceramic cartridge wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever automatic 2-way diverter flow performance: outlet B = 27 l/min, outlet C = 27 l/min without roughing-in-set</p> | |
| | |  | 35 604 000 4005176698774 GROHE Rapido SmartBox universal rough-in box for concealed installation |

GROHE EUROCUBE JOY




| Ref. No. | Colour | EAN |
|------------|--------|---------------|
| 24 094 000 | Chrome | 4005176480638 |

Eurocube
Single-lever mixer with 3-way diverter
 set for final installation for
 GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
 wall escutcheon with **GROHE FastFixation**
 (covered escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
 metal lever
3-way diverter
 flow performance:
 outlet A = 27 l/min,
 outlet B = 27 l/min,
 outlet C = 27 l/min
without roughing-in-set



| | | |
|--|--|---------------|
| 35 604 000 | | 4005176698774 |
| GROHE Rapido SmartBox universal rough-in box for concealed installation | | |




| | | |
|------------|-----------------------|---------------|
| 24 153 000 | Chrome | 4005176481178 |
| 24 153 DC0 | supersteel | 4005176574221 |
| 24 153 AL0 | brushed hard graphite | 4005176585913 |

Grotherm Cube
Thermostatic mixer for 1 outlet with shut off valve
 set for final installation for
 GROHE Rapido SmartBox 35 600/35 604
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE Long-Life Shine durable sparkling sheen
 wall escutcheon with **GROHE FastFixation**
 (covered escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
 built-in non return valve
 and dirt strainers
 ceramic stop valve, 120°
 flow performance:
 outlet B = 27 l/min
 outlet C = 30 l/min
without roughing-in-set



| | | |
|--|--|---------------|
| 35 604 000 | | 4005176698774 |
| GROHE Rapido SmartBox universal rough-in box for concealed installation | | |












| | | |
|------------|-----------------------|---------------|
| 24 154 000 | Chrome | 4005176481185 |
| 24 154 DC0 | supersteel | 4005176574238 |
| 24 154 AL0 | brushed hard graphite | 4005176585920 |

Grotherm Cube
Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve
 set for final installation for
 GROHE Rapido SmartBox 35 600/35 604
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE Long-Life Shine durable sparkling sheen
 wall escutcheon with **GROHE FastFixation**
 (covered escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
 printed head and hand shower symbol
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
 GROHE AquaDimmer, integrated shut off/diverter valve
 flow performance:
 outlet B = 27 l/min
 outlet C = 30 l/min
without roughing-in-set




| | | |
|--|--|---------------|
| 35 604 000 | | 4005176698774 |
| GROHE Rapido SmartBox universal rough-in box for concealed installation | | |

GROHE EUROCUBE JOY

| | Ref. No. | Colour | EAN |
|---|--|-----------------------|---------------|
| | 24 155 000 | Chrome | 4005176481192 |
| | 24 155 DC0 | supersteel | 4005176574245 |
| | 24 155 AL0 | brushed hard graphite | 4005176585937 |
|  | | | |
|  | | | |
| | <p>Grontherm Cube Thermostatic bath tub mixer for 2 outlets with integrated shut off/diverter valve set for final installation for GROHE Rapido SmartBox 35 600/35 604 GROHE TurboStat compact cartridge with wax thermostatic element GROHE Long-Life Shine durable sparkling sheen wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable printed hand shower and bath filler symbol GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included GROHE AquaDimmer, integrated shut off/diverter valve flow performance: outlet B = 27 l/min outlet C = 30 l/min without roughing-in-set</p> | | |
|  | 35 604 000 | | 4005176698774 |
| | GROHE Rapido SmartBox universal rough-in box for concealed installation | | |
|  | | | |
|  | | | |
| | 34 741 000 | Chrome | 4005176481208 |
| | <p>Grontherm Cube Perfect shower set with Rainshower Allure 230 Consisting of: Grontherm Cube set for final installation with Aquadimmer (24 154) GROHE Rapido SmartBox 35 600/35 604 Rainshower 230 metal head shower (27 479) Rainshower shower arm (27 709) hand shower Euphoria Cube (27 699 000) 9.5 l/min. shower outlet elbow (26 370) Silverflex shower hose 1250 mm (28 362)</p> | | |
|  | | | |
|  | | | |
| | 23 667 001 | Chrome | 4005176429019 |
| | <p>Eurocube Joy Single-lever bath mixer 1/2", floor mounted set for final installation for 45 984 001 without roughing-in-set GROHE FeatherControl Joystick cartridge GROHE Long-Life Shine finish automatic diverter: bath/shower spout with mousseur hand shower Euphoria Cube+ 6.6 l/min Silverflex shower hose 1250 mm (28 362) projection 298 mm integrated non-return valve in the shower outlet 1/2" with shower holder protected against backflow</p> | | |
|  | | | |
|  | | | |
| | 45 984 001 | | 4005176992056 |
| | <p>Rough-in set 1/2" for floor-mounted bath mixers/spouts and shower mixers without finishing trim set installation plate with 360° horizontal and 3° vertical adjustment installation depth 53-157 mm for bath mixers/spouts, depth compensation 104 mm installation depth 65-157 mm for shower mixers, depth compensation 92 mm two 1/2" female connections (hot/cold supplies) flushing plug Can take a single mixed supply fixing material</p> | | |

GROHE EUROCUBE JOY



Ref. No.

Colour

EAN

29 086 000

4005176935497

Rough-in set 1/2"

for floor-mounted tub spouts and mixers

without finishing trim set

installation plate with 360° horizontal and 3° vertical adjustment











installation depth 47-151 mm

depth compensation 104 mm


two 1/2" female connections (hot/cold supplies)

flushing plug


GROHE EUROCUBE

| | | Ref. No. | Colour | EAN |
|---|--|--|---|---|
|  |  | 23 137 000 | Chrome | 4005176901096 |
| <p>Eurocube Pillar tap XS-Size monobloc installation metal lever ceramic headpart GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving SpeedClean mousseur 5.7 l/min union nut 1/2" x 10.5 mm</p> | | | | |
|  |  | 23 127 00E | Chrome | 4005176901591 |
| <p>Eurocube Basin mixer 1/2" S-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving SpeedClean mousseur 5.7 l/min GROHE FastFixation Plus installation system pop-up waste set 1 1/4" flexible connection hoses</p> | | | | |
|  |  | 23 132 00E | Chrome | 4005176906725 |
| <p>Eurocube Basin mixer 1/2" S-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving SpeedClean mousseur 5.7 l/min GROHE FastFixation Plus installation system smooth body flexible connection hoses</p> | | | | |
|  |  | 23 390 00E | Chrome | 4005176938436 |
| <p>Eurocube Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove Energy Saving 28 mm ceramic cartridge with energy saving function via cold start with temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min GROHE FastFixation Plus rapid installation system pop-up waste set 1 1/4" flexible connection hoses</p> | | | | |
| | | 23 392 00E | Chrome | 4005176938450 |
| <p>Ditto, smooth body</p> | | | | |
|  |  | 23 445 000 23 445 DC0 23 445 AL0 | Chrome supersteel brushed hard graphite | 4005176998706 4005176524974 4005176584657 |
| <p>Eurocube Basin mixer 1/2" M-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving SpeedClean mousseur 5.7 l/min GROHE FastFixation Plus installation system pop-up waste set 1 1/4" flexible connection hoses</p> | | | | |


GROHE EUROCUBE



| Ref. No. | Colour | EAN |
|---|--------|---------------|
| 23 446 000 | Chrome | 4005176998720 |
| Eurocube Basin mixer 1/2" M-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving SpeedClean mousseur 5.7 l/min GROHE FastFixation Plus installation system smooth body flexible connection hoses | | |




| | | |
|---|--------|---------------|
| 23 135 00E | Chrome | 4005176906732 |
| Eurocube Single-lever basin mixer 1/2" L-Size monobloc installation, metal lever 28 mm ceramic cartridge with GROHE SilkMove temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving SpeedClean mousseur 5.7 l/min GROHE FastFixation Plus installation system swivel tubular spout with stop limiter pop-up waste set 1 1/4" flexible connection hoses | | |
| 23 135 000 | Chrome | 4005176901027 |
| ditto, with non-restricted flow | | |



| | | |
|--|-----------------------|---------------|
| 23 406 000 | Chrome | 4005176941658 |
| 23 406 DC0 | supersteel | 4005176524998 |
| 23 406 AL0 | brushed hard graphite | 4005176584671 |
| Eurocube Basin mixer 1/2" XL-Size monobloc installation metal lever for free-standing basins 28 mm ceramic cartridge with GROHE SilkMove temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving SpeedClean mousseur 5.7 l/min GROHE FastFixation Plus installation system smooth body flexible connection hoses | | |


Ref. No. Colour EAN

36 441 000 Chrome 4005176415630
 36 441 DC0 supersteel 4005176686818
 36 441 AL0 brushed hard graphite 4005176686825




Eurocube E
Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter
 with infrared sensor for bi-directional communication for monitoring, configuration and servicing
 6V lithium battery, type CR-P2
 battery lifetime approx. 7 years (150 actuations a day)
GROHE Long-Life Shine durable sparkling sheen
 laminar spray regulator 5.7 l/min
 flexible connection hoses
 non-return valve
 dirt strainers
 with integrated solenoid valve
 external battery
 rapid installation system
 multistage battery status display
 7 pre-set programs
 auto flush
 thermal disinfection
 cleaning mode
 additional functions and precise settings
 by remote control 36 407
 CE approved
 noise classification 1 in accordance with DIN4109
 type of protection faucet IP 59K

20 351 000 Chrome 4005176901041
 20 351 DC0 supersteel 4005176525001
 20 351 AL0 brushed hard graphite 4005176584688



Eurocube
Three-hole basin mixer 1/2" S-Size
 metal lever
 ceramic headparts 1/2", 90°
GROHE Long-Life Shine durable sparkling sheen
GROHE FastFixation Plus installation system
 spout with mousseur
 pop-up waste set 1 1/4"
 pressure-proof, flexible connection hoses
 between spout and side valves
 union nut 1/2" x 10.5 mm


19 895 000 Chrome 4005176901072
 19 895 AL0 brushed hard graphite 4005176585494



Eurocube
2-hole basin mixer S-Size
 wall mounted
 set for final installation for 23 200 000
without concealed body
 metal escutcheon
 metal lever
GROHE Long-Life Shine durable sparkling sheen
GROHE AquaGuide adjustable mousseur
 centre distance 110 mm
 projection 171 mm

23 447 000 Chrome 4005176998737
Ditto, projection 231 mm

23 200 000 4005176908354




Single-lever mixer 1/2", concealed body
 for 2 hole basin mixer
 wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
 adjustable flow rate limiter
 installation depth 45 to 75 mm
 DR-brass
 installation device

GROHE EUROCUBE


Ref. No. Colour EAN

23 200 002 4005176519901




Single-lever mixer 1/2", concealed body
for 2 hole basin mixer
wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
spout can be positioned on the right or left
installation depth 45 to 75 mm
DR-brass
installation device
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve

23 138 000 Chrome 4005176901133




Eurocube
Bidet mixer 1/2"
S-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE FastFixation Plus installation system
ball-joint mousseur
pop-up waste set 1 1/4"
flexible connection hoses

23 145 000 Chrome 4005176901270
23 145 DC0 supersteel 4005176525049
23 145 AL0 brushed hard graphite 4005176585524












Eurocube
Single-lever shower mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
adjustable flow rate limiter
shower bottom outlet 1/2" with
integrated non return-valve
covered S-unions
protected against backflow

34 488 000 Chrome 4005176940620




Grohtherm Cube
Thermostatic shower mixer 1/2"
wall mounted
GROHE Long-Life Shine durable sparkling sheen
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton**
(economy button with individually
adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
covered S-unions
GROHE Water Saving - Less water, perfect flow

GROHE EUROCUBE

| | Ref. No. | Colour | EAN |
|---|---|---|---------------|
|  | 23 140 000 | Chrome | 4005176901157 |
| | 23 140 DC0 | supersteel | 4005176525056 |
| | 23 140 AL0 | brushed hard graphite | 4005176585531 |
|  | <p>Eurocube Single-lever bath/shower mixer 1/2" wall mounted, metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life Shine durable sparkling sheen adjustable flow rate limiter automatic diverter: bath/shower mousseur, integrated non-return valve in the shower outlet 1/2" covered S-unions protected against backflow optional temperature limiter (46 375 000)</p> | | |
|  | 23 141 000 | Chrome | 4005176901164 |
| |  | <p>Eurocube Single-lever bath/shower mixer 1/2" wall mounted metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life Shine durable sparkling sheen adjustable flow rate limiter automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" covered S-unions protected against backflow optional temperature limiter (46 375 000) Hand shower (27 698 000) wall shower holder (27 693 000) shower hose 1500 mm (28 151 000)</p> | |
|  | 34 497 000 | Chrome | 4005176940675 |
| |  | <p>Grohtherm Cube Thermostatic bath/shower mixer 1/2" wall mounted GROHE Long-Life Shine durable sparkling sheen GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off GROHE AquaDimmer Eco with multiple function: - integrated GROHE EcoButton (economy button with economy stop for shower) - flow control - diverter: bath/shower shower bottom outlet 1/2" GROHE XL Waterfall flow straightener built-in non return valves dirt strainers protected against backflow covered S-unions GROHE Water Saving - Less water, perfect flow</p> | |
|  | 24 061 000 | Chrome | 4005176465680 |
| | 24 061 AL0 | brushed hard graphite | 4005176585586 |
|  | <p>Eurocube Single-lever shower mixer trim set for final installation for GROHE Rapido SmartBox 35 600/35 604 GROHE SilkMove 46 mm ceramic cartridge wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever flow performance: outlet B or C = 30 l/min without roughing-in-set</p> | | |
|  | 35 604 000 | | 4005176698774 |
| | | <p>GROHE Rapido SmartBox universal rough-in box for concealed installation</p> | |

GROHE EUROCUBE




| Ref. No. | Colour | EAN |
|------------|-----------------------|---------------|
| 24 062 000 | Chrome | 4005176465697 |
| 24 062 DC0 | supersteel | 4005176553905 |
| 24 062 AL0 | brushed hard graphite | 4005176585579 |

Eurocube
Single-lever mixer with 2-way diverter
 set for final installation for
 GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
 wall escutcheon with **GROHE FastFixation**
 (covered escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
 metal lever
 automatic 2-way diverter
 flow performance:
 outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set



35 604 000 **4005176698774**
GROHE Rapido SmartBox universal rough-in box for concealed installation




| | | |
|------------|-----------------------|---------------|
| 24 094 000 | Chrome | 4005176480638 |
| 24 094 DC0 | supersteel | 4005176574047 |
| 24 094 AL0 | brushed hard graphite | 4005176585593 |

Eurocube
Single-lever mixer with 3-way diverter
 set for final installation for
 GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
 wall escutcheon with **GROHE FastFixation**
 (covered escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
 metal lever
3-way diverter
 flow performance:
 outlet A = 27 l/min,
 outlet B = 27 l/min,
 outlet C = 27 l/min
without roughing-in-set



35 604 000 **4005176698774**
GROHE Rapido SmartBox universal rough-in box for concealed installation





| | | |
|------------|-----------------------|---------------|
| 24 153 000 | Chrome | 4005176481178 |
| 24 153 DC0 | supersteel | 4005176574221 |
| 24 153 AL0 | brushed hard graphite | 4005176585593 |

Grotherm Cube
Thermostatic mixer for 1 outlet with shut off valve
 set for final installation for
 GROHE Rapido SmartBox 35 600/35 604
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE Long-Life Shine durable sparkling sheen
 wall escutcheon with **GROHE FastFixation**
 (covered escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
 built-in non return valve
 and dirt strainers
 ceramic stop valve, 120°
 flow performance:
 outlet B = 27 l/min
 outlet C = 30 l/min
without roughing-in-set





35 604 000 **4005176698774**
GROHE Rapido SmartBox universal rough-in box for concealed installation

| | Ref. No. | Colour | EAN |
|---|---|-----------------------|---------------|
|  | 24 154 000 | Chrome | 4005176481185 |
| | 24 154 DC0 | supersteel | 4005176574238 |
| | 24 154 AL0 | brushed hard graphite | 4005176585920 |
|  | Grotherm Cube Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve set for final installation for GROHE Rapido SmartBox 35 600/35 604 GROHE TurboStat compact cartridge with wax thermoelement GROHE Long-Life Shine durable sparkling sheen wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable printed head and hand shower symbol GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included GROHE AquaDimmer, integrated shut off/diverter valve flow performance: outlet B = 27 l/min outlet C = 30 l/min without roughing-in-set | | |




35 604 000 4005176698774
GROHE Rapido SmartBox universal rough-in box for concealed installation











| | | | |
|---|--|-----------------------|---------------|
|  | 24 155 000 | Chrome | 4005176481192 |
| | 24 155 DC0 | supersteel | 4005176574245 |
| | 24 155 AL0 | brushed hard graphite | 4005176585937 |
|  | Grotherm Cube Thermostatic bath tub mixer for 2 outlets with integrated shut off/diverter valve set for final installation for GROHE Rapido SmartBox 35 600/35 604 GROHE TurboStat compact cartridge with wax thermoelement GROHE Long-Life Shine durable sparkling sheen wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable printed hand shower and bath filler symbol GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included GROHE AquaDimmer, integrated shut off/diverter valve flow performance: outlet B = 27 l/min outlet C = 30 l/min without roughing-in-set | | |













35 604 000 4005176698774
GROHE Rapido SmartBox universal rough-in box for concealed installation

| | | | |
|---|--|--------|---------------|
|  | 34 741 000 | Chrome | 4005176481208 |
| | Grotherm Cube Perfect shower set with Rainshower Allure 230 Consisting of: Grotherm Cube set for final installation with Aquadimmer (24 154) Rainshower 230 metal head shower (27 479) Rainshower shower arm (27 709) hand shower Euphoria Cube (27 699 000) 9.5 l/min. shower outlet elbow (26 370) Silverflex shower hose 1250 mm (28 362) | | |











GROHE EUROCUBE

| | Ref. No. | Colour | EAN |
|---|--|--------|---------------|
|  | 25 137 000 | Chrome | 4005176906770 |
|  | Eurocube Two-handed Bath/Shower mixer 1/2" deck mounted metal handles GROHE Long-Life headpart 3/4" automatic diverter: bath/shower integrated non-return valve in the shower outlet 1/2" GROHE Long-Life Shine durable sparkling sheen recommended pressure 0.2 - 5.0 bar | | |
|  | 25 136 000 | Chrome | 4005176906763 |
|  | Eurocube Two-handed Bath filler 1/2" deck mounted metal handles GROHE Long-Life headpart 3/4" GROHE Long-Life Shine durable sparkling sheen recommended pressure 0.2 - 5.0 bar | | |
|  | 19 897 001 Chrome 4005176429101 19 897 DC1 supersteel 4005176525087 19 897 AL1 brushed hard graphite 4005176585548 | | |
|  | Eurocube 4-hole single-lever bath combination GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life Shine durable sparkling sheen pre-assembled spout fixing single lever mixer operating element metal lever bath inlet with mousseur diverter bath/shower hand shower Euphoria Cube+ 6.6 l/min metal shower hose 2000 mm (always chrome for any colour of the set) flexible connection hoses connection for shower hose protected against backflow for use with 29 037 000 | | |
|  | 19 966 000 Chrome 4005176986864 | | |
|  | Eurocube 3-hole bath combination trim set GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life Shine durable sparkling sheen Consisting of: single lever mixer operating element diverter bath/shower without spout Euphoria Cube hand shower (27 699 000) 9.4 l/min metal shower hose 2000 mm (always chrome for any colour of the set) flexible connection hoses connection for shower hose protected against backflow for use with 29 037 000 for combination with 28 990 / 28 991 | | |
|  | 29 037 000 4005176865749 | | |
|  | 4/5-hole bath combination (optional) baseframe for installation under tiled surround base frame drainage box with integrated outlet for splash water caps to cover screw fixations always come in chrome color | | |







GROHE EUROCUBE

| | Ref. No. | Colour | EAN |
|---|--|--|---------------|
|  | 23 672 001 | Chrome | 4005176429002 |
| | 23 672 DC1 | supersteel | 4005176525094 |
| | 23 672 AL1 | brushed hard graphite | 4005176585555 |
|  | <p>Eurocube Single-lever bath mixer 1/2", floor mounted set for final installation for 45 984 001 29 038 001 29 086 000 without roughing-in-set GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE Long-Life Shine durable sparkling sheen automatic diverter: bath/shower spout with mousseur Euphoria Cube+ Stick hand shower 6.6 l/min (26 467) Silverflex shower hose 1250 mm (28 362) projection 298 mm integrated non-return valve in the shower outlet 1/2" protected against backflow with shower holder</p> | | |
|  | 45 984 001 | | 4005176992056 |
| |  | <p>Rough-in set 1/2" for floor-mounted bath mixers/spouts and shower mixers without finishing trim set installation plate with 360° horizontal and 3° vertical adjustment installation depth 53-157 mm for bath mixers/spouts, depth compensation 104 mm installation depth 65-157 mm for shower mixers, depth compensation 92 mm two 1/2" female connections (hot/cold supplies) flushing plug Can take a single mixed supply fixing material</p> | |
|  | 29 086 000 | | 4005176935497 |
| |  | <p>Rough-in set 1/2" for floor-mounted tub spouts and mixers without finishing trim set installation plate with 360° horizontal and 3° vertical adjustment installation depth 47-151 mm depth compensation 104 mm two 1/2" female connections (hot/cold supplies) flushing plug</p> | |
|  | 13 303 000 | Chrome | 4005176906350 |
| | 13 303 DC0 | supersteel | 4005176525100 |
| | 13 303 AL0 | brushed hard graphite | 4005176585562 |
|  | <p>Eurocube Bath spout wall mounted GROHE Long-Life Shine durable sparkling sheen mousseur male thread 1/2" projection 170 mm</p> | | |
|  | 13 304 000 | Chrome | 4005176906367 |
| |  | <p>Bath spout wall mounted GROHE Long-Life Shine durable sparkling sheen mousseur automatic diverter: bath/shower male thread 1/2" projection 170 mm</p> | |


GROHE EUROCUBE

| | Ref. No. | Colour | EAN |
|---|------------|--------|---------------|
|   | 19 910 000 | Chrome | 4005176987014 |
| <p>Eurocube Volume Control Trim for concealed valves, 1/2", 3/4" without concealed body installation depth adjustable 16 - 38 mm metal handle Sliding escutcheon with wall sealing GROHE Long-Life Shine durable sparkling sheen</p> | | | |
|   | 29 811 000 | | 4005176062711 |
| <p>Concealed stop valve 1/2" preassembled ceramic headpart 1/2" 180° threaded union 1/2" installation depth adjustable 25 - 80 mm DR-brass</p> | | | |
|   | 35 028 000 | | 4005176908316 |
| <p>GROHE Rapido C Rough-in for single volume control for grid installation of Grohtherm Custom Shower system built-in box with removable protection cover waterproof membrane base for wall sealing for masonry and drywall installation fixing points for front and back wall body of DR brass pre-assembled ceramic headpart 3/4" connection threads 1/2" installation depth 70 - 95 mm</p> | | | |
|   | 29 800 000 | | 4005176504839 |
| <p>Concealed stop-valve, 1/2" pre-assembled headpart 1/2" short spindle protection sleeve threaded union 1/2" DR-brass</p> | | | |
| | 29 802 000 | | 4005176504853 |
| <p>ditto, 3/4", pre-assembled headpart 3/4", thread union 3/4"</p> | | | |
| | 29 805 000 | | 4005176504884 |
| <p>ditto, 1", pre-assembled headpart 1", thread union 1"</p> | | | |
|   | 29 801 000 | | 4005176504846 |
| <p>Concealed stop-valve, 1/2" pre-assembled headpart 1/2" short spindle protection sleeve soldered connection Ø15 mm DR-brass</p> | | | |
| | 29 804 000 | | 4005176504877 |
| <p>ditto, soldered connection Ø 22 mm</p> | | | |

GROHE EUROCUBE


| | Ref. No. | Colour | EAN |
|--|--|-----------------------|---------------|
|  | 22 012 000 | Chrome | 4005176906343 |
| | 22 012 DC0 | supersteel | 4005176525742 |
| | 22 012 AL0 | brushed hard graphite | 4005176585944 |
|  | Eurocube Angle valve 1/2" wall connection 1/2" outlet thread 3/8" cartridge headpart metal handle marking: neutral metal push-on escutcheon | | |
|  | 22 013 000 | Chrome | 4005176909689 |
| | Eurocube Angle valve 1/2" wall connection 1/2" outlet 1/2" cartridge headpart metal handle marking: neutral metal push-on escutcheon | | |
| |  | | |
|  | 37 535 000 | Chrome | 4005176416019 |
| | 37 535 DC0 | supersteel | 4005176416040 |
| | 37 535 AL0 | brushed hard graphite | 4005176431357 |
|  | Skate Cosmopolitan S Flush plate for dual flush or start & stop actuation for pneumatic drop valve AV1 compatible with Rapid SL/GD2 1.13 m for vertical installation 130 x 172 mm made of ABS GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving - Less water, perfect flow flush plate with magnetic holder and fixing brackets included compatible with Rapid SLX for use with Rapid SL and Uniset with GD 2 cistern please order shaft 40 911 000 (sold separately) | | |

| Ref. No. | Colour | EAN |
|------------|--------|---------------|
| 23 958 003 | Chrome | 4005176605642 |




GROHE Plus
Single-lever basin mixer 1/2" with LED display
M-size
 colour LED water temperature display
 infra-red diverter: mousseur / Eco spray
 automatic return to mousseur
 monobloc installation
 metal lever
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
SpeedClean mousseur
GROHE AquaGuide adjustable mousseur
 rapid installation system
 swivel spout with easy docking
 swivel area 90°
 smooth body with push-open pop-up waste set 1 1/4"
 flexible connection hoses
 1.5 V alkaline mono battery, 4 x mono cell
 external battery

| | | |
|------------|--------|---------------|
| 23 959 003 | Chrome | 4005176605659 |
|------------|--------|---------------|











GROHE Plus
Single-lever basin mixer 1/2" with LED display
L-Size
 colour LED water temperature display
 infra-red diverter: mousseur / Eco spray
 automatic return to mousseur
 monobloc installation
 metal lever
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
SpeedClean mousseur
GROHE AquaGuide adjustable mousseur
 rapid installation system
 swivel spout with easy docking
 swivel area 90°
 smooth body with push-open pop-up waste set 1 1/4"
 flexible connection hoses
 1.5 V alkaline mono battery, 4 x mono cell
 external battery









| | | |
|------------|-----------------------|---------------|
| 32 612 003 | Chrome | 4005176529696 |
| 32 612 DC3 | supersteel | 4005176574054 |
| 32 612 AL3 | brushed hard graphite | 4005176585609 |











GROHE Plus
Basin mixer 1/2"
S-Size
 monobloc installation
 metal lever
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE FastFixation Plus installation system
 pop-up waste set 1 1/4"
 flexible connection hoses

GROHE PLUS

| | Ref. No. | Colour | EAN |
|---|--|--|--|
|   | 32 612 30L | Chrome | 4005176529979 |
| | <p>GROHE Plus Basin mixer 1/2" S-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE FastFixation Plus installation system mousseur pop-up waste set 1 1/4" flexible connection hoses for low pressure min. recommended pressure 0.2 bar</p> | | |
|   | 33 163 003 | Chrome | 4005176529702 |
| | <p>GROHE Plus Basin mixer 1/2" S-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving SpeedClean mousseur 5.7 l/min GROHE AquaGuide adjustable mousseur GROHE FastFixation Plus installation system smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses</p> | | |
|   | 23 870 003 | Chrome | 4005176529719 |
| | <p>GROHE Plus Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove Energy Saving 28 mm ceramic cartridge with energy saving function via cold start with temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving SpeedClean mousseur 5.7 l/min GROHE AquaGuide adjustable mousseur GROHE FastFixation Plus installation system pop-up waste set 1 1/4" flexible connection hoses</p> | | |
|   | 23 871 003 23 871 DC3 23 871 AL3 | Chrome supersteel brushed hard graphite | 4005176529726 4005176574061 4005176585616 |
| | <p>GROHE Plus Basin mixer 1/2" M-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving SpeedClean mousseur 5.7 l/min GROHE AquaGuide adjustable mousseur rapid installation system swivel spout with easy docking swivel area 90° pop-up waste set 1 1/4" flexible connection hoses</p> | | |


| | Ref. No. | Colour | EAN |
|--|--|---|---|
|  | 23 872 003 | Chrome | 4005176529733 |
|  | <p>GROHE Plus Basin mixer 1/2" M-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving SpeedClean mousseur 5.7 l/min GROHE AquaGuide adjustable mousseur rapid installation system swivel spout with easy docking swivel area 90° smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses</p> | | |
|  | 23 851 003 23 851 DC3 23 851 AL3 | Chrome supersteel brushed hard graphite | 4005176496523 4005176574078 4005176585623 |
|  | <p>GROHE Plus Single-lever basin mixer 1/2" L-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving SpeedClean mousseur 5.7 l/min GROHE AquaGuide adjustable mousseur rapid installation system swivel spout with easy docking swivel area 90° pop-up waste set 1 1/4" flexible connection hoses</p> | | |
|  | 23 873 003 | Chrome | 4005176529986 |
|  | <p>GROHE Plus Single-lever basin mixer 1/2" L-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving SpeedClean mousseur 5.7 l/min GROHE AquaGuide adjustable mousseur rapid installation system swivel spout with easy docking swivel area 90° smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses</p> | | |
|  | 23 843 003 23 843 DC3 | Chrome supersteel | 4005176496547 4005176574085 |
|  | <p>GROHE Plus Single-lever basin mixer 1/2" L-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving SpeedClean mousseur 5.7 l/min GROHE AquaGuide adjustable mousseur rapid installation system pull out spout GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position pop-up waste set 1 1/4" flexible connection hoses</p> | | |

GROHE PLUS

| | Ref. No. | Colour | EAN |
|---|--|--|--|
|  | 23 844 003 | Chrome | 4005176496554 |
|  | <p>GROHE Plus Single-lever basin mixer 1/2" L-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving SpeedClean mousseur 5.7 l/min GROHE AquaGuide adjustable mousseur rapid installation system pull out spout GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses</p> | | |
|  | 32 618 003 32 618 DC3 32 618 AL3 | Chrome supersteel brushed hard graphite | 4005176529740 4005176574092 4005176585647 |
|  | <p>GROHE Plus Basin mixer 1/2" XL-Size monobloc installation metal lever for free-standing basins 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving SpeedClean mousseur 5.7 l/min GROHE AquaGuide adjustable mousseur rapid installation system smooth body flexible connection hoses</p> | | |
|  | 20 301 003 | Chrome | 4005176529757 |
|  | <p>GROHE Plus Three-hole basin mixer 1/2" M-Size metal lever ceramic headparts 1/2", 90° GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving SpeedClean mousseur 5.7 l/min GROHE AquaGuide adjustable mousseur rapid installation system pop-up waste set 1 1/4" GROHE FastFixation installation system pressure-proof, flexible connection hoses between spout and side valves union nut 1/2" x 10.5 mm</p> | | |
|  | 29 303 003 29 303 DC3 29 303 AL3 | Chrome supersteel brushed hard graphite | 4005176529764 4005176574108 4005176585654 |
|  | <p>GROHE Plus 2-hole basin mixer M-Size wall mounted set for final installation for 23 200 000 without concealed body metal escutcheon metal lever GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving SpeedClean mousseur 5.7 l/min GROHE AquaGuide adjustable mousseur centre distance 110 mm projection 147 mm min. recommended pressure 1.0 bar</p> | | |
| | 29 306 003 | Chrome | 4005176529771 |
| | ditto, projection 203 mm | | |


Ref. No. Colour EAN

23 200 002 4005176519901




Single-lever mixer 1/2", concealed body
 for 2 hole basin mixer
 wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
 adjustable flow rate limiter
 spout can be positioned on the right or left
 installation depth 45 to 75 mm
 DR-brass
 installation device
 allows for waterproofing of wall construction surrounding the concealed body
 with sealing sleeve

23 200 000 4005176908354




Single-lever mixer 1/2", concealed body
 for 2 hole basin mixer
 wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
 adjustable flow rate limiter
 installation depth 45 to 75 mm
 DR-brass
 installation device

33 241 003 Chrome 4005176529849
 33 241 DC3 supersteel 4005176574184
 33 241 AL3 brushed hard graphite 4005176585739



GROHE Plus
Bidet mixer 1/2"
 monobloc installation
 metal lever
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
 rapid installation system
 ball-joint mousseur
 pop-up waste set 1 1/4"
 flexible connection hoses
 min. recommended pressure 1.0 bar


33 577 003 Chrome 4005176529801
 33 577 DC3 supersteel 4005176574139
 33 577 AL3 brushed hard graphite 4005176585685



GROHE Plus
Single-lever shower mixer 1/2"
 wall mounted
 metal lever
GROHE SilkMove 35 mm ceramic cartridge
 with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
 shower outlet 1/2"
 integrated non-return valve
 covered S-unions
 protected against backflow
 min. recommended pressure 1.0 bar


Ref. No. Colour EAN

34 719 000 Chrome 4005176457654




Grotherm SmartControl
Thermostatic shower mixer 1/2"
 wall mounted
GROHE CoolTouch prevents scalding on hot surfaces
GROHE Long-Life Shine durable sparkling sheen
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SmartControl push for ON-OFF, turn for volume adjustment from
GROHE Water Saving to full flow
 integrated **GROHE EasyReach** shower tray
 shower bottom outlet 1/2"
 built-in non return valve
 and dirt strainers
 protected against backflow

33 553 003 Chrome 4005176529795
 33 553 DC3 supersteel 4005176574122
 33 553 AL3 brushed hard graphite 4005176585678




GROHE Plus
Single-lever bath/shower mixer 1/2"
 wall mounted
 metal lever
GROHE SilkMove 35 mm ceramic cartridge
 with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
 automatic diverter: bath/shower
 laminar mousseur
 shower outlet 1/2"
 integrated non-return valve
 covered S-unions
 protected against backflow
 min. recommended pressure 1.0 bar

34 718 000 Chrome 4005176457647














Grotherm SmartControl
Thermostatic bath/shower mixer 1/2"
 wall mounted
GROHE CoolTouch prevents scalding on hot surfaces
GROHE Long-Life Shine durable sparkling sheen
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SmartControl push for ON-OFF, turn for volume adjustment from
GROHE Water Saving to full flow
 integrated **GROHE EasyReach** shower tray
 shower bottom outlet 1/2"
 bath spout with mousseur
 built-in non return valve
 and dirt strainers
 protected against backflow











33 547 003 Chrome 4005176529818











GROHE Plus
Single-lever bath/shower mixer 1/2"
 wall mounted
 metal lever
GROHE SilkMove 35 mm ceramic cartridge
 with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
 automatic diverter: bath/shower
 laminar mousseur
 shower outlet 1/2"
 integrated non-return valve
 covered S-unions
 protected against backflow
 with shower set
 Consisting of:
 hand shower Euphoria Cube Stick (27 698 000)
 wall shower holder (27 693 000)
 Silverflex shower hose 1.500 mm (28 364)
 min. recommended pressure 1.0 bar


| | Ref. No. | Colour | EAN |
|---|--|-----------------------|---------------|
|   | 40 954 000 | Chrome | 4005176496844 |
| | GROHE Plus Tray suitable for 33 553 003 33 547 003 33 577 003 | | |
|   | 24 059 003 | Chrome | 4005176529832 |
| | 24 059 DC3 | supersteel | 4005176574153 |
| | 24 059 AL3 | brushed hard graphite | 4005176585708 |
| | GROHE Plus Single-lever shower mixer trim set for final installation for GROHE Rapido SmartBox 35 600/35 604 GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life Shine durable sparkling sheen wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever flow performance: outlet B or C = 30 l/min without roughing-in-set | | |
| | 35 604 000 | | 4005176698774 |
| |  GROHE Rapido SmartBox universal rough-in box for concealed installation | | |
|   | 24 060 003 | Chrome | 4005176529825 |
| | 24 060 DC3 | supersteel | 4005176574146 |
| | 24 060 AL3 | brushed hard graphite | 4005176585692 |
| | GROHE Plus Single-lever mixer with 2-way diverter set for final installation for GROHE Rapido SmartBox 35 600/35 604 GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life Shine durable sparkling sheen wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever automatic 2-way diverter flow performance: outlet B = 27 l/min, outlet C = 27 l/min without roughing-in-set | | |
| | 35 604 000 | | 4005176698774 |
| |  GROHE Rapido SmartBox universal rough-in box for concealed installation | | |
|   | 24 093 003 | Chrome | 4005176530050 |
| | 24 093 DC3 | supersteel | 4005176574214 |
| | 24 093 AL3 | brushed hard graphite | 4005176585760 |
| | GROHE Plus Single-lever mixer with 3-way diverter set for final installation for GROHE Rapido SmartBox 35 600/35 604 GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life Shine durable sparkling sheen wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever 3-way diverter flow performance: outlet A = 27 l/min, outlet B = 27 l/min, outlet C = 27 l/min without roughing-in-set | | |
| | 35 604 000 | | 4005176698774 |
| |  GROHE Rapido SmartBox universal rough-in box for concealed installation | | |

GROHE PLUS

| | Ref. No. | Colour | EAN |
|--|--|---|---|
|   | 25 132 003 | Chrome | 4005176529870 |
| <p>GROHE Plus Two-handed Bath filler 1/2" deck mounted metal handles GROHE Long-Life headpart 3/4" recommended pressure 0.2 - 5.0 bar GROHE Long-Life Shine finish</p> | | | |
|   | 25 133 003 | Chrome | 4005176529887 |
| <p>GROHE Plus Two-handed Bath/Shower mixer 1/2" deck mounted metal handles GROHE Long-Life headpart 3/4" automatic diverter: bath/shower integrated non-return valve in the shower outlet 1/2" recommended pressure 0.2 - 5.0 bar GROHE Long-Life Shine finish</p> | | | |
|   | 29 307 003 29 307 DC3 29 307 AL3 | Chrome supersteel brushed hard graphite | 4005176529993 4005176574160 4005176585715 |
| <p>GROHE Plus 4-hole single-lever bath combination GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE Long-Life Shine durable sparkling sheen Consisting of: pre-assembled spout laminar mousseur single lever mixer operating element metal lever diverter bath/shower hand shower Euphoria Cube 6.6 l/min metal shower hose 2000 mm (always chrome for any colour of the set) flexible connection hoses connection for shower hose protected against backflow can be used with 29 037 002 min. recommended pressure 1.0 bar</p> | | | |
|   | 23 845 003 | Chrome | 4005176496677 |
| <p>GROHE Plus 3-hole single-lever bath combination Three hole installation GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE Long-Life Shine durable sparkling sheen Consisting of: single lever mixer operating element diverter bath/shower without spout Euphoria Cube hand shower 7.6 l/min metal shower hose 2000 mm (always chrome for any colour of the set) flexible connection hoses connection for shower hose protected against backflow can be used with 29 037 002 for combination with 28 990 / 28 991 min. recommended pressure 1.0 bar</p> | | | |
|   | 29 037 002 | | 4005176519918 |
| <p>4/5-hole bath combination (optional) baseframe for installation under tiled surround base frame drainage box with integrated outlet for splash water allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve caps to cover screw fixations always come in chrome color</p> | | | |

| | Ref. No. | Colour | EAN |
|---|---|---|---------------|
|  | 23 846 003 | Chrome | 4005176496684 |
| | 23 846 DC3 | supersteel | 4005176574177 |
| | 23 846 AL3 | brushed hard graphite | 4005176585722 |
|  | <p>GROHE Plus Single-lever bath mixer 1/2", floor mounted set for final installation for 45 984 001 without roughing-in-set GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE Long-Life Shine durable sparkling sheen automatic diverter: bath/shower spout with laminar mousseur projection 282 mm integrated non-return valve in the shower outlet 1/2" with shower holder hand shower Euphoria Cube 6.6 l/min Silverflex shower hose 1250 mm (28 362) protected against backflow min. recommended pressure 1.0 bar</p> | | |
|  | 45 984 001 | | 4005176992056 |
| |  | <p>Rough-in set 1/2" for floor-mounted bath mixers/spouts and shower mixers without finishing trim set installation plate with 360° horizontal and 3° vertical adjustment installation depth 53-157 mm for bath mixers/spouts, depth compensation 104 mm installation depth 65-157 mm for shower mixers, depth compensation 92 mm two 1/2" female connections (hot/cold supplies) flushing plug Can take a single mixed supply fixing material</p> | |
|  | 29 086 000 | | 4005176935497 |
| |  | <p>Rough-in set 1/2" for floor-mounted tub spouts and mixers without finishing trim set installation plate with 360° horizontal and 3° vertical adjustment installation depth 47-151 mm depth compensation 104 mm two 1/2" female connections (hot/cold supplies) flushing plug</p> | |
|  | 13 404 003 | Chrome | 4005176529788 |
| | 13 404 DC3 | supersteel | 4005176574115 |
|  | <p>GROHE Plus Bath spout wall mounted GROHE Long-Life Shine durable sparkling sheen laminar mousseur male thread 1/2" projection 168 mm</p> | | |

GROHE PLUS



| Ref. No. | Colour | EAN |
|------------|-------------------------|---------------|
| 26 507 000 | ★ Chrome | 4005176457586 |
| 26 507 LS0 | moon white | 4005176457609 |
| 26 507 DC0 | ★ supersteel | 4005176526374 |
| 26 507 AL0 | ★ brushed hard graphite | 4005176557422 |

Euphoria SmartControl System 310 Duo Shower system with thermostat for wall mounting

Consisting of:

horizontal 450 mm shower arm
upper bracket adjustable for minimal adaption to existing drilling holes
exposed SmartControl thermostat

allows change between:

head shower Rainshower SmartActive 310

2 spray patterns:

GROHE PureRain, ActiveRain

hand shower Euphoria 110 Massage, spray plate white (27 221 001)

3 spray patterns:

Rain, SmartRain, Massage

adjustable height via gliding element

Silverflex shower hose 1750 mm (28 388 000)

GROHE DreamSpray perfect spray pattern

GROHE Long-Life Shine durable sparkling sheen

GROHE CoolTouch prevents scalding on hot surfaces

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE ProGrip with knurl structure

GROHE Water Saving - Less water, perfect flow

- GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE SmartControl push for ON-OFF, turn for volume adjustment from

GROHE Water Saving to full flow

integrated **GROHE EasyReach** shower tray


SpeedClean anti-limescale system

Inner WaterGuide for a longer life

TwistStop preventing the hose from twisting

suitable for instantaneous heaters from 18 kW/h

minimum flow rate 7 l/min.



| | | |
|------------|-----------------------|---------------|
| 26 508 000 | Chrome | 4005176457593 |
| 26 508 LS0 | moon white | 4005176457616 |
| 26 508 DC0 | supersteel | 4005176526367 |
| 26 508 AL0 | brushed hard graphite | 4005176557507 |

Euphoria SmartControl System 310 Cube Duo Shower system with thermostat for wall mounting

Consisting of:

horizontal 450 mm shower arm
upper bracket adjustable for minimal adaption to existing drilling holes
exposed SmartControl thermostat

allows change between:

head shower Rainshower SmartActive 310 Cube

2 spray patterns:

GROHE PureRain, ActiveRain

hand shower Euphoria Cube (27 699 000) 9.5 l/min.

adjustable height via gliding element

Silverflex shower hose 1750 mm (28 388 000)

GROHE DreamSpray perfect spray pattern

GROHE CoolTouch prevents scalding on hot surfaces

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE ProGrip with knurl structure

GROHE Water Saving - Less water, perfect flow

GROHE Long-Life Shine durable sparkling sheen

- GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE SmartControl push for ON-OFF, turn for volume adjustment from

GROHE Water Saving to full flow

integrated **GROHE EasyReach** shower tray






SpeedClean anti-limescale system

Inner WaterGuide for a longer life


TwistStop preventing the hose from twisting

suitable for instantaneous heaters from 18 kW/h

minimum flow rate 7 l/min.


| | Ref. No. | Colour | EAN |
|---|---------------------|------------------------------|----------------------|
|  | 34 705 000 | Chrome | 4005176413285 |
| <p>Grotherm SmartControl Perfect shower set with Rainshower SmartActive 310 Consisting of: concealed thermostat with 3 valves Grotherm SmartControl set for final installation (29 121 000) GROHE Rapido SmartBox 35 600/35 604 Rainshower 310 head shower set (26 475) including head shower with 2 sprays, horizontal shower arm 400 mm and head shower rough-in (26 483 000) Euphoria Cosmopolitan Stick handshower (27 367) Rainshower wall holder (27 074 000) Rainshower wall union 1/2" (27 057 000) Silverflex shower hose 1.500 mm (28 364)</p> | | | |
|  | 34 804 000 | Chrome | 4005176686740 |
| <p>Grotherm SmartControl Perfect shower set with Rainshower SmartActive 310 Cube Consisting of: concealed thermostat with 3 valves Grotherm SmartControl set for final installation (29 126 000) GROHE Rapido SmartBox (35 604) Rainshower SmartActive 310 Cube head shower set (26 479) including head shower with 2 sprays, horizontal shower arm 400 mm and head shower rough-in (26 483 000) hand shower Euphoria Cube Stick (27 698 000) Euphoria Cube wall union with integrated shower holder (26 370 000) Rotaflex Metal Long-Life TwistStop shower hose 1500 mm (28 417) professional edition</p> | | | |
|  | 19 952 000 ★ | Chrome | 4005176174230 |
| | 19 952 DC0 ★ | supersteel | 4005176467776 |
| | 19 952 AL0 ★ | brushed hard graphite | 4005176353376 |
| <p>Talentofill Inlet-, pop-up and waste-system set for final installation escutcheon supply part waste plug fixing set</p> <p>in combination with Talentofill 28 990 000/28 991 000</p> | | | |
|  | 19 025 000 | Chrome | 4005176209154 |
| <p>Talento Waste and overflow set for baths set for final installation escutcheon waste plug fixing set in combination with Talento 28 939 000/28 943 000 GROHE Long-Life Shine durable sparkling sheen</p> | | | |
|  | 40 564 000 | Chrome | 4005176912740 |
| | 40 564 DC0 | supersteel | 4005176491795 |
| | 40 564 AL0 | brushed hard graphite | 4005176491788 |
| <p>Bottle trap for wash basin GROHE Long-Life Shine durable sparkling sheen brass body</p> | | | |

GROHE PLUS




| Ref. No. | Colour | EAN |
|------------|-------------------------|---------------|
| 28 912 000 | ★ Chrome | 4005176266751 |
| 28 912 DC0 | ★ supersteel | 4005176467905 |
| 28 912 AL0 | ★ brushed hard graphite | 4005176467844 |

Bottle trap, 1 1/4"
for basins
brass
(screw-top for cleaning)
large sliding escutcheon
GROHE Long-Life Shine durable sparkling sheen



| | | |
|------------|-----------------------|---------------|
| 37 535 000 | Chrome | 4005176416019 |
| 37 535 DC0 | supersteel | 4005176416040 |
| 37 535 AL0 | brushed hard graphite | 4005176431357 |


Skate Cosmopolitan S
Flush plate
for dual flush or start & stop actuation
for pneumatic drop valve AV1
compatible with Rapid SL/GD2 1.13 m
for vertical installation
130 x 172 mm
made of ABS
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving - Less water, perfect flow
flush plate with magnetic holder and fixing brackets included
compatible with Rapid SLX
for use with Rapid SL and Uniset with GD 2 cistern please order shaft 40 911 000
(sold separately)



| | | |
|------------|-----------------------|---------------|
| 37 624 000 | Chrome | 4005176416095 |
| 37 624 DC0 | supersteel | 4005176416125 |
| 37 624 AL0 | brushed hard graphite | 4005176529115 |


Arena Cosmopolitan S
Flush plate
for dual flush or start & stop actuation
for pneumatic drop valve AV1
compatible with Rapid SL/GD2 1.13 m
for vertical installation
130 x 172 mm
made of ABS
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving - Less water, perfect flow
flush plate with magnetic holder and fixing brackets included
compatible with Rapid SLX
for use with Rapid SL and Uniset with GD 2 cistern please order shaft 40 911 000
(sold separately)
colours BE and EN available until 31 March 2023

GROHE EUROPLUS




| Ref. No. | Colour | EAN |
|------------|--------|---------------|
| 33 155 002 | Chrome | 4005176865947 |

Europlus
Basin mixer 1/2"
S-Size
 monobloc installation
 metal lever
GROHE SilkMove 35 mm ceramic cartridge
 adjustable minimum flow rate 2.5 l/min
 temperature limiter
GROHE Long-Life Shine durable sparkling sheen
 rapid installation system
 pull out spout with mousseur
 integrated non-return valve
 pop-up waste set 1 1/4"
 flexible connection hoses




| Ref. No. | Colour | EAN |
|--------------|-----------------------|---------------|
| 24 171 001 ★ | Chrome | 4005176698309 |
| 24 171 DC1 ★ | supersteel | 4005176711466 |
| 24 171 GL1 ★ | cool sunrise | 4005176711497 |
| 24 171 GN1 ★ | brushed cool sunrise | 4005176712036 |
| 24 171 DA1 ★ | warm sunset | 4005176711459 |
| 24 171 DL1 ★ | brushed warm sunset | 4005176711473 |
| 24 171 A01 | hard graphite | 4005176711428 |
| 24 171 AL1 ★ | brushed hard graphite | 4005176711435 |

Essence
Basin mixer 1/2"
S-Size
 monobloc installation
 metal lever
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE FastFixation Plus installation system
 pop-up waste set 1 1/4"
 flexible connection hoses
 professional edition
 replaces Essence basin mixer 23 589 xx1



| | | |
|--------------|-----------------------|---------------|
| 24 172 001 ★ | Chrome | 4005176698316 |
| 24 172 DC1 ★ | supersteel | 4005176712081 |
| 24 172 GL1 ★ | cool sunrise | 4005176712111 |
| 24 172 GN1 ★ | brushed cool sunrise | 4005176712128 |
| 24 172 DA1 ★ | warm sunset | 4005176712074 |
| 24 172 DL1 ★ | brushed warm sunset | 4005176712098 |
| 24 172 A01 | hard graphite | 4005176712043 |
| 24 172 AL1 ★ | brushed hard graphite | 4005176712050 |

Essence
Basin mixer 1/2"
S-Size
 monobloc installation
 metal lever
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE FastFixation Plus installation system
 smooth body
 flexible connection hoses
 professional edition
 replaces Essence basin mixer 23 590 xx1




| | | |
|------------|---------------|---------------|
| 24 172 KF1 | phantom black | 4005176782398 |
|------------|---------------|---------------|

Essence
Basin mixer 1/2"
S-Size
 monobloc installation
 metal lever
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 with temperature limiter
GROHE Long-Life Shine finish
GROHE Water Saving mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE FastFixation Plus installation system
 smooth body
 flexible connection hoses


GROHE ESSENCE

Ref. No. Colour EAN




24 180 001 Chrome 4005176698446

Essence
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove Energy Saving 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE FastFixation Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses
professional edition
replaces Essence basin mixer 23 591 001




24 179 001 Chrome 4005176698439

Essence
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove Energy Saving 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE FastFixation Plus installation system
smooth body
waste set with push-open plug
flexible connection hoses
professional edition
replaces Essence basin mixer 23 797 001



24 175 001 Chrome 4005176698347

Essence
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE FastFixation Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses
professional edition
replaces Essence basin mixer 32 898 001




34 813 001 Chrome 4005176698392

Essence
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE FastFixation Plus installation system
smooth body
flexible connection hoses
professional edition
replaces Essence basin mixer 34 294 001

Ref. No. Colour EAN




24 183 001 Chrome 4005176698491



Essence
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove Energy Saving 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE FastFixation Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses
professional edition
replaces Essence basin mixer 23 379 001




24 173 001 ★ Chrome 4005176698323
24 173 DC1 ★ supersteel 4005176711282
24 173 GL1 ★ cool sunrise 4005176711312
24 173 GN1 ★ brushed cool sunrise 4005176711329
24 173 DA1 ★ warm sunset 4005176711275
24 173 DL1 ★ brushed warm sunset 4005176711299
24 173 A01 hard graphite 4005176712005
24 173 AL1 ★ brushed hard graphite 4005176712012



Essence
Basin mixer 1/2"
M-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE FastFixation Plus installation system
swivel spout with mousseur
and stop limiter
pop-up waste set 1 1/4"
flexible connection hoses
professional edition
replaces Essence basin mixer 23 462 xx1



23 480 001 Chrome 4005176306921




Essence
Basin mixer 1/2"
M-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE FastFixation Plus installation system
swivel spout with mousseur
and stop limiter
retractable chain
flexible connection hoses

Ref. No. Colour EAN




24 176 001 Chrome 4005176698378



Essence
Basin mixer 1/2"
M-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE FastFixation Plus installation system
swivel spout with mousseur
and stop limiter
smooth body
flexible connection hoses
professional edition
replaces Essence basin mixer 23 463 001




24 176 KF1 phantom black 4005176782367






Essence
Basin mixer 1/2"
M-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE Long-Life Shine finish
GROHE Water Saving mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE FastFixation Plus installation system
swivel spout with mousseur
and stop limiter
smooth body
flexible connection hoses
professional edition









24 174 001 ★ Chrome 4005176698330
24 174 DC1 ★ supersteel 4005176711565
24 174 GL1 ★ cool sunrise 4005176711596
24 174 GN1 ★ brushed cool sunrise 4005176711602
24 174 DA1 ★ warm sunset 4005176711558
24 174 DL1 ★ brushed warm sunset 4005176711572
24 174 A01 hard graphite 4005176711527
24 174 AL1 ★ brushed hard graphite 4005176711534




Essence
Single-lever basin mixer 1/2"
L-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE FastFixation Plus installation system
swivel spout with mousseur
and stop limiter
pop-up waste set 1 1/4"
flexible connection hoses
professional edition
replaces Essence basin mixer 32 628 xx1

| | Ref. No. | Colour | EAN |
|---|--|--------|---------------|
|  |  24 177 001 | Chrome | 4005176698408 |
|  | <p>Essence Single-lever basin mixer 1/2" L-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min GROHE AquaGuide adjustable mousseur GROHE FastFixation Plus installation system swivel spout with mousseur and stop limiter smooth body flexible connection hoses professional edition replaces Essence basin mixer 23 541 001</p> | | |

| | | | |
|--|--|---------------|---------------|
|  |  24 177 KF1 | phantom black | 4005176782350 |
|  | <p>Essence Single-lever basin mixer 1/2" L-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE Long-Life Shine finish GROHE Water Saving mousseur 5.7 l/min GROHE AquaGuide adjustable mousseur GROHE FastFixation Plus installation system swivel spout with mousseur and stop limiter smooth body flexible connection hoses professional edition</p> | | |

| | | | |
|---|---|-----------------------|---------------|
|  |  24 170 001 ★ | Chrome | 4005176698293 |
| | 24 170 DC1 ★ | supersteel | 4005176711657 |
| | 24 170 GL1 ★ | cool sunrise | 4005176711688 |
| | 24 170 GN1 ★ | brushed cool sunrise | 4005176711695 |
| | 24 170 DA1 ★ | warm sunset | 4005176711640 |
| | 24 170 DL1 ★ | brushed warm sunset | 4005176711664 |
| | 24 170 A01 | hard graphite | 4005176711619 |
| | 24 170 AL1 ★ | brushed hard graphite | 4005176711626 |
|  | <p>Essence Basin mixer 1/2" XL-Size monobloc installation metal lever for free-standing basins 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min GROHE AquaGuide adjustable mousseur GROHE FastFixation Plus rapid installation system swivel spout with mousseur and stop limiter smooth body flexible connection hoses professional edition replaces Essence basin mixer 32 901 xx1</p> | | |


GROHE ESSENCE




| Ref. No. | Colour | EAN |
|------------|---------------|---------------|
| 24 170 KF1 | phantom black | 4005176782374 |

Essence
Basin mixer 1/2"
XL-Size
 monobloc installation
 metal lever
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 with temperature limiter
GROHE Long-Life Shine finish
GROHE Water Saving mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE FastFixation Plus installation system
 swivel spout with mousseur
 and stop limiter
 smooth body
 flexible connection hoses

| | | |
|------------|-----------------------|---------------|
| 36 445 000 | Chrome | 4005176415678 |
| 36 445 DC0 | supersteel | 4005176686542 |
| 36 445 GL0 | cool sunrise | 4005176686559 |
| 36 445 GN0 | brushed cool sunrise | 4005176686566 |
| 36 445 DA0 | warm sunset | 4005176686573 |
| 36 445 DL0 | brushed warm sunset | 4005176686788 |
| 36 445 A00 | hard graphite | 4005176686795 |
| 36 445 AL0 | brushed hard graphite | 4005176686801 |




Essence E
Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter
 with infrared sensor for bi-directional communication for monitoring, configuration and servicing
 6V lithium battery, type CR-P2
 battery lifetime approx. 7 years (150 actuations a day)
GROHE Long-Life Shine durable sparkling sheen
 adjustable swivel area 0° / 150° / 360°
 laminar spray regulator 5.0 l/min
 flexible connection hoses
 non-return valve
 dirt strainers
 with integrated solenoid valve
 external battery
 rapid installation system
 multistage battery status display
 7 pre-set programs
 auto flush
 thermal disinfection
 cleaning mode
 additional functions and precise settings
 by remote control 36 407
 CE approved
 noise classification 1 in accordance with DIN4109
 type of protection faucet IP 59K



| | | |
|------------|--------|---------------|
| 20 296 001 | Chrome | 4005176307072 |
|------------|--------|---------------|

Essence
Three-hole basin mixer 1/2"
M-Size
 metal lever
 ceramic headparts 1/2", 90°
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
 pop-up waste set 1 1/4"
 pressure-proof, flexible connection hoses
 between spout and side valves
 union nut 1/2" x 10.5 mm

GROHE ESSENCE




| Ref. No. | Colour | EAN |
|------------|--------|---------------|
| 20 299 001 | Chrome | 4005176307096 |

Essence
3-hole basin mixer
L-Size
 metal lever
 ceramic headparts 1/2", 90°
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE FastFixation installation system
GROHE AquaGuide adjustable mousseur
 pop-up waste set 1 1/4"
 pressure-proof, flexible connection hoses
 between spout and side valves
 union nut 1/2" x 10.5 mm




| | | |
|------------|-------------------------|---------------|
| 29 192 001 | ★ Chrome | 4005176698279 |
| 29 192 DC1 | ★ supersteel | 4005176711770 |
| 29 192 GL1 | ★ cool sunrise | 4005176711800 |
| 29 192 GN1 | ★ brushed cool sunrise | 4005176711817 |
| 29 192 DA1 | ★ warm sunset | 4005176711763 |
| 29 192 DL1 | ★ brushed warm sunset | 4005176711787 |
| 29 192 A01 | hard graphite | 4005176711732 |
| 29 192 AL1 | ★ brushed hard graphite | 4005176711749 |



Essence
2-hole basin mixer
M-Size
 wall mounted
 set for final installation for
 23 571 000
without concealed body
 metal escutcheon
 metal lever
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
 centre distance 110 mm
 projection 183 mm
 professional edition
 replaces Essence two-hole basin mixer 19 408 xx1



| | | |
|------------|---------------|---------------|
| 29 192 KF1 | phantom black | 4005176782411 |
|------------|---------------|---------------|




Essence
2-hole basin mixer
M-Size
 wall mounted
 set for final installation for
 23 571 000
without concealed body
 metal escutcheon
 metal lever
GROHE Long-Life Shine finish
GROHE Water Saving mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
 centre distance 110 mm
 projection 183 mm
 professional edition

GROHE ESSENCE

Ref. No. Colour EAN




| | | |
|------------|-------------------------|---------------|
| 29 193 001 | ★ Chrome | 4005176698286 |
| 29 193 DC1 | ★ supersteel | 4005176711954 |
| 29 193 GL1 | ★ cool sunrise | 4005176711985 |
| 29 193 GN1 | ★ brushed cool sunrise | 4005176711992 |
| 29 193 DA1 | ★ warm sunset | 4005176711947 |
| 29 193 DL1 | ★ brushed warm sunset | 4005176711961 |
| 29 193 A01 | hard graphite | 4005176711916 |
| 29 193 AL1 | ★ brushed hard graphite | 4005176711923 |



Essence
2-hole basin mixer
L-Size
 wall mounted
 set for final installation for
 23 571 000
without concealed body
 metal escutcheon
 metal lever
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
 centre distance 110 mm
 projection 230 mm
replaces 19 967 001
 professional edition
 replaces Essence two-hole basin mixer 19 967 xx1


23 571 000 4005176334276














Single-lever mixer 1/2", universal concealed body
 for 2 hole basin mixer
 wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
 adjustable flow rate limiter
 with temperature limiter
 spout can be positioned on the right or left
 DR-brass
 installation device
 allows for waterproofing of wall construction surrounding the concealed body
 with sealing sleeve










| | | |
|------------|-------------------------|---------------|
| 24 178 001 | ★ Chrome | 4005176698415 |
| 24 178 DC1 | ★ supersteel | 4005176712395 |
| 24 178 GL1 | ★ cool sunrise | 4005176712425 |
| 24 178 GN1 | ★ brushed cool sunrise | 4005176712432 |
| 24 178 DA1 | ★ warm sunset | 4005176712388 |
| 24 178 DL1 | ★ brushed warm sunset | 4005176712401 |
| 24 178 A01 | hard graphite | 4005176711701 |
| 24 178 AL1 | ★ brushed hard graphite | 4005176711718 |



Essence
Bidet mixer 1/2"
S-Size
 monobloc installation
 metal lever
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE FastFixation Plus installation system
 ball-joint mousseur
 pop-up waste set 1 1/4"
 flexible connection hoses
 professional edition
 replaces Essence bidet mixer 32 935 xx1



| | Ref. No. | Colour | EAN |
|---|--|--|--|
|  |  24 395 KF1 | phantom black | 4005176782428 |
|  | Essence Bidet mixer 1/2" S-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE FastFixation Plus installation system ball-joint mousseur smooth body flexible connection hoses | | |
|  |  25 252 001 ★ 25 252 DC1 ★ 25 252 GL1 ★ 25 252 GN1 ★ 25 252 DA1 ★ 25 252 DL1 ★ 25 252 A01 25 252 AL1 ★ | Chrome supersteel cool sunrise brushed cool sunrise warm sunset brushed warm sunset hard graphite brushed hard graphite | 4005176698385 4005176711220 4005176711251 4005176711268 4005176711213 4005176711237 4005176711183 4005176711190 |
|  | Essence Single-lever shower mixer 1/2" wall mounted metal lever GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE Long-Life Shine durable sparkling sheen shower outlet 1/2" integrated non-return valve S-unions protected against backflow professional edition replaces Essence shower mixer 33 636 xx1 | | |
|  |  25 252 KF1 | phantom black | 4005176782381 |
|  | Essence Single-lever shower mixer 1/2" wall mounted metal lever GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE Long-Life Shine finish shower outlet 1/2" integrated non-return valve S-unions protected against backflow professional edition | | |
|  | 34 765 000 | Chrome | 4005176612022 |
|  | Grohtherm 800 Cosmopolitan Thermostatic shower mixer 1/2" wall mounted GROHE Long-Life Shine durable sparkling sheen GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon GROHE Water Saving - Less water, perfect flow | | |

GROHE ESSENCE

| | Ref. No. | Colour | EAN |
|---|--|------------------------|---------------|
|  |  | | |
| | 25 250 001 | ★ Chrome | 4005176698354 |
| | 25 250 DC1 | ★ supersteel | 4005176712487 |
| | 25 250 GL1 | ★ cool sunrise | 4005176711169 |
| | 25 250 GN1 | ★ brushed cool sunrise | 4005176711176 |
| | 25 250 DA1 | ★ warm sunset | 4005176712470 |
| | 25 250 DL1 | ★ brushed warm sunset | 4005176712494 |
| | 25 250 A01 | ★ hard graphite | 4005176712449 |
| 25 250 AL1 | ★ brushed hard graphite | 4005176712456 | |
|  | Essence Single-lever bath/shower mixer 1/2" wall mounted metal lever GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE Long-Life Shine durable sparkling sheen automatic diverter: bath/shower mousseur shower outlet 1/2" integrated non-return valve S-unions protected against backflow professional edition replaces Essence bath mixer 33 624 xx1 | | |
| |  | | |
|  | 25 250 KF1 phantom black 4005176782404 Essence Single-lever bath/shower mixer 1/2" wall mounted metal lever GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE Long-Life Shine finish automatic diverter: bath/shower mousseur shower outlet 1/2" integrated non-return valve S-unions protected against backflow | | |
| |  | | |
|  | 25 249 001 Chrome 4005176698262 Essence Single-lever bath/shower mixer 1/2" wall mounted metal lever GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE Long-Life Shine durable sparkling sheen automatic diverter: bath/shower mousseur shower outlet 1/2" integrated non-return valve S-unions protected against backflow with shower set Consisting of: Euphoria Cosmopolitan Stick handshower (27 367) wall shower holder Tempesta 100 Cosmopolitan (27 594 000) Silverflex shower hose 1.500 mm (28 364) professional edition replaces Essence bath mixer 33 628 001 | | |



GROHE ESSENCE

| Ref. No. | Colour | EAN |
|------------|--------|---------------|
| 34 766 000 | Chrome | 4005176612039 |

Grohtherm 800 Cosmopolitan
Thermostatic bath/shower mixer 1/2"
 wall mounted
GROHE Long-Life Shine durable sparkling sheen
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
 with wax thermoelement
 integrated mixed water shut off
 automatic diverter: bath/shower
 volume handle with **GROHE EcoButton**
 (economy button with individually
 adjustable economy stop)
 ceramic headpart 1/2", 180°
 shower bottom outlet 1/2"
 mousseur
 built-in non return valves
 dirt strainers
 protected against backflow
 S-unions
 metal escutcheon
GROHE Water Saving - Less water, perfect flow

| Ref. No. | Colour | EAN |
|------------|-------------------------|---------------|
| 24 168 001 | ★ Chrome | 4005176698453 |
| 24 168 DC1 | ★ supersteel | 4005176712173 |
| 24 168 GL1 | ★ cool sunrise | 4005176712203 |
| 24 168 GN1 | ★ brushed cool sunrise | 4005176712210 |
| 24 168 DA1 | ★ warm sunset | 4005176712166 |
| 24 168 DL1 | ★ brushed warm sunset | 4005176712180 |
| 24 168 A01 | hard graphite | 4005176712135 |
| 24 168 AL1 | ★ brushed hard graphite | 4005176712142 |






Essence
Single-lever shower mixer trim
 set for final installation for
 GROHE Rapido SmartBox (35 604)
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
 wall escutcheon with **GROHE FastFixation**
 (covered escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
 metal lever
 flow performance:
 outlet B or C = 30 l/min
without roughing-in-set
 professional edition
 replaces Essence shower mixer 24 057 xx1


| Ref. No. | Colour | EAN |
|------------|--------|---------------|
| 35 604 000 | | 4005176698774 |

GROHE Rapido SmartBox universal rough-in box for concealed installation

| Ref. No. | Colour | EAN |
|------------|-------------------------|---------------|
| 24 167 001 | ★ Chrome | 4005176698422 |
| 24 167 DC1 | ★ supersteel | 4005176712265 |
| 24 167 GL1 | ★ cool sunrise | 4005176712296 |
| 24 167 GN1 | ★ brushed cool sunrise | 4005176712302 |
| 24 167 DA1 | ★ warm sunset | 4005176712258 |
| 24 167 DL1 | ★ brushed warm sunset | 4005176712272 |
| 24 167 A01 | hard graphite | 4005176712227 |
| 24 167 AL1 | ★ brushed hard graphite | 4005176712234 |
| 24 167 KF1 | phantom black | 4005176782343 |

Essence
Single-lever mixer with 2-way diverter
 set for final installation for
 GROHE Rapido SmartBox (35 604)
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
 wall escutcheon with **GROHE FastFixation**
 (covered escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
 metal lever
 automatic 2-way diverter
 flow performance:
 outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set
 professional edition
 replaces Essence single-lever mixer with 2-way diverter 24 058 xx1




| Ref. No. | Colour | EAN |
|------------|---------------|---------------|
| 24 167 KF1 | phantom black | 4005176782343 |

Essence
Single-lever mixer with 2-way diverter
 set for final installation for
 GROHE Rapido SmartBox (35 604)
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine finish
 wall escutcheon with **GROHE FastFixation**
 (covered escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
 metal lever
 automatic 2-way diverter
 flow performance:
 outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set



| | | |
|--|--|---------------|
| 35 604 000 | | 4005176698774 |
| GROHE Rapido SmartBox universal rough-in box for concealed installation | | |




| | | |
|------------|-----------------------|---------------|
| 24 169 001 | Chrome | 4005176698477 |
| 24 169 DC1 | supersteel | 4005176712357 |
| 24 169 GL1 | cool sunrise | 4005176711503 |
| 24 169 GN1 | brushed cool sunrise | 4005176711510 |
| 24 169 DA1 | warm sunset | 4005176712340 |
| 24 169 DL1 | brushed warm sunset | 4005176712364 |
| 24 169 A01 | hard graphite | 4005176712319 |
| 24 169 AL1 | brushed hard graphite | 4005176712326 |



Essence
Single-lever mixer with 3-way diverter
 set for final installation for
 GROHE Rapido SmartBox (35 604)
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
 wall escutcheon with **GROHE FastFixation**
 (covered escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
 metal lever
3-way diverter
 flow performance:
 outlet A = 27 l/min,
 outlet B = 27 l/min,
 outlet C = 27 l/min
without roughing-in-set
 professional edition
 replaces Essence single-lever mixer with 3-way diverter 24 092 xx1



| | | |
|--|--|---------------|
| 35 604 000 | | 4005176698774 |
| GROHE Rapido SmartBox universal rough-in box for concealed installation | | |




| | | |
|------------|--------|---------------|
| 34 705 000 | Chrome | 4005176413285 |
|------------|--------|---------------|

Grotherm SmartControl
Perfect shower set with Rainshower SmartActive 310
 Consisting of:
 concealed thermostat with 3 valves
 Grotherm SmartControl set for final installation
 (29 121 000)
 GROHE Rapido SmartBox 35 600/35 604
 Rainshower 310 head shower set (26 475) including head shower with 2 sprays,
 horizontal shower arm 400 mm and head shower rough-in (26 483 000)
 Euphoria Cosmopolitan Stick handshower (27 367)
 Rainshower wall holder (27 074 000)
 Rainshower wall union 1/2" (27 057 000)
 Silverflex shower hose 1.500 mm (28 364)

GROHE ESSENCE




| Ref. No. | Colour | EAN |
|------------|-------------------------|---------------|
| 25 251 001 | ★ Chrome | 4005176698361 |
| 25 251 DC1 | ★ supersteel | 4005176711862 |
| 25 251 GL1 | ★ cool sunrise | 4005176711893 |
| 25 251 DA1 | ★ warm sunset | 4005176711855 |
| 25 251 DL1 | ★ brushed warm sunset | 4005176711114 |
| 25 251 A01 | hard graphite | 4005176711824 |
| 25 251 AL1 | ★ brushed hard graphite | 4005176711831 |




Essence
4-hole single-lever bath combination
GROHE SilkMove 35 mm ceramic cartridge
 with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
 pre-assembled spout fixing
 single lever mixer operating element
 metal lever
 bath inlet with mousseur
 diverter bath/shower
 for chrome: hand shower 27400000
 metal shower hose 2000 mm (always chrome for any colour of the set)
 flexible connection hoses
 connection for shower hose
 protected against backflow
 for use with 29 037 000
 professional edition
 replaces Essence four-hole bath combination 19 578 xx1

| | | |
|------------|--------|---------------|
| 19 976 001 | Chrome | 4005176307218 |
|------------|--------|---------------|




Essence
3-hole single-lever bath combination
 Three hole installation
GROHE SilkMove 35 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
 single lever mixer operating element
 diverter bath/shower
 hand shower 27 400 000
 metal shower hose 2000 mm (always chrome for any colour of the set)
 flexible connection hoses
 connection for shower hose
 protected against backflow
 for use with 29 037 000
 for combination with 28 990 / 28 991

| | | |
|------------|--|---------------|
| 29 037 000 | | 4005176865749 |
|------------|--|---------------|



4/5-hole bath combination (optional)
baseframe for installation
under tiled surround
 base frame
 drainage box with
 integrated outlet for splash water
 caps to cover screw fixations always come in chrome color




| Ref. No. | Colour | EAN |
|------------|------------|---------------|
| 23 741 001 | Chrome | 4005176371509 |
| 23 741 DC1 | supersteel | 4005176371516 |


Essence
Single-lever free-standing shower system
 floor-mounted
 set for final installation for
 45 984 001
 29 038 001
 29 086 000
without roughing-in-set
GROHE SilkMove 35 mm ceramic cartridge
 with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
 automatic diverter
 head shower/hand shower
 360° horizontal swivable shower arm
 integrated non-return valve
 in the shower outlet 1/2"
 with shower holder
 Rainshower Cosmopolitan 310 head shower 9.5 l/min (27 477 000)
 with ball joint
 rotation angle ± 15°
GROHE DreamSpray perfect spray pattern
SpeedClean anti-limescale system
 for chrome: hand shower 27400000
 Silverflex shower hose 1750 mm (28 388 000)
 protected against backflow



| | | |
|------------|-------------------------|---------------|
| 25 248 001 | ★ Chrome | 4005176698255 |
| 25 248 DC1 | ★ supersteel | 4005176711374 |
| 25 248 GL1 | ★ cool sunrise | 4005176711404 |
| 25 248 GN1 | ★ brushed cool sunrise | 4005176711411 |
| 25 248 DA1 | ★ warm sunset | 4005176711367 |
| 25 248 DL1 | ★ brushed warm sunset | 4005176711381 |
| 25 248 A01 | ★ hard graphite | 4005176711336 |
| 25 248 AL1 | ★ brushed hard graphite | 4005176711343 |



Essence
Single-lever bath mixer 1/2", floor mounted
 set for final installation for
 45 984 001
without roughing-in-set
GROHE SilkMove 35 mm ceramic cartridge
 with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
 automatic diverter: bath/shower
 swivel spout with mousseur
 and stop limiter
 projection 277 mm
 integrated non-return valve
 in the shower outlet 1/2"
 with shower holder
 for chrome: hand shower 27400000
 Silverflex shower hose 1250 mm (28 362)
 protected against backflow
 professional edition
 replaces Essence floor mounted bath mixer 23 491 xx1




| | |
|------------|---------------|
| 45 984 001 | 4005176992056 |
|------------|---------------|

Rough-in set 1/2"
 for floor-mounted bath mixers/spouts and shower mixers
without finishing trim set
 installation plate with 360° horizontal and 3° vertical adjustment
 installation depth 53-157 mm for bath
 mixers/spouts, depth compensation 104 mm
 installation depth 65-157 mm for shower mixers, depth compensation 92 mm
 two 1/2" female connections (hot/cold supplies)
 flushing plug
 Can take a single mixed supply
 fixing material


Ref. No. Colour EAN

29 086 000 4005176935497




Rough-in set 1/2"
for floor-mounted tub spouts and mixers
without finishing trim set
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 47-151 mm
depth compensation 104 mm
two 1/2" female connections (hot/cold supplies)
flushing plug

29 509 KFO phantom black 4005176782657



Bottle trap, 1 1/4"
for basins
brass
(screw-top for cleaning)
large sliding escutcheon
GROHE Long-Life Shine finish

- | | | |
|------------|-----------------------|---------------|
| 37 601 000 | Chrome | 4005176416057 |
| 37 601 DC0 | supersteel | 4005176416088 |
| 37 601 GL0 | cool sunrise | 4005176524271 |
| 37 601 GN0 | brushed cool sunrise | 4005176529016 |
| 37 601 DA0 | warm sunset | 4005176524288 |
| 37 601 DL0 | brushed warm sunset | 4005176529023 |
| 37 601 A00 | hard graphite | 4005176528996 |
| 37 601 AL0 | brushed hard graphite | 4005176529030 |














Nova Cosmopolitan S
Flush plate
for dual flush or start & stop actuation
for pneumatic drop valve AV1
compatible with Rapid SL/GD2 1.13 m
for vertical installation
130 x 172 mm
made of ABS
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving - Less water, perfect flow
flush plate with magnetic holder and fixing brackets included
compatible with Rapid SLX
for use with Rapid SL and Uniset with GD 2 cistern please order shaft 40 911 000 (sold separately)


GROHE EURODISC JOY

| | Ref. No. | Colour | EAN |
|---|--|--------|---------------|
|  | 23 425 000 | Chrome | 4005176993596 |
|  | Eurodisc Joy Basin mixer 1/2" S-Size monobloc installation metal lever GROHE FeatherControl Joystick cartridge GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving SpeedClean mousseur 5.7 l/min GROHE FastFixation Plus installation system pop-up waste set 1 1/4" flexible connection hoses | | |
|  | 23 427 000 | Chrome | 4005176993619 |
|  | Eurodisc Joy Basin mixer 1/2" M-Size monobloc installation metal lever GROHE FeatherControl Joystick cartridge GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving SpeedClean mousseur 5.7 l/min GROHE FastFixation Plus installation system pop-up waste set 1 1/4" flexible connection hoses | | |
|  | 23 428 000 | Chrome | 4005176993633 |
|  | Eurodisc Joy Basin mixer 1/2" XL-Size monobloc installation metal lever for free-standing basins GROHE FeatherControl Joystick cartridge GROHE Water Saving SpeedClean mousseur 5.7 l/min GROHE Long-Life Shine durable sparkling sheen GROHE FastFixation Plus installation system smooth body flexible connection hoses | | |
|  | 19 968 000 | Chrome | 4005176993657 |
|  | Eurodisc Joy 2-hole basin mixer M-Size wall mounted set for final installation for 23 429 000 without concealed body metal lever GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving SpeedClean mousseur 5.7 l/min centre distance 110 mm projection 171 mm available until 31 march 2023 | | |
|  | 19 969 000 | Chrome | 4005176993671 |
|  | Eurodisc Joy 2-hole basin mixer L-Size wall mounted set for final installation for 23 429 000 without concealed body GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving SpeedClean mousseur 5.7 l/min centre distance 110 mm projection 226 mm | | |

GROHE EURODISC JOY

| | Ref. No. | Colour | EAN |
|---|--|------------|---------------|
|   | 23 429 000 | | 4005176993695 |
| | <p>Single-lever mixer 1/2", concealed body for 2 hole basin mixer without finishing trim set GROHE FeatherControl Joystick cartridge wall installation installation device DR-brass allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve</p> | | |
|   | 24 036 000 | Chrome | 4005176993701 |
| | <p>Eurodisc Joy Bidet mixer 1/2" S-Size monobloc installation metal lever GROHE FeatherControl Joystick cartridge GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving ball-joint mousseur 5.7 l/min GROHE FastFixation Plus installation system pop-up waste set 1 1/4" flexible connection hoses</p> | | |
|   | 23 430 000 | Chrome | 4005176993725 |
| | <p>Eurodisc Joy Single-lever shower mixer 1/2" wall mounted metal lever GROHE FeatherControl Joystick cartridge GROHE Long-Life Shine durable sparkling sheen shower bottom outlet 1/2" with integrated non return-valve S-unions protected against backflow available until 31 march 2023</p> | | |
|   | 23 431 000 | Chrome | 4005176993749 |
| | <p>Eurodisc Joy Single-lever bath/shower mixer 1/2" wall mounted metal lever GROHE FeatherControl Joystick cartridge GROHE Long-Life Shine durable sparkling sheen automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" S-unions protected against backflow available until 31 march 2023</p> | | |
|   | 24 055 002 | Chrome | 4005176465420 |
| | <p>Eurodisc Cosmopolitan Single-lever shower mixer trim set for final installation for GROHE Rapido SmartBox 35 600/35 604 GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life Shine durable sparkling sheen wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever flow performance: outlet B or C = 30 l/min without roughing-in-set</p> | | |
| |  | 35 604 000 | 4005176698774 |
| | <p>GROHE Rapido SmartBox universal rough-in box for concealed installation</p> | | |

GROHE EURODISC JOY











| Ref. No. | Colour | EAN |
|------------|--------|---------------|
| 24 056 002 | Chrome | 4005176465437 |

Eurodisc Cosmopolitan
Single-lever mixer with 2-way diverter
 set for final installation for
 GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
 wall escutcheon with **GROHE FastFixation**
 (covered escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
 metal lever
 automatic 2-way diverter
 flow performance:
 outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set









35 604 000 **4005176698774**
GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE EURODISC COSMOPOLITAN

| | Ref. No. | Colour | EAN |
|---|---|--------|---------------|
|   | 23 051 002 | Chrome | 4005176887567 |
| | Eurodisc Cosmopolitan Pillar tap XS-Size monobloc installation metal lever ceramic headpart GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving SpeedClean mousseur 5.7 l/min union nut 1/2" x 10.5 mm | | |
|   | 23 049 002 | Chrome | 4005176887536 |
| | Eurodisc Cosmopolitan Basin mixer 1/2" S-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove GROHE Long-Life Shine durable sparkling sheen GROHE FastFixation installation system with centering support mousseur pop-up waste set 1 1/4" flexible connection hoses | | |
|   | 33 190 20E | Chrome | 4005176887482 |
| | Eurodisc Cosmopolitan Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving SpeedClean mousseur 5.7 l/min GROHE FastFixation installation system with centering support pop-up waste set 1 1/4" flexible connection hoses | | |
|   | 33 183 002 | Chrome | 4005176887499 |
| | Eurodisc Cosmopolitan Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min GROHE Long-Life Shine durable sparkling sheen GROHE FastFixation installation system with centering support mousseur pop-up waste set 1 1/4" flexible connection hoses optional temperature limiter (46 375 000) noise classification 1 in accordance with DIN4109 | | |









GROHE EURODISC COSMOPOLITAN

| | Ref. No. | Colour | EAN |
|---|---|--------|---------------|
|  | 32 469 20E | Chrome | 4005176908835 |
|  | Eurodisc Cosmopolitan Basin mixer 1/2" S-Size metal lever monobloc installation GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving SpeedClean mousseur 5.7 l/min GROHE FastFixation installation system with centering support smooth body flexible connection hoses noise classification 1 in accordance with DIN4109 | | |
|  | 32 469 20L | Chrome | 4005176917110 |
|  | Eurodisc Cosmopolitan Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min GROHE FastFixation installation system with centering support GROHE Long-Life Shine durable sparkling sheen mousseur smooth body flexible connection hoses for low pressure min. recommended pressure 0.2 bar optional temperature limiter (46 375 000) noise classification 1 in accordance with DIN4109 | | |
|  | 23 389 20E | Chrome | 4005176938412 |
|  | Eurodisc Cosmopolitan Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove Energy Saving 28 mm ceramic cartridge with energy saving function via cold start with temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min GROHE FastFixation Plus rapid installation system pop-up waste set 1 1/4" flexible connection hoses min. recommended pressure 1.0 bar | | |
|  | 23 384 20E | Chrome | 4005176936722 |
|  | Eurodisc Cosmopolitan Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove Energy Saving 35 mm ceramic cartridge with energy saving function via cold start adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min GROHE FastFixation installation system with centering support pop-up waste set 1 1/4" flexible connection hoses | | |
| | 23 382 20E | Chrome | 4005176936708 |
| | Ditto, with GROHE SilkMove ES | | |

GROHE EURODISC COSMOPOLITAN

| | Ref. No. | Colour | EAN |
|---|--|--------|---------------|
|  | 23 448 002 | Chrome | 4005176998744 |
|  | Eurodisc Cosmopolitan Basin mixer 1/2" M-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min GROHE FastFixation Plus installation system pop-up waste set 1 1/4" flexible connection hoses | | |
|  | 23 449 002 | Chrome | 4005176998768 |
|  | Eurodisc Cosmopolitan Basin mixer 1/2" M-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min GROHE FastFixation installation system smooth body flexible connection hoses | | |
|  | 23 054 003 | Chrome | 4005176472596 |
|  | Eurodisc Cosmopolitan Single-lever basin mixer 1/2" L-Size monobloc installation metal lever covered lever fixing GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter GROHE Long-Life Shine durable sparkling sheen Lead and Nickel Free Inner Water Ways GROHE FastFixation Plus installation system mousseur swivel tubular spout with stop restriction pop-up waste set 1 1/4" flexible connection hoses min. recommended pressure 1.0 bar optional temperature limiter (46 375 000) | | |
|  | 23 432 000 | Chrome | 4005176993763 |
|  | Eurodisc Cosmopolitan Basin mixer 1/2" XL-Size monobloc installation metal lever for free-standing basins GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving SpeedClean mousseur 5.7 l/min GROHE FastFixation Plus installation system smooth body flexible connection hoses optional temperature limiter (46 375 000) | | |


GROHE EURODISC COSMOPOLITAN

| | Ref. No. | Colour | EAN |
|--|---|--------|---------------|
|  | 23 055 002 | Chrome | 4005176887680 |
|  | <p>Eurodisc Cosmopolitan Basin mixer 1/2" XL-Size monobloc installation metal lever for free-standing basins GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min GROHE Long-Life Shine durable sparkling sheen GROHE FastFixation installation system with centering support mousseur pop-up waste set 1 1/4" flexible connection hoses optional temperature limiter (46 375 000)</p> | | |
|  | 19 573 002 | Chrome | 4005176887659 |
|  | <p>Eurodisc Cosmopolitan 2-hole basin mixer M-Size wall mounted set for final installation for 23 571 000 without concealed body metal escutcheon metal lever GROHE Long-Life Shine durable sparkling sheen GROHE AquaGuide NEW centre distance 110 mm projection 170 mm</p> | | |
|  | 23 571 000 | | 4005176334276 |
|  | <p>Single-lever mixer 1/2", universal concealed body for 2 hole basin mixer wall installation without finishing trim set GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter spout can be positioned on the right or left DR-brass installation device allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve</p> | | |
|  | 33 244 002 | Chrome | 4005176888779 |
|  | <p>Eurodisc Cosmopolitan Bidet mixer 1/2" S-Size metal lever monobloc installation GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min GROHE Long-Life Shine durable sparkling sheen GROHE FastFixation installation system with centering support ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses optional temperature limiter (46 375 000)</p> | | |

GROHE EURODISC COSMOPOLITAN


Ref. No. Colour EAN

33 569 002 Chrome 4005176887734




Eurodisc Cosmopolitan
Single-lever shower mixer 1/2"
wall mounted, metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
shower bottom outlet 1/2"
integrated non-return valve, S-unions
protected against backflow
optional temperature limiter (46 308 000)

34 719 000 Chrome 4005176457654




Grohtherm SmartControl
Thermostatic shower mixer 1/2"
wall mounted
GROHE CoolTouch prevents scalding on hot surfaces
GROHE Long-Life Shine durable sparkling sheen
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SmartControl push for ON-OFF, turn for volume adjustment from
GROHE Water Saving to full flow
integrated **GROHE EasyReach** shower tray
shower bottom outlet 1/2"
built-in non return valve
and dirt strainers
protected against backflow

33 192 002 Chrome 4005176887864



Eurodisc Cosmopolitan
Single-lever bath/shower mixer 1/2"
monobloc installation
metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
automatic diverter: bath/shower
mousseur
integrated non-return valve
in the shower outlet 1/2"
flexible connection hoses
protected against backflow
optional temperature limiter (46 308 000)
available until 31 march 2023

33 390 002 Chrome 4005176887796




Eurodisc Cosmopolitan
Single-lever bath/shower mixer 1/2"
wall mounted, metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
automatic diverter: bath/shower
mousseur, integrated non-return valve
in the shower outlet 1/2"
S-unions
protected against backflow
optional temperature limiter (46 308 000)

GROHE EURODISC COSMOPOLITAN


Ref. No. Colour EAN

34 718 000 Chrome 4005176457647




Grotherm SmartControl
Thermostatic bath/shower mixer 1/2"
 wall mounted
GROHE CoolTouch prevents scalding on hot surfaces
GROHE Long-Life Shine durable sparkling sheen
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SmartControl push for ON-OFF, turn for volume adjustment from
GROHE Water Saving to full flow
 integrated **GROHE EasyReach** shower tray
 shower bottom outlet 1/2"
 bath spout with mousseur
 built-in non return valve
 and dirt strainers
 protected against backflow

33 395 002 Chrome 4005176887802



Eurodisc Cosmopolitan
Single-lever bath/shower mixer 1/2"
 wall mounted
 metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
 adjustable flow rate limiter
 adjustable minimum flow rate 2.5 l/min
 automatic diverter: bath/shower
 mousseur
 integrated non-return valve
 in the shower outlet 1/2"
 S-unions
 protected against backflow
 optional temperature limiter (46 308 000)
 noise classification 1 in accordance
 with DIN4109
 with shower set
 Consisting of:
 hand shower euphoria 110 Champagne (27 222)
 wall shower holder (27 056)
 Relexaflex hose 1500 mm 1/2" x 1/2" (28 151)

24 055 002 Chrome 4005176465420



Eurodisc Cosmopolitan
Single-lever shower mixer trim
 set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
 wall escutcheon with **GROHE FastFixation**
 (covered escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
 metal lever
 flow performance:
 outlet B or C = 30 l/min
without roughing-in-set











35 604 000 4005176698774
GROHE Rapido SmartBox universal rough-in box for concealed
 installation






GROHE EURODISC COSMOPOLITAN

| | Ref. No. | Colour | EAN |
|---|--|-------------------|----------------------|
|   | 24 056 002 | Chrome | 4005176465437 |
| | <p>Eurodisc Cosmopolitan Single-lever mixer with 2-way diverter set for final installation for GROHE Rapido SmartBox 35 600/35 604 GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life Shine durable sparkling sheen wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever automatic 2-way diverter flow performance: outlet B = 27 l/min, outlet C = 27 l/min without roughing-in-set</p> | | |
| |  | 35 604 000 | 4005176698774 |
| | <p>GROHE Rapido SmartBox universal rough-in box for concealed installation</p> | | |
|   | 34 705 000 | Chrome | 4005176413285 |
| | <p>Grotherm SmartControl Perfect shower set with Rainshower SmartActive 310 Consisting of: concealed thermostat with 3 valves Grotherm SmartControl set for final installation (29 121 000) GROHE Rapido SmartBox 35 600/35 604 Rainshower 310 head shower set (26 475) including head shower with 2 sprays, horizontal shower arm 400 mm and head shower rough-in (26 483 000) Euphoria Cosmopolitan Stick handshower (27 367) Rainshower wall holder (27 074 000) Rainshower wall union 1/2" (27 057 000) Silverflex shower hose 1.500 mm (28 364)</p> | | |
|   | 13 278 002 | Chrome | 4005176887871 |
| | <p>Eurodisc Cosmopolitan Bath spout wall mounted GROHE Long-Life Shine durable sparkling sheen mousseur male thread 1/2" projection 170 mm</p> | | |
|   | 37 624 000 | Chrome | 4005176416095 |
| | <p>Arena Cosmopolitan S Flush plate for dual flush or start & stop actuation for pneumatic drop valve AV1 compatible with Rapid SL/GD2 1.13 m for vertical installation 130 x 172 mm made of ABS GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving - Less water, perfect flow flush plate with magnetic holder and fixing brackets included compatible with Rapid SLX for use with Rapid SL and Uniset with GD 2 cistern please order shaft 40 911 000 (sold separately) colours BE and EN available until 31 March 2023</p> | | |

GROHE CONCETTO


| | Ref. No. | Colour | EAN |
|--|--|---------------|----------------------|
|   | 32 207 001 | Chrome | 4005176888878 |
| | <p>Concetto Pillar tap XS-Size monobloc installation metal lever ceramic headparts 1/2", 90° GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving SpeedClean mousseur 5.7 l/min union nut 1/2" x 10.5 mm noise classification 1 in accordance with DIN4109</p> | | |
|   | 32 204 10E | Chrome | 4005176887345 |
| | <p>Concetto Basin mixer 1/2" S-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving SpeedClean mousseur 5.7 l/min GROHE FastFixation installation system with centering support pop-up waste set 1 1/4" flexible connection hoses</p> | | |
|   | 23 931 001 | Chrome | 4005176584015 |
| | <p>Concetto Basin mixer 1/2" S-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove adjustable flow rate limiter temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving SpeedClean mousseur 5.7 l/min GROHE FastFixation installation system with centering support smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses min. recommended pressure 1.0 bar noise classification 1 in accordance with DIN4109</p> | | |
|   | 23 060 001 | Chrome | 4005176888021 |
| | <p>Concetto Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter GROHE Long-Life Shine durable sparkling sheen GROHE FastFixation installation system with centering support flow straightener pop-up waste set 1 1/4" flexible connection hoses for use with displacement water heater optional temperature limiter (46 375 000) noise classification 1 in accordance with DIN4109</p> | | |

GROHE CONCETTO

| | Ref. No. | Colour | EAN |
|---|--|--------|---------------|
|  | 32 202 10L | Chrome | 4005176903960 |
|  | Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge GROHE Long-Life Shine durable sparkling sheen GROHE FastFixation installation system mousseur pop-up waste set 1 1/4" flexible connection hoses optional temperature limiter (46 375 000) min. recommended pressure 0.2 bar | | |
|  | 32 240 10E | Chrome | 4005176906794 |
|  | Concetto Basin mixer 1/2" S-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove adjustable flow rate limiter with temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving SpeedClean mousseur 5.7 l/min GROHE FastFixation installation system with centering support smooth body flexible connection hoses | | |
|  | 32 240 10L | Chrome | 4005176903977 |
|  | Concetto Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge GROHE Long-Life Shine durable sparkling sheen GROHE FastFixation installation system mousseur smooth body flexible connection hoses min. recommended pressure 0.2 bar optional temperature limiter (46 375 000) | | |
|  | 23 380 10E | Chrome | 4005176938245 |
|  | Concetto Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove Energy Saving 28 mm ceramic cartridge with energy saving function via cold start with temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min GROHE FastFixation installation system pop-up waste set 1 1/4" flexible connection hoses | | |
| | 23 385 10E | Chrome | 4005176938269 |
| | Ditto, with GROHE SilkMove ES | | |


GROHE CONCETTO

Ref. No. Colour EAN




23 450 001 Chrome 4005176998775

Concetto
Basin mixer 1/2"
M-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving SpeedClean mousseur 5.7 l/min
GROHE FastFixation installation system
pop-up waste set 1 1/4"
flexible connection hoses




23 932 001 Chrome 4005176584022

Concetto
Basin mixer 1/2"
M-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving SpeedClean mousseur 5.7 l/min
GROHE FastFixation installation system
smooth body with push-open pop-up waste set 1 1/4"
flexible connection hoses
min. recommended pressure 1.0 bar











23 451 001 Chrome 4005176998799

Concetto
Basin mixer 1/2"
M-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving SpeedClean mousseur 5.7 l/min
GROHE FastFixation installation system
smooth body
flexible connection hoses




23 739 002 Chrome 4005176472602

Concetto
Single-lever basin mixer 1/2"
L-Size
monobloc installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
Lead and Nickel Free Inner Water Ways
GROHE FastFixation installation system
swivel tubular spout
with stop restriction
pop-up waste set 1 1/4"
flexible connection hoses
optional temperature limiter (46 375 000)
min. recommended pressure 1.0 bar

| | Ref. No. | Colour | EAN |
|---|--|--------|---------------|
|  | 32 629 002 | Chrome | 4005176472619 |
|  | <p>Concetto Single-lever basin mixer 1/2" L-Size monobloc installation metal lever covered lever fixing GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter GROHE Long-Life Shine durable sparkling sheen Lead and Nickel Free Inner Water Ways GROHE FastFixation installation system mousseur swivel tubular spout with stop restriction pop-up waste set 1 1/4" flexible connection hoses optional temperature limiter (46 375 000) min. recommended pressure 1.0 bar</p> | | |
|  | 23 920 001 | Chrome | 4005176583421 |
|  | <p>Concetto Basin mixer 1/2" XL-Size monobloc installation metal lever for free-standing basins 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min GROHE AquaGuide adjustable mousseur rapid installation system smooth body flexible connection hoses min. recommended pressure 1.0 bar</p> | | |
|  | 20 216 001 | Chrome | 4005176888373 |
|  | <p>Concetto Three-hole basin mixer 1/2" L-Size ceramic headpart GROHE Long-Life Shine durable sparkling sheen GROHE FastFixation installation system with centering support spout with mousseur pop-up waste set 1 1/4" pressure-proof, flexible connection hoses pressure-proof, flexible connection hoses between middle-body and side valves</p> | | |
|  | 19 575 001 | Chrome | 4005176888366 |
|  | <p>Concetto 2-hole basin mixer S-Size wall mounted set for final installation for 23 571 000 without concealed body metal escutcheon GROHE Long-Life Shine durable sparkling sheen centre distance 110 mm projection 147 mm</p> | | |

Ref. No. Colour EAN


23 571 000 4005176334276



Single-lever mixer 1/2", universal concealed body

for 2 hole basin mixer
wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
spout can be positioned on the right or left
DR-brass
installation device
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve

32 208 001 Chrome 4005176888908




Concetto

Bidet mixer 1/2"

S-Size

monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE FastFixation installation system
with centering support
ball-joint mousseur
pop-up waste set 1 1/4"
flexible connection hoses

32 210 001 Chrome 4005176888939




Concetto

Single-lever shower mixer 1/2"

wall mounted, metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
adjustable flow rate limiter
shower bottom outlet 1/2" with
integrated non return-valve, S-unions
protected against backflow
optional temperature limiter (46 308 000)
noise classification 1 in accordance
with DIN4109

34 765 000 Chrome 4005176612022



Grotherm 800 Cosmopolitan


Thermostatic shower mixer 1/2"

wall mounted
GROHE Long-Life Shine durable sparkling sheen
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton**
(economy button with individually
adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
GROHE Water Saving - Less water, perfect flow

GROHE CONCETTO


Ref. No. Colour EAN

32 211 001 Chrome 4005176889028




Concetto
Single-lever bath/shower mixer 1/2"
 wall mounted
 metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
 adjustable flow rate limiter
 automatic diverter: bath/shower
 mousseur
 integrated non-return valve
 in the shower outlet 1/2"
 S-unions
 protected against backflow
 optional temperature limiter (46 308 000)

34 766 000 Chrome 4005176612039













Grohtherm 800 Cosmopolitan
Thermostatic bath/shower mixer 1/2"
 wall mounted
GROHE Long-Life Shine durable sparkling sheen
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
 with wax thermoelement
 integrated mixed water shut off
 automatic diverter: bath/shower
 volume handle with **GROHE EcoButton**
 (economy button with individually
 adjustable economy stop)
 ceramic headpart 1/2", 180°
 shower bottom outlet 1/2"
 mousseur
 built-in non return valves
 dirt strainers
 protected against backflow
 S-unions
 metal escutcheon
GROHE Water Saving - Less water, perfect flow

32 212 001 Chrome 4005176889035













Concetto
Single-lever bath/shower mixer 1/2"
 wall mounted
 metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
 adjustable flow rate limiter
 automatic diverter: bath/shower
 mousseur, integrated non-return valve
 in the shower outlet 1/2"
 S-unions
 protected against backflow
 optional temperature limiter (46 308 000)
 with shower set
 Consisting of:
 Euphoria Cosmopolitan hand shower (27 400)
 wall shower holder (27 056)
 Relaxaflex hose 1500 mm 1/2" x 1/2" (28 151)



GROHE CONCETTO

| | Ref. No. | Colour | EAN |
|---|--|---|---------------|
|  | 32 700 001 | Chrome | 4005176887994 |
|  | <p>Concetto Single-lever bath/shower mixer 1/2" wall mounted metal lever 46 mm ceramic cartridge with Eco-Override-Stop, with GROHE SilkMove GROHE Long-Life Shine durable sparkling sheen adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" S-unions protected against backflow optional temperature limiter (46 308 000) noise classification 1 in accordance with DIN4109</p> | | |
|  | 24 053 001 | Chrome | 4005176465406 |
|  | <p>Concetto Single-lever shower mixer trim set for final installation for GROHE Rapido SmartBox 35 600/35 604 GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life Shine durable sparkling sheen wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever flow performance: outlet B or C = 30 l/min without roughing-in-set</p> | | |
| |  | 35 604 000 | 4005176698774 |
| | | GROHE Rapido SmartBox universal rough-in box for concealed installation | |
|  | 24 054 001 | Chrome | 4005176465413 |
|  | <p>Concetto Single-lever mixer with 2-way diverter set for final installation for GROHE Rapido SmartBox 35 600/35 604 GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life Shine durable sparkling sheen wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever automatic 2-way diverter flow performance: outlet B = 27 l/min, outlet C = 27 l/min without roughing-in-set</p> | | |
| |  | 35 604 000 | 4005176698774 |
| | | GROHE Rapido SmartBox universal rough-in box for concealed installation | |
|  | 19 345 001 | Chrome | 4005176888953 |
|  | <p>Concetto Single-lever shower mixer trim set for final installation for 33 961 000, 33 962 000, 33 963 000, 33 964 000, 33 965 000, 33 966 000, 35 501 000 without concealed body metal lever GROHE Long-Life Shine durable sparkling sheen escutcheon- and shaft-sealing wall escutcheon covered fixing</p> | | |



GROHE CONCETTO

| | Ref. No. | Colour | EAN |
|--|-------------------|---------------|----------------------|
|   | 32 213 001 | Chrome | 4005176888960 |
| <p>Concetto Single-lever shower mixer 1/2" wall installation GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life Shine durable sparkling sheen Consisting of: set for final installation concealed body 33 964 000 adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min metal lever escutcheon- and shaft-sealing metal escutcheon screwed optional temperature limiter min. recommended pressure 1.0 bar</p> | | | |
|   | 19 346 001 | Chrome | 4005176889080 |
| <p>Concetto Single-lever bath/shower mixer trim set for final installation for 33 961 000, 33 963 000, 33 965 000 without concealed body metal lever GROHE Long-Life Shine durable sparkling sheen automatic diverter: bath/shower escutcheon- and shaft-sealing wall escutcheon covered coupling</p> | | | |
|   | 32 214 001 | Chrome | 4005176889097 |
| <p>Concetto Single-lever bath/shower mixer 1/2" wall installation GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life Shine durable sparkling sheen Consisting of: set for final installation concealed body 33 963 000 adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min metal lever escutcheon- and shaft-sealing metal escutcheon screwed optional temperature limiter min. recommended pressure 1.0 bar</p> | | | |
|   | 25 102 000 | Chrome | 4005176881671 |
| <p>Concetto Two-handed Bath filler 1/2" deck mounted metal handles GROHE Long-Life headpart 3/4" GROHE Long-Life Shine durable sparkling sheen recommended pressure 0.2-5.0 bar</p> | | | |
|   | 25 109 000 | Chrome | 4005176881848 |
| <p>Concetto Two-handed Bath/Shower mixer 1/2" deck mounted metal handles GROHE Long-Life headpart 3/4" automatic diverter: bath/shower integrated non-return valve in the shower outlet 1/2" GROHE Long-Life Shine durable sparkling sheen</p> | | | |



GROHE CONCETTO

| | Ref. No. | Colour | EAN |
|---|------------|--------|---------------|
|   | 19 576 002 | Chrome | 4005176429088 |



Concetto
4-hole single-lever bath combination
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
 pre-assembled spout fixing
 single lever mixer operating element
 bath inlet with mousseur
 diverter bath/shower
 Euphoria Cosmopolitan hand shower 6.6 l/min
 metal shower hose 2000 mm (always chrome for any colour of the set)
 flexible connection hoses
 connection for shower hose
 protected against backflow
 can be used with 29 037 000

| | | | |
|---|------------|--|---------------|
|   | 29 037 000 | | 4005176865749 |
|---|------------|--|---------------|

4/5-hole bath combination (optional)
baseframe for installation
under tiled surround
 base frame
 drainage box with
 integrated outlet for splash water
 caps to cover screw fixations always come in chrome color









| | | | |
|---|------------|--------|---------------|
|   | 13 280 001 | Chrome | 4005176888687 |
|---|------------|--------|---------------|

Concetto
Bath spout
 wall mounted
GROHE Long-Life Shine durable sparkling sheen
 mousseur
 male thread 1/2"









| | | | |
|---|------------|--------|---------------|
|   | 13 281 001 | Chrome | 4005176888694 |
|---|------------|--------|---------------|

Concetto
Bath spout with diverter
 wall mounted
GROHE Long-Life Shine durable sparkling sheen
 mousseur
 automatic diverter: bath/shower
 male thread 1/2"

GROHE EUROSTYLE COSMOPOLITAN

| | | Ref. No. | Colour | EAN |
|---|---|---|--------|---------------|
|  |  | 23 039 002 | Chrome | 4005176886881 |
| | | Eurostyle Cosmopolitan Pillar tap XS-Size monobloc installation metal lever ceramic headpart GROHE Long-Life Shine durable sparkling sheen mousseur | | |
|  |  | 23 037 002 | Chrome | 4005176886355 |
| | | Eurostyle Cosmopolitan Basin mixer 1/2" S-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove GROHE Long-Life Shine durable sparkling sheen GROHE FastFixation installation system with centering support mousseur pop-up waste set 1 1/4" flexible connection hoses | | |
|  |  | 23 387 20E | Chrome | 4005176938382 |
| | | Eurostyle Cosmopolitan Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove Energy Saving 28 mm ceramic cartridge with energy saving function via cold start with temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min GROHE FastFixation installation system pop-up waste set 1 1/4" flexible connection hoses | | |
|  |  | 33 552 20E | Chrome | 4005176886300 |
| | | Eurostyle Cosmopolitan Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving SpeedClean mousseur 5.7 l/min GROHE FastFixation installation system with centering support pop-up waste set 1 1/4" flexible connection hoses noise classification 1 in accordance with DIN4109 | | |









GROHE EUROSTYLE COSMOPOLITAN

| | Ref. No. | Colour | EAN |
|---|--|--------|---------------|
|  | 33 561 002 | Chrome | 4005176886379 |
|  | <p>Eurostyle Cosmopolitan Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min GROHE Long-Life Shine durable sparkling sheen GROHE FastFixation installation system with centering support flow straightener pop-up waste set 1 1/4" flexible connection hoses for use with displacement water heater optional temperature limiter (46 375 000) noise classification 1 in accordance with DIN4109</p> | | |
|  | 32 468 20E | Chrome | 4005176906886 |
|  | <p>Eurostyle Cosmopolitan Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving SpeedClean mousseur 5.7 l/min GROHE FastFixation installation system with centering support smooth body flexible connection hoses noise classification 1 in accordance with DIN4109</p> | | |
|  | 32 468 20L | Chrome | 4005176917097 |
|  | <p>Eurostyle Cosmopolitan Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min GROHE Long-Life Shine durable sparkling sheen GROHE FastFixation installation system with centering support mousseur, smooth body flexible connection hoses for low pressure min. recommended pressure 0.2 bar optional temperature limiter (46 375 000)</p> | | |
|  | 23 374 20E | Chrome | 4005176936678 |
|  | <p>Eurostyle Cosmopolitan Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove Energy Saving 35 mm ceramic cartridge with energy saving function via cold start adjustable flow rate limiter temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min GROHE FastFixation installation system with centering support pop-up waste set 1 1/4" flexible connection hoses min. recommended pressure 1.0 bar</p> | | |
| | 23 373 20E | Chrome | 4005176936661 |
| | Ditto, with GROHE SilkMove ES | | |









GROHE EUROSTYLE COSMOPOLITAN

| | Ref. No. | Colour | EAN |
|---|---|--------|---------------|
|  | 23 043 003 | Chrome | 4005176472732 |
|  | <p>Eurostyle Cosmopolitan Single-lever basin mixer 1/2" L-Size monobloc installation metal lever covered lever fixing GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter GROHE Long-Life Shine durable sparkling sheen Lead and Nickel Free Inner Water Ways GROHE FastFixation installation system mousseur swivel tubular spout with stop restriction pop-up waste set 1 1/4" flexible connection hoses min. recommended pressure 1.0 bar</p> | | |
|  | 20 208 002 | Chrome | 4005176886980 |
|  | <p>Eurostyle Cosmopolitan 3-hole basin mixer S-Size metal lever ceramic headparts 1/2", 90° GROHE Long-Life Shine durable sparkling sheen GROHE FastFixation installation system with centering support spout with mousseur pop-up waste set 1 1/4" pressure-proof, flexible connection hoses pressure-proof, flexible connection hoses between middle-body and side valves</p> | | |
|  | 19 571 002 | Chrome | 4005176886973 |
|  | <p>Eurostyle Cosmopolitan 2-hole basin mixer S-Size wall mounted set for final installation for 23 571 000 without concealed body metal escutcheon metal lever GROHE Long-Life Shine durable sparkling sheen GROHE AquaGuide adjustable mousseur centre distance 110 mm projection 171 mm</p> | | |
|  | 23 571 000 | | 4005176334276 |
|  | <p>Single-lever mixer 1/2", universal concealed body for 2 hole basin mixer wall installation without finishing trim set GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter spout can be positioned on the right or left DR-brass installation device allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve</p> | | |











GROHE EUROSTYLE COSMOPOLITAN

| | Ref. No. | Colour | EAN |
|---|---|---------------|----------------------|
|   | 33 565 002 | Chrome | 4005176887000 |
| | Eurostyle Cosmopolitan Bidet mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min GROHE Long-Life Shine durable sparkling sheen GROHE FastFixation installation system with centering support ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses optional temperature limiter (46 375 000) | | |
|   | 33 590 002 | Chrome | 4005176887048 |
| | Eurostyle Cosmopolitan Single-lever shower mixer 1/2" wall mounted, metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life Shine durable sparkling sheen adjustable flow rate limiter shower bottom outlet 1/2" integrated non-return valve, S-unions protected against backflow optional temperature limiter (46 308 000) | | |
|   | 32 229 002 | Chrome | 4005176887055 |
| | Eurostyle Cosmopolitan Single-lever shower mixer 1/2" wall mounted metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life Shine durable sparkling sheen adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min shower bottom outlet 1/2" integrated non-return valve S-unions protected against backflow optional temperature limiter ref. no. 08 791 noise classification 1 in accordance with DIN4109 | | |
|   | 34 765 000 | Chrome | 4005176612022 |
| | Grotherm 800 Cosmopolitan Thermostatic shower mixer 1/2" wall mounted GROHE Long-Life Shine durable sparkling sheen GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon GROHE Water Saving - Less water, perfect flow | | |







GROHE EUROSTYLE COSMOPOLITAN

| | Ref. No. | Colour | EAN |
|---|--|--------|---------------|
|  | 33 614 002 | Chrome | 4005176887208 |
|  | <p>Eurostyle Cosmopolitan Single-lever bath/shower mixer 1/2" monobloc installation metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life Shine durable sparkling sheen adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" flexible connection hoses protected against backflow optional temperature limiter (46 308 000)</p> | | |
|  | 33 591 002 | Chrome | 4005176887123 |
|  | <p>Eurostyle Cosmopolitan Single-lever bath/shower mixer 1/2" wall mounted, metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life Shine durable sparkling sheen adjustable flow rate limiter automatic diverter: bath/shower mousseur, integrated non-return valve in the shower outlet 1/2" S-unions protected against backflow optional temperature limiter (46 308 000)</p> | | |
|  | 34 766 000 | Chrome | 4005176612039 |
|  | <p>Grotherm 800 Cosmopolitan Thermostatic bath/shower mixer 1/2" wall mounted GROHE Long-Life Shine durable sparkling sheen GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off automatic diverter: bath/shower volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" mousseur built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon GROHE Water Saving - Less water, perfect flow</p> | | |
|  | 33 592 20A | Chrome | 4005176454288 |
|  | <p>Eurostyle Cosmopolitan Single-lever bath/shower mixer 1/2" wall mounted metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life Shine durable sparkling sheen adjustable flow rate limiter automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" S-unions protected against backflow optional temperature limiter (46 308 000) with shower set hand shower Tempesta Cosmopolitan 100, 2 sprays (27 571) wall shower holder (27 056) Relaxaflex hose 1500 mm 1/2" x 1/2" (28 151)</p> | | |











GROHE EUROSTYLE COSMOPOLITAN

| | Ref. No. | Colour | EAN |
|---|--|--------|---------------|
|   | 24 051 002 | Chrome | 4005176465383 |
| | Eurostyle Cosmopolitan Single-lever shower mixer trim set for final installation for GROHE Rapido SmartBox 35 600/35 604 GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life Shine durable sparkling sheen wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever flow performance: outlet B or C = 30 l/min without roughing-in-set | | |
| | 35 604 000 | | 4005176698774 |
| |  GROHE Rapido SmartBox universal rough-in box for concealed installation | | |
|   | 24 052 002 | Chrome | 4005176465390 |
| | Eurostyle Cosmopolitan Single-lever mixer with 2-way diverter set for final installation for GROHE Rapido SmartBox 35 600/35 604 GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life Shine durable sparkling sheen wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever automatic 2-way diverter flow performance: outlet B = 27 l/min, outlet C = 27 l/min without roughing-in-set | | |
| | 35 604 000 | | 4005176698774 |
| |  GROHE Rapido SmartBox universal rough-in box for concealed installation | | |
|   | 19 507 002 | Chrome | 4005176887079 |
| | Eurostyle Cosmopolitan Single-lever shower mixer trim set for final installation for 33 961 000, 33 962 000, 33 963 000, 33 964 000, 33 965 000, 33 966 000, 35 501 000 without concealed body metal lever GROHE Long-Life Shine durable sparkling sheen escutcheon- and shaft-sealing wall escutcheon covered fixing | | |
|   | 19 506 002 | Chrome | 4005176887185 |
| | Eurostyle Cosmopolitan Single-lever bath/shower mixer trim set for final installation for 33 961 000, 33 963 000, 33 965 000 without concealed body metal lever GROHE Long-Life Shine durable sparkling sheen automatic diverter: bath/shower escutcheon- and shaft-sealing wall escutcheon covered fixing | | |









GROHE EUROSTYLE COSMOPOLITAN

| | Ref. No. | Colour | EAN |
|---|--|---------------|----------------------|
|   | 23 048 003 | Chrome | 4005176429132 |
| | <p>Eurostyle Cosmopolitan 4-hole single-lever bath combination GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life Shine durable sparkling sheen pre-assembled spout fixing, single lever mixer operating element bath inlet with mousseur diverter bath/shower Euphoria Cosmopolitan hand shower 6.6 l/min metal shower hose 2000 mm (always chrome for any colour of the set) flexible connection hoses connection for shower hose protected against backflow can be used with 29 037 000</p> | | |
|   | 29 037 000 | | 4005176865749 |
| | <p>4/5-hole bath combination (optional) baseframe for installation under tiled surround base frame drainage box with integrated outlet for splash water caps to cover screw fixations always come in chrome color</p> | | |
|   | 13 276 002 | Chrome | 4005176887246 |
| | <p>Eurostyle Cosmopolitan Bath spout wall mounted GROHE Long-Life Shine durable sparkling sheen mousseur male thread 1/2" projection 170 mm</p> | | |











GROHE EUROSTYLE









| | | Ref. No. | Colour | EAN |
|---|---|---|------------------------------------|--|
|  |  | 33 558 003 33 558 LS3 | Chrome moon white | 4005176334139 4005176335686 |
| | | Eurostyle Basin mixer 1/2" S-Size monobloc installation loop metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min GROHE FastFixation installation system pop-up waste set 1 1/4" flexible connection hoses | | |
|  |  | 23 929 003 | Chrome | 4005176583995 |
| | | Eurostyle Basin mixer 1/2" S-Size monobloc installation loop metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min GROHE FastFixation installation system smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses | | |
|  |  | 23 707 003 23 707 LS3 | Chrome moon white | 4005176364778 4005176364785 |
| | | Eurostyle Basin mixer 1/2" S-Size monobloc installation solid metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min GROHE FastFixation installation system pop-up waste set 1 1/4" flexible connection hoses | | |
|  |  | 23 564 003 | Chrome | 4005176334146 |
| | | Eurostyle Basin mixer 1/2" S-Size monobloc installation loop metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min GROHE FastFixation installation system pop-up waste set 1 1/4" flexible connection hoses | | |
|  |  | 23 708 003 | Chrome | 4005176364990 |
| | | Eurostyle Basin mixer 1/2" S-Size monobloc installation solid metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min GROHE FastFixation installation system pop-up waste set 1 1/4" flexible connection hoses | | |

GROHE EUROSTYLE









| | Ref. No. | Colour | EAN |
|---|---|------------|---------------|
|  | 23 374 003 | Chrome | 4005176334153 |
| | 23 374 LS3 | moon white | 4005176334450 |
|  | <p>Eurostyle Basin mixer 1/2" S-Size monobloc installation loop metal lever GROHE SilkMove Energy Saving 35 mm ceramic cartridge with energy saving function via cold start adjustable flow rate limiter with temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min GROHE FastFixation installation system pop-up waste set 1 1/4" flexible connection hoses</p> | | |
|  | 23 709 003 | Chrome | 4005176365003 |
| | 23 709 LS3 | moon white | 4005176365010 |
|  | <p>Eurostyle Basin mixer 1/2" S-Size monobloc installation solid metal lever GROHE SilkMove Energy Saving 35 mm ceramic cartridge with energy saving function via cold start adjustable flow rate limiter with temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min GROHE FastFixation installation system pop-up waste set 1 1/4" flexible connection hoses</p> | | |
|  | 23 930 003 | Chrome | 4005176584008 |
| | | | |
|  | <p>Eurostyle Basin mixer 1/2" S-Size monobloc installation loop metal lever GROHE SilkMove Energy Saving 35 mm ceramic cartridge with energy saving function via cold start adjustable flow rate limiter temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min GROHE FastFixation installation system smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses</p> | | |
|  | 33 561 003 | Chrome | 4005176334160 |
| | | | |
|  | <p>Eurostyle Basin mixer 1/2" S-Size monobloc installation loop metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE FastFixation installation system flow straightener pop-up waste set 1 1/4" flexible connection hoses</p> | | |

GROHE EUROSTYLE









| | | Ref. No. | Colour | EAN |
|---|---|---|---------------|----------------------|
|  |  | 33 557 003 | Chrome | 4005176334184 |
| | | Eurostyle Basin mixer 1/2" S-Size monobloc installation loop metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min GROHE FastFixation installation system retractable chain flexible connection hoses | | |
|  |  | 32 468 003 | Chrome | 4005176334207 |
| | | Eurostyle Basin mixer 1/2" S-Size monobloc installation loop metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min GROHE FastFixation installation system smooth body flexible connection hoses | | |
|  |  | 23 715 003 | Chrome | 4005176365065 |
| | | Eurostyle Basin mixer 1/2" S-Size monobloc installation solid metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min GROHE FastFixation installation system smooth body flexible connection hoses | | |
|  |  | 23 567 003 | Chrome | 4005176334214 |
| | | Eurostyle Basin mixer 1/2" S-Size monobloc installation loop metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min Lead and Nickel Free Inner Water Ways GROHE FastFixation installation system smooth body flexible connection hoses | | |
|  |  | 23 716 003 | Chrome | 4005176365072 |
| | | Eurostyle Basin mixer 1/2" S-Size monobloc installation solid metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min Lead and Nickel Free Inner Water Ways GROHE FastFixation installation system smooth body flexible connection hoses | | |








| | Ref. No. | Colour | EAN |
|---|---|------------------------------------|--|
|   | 23 569 003 | Chrome | 4005176334238 |
| | Eurostyle Single-lever basin mixer 1/2" L-Size monobloc installation loop metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min GROHE FastFixation installation system swivel cast spout swivel area 360° pop-up waste set 1 1/4" flexible connection hoses | | |
|   | 23 718 003 23 718 LS3 | Chrome moon white | 4005176365096 4005176365102 |
| | Eurostyle Single-lever basin mixer 1/2" L-Size monobloc installation solid metal lever with temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min GROHE FastFixation installation system swivel cast spout swivel area 360° pop-up waste set 1 1/4" | | |
|   | 23 570 003 23 570 LS3 | Chrome moon white | 4005176334245 4005176334474 |
| | Eurostyle Basin mixer 1/2" XL-Size monobloc installation loop metal lever for free-standing basins GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min GROHE FastFixation installation system smooth body flexible connection hoses | | |
|   | 23 719 003 23 719 LS3 | Chrome moon white | 4005176365119 4005176365126 |
| | Eurostyle Basin mixer 1/2" XL-Size monobloc installation solid metal lever for free-standing basins GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min GROHE FastFixation installation system smooth body flexible connection hoses | | |

GROHE EUROSTYLE








| | Ref. No. | Colour | EAN |
|---|---|--|--------------------------------|
|  | 19 571 003 19 571 LS3 | Chrome moon white | 4005176334269 4005176334498 |
| |  | Eurostyle 2-hole basin mixer M-Size wall mounted without concealed body set for final installation for 23 571 000 metal escutcheon loop metal lever GROHE Long-Life Shine durable sparkling sheen GROHE AquaGuide adjustable mousseur centre distance 110 mm projection 203 mm | |
|  | 29 097 003 29 097 LS3 | Chrome moon white | 4005176365133 4005176365140 |
| |  | Eurostyle 2-hole basin mixer M-Size wall mounted without concealed body set for final installation for 23 571 000 metal escutcheon solid metal lever GROHE Long-Life Shine durable sparkling sheen GROHE AquaGuide adjustable mousseur centre distance 110 mm projection 203 mm | |
|  | 23 571 000 | | 4005176334276 |
| |  | Single-lever mixer 1/2", universal concealed body for 2 hole basin mixer wall installation without finishing trim set GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter spout can be positioned on the right or left DR-brass installation device allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve | |
|  | 33 565 003 33 565 LS3 | Chrome moon white | 4005176334283 4005176334504 |
| |  | Eurostyle Bidet mixer 1/2" S-Size monobloc installation loop metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min GROHE FastFixation installation system with ball joint pop-up waste set 1 1/4" flexible connection hoses | |










GROHE EUROSTYLE











| | | Ref. No. | Colour | EAN |
|--|---|---|------------|---------------|
|  |  | 23 720 003 | Chrome | 4005176365157 |
| | | 23 720 LS3 | moon white | 4005176365164 |
| <p>Eurostyle Bidet mixer 1/2" S-Size monobloc installation solid metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min GROHE FastFixation installation system with ball joint pop-up waste set 1 1/4" flexible connection hoses</p> | | | | |
|  |  | 33 590 003 | Chrome | 4005176334306 |
| | | 33 590 LS3 | moon white | 4005176334511 |
| <p>Eurostyle Single-lever shower mixer 1/2" wall mounted loop metal lever GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE Long-Life Shine durable sparkling sheen adjustable flow rate limiter shower outlet 1/2" with integrated non-return valve covered S-unions metal wall escutcheons protected against backflow</p> | | | | |
|  |  | 23 722 003 | Chrome | 4005176365188 |
| | | 23 722 LS3 | moon white | 4005176365195 |
| <p>Eurostyle Single-lever shower mixer 1/2" wall mounted solid metal lever GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE Long-Life Shine durable sparkling sheen adjustable flow rate limiter shower outlet 1/2" with integrated non-return valve covered S-unions metal wall escutcheons protected against backflow</p> | | | | |
|  |  | 34 814 003 | Chrome | 4005176695728 |
| | | <p>Grotherm 1000 Thermostatic shower mixer 1/2" wall mounted GROHE CoolTouch safety housing GROHE Long-Life Shine durable sparkling sheen GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon GROHE Water Saving - Less water, perfect flow professional edition replaces Grotherm 1000 thermostatic shower mixer 34 143 003</p> | | |

| | Ref. No. | Colour | EAN |
|---|--|------------|---------------|
|  | 33 591 003 | Chrome | 4005176334351 |
| | 33 591 LS3 | moon white | 4005176334535 |
|  | <p>Eurostyle Single-lever bath/shower mixer 1/2" wall mounted loop metal lever GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE Long-Life Shine durable sparkling sheen adjustable flow rate limiter automatic diverter: bath/shower mousseur shower outlet 1/2" with integrated non-return valve covered S-unions metal wall escutcheons protected against backflow</p> | | |
|  | 23 726 003 | Chrome | 4005176365256 |
| | 23 726 LS3 | moon white | 4005176365263 |
|  | <p>Eurostyle Single-lever bath/shower mixer 1/2" wall mounted solid metal lever GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE Long-Life Shine durable sparkling sheen adjustable flow rate limiter automatic diverter: bath/shower mousseur shower outlet 1/2" with integrated non-return valve covered S-unions protected against backflow</p> | | |
|  |  | | 34 816 003 |
| |  | Chrome | 4005176695742 |
| <p>Grohtherm 1000 Thermostatic bath/shower mixer 1/2" wall mounted GROHE CoolTouch safety housing GROHE Long-Life Shine durable sparkling sheen GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off GROHE AquaDimmer Eco with multiple function: - integrated GROHE EcoButton (economy button with economy stop for shower) - flow control - diverter: bath/shower shower bottom outlet 1/2" mousseur built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon GROHE Water Saving - Less water, perfect flow professional edition replaces Grohtherm 1000 thermostatic bath mixer 34 155 003</p> | | | |









GROHE EUROSTYLE

| | Ref. No. | Colour | EAN |
|--|---|------------|---------------|
|  | 33 592 30A | Chrome | 4005176456497 |
| | <p>Eurostyle Single-lever bath/shower mixer 1/2" wall mounted loop metal lever GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE Long-Life Shine durable sparkling sheen adjustable flow rate limiter automatic diverter: bath/shower mousseur shower outlet 1/2" with integrated non-return valve covered S-unions metal wall escutcheons protected against backflow with shower set Tempesta Consisting of: hand shower Tempesta 100, 2 sprays, 9.5 l/min (26 161) wall shower holder (28 605) Relaxaflex hose 1500 mm 1/2" x 1/2" (28 151)</p> | | |
|  | 24 048 003 | Chrome | 4005176465345 |
| | 24 048 LS3 | moon white | 4005176465352 |
| <p>Eurostyle Single-lever shower mixer trim set for final installation for GROHE Rapido SmartBox 35 600/35 604 GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life Shine durable sparkling sheen wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever flow performance: outlet B or C = 30 l/min without roughing-in-set</p> | | | |
|  | 35 604 000 | | 4005176698774 |
| | <p>GROHE Rapido SmartBox universal rough-in box for concealed installation</p> | | |
|  | 24 046 003 | Chrome | 4005176465307 |
| | 24 046 LS3 | moon white | 4005176465314 |
| <p>Eurostyle Single-lever shower mixer trim set for final installation for GROHE Rapido SmartBox 35 600/35 604 GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life Shine durable sparkling sheen wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever flow performance: outlet B or C = 30 l/min without roughing-in-set</p> | | | |
|  | 35 604 000 | | 4005176698774 |
| | <p>GROHE Rapido SmartBox universal rough-in box for concealed installation</p> | | |
|  | 24 049 003 | Chrome | 4005176465369 |
| | 24 049 LS3 | moon white | 4005176465376 |
| <p>Eurostyle Single-lever mixer with 2-way diverter set for final installation for GROHE Rapido SmartBox 35 600/35 604 GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life Shine durable sparkling sheen wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever automatic 2-way diverter flow performance: outlet B = 27 l/min, outlet C = 27 l/min without roughing-in-set</p> | | | |
|  | 35 604 000 | | 4005176698774 |
| | <p>GROHE Rapido SmartBox universal rough-in box for concealed installation</p> | | |









| | Ref. No. | Colour | EAN |
|---|--|------------|---------------|
|  | 24 047 003 | Chrome | 4005176465321 |
| | 24 047 LS3 | moon white | 4005176465338 |
|  | <p>Eurostyle Single-lever mixer with 2-way diverter set for final installation for GROHE Rapido SmartBox 35 600/35 604 GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life Shine durable sparkling sheen wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever automatic 2-way diverter flow performance: outlet B = 27 l/min, outlet C = 27 l/min without roughing-in-set</p> | | |
|  | 35 604 000 | | 4005176698774 |
| | <p>GROHE Rapido SmartBox universal rough-in box for concealed installation</p> | | |
|  | 19 507 003 | Chrome | 4005176334337 |
| | 19 507 LS3 | moon white | 4005176334528 |
|  | <p>Eurostyle Single-lever shower mixer trim set for final installation for 33 961 000, 33 962 000, 33 963 000, 33 964 000, 33 965 000, 33 966 000, 35 501 000 without concealed body loop metal lever GROHE Long-Life Shine durable sparkling sheen GROHE FastFixation covered fixing escutcheon- and shaft-sealing metal wall escutcheon</p> | | |
|  | 29 098 003 | Chrome | 4005176365225 |
| | 29 098 LS3 | moon white | 4005176365232 |
|  | <p>Eurostyle Single-lever shower mixer trim set for final installation for 33 961 000, 33 962 000, 33 963 000, 33 964 000, 33 965 000, 33 966 000, 35 501 000 without concealed body solid metal lever GROHE Long-Life Shine durable sparkling sheen GROHE FastFixation covered fixing escutcheon- and shaft-sealing metal wall escutcheon</p> | | |
|  | 33 635 003 | Chrome | 4005176334344 |
| | <p>Eurostyle Single-lever shower mixer 1/2" wall installation GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life Shine durable sparkling sheen GROHE FastFixation covered fixing Consisting of: compatible with (19 507 003) with concealed body adjustable flow rate limiter loop metal lever escutcheon- and shaft-sealing metal wall escutcheon optional temperature limiter (46 308 000)</p> | | |
|  | | | |

| | Ref. No. | Colour | EAN |
|---|---|------------------------------------|--|
|   | 23 725 003 | Chrome | 4005176365249 |
| | <p>Eurostyle Single-lever shower mixer 1/2" wall installation Consisting of: compatible with (19 507 003) with concealed body solid metal lever GROHE SilkMove 46 mm ceramic cartridge adjustable flow rate limiter GROHE Long-Life Shine durable sparkling sheen metal wall escutcheon escutcheon- and shaft-sealing GROHE FastFixation covered fixing optional temperature limiter (46 308 000)</p> | | |
|   | 19 506 003 19 506 LS3 | Chrome moon white | 4005176334399 4005176334542 |
| | <p>Eurostyle Single-lever bath/shower mixer trim set for final installation for 33 961 000, 33 963 000, 33 965 000 without concealed body GROHE Long-Life Shine durable sparkling sheen GROHE FastFixation covered fixing automatic diverter: bath/shower escutcheon- and shaft-sealing metal wall escutcheon</p> | | |
|   | 29 099 003 29 099 LS3 | Chrome moon white | 4005176365300 4005176365317 |
| | <p>Eurostyle Single-lever bath/shower mixer trim set for final installation for 33 961 000, 33 963 000, 33 965 000 without concealed body solid metal lever GROHE Long-Life Shine durable sparkling sheen GROHE FastFixation covered fixing automatic diverter: bath/shower escutcheon- and shaft-sealing</p> | | |
|   | 33 637 003 | Chrome | 4005176334405 |
| | <p>Eurostyle Single-lever bath/shower mixer 1/2" wall installation GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life Shine durable sparkling sheen GROHE FastFixation covered fixing Consisting of: compatible with (19 506 003) with concealed body adjustable flow rate limiter automatic diverter: bath/shower loop metal lever escutcheon- and shaft-sealing metal wall escutcheon optional temperature limiter (46 308 000)</p> | | |
|   | 23 730 003 | Chrome | 4005176365324 |
| | <p>Eurostyle Single-lever bath/shower mixer 1/2" wall installation GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life Shine durable sparkling sheen GROHE FastFixation covered fixing Consisting of: compatible with (19 506 003) with concealed body adjustable flow rate limiter automatic diverter: bath/shower solid metal lever optional temperature limiter (46 308 000) metal wall escutcheons</p> | | |









GROHE EUROSMART COSMOPOLITAN

| | Ref. No. | Colour | EAN |
|---|--|--------|---------------|
|  | 32 825 00E | Chrome | 4005176874628 |
|  | <p>Eurosmart Cosmopolitan Basin mixer 1/2" S-Size monobloc installation, metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable minimum flow rate 2.5 l/min temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE FastFixation installation system with centering support pop-up waste set 1 1/4" flexible connection hoses min. recommended pressure 1.0 bar</p> | | |
|  | 32 955 000 | Chrome | 4005176880117 |
|  | <p>Eurosmart Cosmopolitan Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min GROHE Long-Life Shine durable sparkling sheen GROHE FastFixation installation system with centering support flow straightener pop-up waste set 1 1/4" flexible connection hoses for use with displacement water heater optional temperature limiter (46 375 000) noise classification 1 in accordance with DIN4109</p> | | |
|  | 23 925 000 | Chrome | 4005176583353 |
|  | <p>Eurosmart Cosmopolitan Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min GROHE Long-Life Shine durable sparkling sheen GROHE FastFixation installation system with centering support GROHE Water Saving mousseur 5.7 l/min smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses optional temperature limiter (46 375 000) noise classification 1 in accordance with DIN4109</p> | | |
|  | 32 825 00L | Chrome | 4005176917028 |
|  | <p>Eurosmart Cosmopolitan Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min GROHE Long-Life Shine durable sparkling sheen GROHE FastFixation installation system with centering support mousseur pop-up waste set 1 1/4" flexible connection hoses for low pressure recommended pressure 0.2 - 5.0 bar optional temperature limiter (46 375 000)</p> | | |









GROHE EUROSMART COSMOPOLITAN

| | Ref. No. | Colour | EAN |
|---|---|--------|---------------|
|  | 32 827 00E | Chrome | 4005176906565 |
|  | Eurosmart Cosmopolitan Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving SpeedClean mousseur 5.7 l/min GROHE FastFixation installation system with centering support retractable chain flexible connection hoses noise classification 1 in accordance with DIN4109 | | |
|  | 32 824 000 | Chrome | 4005176874604 |
|  | Eurosmart Cosmopolitan Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min GROHE Long-Life Shine durable sparkling sheen GROHE FastFixation installation system with centering support mousseur smooth body flexible connection hoses optional temperature limiter (46 375 000) | | |
|  | 32 824 00L | Chrome | 4005176917035 |
|  | Eurosmart Cosmopolitan Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter GROHE Long-Life Shine durable sparkling sheen adjustable minimum flow rate 2.5 l/min GROHE FastFixation installation system with centering support mousseur smooth body flexible connection hoses for low pressure recommended pressure 0.2 - 5.0 bar optional temperature limiter (46 375 000) | | |
|  | 23 377 00E | Chrome | 4005176936630 |
|  | Eurosmart Cosmopolitan Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove Energy Saving 35 mm ceramic cartridge with energy saving function via cold start adjustable flow rate limiter temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min GROHE FastFixation installation system with centering support pop-up waste set 1 1/4" flexible connection hoses min. recommended pressure 1.0 bar | | |







GROHE EUROSMART COSMOPOLITAN

| | Ref. No. | Colour | EAN |
|---|--|--------|---------------|
|  | 23 378 00E | Chrome | 4005176936647 |
|  | Eurosmart Cosmopolitan Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove Energy Saving 35 mm ceramic cartridge with energy saving function via cold start adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min GROHE FastFixation installation system with centering support retractable chain flexible connection hoses | | |
|  | 23 376 00E | Chrome | 4005176936623 |
|  | Eurosmart Cosmopolitan Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove Energy Saving 35 mm ceramic cartridge with energy saving function via cold start adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min GROHE FastFixation installation system with centering support smooth body flexible connection hoses | | |
|  | 23 927 000 | Chrome | 4005176583377 |
|  | Eurosmart Cosmopolitan Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove Energy Saving 35 mm ceramic cartridge with energy saving function via cold start adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min GROHE FastFixation installation system with centering support smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses | | |
|  | 23 325 000 | Chrome | 4005176933974 |
|  | Eurosmart Cosmopolitan Basin mixer 1/2" M-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min GROHE FastFixation installation system pop-up waste set 1 1/4" flexible connection hoses optional temperature limiter (46 375 000) | | |









GROHE EUROSMART COSMOPOLITAN

| | | Ref. No. | Colour | EAN |
|---|---|--|---------------------------|--------------------------------|
|  |  | 23 926 000 | Chrome | 4005176583360 |
| | | Eurosmart Cosmopolitan Basin mixer 1/2" M-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min GROHE FastFixation installation system smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses min. recommended pressure 1.0 bar optional temperature limiter (46 375 000) | | |
|  |  | 23 327 000 23 327 KW0 | Chrome supermatt black | 4005176934094 4005176565205 |
| | | Eurosmart Cosmopolitan Basin mixer 1/2" M-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min GROHE FastFixation installation system smooth body flexible connection hoses optional temperature limiter (46 375 000) | | |
|  |  | 23 396 00E | Chrome | 4005176938504 |
| | | Eurosmart Cosmopolitan Basin mixer 1/2" M-Size monobloc installation metal lever GROHE SilkMove Energy Saving 35 mm ceramic cartridge with energy saving function via cold start adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min GROHE Long-Life Shine durable sparkling sheen temperature limiter GROHE Water Saving mousseur 5.7 l/min GROHE FastFixation installation system with centering support pop-up waste set 1 1/4" flexible connection hoses min. recommended pressure 1.0 bar | | |
|  |  | 23 928 000 | Chrome | 4005176583384 |
| | | Eurosmart Cosmopolitan Basin mixer 1/2" M-Size monobloc installation metal lever GROHE SilkMove Energy Saving 35 mm ceramic cartridge with energy saving function via cold start adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min GROHE FastFixation installation system with centering support smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses | | |









GROHE EUROSMART COSMOPOLITAN

| | Ref. No. | Colour | EAN |
|---|--|--------|---------------|
|  | 32 830 001 | Chrome | 4005176472749 |
|  | <p>Eurosmart Cosmopolitan Single-lever basin mixer 1/2" L-Size monobloc installation metal lever covered lever fixing GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter GROHE Long-Life Shine durable sparkling sheen Lead and Nickel Free Inner Water Ways GROHE FastFixation installation system mousseur swivel tubular spout with stop limiter pop-up waste set 1 1/4" flexible connection hoses optional temperature limiter (46 375 000)</p> | | |
|  | 23 933 001 | Chrome | 4005176584039 |
|  | <p>Eurosmart Cosmopolitan Single-lever basin mixer 1/2" L-Size monobloc installation metal lever covered lever fixing GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter GROHE Long-Life Shine durable sparkling sheen Lead and Nickel Free Inner Water Ways GROHE FastFixation installation system mousseur swivel tubular spout with stop limiter smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses optional temperature limiter (46 375 000)</p> | | |
|  | 23 921 000 | Chrome | 4005176583438 |
|  | <p>Eurosmart Cosmopolitan Basin mixer 1/2" XL-Size monobloc installation metal lever for free-standing basins 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min GROHE AquaGuide adjustable mousseur rapid installation system smooth body flexible connection hoses min. recommended pressure 1.0 bar</p> | | |







GROHE EUROSMART COSMOPOLITAN

| | Ref. No. | Colour | EAN |
|---|---|--------|---------------|
|  | 36 327 001 | Chrome | 4005176305771 |
|  | <p>Eurosmart Cosmopolitan E Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter with infrared sensor for bi-directional communication for monitoring, configuration and servicing 6V lithium battery, type CR-P2 battery lifetime approx. 7 years (150 actuations a day) GROHE Water Saving mousseur 5.7 l/min flexible connection hoses non-return valve dirt strainers with integrated solenoid valve external battery rapid installation system multistage battery status display 7 pre-set programs auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407 CE approved noise classification 1 in accordance with DIN4109 type of protection faucet IP 59K</p> | | |
|  | 20 187 000 | Chrome | 4005176874680 |
|  | <p>Eurosmart Cosmopolitan Three-hole basin mixer 1/2" S-Size metal lever ceramic headparts 1/2", 90° GROHE Long-Life Shine durable sparkling sheen GROHE FastFixation installation system with centering support spout with mousseur pop-up waste set 1 1/4" pressure-proof, flexible connection hoses between spout and side valves union nut with 10.5-mm drilling</p> | | |
|  | 19 381 000 | Chrome | 4005176874673 |
|  | <p>Eurosmart Cosmopolitan 2-hole basin mixer S-Size wall mounted set for final installation for 23 571 000 without concealed body metal escutcheon metal lever GROHE Long-Life Shine durable sparkling sheen GROHE AquaGuide adjustable mousseur centre distance 110 mm projection 170 mm</p> | | |
|  | 23 571 000 | | 4005176334276 |
|  | <p>Single-lever mixer 1/2", universal concealed body for 2 hole basin mixer wall installation without finishing trim set GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter spout can be positioned on the right or left DR-brass installation device allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve</p> | | |

GROHE EUROSMART COSMOPOLITAN

| | Ref. No. | Colour | EAN |
|---|--|--------|---------------|
|  | 32 839 000 | Chrome | 4005176874802 |
|  | <p>Eurosmart Cosmopolitan Bidet mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge GROHE Long-Life Shine durable sparkling sheen GROHE FastFixation installation system with centering support ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses optional temperature limiter (46 375 000)</p> | | |
| | 32 840 000 | Chrome | 4005176874819 |
| | ditto, with retractable chain | | |
|  | 32 837 000 | Chrome | 4005176874772 |
|  | <p>Eurosmart Cosmopolitan Single-lever shower mixer 1/2" wall mounted, metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life Shine durable sparkling sheen adjustable flow rate limiter shower bottom outlet 1/2" with integrated non return-valve S-unions optional temperature limiter (46 308 000) protected against backflow</p> | | |
|  | 34 765 000 | Chrome | 4005176612022 |
|  | <p>Grotherm 800 Cosmopolitan Thermostatic shower mixer 1/2" wall mounted GROHE Long-Life Shine durable sparkling sheen GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon GROHE Water Saving - Less water, perfect flow</p> | | |
|  | 32 836 000 | Chrome | 4005176874758 |
|  | <p>Eurosmart Cosmopolitan Single-lever bath/shower mixer 1/2" monobloc installation metal lever 46 mm ceramic cartridge with Eco-Override-Stop, with GROHE SilkMove GROHE Long-Life Shine durable sparkling sheen adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" flexible connection hoses protected against backflow optional temperature limiter (46 308 000) Qualitel E1/E3C2A2U3 applied for</p> | | |


GROHE EUROSMART COSMOPOLITAN

| | Ref. No. | Colour | EAN |
|---|---|---------------|----------------------|
|   | 32 831 000 | Chrome | 4005176874703 |
| | <p>Eurosmart Cosmopolitan Single-lever bath/shower mixer 1/2" wall mounted, metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life Shine durable sparkling sheen adjustable flow rate limiter automatic diverter: bath/shower mousseur, integrated non-return valve in the shower outlet 1/2" S-unions protected against backflow optional temperature limiter (46 308 000)</p> | | |
|   | 34 766 000 | Chrome | 4005176612039 |
| | <p>Grotherm 800 Cosmopolitan Thermostatic bath/shower mixer 1/2" wall mounted GROHE Long-Life Shine durable sparkling sheen GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off automatic diverter: bath/shower volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" mousseur built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon GROHE Water Saving - Less water, perfect flow</p> | | |
|   | 34 767 000 | Chrome | 4005176612046 |
| | <p>Grotherm 800 Cosmopolitan Thermostatic shower mixer 1/2" wall mounted GROHE Long-Life Shine durable sparkling sheen GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° built-in non return valves shower bottom outlet 1/2" dirt strainers protected against backflow without connection unions for wall mounting GROHE Water Saving - Less water, perfect flow</p> | | |

GROHE EUROSMART COSMOPOLITAN


Ref. No. Colour EAN

32 833 000 Chrome 4005176874727




Eurosmart Cosmopolitan
Single-lever bath/shower mixer 1/2"
wall mounted
metal lever
46 mm ceramic cartridge with
Eco-Override-Stop, with **GROHE SilkMove**
GROHE Long-Life Shine durable sparkling sheen
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
automatic diverter: bath/shower
mousseur
integrated non-return valve
in the shower outlet 1/2"
S-unions
protected against backflow
optional temperature limiter ref. no. 08 791

32 832 000 Chrome 4005176874710




Eurosmart Cosmopolitan
Single-lever bath/shower mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur
integrated non-return valve
in the shower outlet 1/2"
S-unions
protected against backflow
optional temperature limiter (46 308 000)
with shower set
Euphoria Cosmopolitan hand shower (27 367)
wall shower holder (27 056)
Relaxaflex hose 1500 mm 1/2" x 1/2" (28 151)

25 128 000 Chrome 4005176905209



Eurosmart Cosmopolitan
Two-handed Bath filler 1/2"
deck mounted
metal handles
GROHE Long-Life headpart 3/4"
GROHE Long-Life Shine durable sparkling sheen
min. recommended pressure 0.2 bar

25 129 000 Chrome 4005176905216




Eurosmart Cosmopolitan
Two-handed Bath/Shower mixer 1/2"
deck mounted
metal handles
GROHE Long-Life headpart 3/4"
automatic diverter: bath/shower
integrated non-return valve
in the shower outlet 1/2"
GROHE Long-Life Shine durable sparkling sheen
min. recommended pressure 0.2 bar

GROHE EUROSMART COSMOPOLITAN

Ref. No. Colour EAN

24 044 000 Chrome 4005176465185



Eurosmart Cosmopolitan
Single-lever shower mixer trim

set for final installation for

GROHE Rapido SmartBox 35 600/35 604

GROHE SilkMove 46 mm ceramic cartridge

GROHE Long-Life Shine durable sparkling sheen

wall escutcheon with **GROHE FastFixation**

(covered escutcheon- and shaft sealing, covered fixing)

metal escutcheon, retroactively 6° adjustable

metal lever

flow performance:

outlet B or C = 30 l/min


without roughing-in-set



35 604 000 4005176698774

GROHE Rapido SmartBox universal rough-in box for concealed installation

24 045 000 Chrome 4005176465291



Eurosmart Cosmopolitan

Single-lever mixer with 2-way diverter

set for final installation for

GROHE Rapido SmartBox 35 600/35 604

GROHE SilkMove 46 mm ceramic cartridge

GROHE Long-Life Shine durable sparkling sheen

wall escutcheon with **GROHE FastFixation**

(covered escutcheon- and shaft sealing, covered fixing)

metal escutcheon, retroactively 6° adjustable

metal lever

automatic 2-way diverter

flow performance:

outlet B = 27 l/min, outlet C = 27 l/min


without roughing-in-set



35 604 000 4005176698774

GROHE Rapido SmartBox universal rough-in box for concealed installation

25 219 001 Chrome 4005176466373



Eurosmart Cosmopolitan

Perfect shower set with Tempesta 210

Consisting of:

Eurosmart Cosmopolitan set for final installation with

automatic diverter bath / shower (24 045)

GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600)

head shower Tempesta 210 9.5 l/min (26 410)


Shower arm Rainshower 286 mm (28 576 000)

hand shower Tempesta 100 II 9.5 l/min (27 597)

Shower outlet elbow (28 628 000)

Rotaflex shower hose 1500 mm 1/2" x 1/2" (28 409)

19 383 000 Chrome 4005176874765



Eurosmart Cosmopolitan
Single-lever shower mixer trim

set for final installation for

33 961 000, 33 962 000, 33 963 000, 33 964 000,

33 965 000, 33 966 000, 35 501 000

without concealed body

metal lever











GROHE Long-Life Shine durable sparkling sheen

escutcheon- and shaft-sealing













wall escutcheon

covered fixing


GROHE EUROSMART COSMOPOLITAN

| | Ref. No. | Colour | EAN |
|---|-------------------|---------------|----------------------|
|   | 32 880 000 | Chrome | 4005176877360 |
| <p>Eurosmart Cosmopolitan Single-lever shower mixer 1/2" wall installation GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life Shine durable sparkling sheen Consisting of: set for final installation concealed body 33 962 000 adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min metal lever escutcheon- and shaft-sealing metal escutcheon screwed optional temperature limiter</p> | | | |
|   | 19 382 000 | Chrome | 4005176874697 |
| <p>Eurosmart Cosmopolitan Single-lever bath/shower mixer trim set for final installation for 33 961 000, 33 963 000, 33 965 000 without concealed body metal lever GROHE Long-Life Shine durable sparkling sheen automatic diverter: bath/shower escutcheon- and shaft-sealing wall escutcheon covered fixing</p> | | | |
|   | 32 879 000 | Chrome | 4005176877353 |
| <p>Eurosmart Cosmopolitan Single-lever bath/shower mixer 1/2" wall installation GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life Shine durable sparkling sheen Consisting of: set for final installation concealed body 33 961 000 adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min automatic diverter: bath/shower metal lever metal wall escutcheon screwed optional temperature limiter (46 308 000)</p> | | | |
|   | 13 261 000 | Chrome | 4005176877384 |
| <p>Eurosmart Cosmopolitan Bath spout wall mounted GROHE Long-Life Shine durable sparkling sheen mousseur male thread 1/2" projection 170 mm</p> | | | |
|   | 13 262 000 | Chrome | 4005176877391 |
| <p>Eurosmart Cosmopolitan Bath spout wall mounted GROHE Long-Life Shine durable sparkling sheen mousseur automatic diverter: bath/shower male thread 1/2" projection 170 mm</p> | | | |

GROHE EUROSMART

| | Ref. No. | Colour | EAN |
|---|--|--------|---------------|
|  |  23 965 003 | Chrome | 4005176611544 |
|  | Eurosmart Basin mixer 1/2" S-Size angled version metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter adjustable flow rate limiter monobloc installation GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min Lead and Nickel Free Inner Water Ways GROHE FastFixation installation system pop-up waste set 1 1/4" flexible connection hoses professional edition | | |
|  |  23 968 003 | Chrome | 4005176611575 |
|  | Eurosmart Basin mixer 1/2" S-Size angled version monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove adjustable flow rate limiter with temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min Lead and Nickel Free Inner Water Ways GROHE FastFixation installation system flexible connection hoses smooth body with push-open pop-up waste set 1 1/4" professional edition | | |
|  |  23 967 003 | Chrome | 4005176611568 |
|  | Eurosmart Basin mixer 1/2" S-Size angled version monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove adjustable flow rate limiter with temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min Lead and Nickel Free Inner Water Ways GROHE FastFixation installation system flexible connection hoses smooth body professional edition | | |
|  |  23 969 003 | Chrome | 4005176613180 |
|  | Eurosmart Basin mixer 1/2" S-Size angled version monobloc installation metal lever GROHE SilkMove Energy Saving 28 mm ceramic cartridge with energy saving function via cold start adjustable flow rate limiter with temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min Lead and Nickel Free Inner Water Ways pop-up waste set 1 1/4" flexible connection hoses professional edition | | |


| Ref. No. | Colour | EAN |
|------------|--------|---------------|
| 23 975 003 | Chrome | 4005176644153 |



Eurosmart Basin mixer 1/2" M-Size
 monobloc installation
 2-in-1 hybrid with touchless or manual operation
 manual lever operation having priority
 metal lever
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 with temperature limiter
 infra-red electronic
 with infrared sensor for bi-directional communication
 for monitoring, configuration and servicing
 6V lithium battery, type CR-P2
 battery lifetime approx. 7 years (150 actuations a day)
 non-return valve
 dirt strainer
 with integrated solenoid valve
 external battery
 multistage battery status display
 7 pre-set programs
 auto flush
 cleaning mode
 additional functions and precise settings
 by remote control 36 407
GROHE Water Saving mousseur 5.7 l/min
 Lead and Nickel Free Inner Water Ways
 rapid installation system
 smooth body
 flexible connection hoses
 min. recommended pressure 1.0 bar
 CE approved
 professional edition



| | | |
|------------|--------|---------------|
| 33 265 003 | Chrome | 4005176613197 |
|------------|--------|---------------|



Eurosmart Basin mixer 1/2" S-Size
 monobloc installation
 metal lever
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 adjustable flow rate limiter
 with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
 Lead and Nickel Free Inner Water Ways
GROHE FastFixation installation system
 flexible connection hoses
 pop-up waste set 1 1/4"
 professional edition



| | | |
|------------|--------|---------------|
| 23 922 003 | Chrome | 4005176613227 |
|------------|--------|---------------|

ditto, smooth body with push-open pop-up waste set 1 1/4"




| | | |
|------------|--------|---------------|
| 32 467 003 | Chrome | 4005176613210 |
|------------|--------|---------------|










ditto, smooth body



| | | |
|------------|--------|---------------|
| 33 265 30L | Chrome | 4005176644269 |
|------------|--------|---------------|




Eurosmart Basin mixer 1/2" S-Size
 monobloc installation
 metal lever
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 adjustable flow rate limiter
 with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
 Lead and Nickel Free Inner Water Ways
GROHE FastFixation installation system
 pop-up waste set 1 1/4"
 flexible connection hoses
 mousseur
 for **low pressure**
 min. recommended pressure 0.2 bar
 professional edition

| | Ref. No. | Colour | EAN |
|---|---|--------|---------------|
|  |  23 456 003 | Chrome | 4005176613272 |
|  | Eurosmart Basin mixer 1/2" S-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter adjustable flow rate limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min Lead and Nickel Free Inner Water Ways GROHE FastFixation installation system flexible connection hoses hybrid pop-up waste set 1 1/4" professional edition | | |
|  |  33 188 003 | Chrome | 4005176613203 |
|  | Eurosmart Basin mixer 1/2" S-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove adjustable flow rate limiter with temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min Lead and Nickel Free Inner Water Ways GROHE FastFixation installation system retractable chain flexible connection hoses professional edition | | |
|  |  32 467 30L | Chrome | 4005176644276 |
|  | Eurosmart Basin mixer 1/2" S-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove adjustable flow rate limiter with temperature limiter mousseur GROHE Long-Life Shine durable sparkling sheen Lead and Nickel Free Inner Water Ways GROHE FastFixation installation system smooth body flexible connection hoses min. recommended pressure 0.2 bar for low pressure professional edition | | |

GROHE EUROSMART

Ref. No. Colour EAN



32 926 003 Chrome 4005176613234


Eurosmart
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove Energy Saving 28 mm ceramic cartridge
with energy saving function via cold start
adjustable flow rate limiter
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
Lead and Nickel Free Inner Water Ways
GROHE FastFixation installation system
pop-up waste set 1 1/4"
lift rod in lateral position
flexible connection hoses
professional edition



23 924 003 Chrome 4005176613265
ditto, smooth body with push-open pop-up waste set 1 1/4"




32 154 003 Chrome 4005176613258
ditto, smooth body



24 192 003 Chrome 4005176723964

Eurosmart
Basin mixer 1/2"
S-Size
Cradle to Cradle Certified Gold
monobloc installation
metal lever
GROHE SilkMove Energy Saving 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
Lead and Nickel Free Inner Water Ways
GROHE Water Saving mousseur 5.7 l/min
GROHE FastFixation installation system
smooth body
flexible connection hoses
professional edition



23 322 003 Chrome 4005176613302













Eurosmart
Basin mixer 1/2"
M-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
adjustable flow rate limiter
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
Lead and Nickel Free Inner Water Ways
GROHE FastFixation installation system
pop-up waste set 1 1/4"
flexible connection hoses
professional edition


























23 923 003 Chrome 4005176613333
ditto, smooth body with push-open pop-up waste set 1 1/4"







23 324 003 Chrome 4005176613326
ditto, smooth body

| | Ref. No. | Colour | EAN |
|---|---|--------|---------------|
|  |  23 393 30E | Chrome | 4005176613340 |
| | <p>Eurosmart Basin mixer 1/2" M-Size monobloc installation metal lever GROHE SilkMove Energy Saving 28 mm ceramic cartridge with energy saving function via cold start adjustable flow rate limiter with temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min Lead and Nickel Free Inner Water Ways GROHE FastFixation installation system pop-up waste set 1 1/4" flexible connection hoses professional edition</p> | | |
|  |  23 395 30E | Chrome | 4005176613357 |
| | <p>ditto, smooth body</p> | | |
|  |  23 976 003 | Chrome | 4005176644160 |
| | <p>Eurosmart Basin mixer 1/2" M-Size pull out spout monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove adjustable flow rate limiter with temperature limiter GROHE Water Saving mousseur 5.7 l/min rapid installation system GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses professional edition</p> | | |
|  |  23 537 003 | Chrome | 4005176613395 |
| | <p>Eurosmart Single-lever basin mixer 1/2" L-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min GROHE FastFixation installation system swivel tubular spout pop-up waste set 1 1/4" flexible connection hoses professional edition</p> | | |
|  |  23 970 003 | Chrome | 4005176613418 |
| | <p>ditto, smooth body with push-open pop-up waste set 1 1/4"</p> | | |
|  |  23 372 003 | Chrome | 4005176613241 |
| | <p>Eurosmart Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove Energy Saving 28 mm ceramic cartridge with energy saving function via cold start adjustable flow rate limiter with temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min Lead and Nickel Free Inner Water Ways GROHE FastFixation installation system retractable chain flexible connection hoses professional edition</p> | | |

| | | Ref. No. | Colour | EAN |
|---|---|---|---------------|----------------------|
|  |  |  23 323 003 | Chrome | 4005176613319 |
| | | Eurosmart Basin mixer 1/2" M-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove adjustable flow rate limiter with temperature limiter GROHE Water Saving mousseur 5.7 l/min GROHE Long-Life Shine durable sparkling sheen Lead and Nickel Free Inner Water Ways GROHE FastFixation installation system retractable chain flexible connection hoses professional edition | | |
|  |  |  23 394 30E | Chrome | 4005176613364 |
| | | Eurosmart Basin mixer 1/2" M-Size monobloc installation metal lever GROHE SilkMove Energy Saving 28 mm ceramic cartridge with energy saving function via cold start adjustable flow rate limiter with temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min Lead and Nickel Free Inner Water Ways GROHE FastFixation installation system retractable chain flexible connection hoses professional edition | | |
|  |  |  23 743 003 | Chrome | 4005176613401 |
| | | Eurosmart Single-lever basin mixer 1/2" L-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min GROHE FastFixation installation system swivel tubular spout retractable chain flexible connection hoses professional edition | | |
|  |  |  23 971 003 | Chrome | 4005176613425 |
| | | Eurosmart Basin mixer 1/2" XL-Size for free-standing basins monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove adjustable flow rate limiter with temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min GROHE AquaGuide adjustable mousseur GROHE FastFixation installation system smooth body flexible connection hoses professional edition | | |

| | Ref. No. | Colour | EAN |
|---|--|--------|---------------|
|  |  29 337 003 | Chrome | 4005176613432 |
|  | Eurosmart 2-hole basin mixer S-Size wall mounted metal lever without concealed body set for final installation for 23 571 000 metal escutcheon GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min GROHE AquaGuide adjustable mousseur centre distance 110 mm projection 171 mm professional edition | | |
|  |  29 338 003 | Chrome | 4005176613449 |
|  | Eurosmart 2-hole basin mixer M-Size wall mounted metal lever without concealed body set for final installation for 23 571 000 metal escutcheon GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min GROHE AquaGuide adjustable mousseur centre distance 110 mm projection 211 mm professional edition | | |
|  | 23 571 000 | | 4005176334276 |
|  | Single-lever mixer 1/2", universal concealed body for 2 hole basin mixer wall installation without finishing trim set GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter spout can be positioned on the right or left DR-brass installation device allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve | | |
|  |  32 929 003 | Chrome | 4005176613623 |
|  | Eurosmart Bidet mixer 1/2" S-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove adjustable flow rate limiter with temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min Lead and Nickel Free Inner Water Ways GROHE FastFixation installation system with ball joint pop-up waste set 1 1/4" flexible connection hoses professional edition | | |


| | Ref. No. | Colour | EAN |
|---|------------|--------|---------------|
|   | 33 555 003 | Chrome | 4005176613562 |
| <p>Eurosmart Single-lever shower mixer 1/2" wall mounted metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE Long-Life Shine durable sparkling sheen shower bottom outlet 1/2" with integrated non return-valve S-unions metal wall escutcheons protected against backflow professional edition</p> | | | |

| | | | |
|--|------------|--------|---------------|
|   | 34 558 000 | Chrome | 4005176310089 |
| <p>Grohtherm 800 Thermostatic shower mixer 1/2" wall mounted GROHE Long-Life Shine durable sparkling sheen GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" dirt strainers built-in non return valves protected against backflow S-unions metal escutcheon GROHE Water Saving - Less water, perfect flow</p> | | | |

| | | | |
|--|------------|--------|---------------|
|   | 33 300 003 | Chrome | 4005176613456 |
| <p>Eurosmart Single-lever bath/shower mixer 1/2" wall mounted metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE Long-Life Shine durable sparkling sheen automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" S-unions metal wall escutcheons protected against backflow professional edition</p> | | | |

Ref. No. Colour EAN


34 567 000 Chrome 4005176310157



Grohtherm 800
Thermostatic bath/shower mixer 1/2"
 wall mounted
GROHE Long-Life Shine durable sparkling sheen
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
 with wax thermoelement
 integrated mixed water shut off
 automatic diverter: bath/shower
 volume handle with **GROHE EcoButton**
 (economy button with individually
 adjustable economy stop)
 ceramic headpart 1/2", 180°
 shower bottom outlet 1/2"
 mousseur
 built-in non return valves
 dirt strainers
 protected against backflow
 S-unions
 metal escutcheon
GROHE Water Saving - Less water, perfect flow




33 302 003 Chrome 4005176613470



Eurosmart
Single-lever bath/shower mixer 1/2"
 wall mounted
 metal lever
GROHE SilkMove 35 mm ceramic cartridge
 adjustable flow rate limiter
 with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
 automatic diverter: bath/shower
 mousseur
 integrated non-return valve
 in the shower outlet 1/2"
 S-unions
 metal wall escutcheons
 protected against backflow
 with shower set
 Consisting of:
 hand shower Tempesta 100, 1 spray, 9.5 l/min (27 923)
 wall shower holder (28 605)
 Relexaflex hose 1500 mm 1/2" x 1/2" (28 151)
 professional edition




33 303 003 Chrome 4005176613524



Eurosmart
Single-lever bath/shower mixer 1/2"
 deck mounted
 metal lever
 35 mm ceramic cartridge with
 Eco-Override-Stop, with **GROHE SilkMove**
 adjustable flow rate limiter
 with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
 automatic diverter: bath/shower
 mousseur
 shower outlet 1/2"
 integrated non-return valve
 in the shower outlet 1/2"
 pillar unions
 protected against backflow
 professional edition




25 098 003 Chrome 4005176644290



Eurosmart
Two-handed Bath filler 1/2"
 deck mounted
 metal lever
 Ceramic valves 3/4", 90°
GROHE Long-Life Shine durable sparkling sheen
Min. recommended pressure 0.5 bar
 professional edition


GROHE EUROSMART

Ref. No. Colour EAN



25 105 003 Chrome 4005176644306


Eurosmart
Two-handed Bath/Shower mixer 1/2"
deck mounted
metal lever
Ceramic valves 3/4", 90°
automatic diverter, lockable: bath/shower
integrated non-return valve
GROHE Long-Life Shine durable sparkling sheen
Min. recommended pressure 0.5 bar
professional edition



24 042 003 Chrome 4005176613616

Eurosmart
Single-lever shower mixer trim
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set
professional edition


35 604 000 4005176698774
GROHE Rapido SmartBox universal rough-in box for concealed installation



24 043 003 Chrome 4005176613548

Eurosmart
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set
metal lever
professional edition

35 604 000 4005176698774
GROHE Rapido SmartBox universal rough-in box for concealed installation




33 556 003 Chrome 4005176613609

Eurosmart
Single-lever shower mixer 1/2"
wall installation
metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
GROHE FastFixation escutcheon with covered fixation
Consisting of:
set for final installation (19 451 003)
with concealed body
adjustable flow rate limiter
escutcheon- and shaft-sealing
metal wall escutcheon
optional temperature limiter (46 308 000)
professional edition


Ref. No. Colour EAN

33 305 003 Chrome 4005176613531



Eurosmart
Single-lever bath/shower mixer 1/2"
wall installation
metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
GROHE FastFixation escutcheon with covered fixation
Consisting of:
set for final installation (19 450 003)
with concealed body
adjustable flow rate limiter
automatic diverter: bath/shower
metal escutcheon
escutcheon- and shaft-sealing
optional temperature limiter (46 308 000)
professional edition

13 448 003 Chrome 4005176613555



Eurosmart
Bath spout
wall mounted
GROHE Long-Life Shine durable sparkling sheen
mousseur
male thread 1/2"
projection 171 mm
min. recommended pressure 1.0 bar
professional edition


GROHE EUROSMART CARE

Ref. No. Colour EAN



23 988 003 Chrome

4005176644351




**Eurosmart
Basin mixer 1/2"**
S-Size
thermostatic scalding protection
maximum temperature adjustable
thermal disinfection not possible
monobloc installation
metal lever
lever length 89 mm
28 mm ceramic cartridge
with **GROHE SilkMove**
adjustable flow rate limiter
GROHE Long-Life Shine durable sparkling sheen
Lead and Nickel Free Inner Water Ways
built-in non return valves
dirt strainers
GROHE Water Saving mousseur 4.2 l/min
GROHE FastFixation installation system
smooth body with push-open pop-up waste set 1 1/4"
flexible connection hoses
max. pressure differential 5:1
professional edition



23 989 003 Chrome

4005176644368




**Eurosmart
Basin mixer 1/2"**
M-Size
thermostatic scalding protection
maximum temperature adjustable
thermal disinfection not possible
monobloc installation
metal lever
lever length 89 mm
28 mm ceramic cartridge
with **GROHE SilkMove**
adjustable flow rate limiter
Lead and Nickel Free Inner Water Ways
built-in non return valves
dirt strainers
GROHE Water Saving mousseur 4.2 l/min
GROHE FastFixation installation system
smooth body with push-open pop-up waste set 1 1/4"
flexible connection hoses
max. pressure differential 5:1
professional edition















23 986 003 Chrome

4005176643859











**Eurosmart
Basin mixer 1/2"**
S-Size
thermostatic scalding protection
maximum temperature adjustable
thermal disinfection without re-adjustment of temperature
tool for thermal disinfection included
monobloc installation
loop metal lever
lever length 130 mm
28 mm ceramic cartridge
with **GROHE SilkMove**
adjustable flow rate limiter
built-in non return valves
dirt strainers
Lead and Nickel Free Inner Water Ways
GROHE Water Saving 4.2 l/min laminar flow straightener
GROHE FastFixation installation system
smooth body
flexible connection hoses
max. pressure differential 5:1
professional edition









GROHE EUROSMART CARE

| | Ref. No. | Colour | EAN |
|---|---|---------------|----------------------|
|  |  23 987 003 | Chrome | 4005176644344 |
|  | <p>Eurosmart Basin mixer 1/2" M-Size thermostatic scalding protection maximum temperature adjustable thermal disinfection without re-adjustment of temperature tool for thermal disinfection included monobloc installation loop metal lever lever length 130 mm 28 mm ceramic cartridge with GROHE SilkMove adjustable flow rate limiter built-in non return valves dirt strainers Lead and Nickel Free Inner Water Ways GROHE Water Saving 4.2 l/min laminar flow straightener GROHE FastFixation installation system smooth body flexible connection hoses max. pressure differential 5:1 professional edition</p> | | |
|  |  23 980 003 | Chrome | 4005176644207 |
|  | <p>Eurosmart Basin mixer 1/2" S-Size monobloc installation loop metal lever lever length 130 mm GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter laminar flow straightener 9 l/min GROHE FastFixation installation system smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses professional edition</p> | | |
|  |  23 981 003 | Chrome | 4005176644214 |
|  | <p>Eurosmart Basin mixer 1/2" M-Size monobloc installation loop metal lever lever length 130 mm GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter laminar flow straightener 9 l/min GROHE FastFixation installation system smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses professional edition</p> | | |
|  |  25 241 003 | Chrome | 4005176644221 |
|  | <p>Eurosmart Single-lever bath/shower mixer 1/2" wall mounted loop metal lever lever length 123 mm GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" S-unions metal wall escutcheons protected against backflow professional edition</p> | | |

GROHE EUROSMART CARE

| | Ref. No. | Colour | EAN |
|---|------------|--------|---------------|
|   | 25 242 003 | Chrome | 4005176644238 |
| <p>Eurosmart Single-lever shower mixer 1/2" wall mounted loop metal lever lever length 115 mm GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter shower bottom outlet 1/2" with integrated non return-valve S-unions metal wall escutcheons protected against backflow professional edition</p> | | | |
|   | 23 984 003 | Chrome | 4005176643835 |
| <p>Eurosmart Basin mixer 1/2" S-Size thermostatic scalding protection maximum temperature adjustable thermal disinfection without re-adjustment of temperature tool for thermal disinfection included monobloc installation long metal lever lever length 147 mm 28 mm ceramic cartridge with GROHE SilkMove adjustable flow rate limiter Lead and Nickel Free Inner Water Ways built-in non return valves dirt strainers GROHE Water Saving 4.2 l/min laminar flow straightener GROHE FastFixation installation system smooth body flexible connection hoses max. pressure differential 5:1 professional edition</p> | | | |
|   | 23 985 003 | Chrome | 4005176643842 |
| <p>Eurosmart Basin mixer 1/2" M-Size thermostatic scalding protection maximum temperature adjustable thermal disinfection without re-adjustment of temperature tool for thermal disinfection included monobloc installation long metal lever lever length 147 mm 28 mm ceramic cartridge with GROHE SilkMove adjustable flow rate limiter Lead and Nickel Free Inner Water Ways built-in non return valves dirt strainers GROHE Water Saving 4.2 l/min laminar flow straightener GROHE FastFixation installation system smooth body flexible connection hoses max. pressure differential 5:1 professional edition</p> | | | |
|   | 23 982 003 | Chrome | 4005176644245 |
| <p>Eurosmart Basin mixer 1/2" S-Size monobloc installation long metal lever lever length 156 mm GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter laminar flow straightener 9 l/min GROHE FastFixation installation system smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses professional edition</p> | | | |

GROHE EUROSMART CARE

| | Ref. No. | Colour | EAN |
|---|--|--------|---------------|
|   | 23 983 003 | Chrome | 4005176644313 |
| | Eurosmart Basin mixer 1/2" M-Size monobloc installation long metal lever lever length 156 mm GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter laminar flow straightener 9 l/min GROHE FastFixation installation system smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses professional edition | | |
|   | 25 243 003 | Chrome | 4005176644320 |
| | Eurosmart Single-lever bath/shower mixer 1/2" wall mounted long metal lever lever length 124 mm GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" S-unions metal wall escutcheons protected against backflow professional edition | | |
|   | 34 665 000 | Chrome | 4005176351556 |
| | Grohtherm Special Thermostatic bath/shower mixer 1/2" wall mounted ergonomic metal wing handles Aquadimmer handle with multiple function flow control integrated mixed water shut off diverter bath/shower GROHE TurboStat compact cartridge with wax thermoelement temperature scale handle with pre-adjustable safety stop between 35°C and 41°C (calibration required) shower bottom outlet 1/2" with integrated non return-valve metal temperature safety stop laminar mousseur dirt strainers GROHE FastFixation for fast exchange of non return valves in connections 100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons GROHE Long-Life Shine durable sparkling sheen | | |
|   | 25 244 003 | Chrome | 4005176644337 |
| | Eurosmart Single-lever shower mixer 1/2" wall mounted long metal lever lever length 120 mm GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter shower bottom outlet 1/2" with integrated non return-valve S-unions metal wall escutcheons protected against backflow professional edition | | |

GROHE EUROSMART CARE

| Ref. No. | Colour | EAN |
|----------|--------|-----|
|----------|--------|-----|

| | | |
|------------|--------|---------------|
| 34 667 000 | Chrome | 4005176351570 |
|------------|--------|---------------|

Grotherm Special

Thermostatic shower mixer 1/2"

wall mounted

ergonomic metal wing handles

ceramic headparts 1/2", 90°

GROHE TurboStat compact cartridge

with wax thermoelement

temperature scale handle with pre-adjustable

safety stop between 35°C and 41°C (calibration required)

integrated mixed water shut off

shower bottom outlet 1/2" with

integrated non return-valve

metal temperature safety stop


dirt strainers












GROHE FastFixation for fast exchange of non return valves in connections









100% GROHE CoolTouch consisting of safety

housing + S-unions with CoolTouch escutcheons

GROHE Long-Life Shine durable sparkling sheen




| | Ref. No. | Colour | EAN |
|---|---|--------|---------------|
|  | 20 421 001 | Chrome | 4005176556173 |
|  | <p>BauEdge Pillar tap 1/2" XS-Size monobloc installation ceramic headpart GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min fixation nut G 1/2" professional edition</p> | | |
|  | 20 421 10M | Chrome | 4005176556180 |
|  | <p>BauEdge Basin tap 1/2" monobloc installation metal lever ceramic headpart GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min 2 pieces fixation nut G 1/2" min. recommended pressure 1.0 bar</p> | | |
|  | 23 328 001 | Chrome | 4005176556241 |
|  | <p>BauEdge Basin mixer 1/2" S-Size monobloc installation metal lever GROHE Long-Life 28 mm ceramic cartridge with temperature limiter GROHE Long-Life Shine durable sparkling sheen Lead and Nickel Free Inner Water Ways GROHE Water Saving mousseur 5.7 l/min rapid installation system plastic pop-up waste set 1 1/4" flexible connection hoses professional edition</p> | | |
|  | 23 895 001 | Chrome | 4005176554902 |
|  | <p>BauEdge Basin mixer 1/2" S-Size monobloc installation metal lever GROHE Long-Life 28 mm ceramic cartridge with temperature limiter GROHE Long-Life Shine durable sparkling sheen Lead and Nickel Free Inner Water Ways GROHE Water Saving mousseur 5.7 l/min rapid installation system smooth body with plastic push open waste set 1 1/4" flexible connection hoses professional edition</p> | | |
|  | 23 330 001 | Chrome | 4005176556302 |
| <p>ditto, smooth body</p> | | | |
|  | 23 559 001 | Chrome | 4005176556326 |
|  | <p>BauEdge Basin mixer 1/2" S-Size monobloc installation metal lever GROHE Long-Life ES 28 mm ceramic cartridge with energy saving function via cold start with temperature limiter GROHE Long-Life Shine durable sparkling sheen Lead and Nickel Free Inner Water Ways GROHE Water Saving mousseur 5.7 l/min rapid installation system plastic pop-up waste set 1 1/4" flexible connection hoses professional edition</p> | | |

| | Ref. No. | Colour | EAN |
|---|--|--------|---------------|
|  | 23 899 001 | Chrome | 4005176555022 |
|  | BauEdge Basin mixer 1/2" S-Size monobloc installation metal lever GROHE Long-Life ES 28 mm ceramic cartridge with energy saving function via cold start with temperature limiter GROHE Long-Life Shine durable sparkling sheen Lead and Nickel Free Inner Water Ways GROHE Water Saving mousseur 5.7 l/min rapid installation system smooth body with plastic push open waste set 1 1/4" flexible connection hoses professional edition | | |
|  | 23 894 001 | Chrome | 4005176554896 |
|  | BauEdge Basin mixer 1/2" S-Size monobloc installation metal lever GROHE Long-Life 28 mm ceramic cartridge with temperature limiter GROHE Long-Life Shine durable sparkling sheen Lead and Nickel Free Inner Water Ways GROHE LowFlow mousseur 3.5 l/min rapid installation system plastic pop-up waste set 1 1/4" flexible connection hoses professional edition | | |
|  | 23 896 001 | Chrome | 4005176554919 |
|  | BauEdge Basin mixer 1/2" S-Size monobloc installation metal lever GROHE Long-Life 28 mm ceramic cartridge with temperature limiter GROHE Long-Life Shine durable sparkling sheen Lead and Nickel Free Inner Water Ways GROHE LowFlow mousseur 3.5 l/min rapid installation system smooth body with plastic push open waste set 1 1/4" flexible connection hoses professional edition | | |
|  | 23 972 001 | Chrome | 4005176634451 |
|  | BauEdge Basin mixer 1/2" S-Size monobloc installation metal lever GROHE Long-Life 28 mm ceramic cartridge with temperature limiter GROHE Long-Life Shine durable sparkling sheen mousseur for low pressure Lead and Nickel Free Inner Water Ways rapid installation system flexible connection hoses crimp unions included | | |


Ref. No. Colour EAN

24 193 001 Chrome 4005176723971




BauEdge
Basin mixer 1/2"
S-Size
Cradle to Cradle Certified Gold
monobloc installation
GROHE Long-Life ES 28 mm ceramic cartridge with energy saving function via cold start
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
Lead and Nickel Free Inner Water Ways
GROHE Water Saving mousseur 5.7 l/min
rapid installation system
smooth body
flexible connection hoses
professional edition

23 757 001 Chrome 4005176556340




BauEdge
Basin mixer 1/2"
S-Size
monobloc installation
GROHE Long-Life 35 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
rapid installation system
smooth body
flexible connection hoses
with shower set consisting of
hand shower with integrated diverter
wall shower holder
shower hose
shower hose 1500 mm
professional edition

23 760 001 Chrome 4005176556418





BauEdge
Single-lever basin mixer 1/2"
L-Size
monobloc installation
metal lever
GROHE Long-Life 28 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
rapid installation system
swivel tubular spout
plastic pop-up waste set 1 1/4"
flexible connection hoses
professional edition

23 911 001 Chrome 4005176555237




BauEdge
Single-lever basin mixer 1/2"
L-Size
monobloc installation
metal lever
GROHE Long-Life 28 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
rapid installation system
swivel tubular spout
smooth body with plastic push open waste set 1 1/4"
flexible connection hoses
professional edition




| Ref. No. | Colour | EAN |
|------------|--------|---------------|
| 23 761 001 | Chrome | 4005176556449 |

BauEdge
Basin mixer 1/2"
XL-Size
for free-standing basins
 monobloc installation
 metal lever
 GROHE Long-Life 28 mm ceramic cartridge
 with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
 Lead and Nickel Free Inner Water Ways
GROHE Water Saving mousseur 5.7 l/min
 rapid installation system
 smooth body
 flexible connection hoses
 professional edition




| | | |
|------------|--------|---------------|
| 36 451 000 | Chrome | 4005176473678 |
|------------|--------|---------------|

Bau Cosmopolitan E
Infra-red electronic basin mixer 1/2"
with mixing device and temperature limiter
 with infrared sensor for bi-directional communication
 for monitoring, configuration and servicing
 6V lithium battery, type CR-P2
 battery lifetime approx. 7 years (150 actuations a day)
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
 Lead and Nickel Free Inner Water Ways
 body made of composite polymer
 flexible connection hoses
 non-return valve
 dirt strainers
 with integrated solenoid valve
 external battery
 rapid installation system
 multistage battery status display
 7 pre-set programs
 auto flush
 thermal disinfection
 cleaning mode
 additional functions and precise settings
 by remote control 36 407
 CE approved
 noise classification 1 in accordance
 with DIN4109
 type of protection faucet IP 59



| | | |
|------------|--------|---------------|
| 23 331 001 | Chrome | 4005176556494 |
|------------|--------|---------------|

BauEdge
Bidet mixer 1/2"
 monobloc installation
 metal lever
 GROHE Long-Life 28 mm ceramic cartridge
 with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
 with ball joint
 rapid installation system
 plastic pop-up waste set 1 1/4"
 flexible connection hoses
 professional edition




| | | |
|------------|--------|---------------|
| 23 635 001 | Chrome | 4005176556524 |
|------------|--------|---------------|

BauEdge
Single-lever shower mixer 1/2"
 wall mounted
 metal lever
 GROHE Long-Life 35 mm ceramic cartridge
 with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
 adjustable flow rate limiter
 shower bottom outlet 1/2" with
 integrated non return-valve
 protected against backflow
 S-unions
 metal wall escutcheon
 professional edition

Ref. No. Colour EAN


29 078 001 Chrome 4005176556555



BauEdge
Single-lever shower mixer 1/2"
 concealed installation
 Consisting of:
 set for final installation
 metal lever
 concealed body
 GROHE Long-Life 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
 adjustable flow rate limiter
 escutcheon- and shaft-sealing
 optional temperature limiter (46 375 000)
 professional edition




34 793 000 Chrome 4005176632433




Grotherm 500
Thermostatic shower mixer 1/2"
 wall mounted
GROHE Long-Life Shine durable sparkling sheen
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
 GROHE thermostatic cartridge with wax thermoelement
 integrated mixed water shut off
 volume handle with **GROHE EcoButton**
 headpart 90°
 shower bottom outlet 1/2"
 built-in non return valves
 dirt strainers
 protected against backflow
 S-unions
 metal escutcheon
GROHE Water Saving - Less water, perfect flow
 professional edition

23 604 001 Chrome 4005176556593



BauEdge
Single-lever bath/shower mixer 1/2"
 wall mounted
 metal lever
 GROHE Long-Life 35 mm ceramic cartridge
 with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
 adjustable flow rate limiter
 automatic diverter: bath/shower
 spout with mousseur
 shower bottom outlet 1/2" with
 integrated non return-valve
 protected against backflow
 S-unions
 metal wall escutcheon
 professional edition


25 246 001 Chrome 4005176674228




BauEdge
Two-handed Bath/Shower mixer 1/2"
 deck mounted
 Ceramic valves 3/4", 90°
 automatic diverter, lockable: bath/shower
 integrated non-return valve
GROHE Long-Life Shine durable sparkling sheen
Min. recommended pressure 0.5 bar
 with shower set
 Tempesta Cosmopolitan hand shower (26 130)
 Tempesta shower holder (27 595)
 Relaxaflex shower hose 1500 mm (28 161)

Ref. No. Colour EAN

29 079 001 **Chrome** **4005176556692**




BauEdge
Single-lever bath/shower mixer 1/2"
 concealed installation
 Consisting of:
 set for final installation
 metal lever
 concealed body
 GROHE Long-Life 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
 adjustable flow rate limiter
 automatic diverter: bath/shower
 escutcheon- and shaft-sealing
 optional temperature limiter (46 375 000)
 professional edition




25 216 001 **Chrome** **4005176556654**

BauEdge
Two-handled Bath filler 1/2"
 deck mounted
 metal lever
 Ceramic valves 3/4", 90°
GROHE Long-Life Shine durable sparkling sheen
 Min. recommended pressure 0.5 bar












25 217 001 **Chrome** **4005176556661**

BauEdge
Two-handled Bath/Shower mixer 1/2"
 deck mounted
 Ceramic valves 3/4", 90°
 automatic diverter, lockable: bath/shower
 integrated non-return valve
GROHE Long-Life Shine durable sparkling sheen
 Min. recommended pressure 0.5 bar




13 255 001 **Chrome** **4005176556722**

BauCosmopolitan
Bath spout
 wall mounted
GROHE Long-Life Shine durable sparkling sheen
 mousseur
 projection 171 mm
 male thread 1/2"

| | Ref. No. | Colour | EAN |
|---|---|--------|---------------|
|  | 20 422 001 | Chrome | 4005176529504 |
|  | <p>BauLoop Pillar tap 1/2" XS-Size monobloc installation ceramic headpart GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min fixation nut G 1/2" professional edition</p> | | |
|  | 23 335 001 | Chrome | 4005176529566 |
|  | <p>BauLoop Basin mixer 1/2" S-Size monobloc installation metal lever GROHE Long-Life 28 mm ceramic cartridge with temperature limiter GROHE Long-Life Shine durable sparkling sheen Lead and Nickel Free Inner Water Ways GROHE Water Saving mousseur 5.7 l/min rapid installation system plastic pop-up waste set 1 1/4" flexible connection hoses professional edition</p> | | |
|  | 23 878 001 | Chrome | 4005176554032 |
|  | <p>BauLoop Basin mixer 1/2" S-Size monobloc installation metal lever GROHE Long-Life 28 mm ceramic cartridge with temperature limiter GROHE Long-Life Shine durable sparkling sheen Lead and Nickel Free Inner Water Ways GROHE Water Saving mousseur 5.7 l/min rapid installation system smooth body with plastic push open waste set 1 1/4" flexible connection hoses professional edition</p> | | |
|  | 23 337 001 | Chrome | 4005176555725 |
| | ditto, without plastic push open waste set 1 1/4" | | |
|  | 22 054 001 | Chrome | 4005176554162 |
|  | <p>BauLoop Basin mixer 1/2" S-Size monobloc installation metal lever GROHE Long-Life ES 28 mm ceramic cartridge with energy saving function via cold start with temperature limiter GROHE Long-Life Shine durable sparkling sheen Lead and Nickel Free Inner Water Ways GROHE Water Saving mousseur 5.7 l/min rapid installation system plastic pop-up waste set 1 1/4" flexible connection hoses professional edition</p> | | |


Ref. No. Colour EAN

23 883 001 Chrome 4005176554179




BauLoop
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE Long-Life ES 28 mm ceramic cartridge with energy saving function via cold start
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
Lead and Nickel Free Inner Water Ways
GROHE Water Saving mousseur 5.7 l/min
rapid installation system
smooth body with plastic push open waste set 1 1/4"
flexible connection hoses
professional edition

23 877 001 Chrome 4005176554025




BauLoop
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE Long-Life 28 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
Lead and Nickel Free Inner Water Ways
GROHE LowFlow mousseur 3.5 l/min
rapid installation system
plastic pop-up waste set 1 1/4"
flexible connection hoses
professional edition

23 879 001 Chrome 4005176554049











BauLoop
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE Long-Life 28 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
Lead and Nickel Free Inner Water Ways
GROHE LowFlow mousseur 3.5 l/min
rapid installation system
smooth body with plastic push open waste set 1 1/4"
flexible connection hoses
professional edition

23 762 001 Chrome 4005176555763




BauLoop
Basin mixer 1/2"
M-Size
monobloc installation
metal lever
GROHE Long-Life 28 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
Lead and Nickel Free Inner Water Ways
GROHE Water Saving mousseur 5.7 l/min
rapid installation system
plastic pop-up waste set 1 1/4"
flexible connection hoses
professional edition

GROHE BAULOOP



| | Ref. No. | Colour | EAN |
|---|---|---|----------------------|
|  |  | 23 886 001 Chrome | 4005176554247 |
| | | <p>BauLoop Basin mixer 1/2" M-Size monobloc installation metal lever GROHE Long-Life 28 mm ceramic cartridge with temperature limiter GROHE Long-Life Shine durable sparkling sheen Lead and Nickel Free Inner Water Ways GROHE Water Saving mousseur 5.7 l/min rapid installation system smooth body with plastic push open waste set 1 1/4" flexible connection hoses professional edition</p> | |
|  |  | 23 887 001 Chrome | 4005176554254 |
| | | <p>BauLoop Basin mixer 1/2" M-Size monobloc installation metal lever GROHE Long-Life ES 28 mm ceramic cartridge with energy saving function via cold start with temperature limiter GROHE Long-Life Shine durable sparkling sheen Lead and Nickel Free Inner Water Ways GROHE Water Saving mousseur 5.7 l/min rapid installation system plastic pop-up waste set 1 1/4" flexible connection hoses professional edition</p> | |
|  |  | 23 885 001 Chrome | 4005176554216 |
| | | <p>BauLoop Basin mixer 1/2" M-Size monobloc installation metal lever GROHE Long-Life 28 mm ceramic cartridge with temperature limiter GROHE Long-Life Shine durable sparkling sheen Lead and Nickel Free Inner Water Ways GROHE LowFlow mousseur 3.5 l/min rapid installation system plastic pop-up waste set 1 1/4" flexible connection hoses professional edition</p> | |
|  |  | 23 763 001 Chrome | 4005176555800 |
| | | <p>BauLoop Single-lever basin mixer 1/2" L-Size monobloc installation metal lever GROHE Long-Life 28 mm ceramic cartridge with temperature limiter GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min rapid installation system swivel tubular spout plastic pop-up waste set 1 1/4" flexible connection hoses professional edition</p> | |

Ref. No. Colour EAN




23 891 001 Chrome 4005176554322

BauLoop
Single-lever basin mixer 1/2"
L-Size
monobloc installation
metal lever
GROHE Long-Life 28 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
rapid installation system
swivel tubular spout
smooth body with plastic push open waste set 1 1/4"
flexible connection hoses
professional edition




23 764 001 Chrome 4005176555848

BauLoop
Basin mixer 1/2"
XL-Size
for free-standing basins
metal lever
GROHE Long-Life 28 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
Lead and Nickel Free Inner Water Ways
GROHE Water Saving mousseur 5.7 l/min
rapid installation system
smooth body
flexible connection hoses
professional edition



23 338 001 Chrome 4005176555893

BauLoop
Bidet mixer 1/2"
monobloc installation
metal lever
GROHE Long-Life 28 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
with ball joint
rapid installation system
plastic pop-up waste set 1 1/4"
flexible connection hoses
professional edition




23 633 001 Chrome 4005176555923

BauLoop
Single-lever shower mixer 1/2"
wall mounted
metal lever
GROHE Long-Life 35 mm ceramic cartridge
with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
adjustable flow rate limiter
shower bottom outlet 1/2" with
integrated non return-valve
protected against backflow
S-unions
metal wall escutcheon
professional edition

GROHE BAULOOP

Ref. No. Colour EAN


29 080 001 Chrome 4005176555961



BauLoop
Single-lever shower mixer 1/2"
 concealed installation
 Consisting of:
 set for final installation
 metal lever
 concealed body
 GROHE Long-Life 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
 adjustable flow rate limiter
 escutcheon- and shaft-sealing
 optional temperature limiter (46 375 000)
 professional edition




34 793 000 Chrome 4005176632433




Grotherm 500
Thermostatic shower mixer 1/2"
 wall mounted
GROHE Long-Life Shine durable sparkling sheen
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
 GROHE thermostatic cartridge with wax thermoelement
 integrated mixed water shut off
 volume handle with **GROHE EcoButton**
 headpart 90°
 shower bottom outlet 1/2"
 built-in non return valves
 dirt strainers
 protected against backflow
 S-unions
 metal escutcheon
GROHE Water Saving - Less water, perfect flow
 professional edition

23 602 001 Chrome 4005176556029









BauLoop
Single-lever bath/shower mixer 1/2"
 wall mounted
 metal lever
 GROHE Long-Life 35 mm ceramic cartridge
 with temperature limiter
GROHE Long-Life Shine durable sparkling sheen
 adjustable flow rate limiter
 automatic diverter: bath/shower
 spout with mousseur
 shower bottom outlet 1/2" with
 integrated non return-valve
 protected against backflow
 S-unions
 metal wall escutcheon
 professional edition

29 081 001 Chrome 4005176556081



















BauLoop
Single-lever bath/shower mixer 1/2"
 concealed installation
 Consisting of:
 set for final installation
 metal lever
 concealed body
 GROHE Long-Life 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
 adjustable flow rate limiter
 automatic diverter: bath/shower
 escutcheon- and shaft-sealing
 optional temperature limiter (46 375 000)
 professional edition

GROHE BAULOOP

| | Ref. No. | Colour | EAN |
|---|---|--------|---------------|
|   | 25 231 001 | Chrome | 4005176554599 |
| | BauLoop Two-handed Bath filler 1/2" deck mounted Ceramic valves 3/4", 90° GROHE Long-Life Shine durable sparkling sheen | | |
|   | 25 232 001 | Chrome | 4005176554605 |
| | BauLoop Two-handed Bath/Shower mixer 1/2" deck mounted metal lever Ceramic valves 3/4", 90° automatic diverter, lockable: bath/shower integrated non-return valve GROHE Long-Life Shine durable sparkling sheen Min. recommended pressure 0.5 bar | | |
|   | 13 255 001 | Chrome | 4005176556722 |
| | BauCosmopolitan Bath spout wall mounted GROHE Long-Life Shine durable sparkling sheen mousseur projection 171 mm male thread 1/2" | | |

GROHE BAUFLOW

| | Ref. No. | Colour | EAN |
|--|------------|--------|---------------|
|   | 20 575 000 | Chrome | 4005176388422 |
| <p>BauFlow Pillar tap 1/2" XS-Size monobloc installation metal lever ceramic headpart GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min fixation nut G 1/2"</p> | | | |
|   | 23 751 000 | Chrome | 4005176388149 |
| <p>BauFlow Basin mixer 1/2" S-Size monobloc installation metal lever GROHE Long-Life 28 mm ceramic cartridge GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min rapid installation system plastic pop-up waste set 1 1/4" flexible connection hoses</p> | | | |
|   | 23 752 000 | Chrome | 4005176388156 |
| <p>BauFlow Basin mixer 1/2" S-Size monobloc installation metal lever GROHE Long-Life 28 mm ceramic cartridge GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min rapid installation system smooth body flexible connection hoses</p> | | | |
|   | 23 753 000 | Chrome | 4005176388163 |
| <p>BauFlow Single-lever basin mixer 1/2" L-Size monobloc installation metal lever GROHE Long-Life 28 mm ceramic cartridge GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min rapid installation system swivel tubular spout plastic pop-up waste set 1 1/4" flexible connection hoses</p> | | | |
|   | 23 754 000 | Chrome | 4005176388170 |
| <p>BauFlow Bidet mixer 1/2" monobloc installation metal lever GROHE Long-Life 28 mm ceramic cartridge GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving mousseur 5.7 l/min rapid installation system with ball joint pop-up waste set 1 1/4" flexible connection hoses</p> | | | |











| | Ref. No. | Colour | EAN |
|---|-------------------|---------------|----------------------|
|   | 23 755 000 | Chrome | 4005176388187 |
|   | 23 756 000 | Chrome | 4005176388392 |
|   | 34 793 000 | Chrome | 4005176632433 |

BauFlow
Single-lever shower mixer 1/2"
 wall mounted
 metal lever
 GROHE Long-Life 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
 adjustable flow rate limiter
 shower bottom outlet 1/2" with
 integrated non return-valve
 S-unions
 metal wall escutcheons
 protected against backflow











BauFlow
Single-lever bath/shower mixer 1/2"
 wall mounted
 metal lever
 GROHE Long-Life 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
 adjustable flow rate limiter
 automatic diverter: bath/shower
 spout with mousseur
 shower bottom outlet 1/2" with
 integrated non return-valve
 S-unions
 metal wall escutcheons
 protected against backflow

Grotherm 500
Thermostatic shower mixer 1/2"
 wall mounted
GROHE Long-Life Shine durable sparkling sheen
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
 GROHE thermostatic cartridge with wax thermoelement
 integrated mixed water shut off
 volume handle with **GROHE EcoButton**
 headpart 90°
 shower bottom outlet 1/2"
 built-in non return valves
 dirt strainers
 protected against backflow
 S-unions
 metal escutcheon
GROHE Water Saving - Less water, perfect flow
 professional edition











GROHE COSTA L

| | Ref. No. | Colour | EAN |
|---|------------|--------|---------------|
|   | 20 404 001 | Chrome | 4005176842986 |
| <p>Costa L Basin tap 1/2" metal handle heat-insulated screwable marking: blue (cold) GROHE Long-Life headpart cast spout with mousseur union nut 1/2" with 10.5 mm drilling GROHE Long-Life Shine durable sparkling sheen</p> | | | |
|   | 20 186 001 | Chrome | 4005176874437 |
| <p>Costa L Basin tap 1/2" metal handle heat-insulated screwable marking: blue (cold) GROHE Long-Life headpart cast spout with mousseur union nut 1/2" with 10.5 mm drilling GROHE Long-Life Shine durable sparkling sheen</p> | | | |
|   | 20 393 001 | Chrome | 4005176842993 |
| <p>Costa L Basin tap 1/2" metal handle heat-insulated screwable marking: blue (cold) GROHE Long-Life headpart swivel tubular spout with mousseur union nut 1/2" with 10.5 mm drilling GROHE Long-Life Shine durable sparkling sheen</p> | | | |
|   | 21 390 001 | Chrome | 4005176843006 |
| <p>Costa L Basin mixer, 1/2" metal handles heat-insulated screwable GROHE Long-Life headpart cast spout with mousseur pop-up waste set 1 1/4" flexible connection hoses GROHE Long-Life Shine durable sparkling sheen</p> | | | |
|   | 21 375 001 | Chrome | 4005176843037 |
| <p>Costa L Basin mixer, 1/2" metal handles heat-insulated screwable GROHE Long-Life headpart swivel tubular spout with mousseur pop-up waste set 1 1/4" flexible connection hoses GROHE Long-Life Shine durable sparkling sheen</p> | | | |





GROHE COSTA L

| | Ref. No. | Colour | EAN |
|--|-------------------|---------------|----------------------|
|   | 26 330 001 | Chrome | 4005176843112 |
| <p>Costa L Shower mixer 1/2" wall mounted metal handles heat-insulated screwable GROHE Long-Life headpart shower connection 1/2" S-unions GROHE Long-Life Shine durable sparkling sheen</p> | | | |
|   | 26 308 001 | Chrome | 4005176843129 |
| <p>Costa L Shower mixer 1/2" wall mounted metal handles heat-insulated screwable GROHE Long-Life headpart shower connection 1/2" without connection unions for wall mounting GROHE Long-Life Shine durable sparkling sheen</p> | | | |
|   | 25 450 001 | Chrome | 4005176843372 |
| <p>Costa L Bath / shower mixer 1/2" wall mounted metal handles heat-insulated screwable GROHE Long-Life headpart automatic diverter: bath/shower mousseur S-unions GROHE Long-Life Shine durable sparkling sheen</p> | | | |
|   | 25 452 001 | Chrome | 4005176843075 |
| <p>Costa L Bath / shower mixer 1/2" wall mounted metal handles heat-insulated screwable GROHE Long-Life headpart shower top outlet 3/4" automatic diverter: bath/shower mousseur S-unions GROHE Long-Life Shine durable sparkling sheen</p> | | | |
|   | 25 460 10A | Chrome | 4005176456541 |
| <p>Costa L Bath / shower mixer 1/2" wall mounted metal handles heat-insulated screwable GROHE Long-Life headpart automatic diverter: bath/shower mousseur S-unions with shower set Consisting of: hand shower Tempesta 100, 1 spray, 9.5 l/min (27 923) wall shower holder (28 605) Relaxaflex hose 1500 mm 1/2" x 1/2" (28 151) GROHE Long-Life Shine durable sparkling sheen</p> | | | |







GROHE COSTA L

| | Ref. No. | Colour | EAN |
|---|------------|--------|---------------|
|   | 13 540 000 | Chrome | 4005176005411 |
| <p>Bath spout 3/4" wall mounted flow straightener female thread 3/4" projection 140 mm GROHE Long-Life Shine durable sparkling sheen</p> | | | |
|   | 30 098 001 | Chrome | 4005176843266 |
| <p>Costa L Bibtap 1/2" wall mounted metal handle heat-insulated screwable marking: blue (cold) GROHE Long-Life Shine finish mousseur GROHE Long-Life headparts</p> | | | |
|   | 30 008 001 | Chrome | 4005176843242 |
| <p>Costa L Stop cock wall mounted heat-insulated metal handle screwable marking: blue (cold) GROHE Long-Life headpart GROHE Long-Life Shine durable sparkling sheen pipe-ventilating valve</p> | | | |
|   | 19 808 001 | Chrome | 4005176843204 |
| <p>Costa L Concealed stop-valve trim set for final installation for 35 028 000 for concealed valves, 1/2", 3/4" installation depth adjustable 20-80 mm escutcheon with wall sealing screwable metal handle heat-insulated marking: blue (cold) GROHE Long-Life Shine durable sparkling sheen</p> | | | |
| | 19 809 001 | Chrome | 4005176853876 |
| <p>ditto, marking red</p> | | | |
|   | 35 028 000 | | 4005176908316 |
| <p>GROHE Rapido C Rough-in for single volume control for grid installation of Grohtherm Custom Shower system built-in box with removable protection cover waterproof membrane base for wall sealing for masonry and drywall installation fixing points for front and back wall body of DR brass pre-assembled ceramic headpart 3/4" connection threads 1/2" installation depth 70 - 95 mm</p> | | | |











GROHE COSTA L

| | Ref. No. | Colour | EAN |
|---|--|--------|---------------|
|  | 29 800 000 | | 4005176504839 |
| | Concealed stop-valve, 1/2" pre-assembled headpart 1/2" short spindle protection sleeve threaded union 1/2" DR-brass | | |
| | 29 802 000 | | 4005176504853 |
| | ditto, 3/4", pre-assembled headpart 3/4", thread union 3/4" | | |
|  | 29 805 000 | | 4005176504884 |
| | ditto, 1", pre-assembled headpart 1", thread union 1" | | |
| | <hr/> | | |
|  | 29 801 000 | | 4005176504846 |
| | Concealed stop-valve, 1/2" pre-assembled headpart 1/2" short spindle protection sleeve soldered connection Ø15 mm DR-brass | | |
| | 29 804 000 | | 4005176504877 |
| | ditto, soldered connection Ø 22 mm | | |
|  | <hr/> | | |











GROHE UNIVERSAL

| | | Ref. No. | Colour | EAN |
|--|--|---|--------|---------------|
|  |  | 20 201 000 | Chrome | 4005176883354 |
| | | Universal pillar tap 1/2" C-spout flow rate: 6 l/min at 3 bar flow pressure flow-stop mousseur ceramic disk headpart union nut 1/2" with 10.5 mm drilling GROHE Long-Life Shine durable sparkling sheen projection 113 mm | | |
|  |  | 20 205 000 | Chrome | 4005176883682 |
| | | Universal wall-mounted tap DN15 flow rate: 6 l/min at 3 bar flow pressure flow-stop mousseur ceramic disk headpart connection thread 1/2" GROHE Long-Life Shine durable sparkling sheen projection 106 mm | | |
|  |  | 20 203 000 | Chrome | 4005176883378 |
| | | Universal wall-mounted tap DN15 flow rate: 6 l/min at 3 bar flow pressure flow-stop mousseur ceramic disk headpart connection thread 1/2" GROHE Long-Life Shine durable sparkling sheen projection 185 mm | | |

GROHE TALENTOFILL











| | Ref. No. | Colour | EAN |
|---|--|---|---------------|
|  | 19 952 000 | ★ Chrome | 4005176174230 |
| | 19 952 DC0 | ★ supersteel | 4005176467776 |
| | 19 952 BE0 | polished nickel | 4005176468094 |
| | 19 952 EN0 | brushed nickel | 4005176468100 |
| | 19 952 GL0 | ★ cool sunrise | 4005176352423 |
| | 19 952 GN0 | ★ brushed cool sunrise | 4005176468117 |
| | 19 952 DA0 | ★ warm sunset | 4005176351945 |
| | 19 952 DL0 | ★ brushed warm sunset | 4005176468124 |
| | 19 952 A00 | hard graphite | 4005176352874 |
| | 19 952 AL0 | ★ brushed hard graphite | 4005176353376 |
| |  | Talentofill Inlet-, pop-up and waste-system set for final installation escutcheon supply part waste plug fixing set in combination with Talentofill 28 990 000/28 991 000 | |
|  | 28 990 000 | | 4005176174025 |
|  | Talentofill Inlet-, pop-up and waste-system for normal baths without finishing trim set with bottle trap and 45°-outlet-bend | | |
|  | 28 991 000 | | 4005176174032 |
|  | Talentofill Inlet-, pop-up and waste-system for baths with waste up to 370 mm reach without finishing trim set | | |
|  | 28 993 000 | | 4005176174056 |
|  | Talentofill Connection set 3/4" with 1.5 m-flexible connection pipe without finishing trim set | | |
|  | 28 995 000 | | 4005176175725 |
|  | Talentofill Connection set 3/4" with concealed anti-vacuum device Consisting of: -concealed-pipe-interrupter ref.-no. 28 994 (A2 type, DIN 1988, part IV) - 3.5 m-flexible connection pipe (in 2 parts) without escutcheon (19 954) | | |

GROHE TALENTOFILL











| | Ref. No. | Colour | EAN |
|--|------------|--------|---------------|
|   | 19 954 000 | Chrome | 4005176175732 |
| <p>Talentofill Escutcheon for connection set 28 995 GROHE Long-Life Shine durable sparkling sheen</p> | | | |
|   | 14 055 000 | | 4005176413520 |
| <p>Backflow protection combination (DIN-EN1717) retrofit set for protection against backflow in combination with integrated inlet-, pop-up and waste systems replaces separate pipe interrupter for residential use fits trim sets for 2 outlets made for combination with GROHE Rapido SmartBox: Grohtherm SmartControl, SmartControl Mixer, Grohtherm 2-handle thermostats, single-lever mixers</p> | | | |
|   | 19 025 000 | Chrome | 4005176209154 |
| <p>Talento Waste and overflow set for baths set for final installation escutcheon waste plug fixing set in combination with Talento 28 939 000/28 943 000 GROHE Long-Life Shine durable sparkling sheen</p> | | | |
|   | 28 939 000 | | 4005176209161 |
| <p>Talento Pop-up bath waste and overflow set for normal bath and deep shower trays with bowden cable without finishing trim set bottle trap 45° waste elbow</p> | | | |
|   | 28 943 000 | | 4005176209178 |
| <p>Talento Pop-up bath waste and overflow with bowden cable without finishing trim set bottle trap 45° waste elbow</p> | | | |

GROHE SELECTION









| | Ref. No. | Colour | EAN | | |
|---|--|--|-----------------------|---------------|--|
|   | 41 027 000 | Chrome | 4005176576836 | | |
| | 41 027 DC0 | supersteel | 4005176576843 | | |
| | 41 027 BE0 | polished nickel | 4005176576850 | | |
| | 41 027 EN0 | brushed nickel | 4005176576867 | | |
| | 41 027 GL0 | cool sunrise | 4005176576874 | | |
| | 41 027 GN0 | brushed cool sunrise | 4005176576881 | | |
| | 41 027 DA0 | warm sunset | 4005176576898 | | |
| | 41 027 DL0 | brushed warm sunset | 4005176576904 | | |
| | 41 027 A00 | hard graphite | 4005176576911 | | |
| | 41 027 AL0 | brushed hard graphite | 4005176576928 | | |
| | Selection Glass/soap dish holder material: metal for Selection soap dispenser (41 028 xx0/41 218 KF0) or Selection glass (41 029 000) concealed fastening GROHE Long-Life Shine durable sparkling sheen | | | | |
| |   | 41 217 KF0 | phantom black | 4005176782459 | |
| | | Selection Glass/soap dish holder material: metal for Selection soap dispenser (41 218 KF0) or Selection glass (41 029 000) concealed fastening GROHE Long-Life Shine finish | | | |
|   | | 41 028 000 | Chrome | 4005176576942 | |
| | | 41 028 DC0 | supersteel | 4005176576959 | |
| | | 41 028 BE0 | polished nickel | 4005176576966 | |
| | | 41 028 EN0 | brushed nickel | 4005176576973 | |
| | | 41 028 GL0 | cool sunrise | 4005176576980 | |
| | | 41 028 GN0 | brushed cool sunrise | 4005176576997 | |
| | | 41 028 DA0 | warm sunset | 4005176577000 | |
| | | 41 028 DL0 | brushed warm sunset | 4005176577017 | |
| | | 41 028 A00 | hard graphite | 4005176577024 | |
| | | 41 028 AL0 | brushed hard graphite | 4005176577031 | |
| | | Selection Soap dispenser material: glass / metal filling quantity 120 ml fits in the following holder: 41 027 xx0/41 218 KF0 GROHE Long-Life Shine durable sparkling sheen | | | |
| |   | 41 218 KF0 | phantom black | 4005176782466 | |
| | | Selection Soap dispenser material: glass / metal filling quantity 160 ml filling quantity 130 ml fits in the following holder: 41 218 KF0 GROHE Long-Life Shine finish | | | |
|   | | 41 029 000 | Chrome | 4005176577055 | |
| | | Selection White glass material: glass fits in the following holder: 41 027 | | | |

| | Ref. No. | Colour | EAN | |
|---|---|-----------------------|---------------|---------------|
|   | 41 035 000 | Chrome | 4005176577062 | |
| | 41 035 DC0 | supersteel | 4005176577079 | |
| | 41 035 BE0 | polished nickel | 4005176577086 | |
| | 41 035 EN0 | brushed nickel | 4005176577093 | |
| | 41 035 GL0 | cool sunrise | 4005176577109 | |
| | 41 035 GN0 | brushed cool sunrise | 4005176577116 | |
| | 41 035 DA0 | warm sunset | 4005176577123 | |
| | 41 035 DL0 | brushed warm sunset | 4005176577130 | |
| | 41 035 A00 | hard graphite | 4005176577147 | |
| | 41 035 AL0 | brushed hard graphite | 4005176577154 | |
| | Selection Towel ring material: metal holder for soap dish (41 036) and shower tray (41 037) length 200 mm concealed fastening GROHE Long-Life Shine durable sparkling sheen | | | |
| |   | 41 036 000 | glass clear | 4005176577178 |
| Selection Soap dish without holder material: glass for use with towel ring (41 035) | | | | |
|   | 41 037 000 | | 4005176577185 | |
| | Selection Shower tray without holder material: plastic for use with towel ring (41 035) | | | |
|   | 41 038 000 | Chrome | 4005176577192 | |
| | 41 038 DC0 | supersteel | 4005176577208 | |
| | 41 038 BE0 | polished nickel | 4005176577215 | |
| | 41 038 EN0 | brushed nickel | 4005176577222 | |
| | 41 038 GL0 | cool sunrise | 4005176577239 | |
| | 41 038 GN0 | brushed cool sunrise | 4005176577246 | |
| | 41 038 DA0 | warm sunset | 4005176577253 | |
| | 41 038 DL0 | brushed warm sunset | 4005176577260 | |
| | 41 038 A00 | hard graphite | 4005176577277 | |
| | 41 038 AL0 | brushed hard graphite | 4005176577284 | |
| | Selection Corner shower tray with holder material: metal/plastic concealed fastening GROHE Long-Life Shine durable sparkling sheen | | | |
| |   | 41 039 000 | Chrome | 4005176577307 |
| 41 039 DC0 | | supersteel | 4005176577314 | |
| 41 039 BE0 | | polished nickel | 4005176577321 | |
| 41 039 EN0 | | brushed nickel | 4005176577338 | |
| 41 039 GL0 | | cool sunrise | 4005176577345 | |
| 41 039 GN0 | | brushed cool sunrise | 4005176577352 | |
| 41 039 DA0 | | warm sunset | 4005176577369 | |
| 41 039 DL0 | | brushed warm sunset | 4005176577376 | |
| 41 039 A00 | | hard graphite | 4005176577383 | |
| 41 039 AL0 | | brushed hard graphite | 4005176577390 | |
| Selection Single robe hook material: metal concealed fastening GROHE Long-Life Shine durable sparkling sheen | | | | |


GROHE SELECTION

| | Ref. No. | Colour | EAN |
|---|--|---|--|
|   | 41 216 KF0 | phantom black | 4005176782442 |
| | Selection Single robe hook material: metal concealed fastening GROHE Long-Life Shine finish | | |
|   | 41 049 000 41 049 DC0 41 049 BE0 41 049 EN0 41 049 GL0 41 049 GN0 41 049 DA0 41 049 DL0 41 049 A00 41 049 AL0 | Chrome supersteel polished nickel brushed nickel cool sunrise brushed cool sunrise warm sunset brushed warm sunset hard graphite brushed hard graphite | 4005176577413 4005176577420 4005176577437 4005176577444 4005176577451 4005176577468 4005176577475 4005176577482 4005176577499 4005176577505 |
| | Selection Double robe hook material: metal concealed fastening GROHE Long-Life Shine durable sparkling sheen | | |
|   | 41 056 000 41 056 DC0 41 056 BE0 41 056 EN0 41 056 GL0 41 056 GN0 41 056 DA0 41 056 DL0 41 056 A00 41 056 AL0 | Chrome supersteel polished nickel brushed nickel cool sunrise brushed cool sunrise warm sunset brushed warm sunset hard graphite brushed hard graphite | 4005176577529 4005176577536 4005176577543 4005176577550 4005176577567 4005176577574 4005176577581 4005176577598 4005176577604 4005176577611 |
| | Selection Towel rail material: metal length 600 mm concealed fastening for use with glass shelf (41 057) GROHE Long-Life Shine durable sparkling sheen | | |
|   | 41 057 000 | Chrome | 4005176577635 |
| | Selection Glass shelf material: glass for use with towel rail (41 056) | | |
|   | 41 058 000 41 058 DC0 41 058 BE0 41 058 EN0 41 058 GL0 41 058 GN0 41 058 DA0 41 058 DL0 41 058 A00 41 058 AL0 | Chrome supersteel polished nickel brushed nickel cool sunrise brushed cool sunrise warm sunset brushed warm sunset hard graphite brushed hard graphite | 4005176577642 4005176577659 4005176577666 4005176577673 4005176577680 4005176577697 4005176577703 4005176577710 4005176577727 4005176577734 |
| | Selection Towel rail material: metal length 800 mm concealed fastening GROHE Long-Life Shine durable sparkling sheen | | |

GROHE SELECTION


| | Ref. No. | Colour | EAN | |
|---|---|--|---------------|---------------|
|   | 41 059 000 | Chrome | 4005176577758 | |
| | 41 059 DC0 | supersteel | 4005176577765 | |
| | 41 059 BE0 | polished nickel | 4005176577772 | |
| | 41 059 EN0 | brushed nickel | 4005176577789 | |
| | 41 059 GL0 | cool sunrise | 4005176577796 | |
| | 41 059 GN0 | brushed cool sunrise | 4005176577802 | |
| | 41 059 DA0 | warm sunset | 4005176577819 | |
| | 41 059 DL0 | brushed warm sunset | 4005176577826 | |
| | 41 059 A00 | hard graphite | 4005176577833 | |
| | 41 059 AL0 | brushed hard graphite | 4005176577840 | |
| | Selection Towel holder, non pivotal material: metal depth 411 mm (functional depth 360 mm) two arms concealed fastening GROHE Long-Life Shine durable sparkling sheen | | | |
| |   | 41 063 000 | Chrome | 4005176577864 |
| | | 41 063 DC0 | supersteel | 4005176577871 |
| 41 063 BE0 | | polished nickel | 4005176577888 | |
| 41 063 EN0 | | brushed nickel | 4005176577895 | |
| 41 063 GL0 | | cool sunrise | 4005176577901 | |
| 41 063 GN0 | | brushed cool sunrise | 4005176577918 | |
| 41 063 DA0 | | warm sunset | 4005176577925 | |
| 41 063 DL0 | | brushed warm sunset | 4005176577932 | |
| 41 063 A00 | | hard graphite | 4005176577949 | |
| 41 063 AL0 | | brushed hard graphite | 4005176577956 | |
| Selection Towel holder, pivotal material: metal depth 441 mm (functional depth 400 mm) two arms concealed fastening GROHE Long-Life Shine durable sparkling sheen | | | | |
|   | | 41 219 KF0 | phantom black | 4005176782473 |
| | | Selection Towel holder, pivotal material: metal depth 441 mm (functional depth 400 mm) two arms concealed fastening GROHE Long-Life Shine finish | | |
|   | 41 064 000 | Chrome | 4005176577970 | |
| | 41 064 DC0 | supersteel | 4005176577987 | |
| | 41 064 BE0 | polished nickel | 4005176577994 | |
| | 41 064 EN0 | brushed nickel | 4005176578007 | |
| | 41 064 GL0 | cool sunrise | 4005176578014 | |
| | 41 064 GN0 | brushed cool sunrise | 4005176578021 | |
| | 41 064 DA0 | warm sunset | 4005176578038 | |
| | 41 064 DL0 | brushed warm sunset | 4005176578045 | |
| | 41 064 A00 | hard graphite | 4005176578052 | |
| | 41 064 AL0 | brushed hard graphite | 4005176578069 | |
| | Selection Grip bar material: metal length 336 mm (functional length 300 mm) concealed fastening GROHE Long-Life Shine durable sparkling sheen | | | |

GROHE SELECTION




| Ref. No. | Colour | EAN |
|------------|-----------------------|---------------|
| 41 066 000 | Chrome | 4005176578083 |
| 41 066 DC0 | supersteel | 4005176578090 |
| 41 066 BE0 | polished nickel | 4005176578106 |
| 41 066 EN0 | brushed nickel | 4005176578113 |
| 41 066 GL0 | cool sunrise | 4005176578120 |
| 41 066 GN0 | brushed cool sunrise | 4005176578137 |
| 41 066 DA0 | warm sunset | 4005176578144 |
| 41 066 DL0 | brushed warm sunset | 4005176578151 |
| 41 066 A00 | hard graphite | 4005176578168 |
| 41 066 AL0 | brushed hard graphite | 4005176578175 |

Selection
Multi-towel rack
 material: metal
 length 596 mm
 concealed fastening
GROHE Long-Life Shine durable sparkling sheen




| | | |
|------------|-----------------------|---------------|
| 41 067 000 | Chrome | 4005176578199 |
| 41 067 DC0 | supersteel | 4005176578205 |
| 41 067 BE0 | polished nickel | 4005176578212 |
| 41 067 EN0 | brushed nickel | 4005176578229 |
| 41 067 GL0 | cool sunrise | 4005176578236 |
| 41 067 GN0 | brushed cool sunrise | 4005176578243 |
| 41 067 DA0 | warm sunset | 4005176578250 |
| 41 067 DL0 | brushed warm sunset | 4005176578267 |
| 41 067 A00 | hard graphite | 4005176578274 |
| 41 067 AL0 | brushed hard graphite | 4005176578281 |

Selection
Spare toilet paper holder (2 rolls)
 material: metal
 wall mounted
 concealed fastening
GROHE Long-Life Shine durable sparkling sheen



| | | |
|------------|-----------------------|---------------|
| 41 068 000 | Chrome | 4005176578304 |
| 41 068 DC0 | supersteel | 4005176578311 |
| 41 068 BE0 | polished nickel | 4005176578328 |
| 41 068 EN0 | brushed nickel | 4005176578335 |
| 41 068 GL0 | cool sunrise | 4005176578342 |
| 41 068 GN0 | brushed cool sunrise | 4005176578359 |
| 41 068 DA0 | warm sunset | 4005176578366 |
| 41 068 DL0 | brushed warm sunset | 4005176578373 |
| 41 068 A00 | hard graphite | 4005176578380 |
| 41 068 AL0 | brushed hard graphite | 4005176578397 |


Selection
Toilet roll holder
 without cover
 material: metal
 wall mounted
 concealed fastening
GROHE Long-Life Shine durable sparkling sheen



| | | |
|------------|---------------|---------------|
| 41 220 KF0 | phantom black | 4005176782480 |
|------------|---------------|---------------|


Selection
Toilet roll holder
 without cover
 material: metal
 wall mounted
 concealed fastening
GROHE Long-Life Shine finish

GROHE SELECTION



| Ref. No. | Colour | EAN |
|------------|-----------------------|---------------|
| 41 069 000 | Chrome | 4005176578410 |
| 41 069 DC0 | supersteel | 4005176578427 |
| 41 069 BE0 | polished nickel | 4005176578434 |
| 41 069 EN0 | brushed nickel | 4005176578441 |
| 41 069 GL0 | cool sunrise | 4005176578458 |
| 41 069 GN0 | brushed cool sunrise | 4005176578465 |
| 41 069 DA0 | warm sunset | 4005176578472 |
| 41 069 DL0 | brushed warm sunset | 4005176578489 |
| 41 069 A00 | hard graphite | 4005176578496 |
| 41 069 AL0 | brushed hard graphite | 4005176578502 |

Selection
Toilet roll holder
 with cover
 material: metal
 wall mounted
 concealed fastening
GROHE Long-Life Shine durable sparkling sheen




| | | |
|------------|-------------------------|---------------|
| 41 076 000 | ★ Chrome | 4005176578526 |
| 41 076 DC0 | ★ supersteel | 4005176578533 |
| 41 076 BE0 | polished nickel | 4005176578540 |
| 41 076 EN0 | brushed nickel | 4005176578557 |
| 41 076 GL0 | ★ cool sunrise | 4005176578564 |
| 41 076 GN0 | ★ brushed cool sunrise | 4005176578571 |
| 41 076 DA0 | ★ warm sunset | 4005176578588 |
| 41 076 DL0 | ★ brushed warm sunset | 4005176578595 |
| 41 076 A00 | hard graphite | 4005176578601 |
| 41 076 AL0 | ★ brushed hard graphite | 4005176578618 |

Selection
Toilet brush set
 material: glass / metal
 wall mounted
 concealed fastening
GROHE Long-Life Shine durable sparkling sheen


| | | |
|------------|--------------|---------------|
| 40 791 001 | white | 4005176323409 |
| 40 791 KS1 | velvet black | 4005176336379 |

Spare Brush Head



| | | |
|------------|---------------|---------------|
| 41 215 KF0 | phantom black | 4005176782435 |
|------------|---------------|---------------|

Selection
Toilet brush set
 material: glass / metal
 wall mounted
 concealed fastening
GROHE Long-Life Shine finish















| | | |
|------------|-------------------------|---------------|
| 41 077 000 | ★ Chrome | 4005176578632 |
| 41 077 DC0 | ★ supersteel | 4005176578649 |
| 41 077 BE0 | polished nickel | 4005176578656 |
| 41 077 EN0 | brushed nickel | 4005176578663 |
| 41 077 GL0 | ★ cool sunrise | 4005176578670 |
| 41 077 GN0 | ★ brushed cool sunrise | 4005176578687 |
| 41 077 DA0 | ★ warm sunset | 4005176575587 |
| 41 077 DL0 | ★ brushed warm sunset | 4005176578694 |
| 41 077 A00 | hard graphite | 4005176578700 |
| 41 077 AL0 | ★ brushed hard graphite | 4005176578717 |

Selection
Shaving mirror
 material: glass / metal
 without lights
 magnification: x 7
 concealed fastening
GROHE Long-Life Shine durable sparkling sheen







GROHE SELECTION CUBE

| | Ref. No. | Colour | EAN |
|---|------------|------------|---------------|
|   | 40 865 000 | Chrome | 4005176378140 |
| <p>Selection Cube Glass/soap dish holder material: metal for Selection Cube glass (40 783 000), Selection Cube soap dish (40 806 000) or Selection Cube soap dispenser (40 805 000) concealed fastening GROHE Long-Life Shine durable sparkling sheen</p> | | | |
|   | 40 805 000 | Chrome | 4005176347924 |
| <p>Selection Cube Soap dispenser material: glass / metal filling quantity 300 ml fits in the following holder: Selection Cube (40 865 000) GROHE Long-Life Shine finish</p> | | | |
|   | 40 806 000 | Glass Matt | 4005176347931 |
| <p>Selection Cube Soap dish material: glass fits in the following holder: Selection Cube (40 865 000)</p> | | | |
|   | 40 783 000 | | 4005176347894 |
| <p>Selection Cube Glass material: glass fits in the following holder: Selection Cube (40 865 000)</p> | | | |
|   | 40 766 000 | Chrome | 4005176347849 |
| <p>Selection Cube Towel ring material: metal concealed fastening GROHE Long-Life Shine finish</p> | | | |
|   | 40 768 000 | Chrome | 4005176347863 |
| <p>Selection Cube Double towel bar material: metal 2 arms, pivotable 400 mm concealed fastening GROHE Long-Life Shine finish</p> | | | |


GROHE SELECTION CUBE

| | | Ref. No. | Colour | EAN |
|---|---|------------|--------|---------------|
|  |  | 40 767 000 | Chrome | 4005176347856 |
| Selection Cube Towel rail 500 mm (functional length 459 mm) material: metal concealed fastening GROHE Long-Life Shine durable sparkling sheen | | | | |
|  |  | 40 804 000 | Chrome | 4005176347917 |
| Selection Cube Multi bath towel rack material: metal 600 mm (functional length 575 mm) concealed fastening GROHE Long-Life Shine finish | | | | |
|  |  | 40 782 000 | Chrome | 4005176347887 |
| Selection Cube Robe hook material: metal concealed fastening GROHE Long-Life Shine finish | | | | |
|  |  | 40 807 000 | Chrome | 4005176347948 |
| Selection Cube Grip bar/towel bar material: metal 600 mm (functional length 548 mm) concealed fastening GROHE Long-Life Shine finish | | | | |
|  |  | 40 781 000 | Chrome | 4005176347870 |
| Selection Cube Toilet roll holder material: metal concealed fastening with cover GROHE Long-Life Shine finish | | | | |
|  |  | 40 784 000 | Chrome | 4005176347900 |
| Selection Cube Spare toilet paper holder material: metal wall mounted concealed fastening GROHE Long-Life Shine finish | | | | |

GROHE SELECTION CUBE

| | Ref. No. | Colour | EAN |
|--|------------|--------|---------------|
|   | 40 857 000 | Chrome | 4005176378393 |
| <p>Selection Cube Toilet brush set material: glass / metal wall mounted concealed fastening GROHE Long-Life Shine finish</p> | | | |
|   | 40 809 000 | Chrome | 4005176347962 |
| <p>Selection Cube Soap wire basket material: metal for corner installation GROHE Long-Life Shine finish</p> | | | |
|   | 40 808 000 | Chrome | 4005176347955 |
| <p>Selection Cube Shaving mirror material: glass / metal wall mounted concealed fastening magnification: x 3 GROHE Long-Life Shine finish</p> | | | |

GROHE ESSENTIALS



| Ref. No. | Colour | EAN |
|--------------|-----------------------|---------------|
| 40 369 001 ★ | Chrome | 4005176326196 |
| 40 369 DC1 ★ | supersteel | 4005176412462 |
| 40 369 BE1 | polished nickel | 4005176430176 |
| 40 369 EN1 | brushed nickel | 4005176326202 |
| 40 369 GL1 ★ | cool sunrise | 4005176429422 |
| 40 369 GN1 ★ | brushed cool sunrise | 4005176429873 |
| 40 369 DA1 ★ | warm sunset | 4005176428975 |
| 40 369 DL1 ★ | brushed warm sunset | 4005176430022 |
| 40 369 A01 | hard graphite | 4005176429576 |
| 40 369 AL1 ★ | brushed hard graphite | 4005176429729 |

Essentials

Glass/soap dish holder

material: metal


for crystal glass (40 372 001)

soap dish (40 368 001) or soap dispenser (40 394 001)

concealed fastening

GROHE Long-Life Shine durable sparkling sheen

suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)



| | | |
|--------------|-----------------------|---------------|
| 40 394 001 ★ | Chrome | 4005176326233 |
| 40 394 DC1 ★ | supersteel | 4005176421532 |
| 40 394 BE1 | polished nickel | 4005176430183 |
| 40 394 EN1 | brushed nickel | 4005176412646 |
| 40 394 GL1 ★ | cool sunrise | 4005176429439 |
| 40 394 GN1 ★ | brushed cool sunrise | 4005176429880 |
| 40 394 DA1 ★ | warm sunset | 4005176428982 |
| 40 394 DL1 ★ | brushed warm sunset | 4005176430039 |
| 40 394 A01 | hard graphite | 4005176429583 |
| 40 394 AL1 ★ | brushed hard graphite | 4005176429736 |

Essentials

Soap dispenser

material: glass / metal

filling quantity 160 ml

fits in the following holders:


Essentials (40 369 xx1)

Essentials Cube (40 508 000)

Bau Cosmopolitan (40 585)

Essentials Authentic (40 652)

GROHE Long-Life Shine durable sparkling sheen



| | | |
|------------|-------------|---------------|
| 40 368 001 | glass clear | 4005176326219 |
|------------|-------------|---------------|

Essentials

Soap dish

material: glass


fits in the following holders:

Essentials (40 369 xx1)

Essentials Cube (40 508 000)

Bau Cosmopolitan (40 585)

Essentials Authentic (40 652)



| | | |
|------------|--|---------------|
| 40 372 001 | | 4005176326226 |
|------------|--|---------------|

Essentials

Crystal glass

material: glass

fits in the following holders:









Essentials (40 369 xx1)

Essentials Cube (40 508 000)









Bau Cosmopolitan (40 585)

Essentials Authentic (40 652)









GROHE ESSENTIALS

| | Ref. No. | Colour | EAN |
|---|--|-------------------------|---------------|
|  | 40 448 001 | Chrome | 4005176328343 |
| | 40 448 DC1 | supersteel | 4005176413155 |
|  | 40 448 EN1 | brushed nickel | 4005176335525 |
| | Essentials Soap dispenser with holder material: glass / metal filling quantity 160 ml Consisting of: holder (40 369 001) soap dispenser (40 394 001) concealed fastening GROHE Long-Life Shine durable sparkling sheen suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately) | | |
|  | 40 444 001 | Chrome | 4005176328336 |
| | 40 444 DC1 | supersteel | 4005176413148 |
|  | 40 444 EN1 | brushed nickel | 4005176335501 |
| | Essentials Soap dish with holder material: glass / metal Consisting of: holder (40 369 001) soap dish (40 368 001) concealed fastening GROHE Long-Life Shine durable sparkling sheen suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately) | | |
|  | 40 447 001 | Chrome | 4005176328701 |
| | 40 447 DC1 | supersteel | 4005176413162 |
|  | 40 447 EN1 | brushed nickel | 4005176335518 |
| | Essentials Crystal glass with holder material: glass / metal Consisting of: holder (40 369 001) Glass cup (40 372 001) concealed fastening GROHE Long-Life Shine durable sparkling sheen suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately) | | |
|  | 40 365 001 | ★ Chrome | 4005176326240 |
| | 40 365 DC1 | ★ supersteel | 4005176412431 |
| | 40 365 BE1 | polished nickel | 4005176430121 |
| | 40 365 EN1 | brushed nickel | 4005176326257 |
| | 40 365 GL1 | ★ cool sunrise | 4005176429378 |
| | 40 365 GN1 | ★ brushed cool sunrise | 4005176429828 |
| | 40 365 DA1 | ★ warm sunset | 4005176428920 |
| | 40 365 DL1 | ★ brushed warm sunset | 4005176429972 |
| | 40 365 A01 | hard graphite | 4005176429521 |
| | 40 365 AL1 | ★ brushed hard graphite | 4005176429675 |
|  | Essentials Towel ring material: metal concealed fastening GROHE Long-Life Shine durable sparkling sheen suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately) | | |











GROHE ESSENTIALS

| | Ref. No. | Colour | EAN | |
|---|---|-----------------------|---------------|--|
|   | 40 371 001 ★ | Chrome | 4005176326318 | |
| | 40 371 DC1 ★ | supersteel | 4005176412479 | |
| | 40 371 BE1 | polished nickel | 4005176430138 | |
| | 40 371 EN1 | brushed nickel | 4005176430268 | |
| | 40 371 GL1 ★ | cool sunrise | 4005176429385 | |
| | 40 371 GN1 ★ | brushed cool sunrise | 4005176429835 | |
| | 40 371 DA1 ★ | warm sunset | 4005176428937 | |
| | 40 371 DL1 ★ | brushed warm sunset | 4005176429989 | |
| | 40 371 A01 | hard graphite | 4005176429538 | |
| | 40 371 AL1 ★ | brushed hard graphite | 4005176429682 | |
| | Essentials Towel bar material: metal 2 arms, pivotable 439 mm concealed fastening GROHE Long-Life Shine durable sparkling sheen suitable for screwing (including screws and dowels) | | | |
|   | 40 688 001 | Chrome | 4005176326288 | |
| | 40 688 DC1 | supersteel | 4005176413124 | |
| | 40 688 BE1 | polished nickel | 4005176430145 | |
| | 40 688 EN1 | brushed nickel | 4005176326295 | |
| | 40 688 GL1 | cool sunrise | 4005176429392 | |
| | 40 688 GN1 | brushed cool sunrise | 4005176429842 | |
| | 40 688 DA1 | warm sunset | 4005176428944 | |
| | 40 688 DL1 | brushed warm sunset | 4005176429996 | |
| | 40 688 A01 | hard graphite | 4005176429545 | |
| | 40 688 AL1 | brushed hard graphite | 4005176429699 | |
| | Essentials Towel rail material: metal 504 mm (useable length 450 mm) concealed fastening GROHE Long-Life Shine durable sparkling sheen suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately) | | | |
|   | 40 366 001 ★ | Chrome | 4005176326264 | |
| | 40 366 DC1 ★ | supersteel | 4005176412448 | |
| | 40 366 BE1 | polished nickel | 4005176430152 | |
| | 40 366 EN1 | brushed nickel | 4005176326271 | |
| | 40 366 GL1 ★ | cool sunrise | 4005176429408 | |
| | 40 366 GN1 ★ | brushed cool sunrise | 4005176429859 | |
| | 40 366 DA1 ★ | warm sunset | 4005176428951 | |
| | 40 366 DL1 ★ | brushed warm sunset | 4005176430008 | |
| | 40 366 A01 | hard graphite | 4005176429552 | |
| | 40 366 AL1 ★ | brushed hard graphite | 4005176429705 | |
| | Essentials Towel rail material: metal 654 mm (useable length 600 mm) concealed fastening GROHE Long-Life Shine durable sparkling sheen suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately) | | | |
|   | 40 386 001 | Chrome | 4005176326301 | |
| | 40 386 BE1 | polished nickel | 4005176430169 | |
| | 40 386 EN1 | brushed nickel | 4005176430275 | |
| | 40 386 GL1 | cool sunrise | 4005176429415 | |
| | 40 386 GN1 | brushed cool sunrise | 4005176429866 | |
| | 40 386 DA1 | warm sunset | 4005176428968 | |
| | 40 386 DL1 | brushed warm sunset | 4005176430015 | |
| | 40 386 A01 | hard graphite | 4005176429569 | |
| | 40 386 AL1 | brushed hard graphite | 4005176429712 | |
| | Essentials Towel rail material: metal 854 mm (useable length 800 mm) concealed fastening GROHE Long-Life Shine durable sparkling sheen suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately) | | | |


GROHE ESSENTIALS

| | Ref. No. | Colour | EAN |
|---|--|--|---------------|
|  | 40 802 001 ★ | Chrome | 4005176328107 |
| | 40 802 BE1 | polished nickel | 4005176430251 |
| | 40 802 EN1 | brushed nickel | 4005176430329 |
| | 40 802 GL1 ★ | cool sunrise | 4005176429507 |
| | 40 802 GN1 ★ | brushed cool sunrise | 4005176429958 |
| | 40 802 DA1 ★ | warm sunset | 4005176429354 |
| | 40 802 DL1 ★ | brushed warm sunset | 4005176430107 |
| | 40 802 A01 | hard graphite | 4005176429651 |
| | 40 802 AL1 ★ | brushed hard graphite | 4005176429804 |
| |  | Essentials Double towel rail material: metal 654 mm (useable length 600 mm) concealed fastening GROHE Long-Life Shine durable sparkling sheen suitable for screwing (including screws and dowels) | |
|  | 40 800 001 | Chrome | 4005176327988 |
| | 40 800 DC1 | supersteel | 4005176413223 |
| | 40 800 BE1 | polished nickel | 4005176430244 |
| | 40 800 EN1 | brushed nickel | 4005176430312 |
| | 40 800 GL1 | cool sunrise | 4005176429491 |
| | 40 800 GN1 | brushed cool sunrise | 4005176429941 |
| | 40 800 DA1 | warm sunset | 4005176429347 |
| | 40 800 DL1 | brushed warm sunset | 4005176430091 |
| | 40 800 A01 | hard graphite | 4005176429644 |
| | 40 800 AL1 | brushed hard graphite | 4005176429798 |
|  | Essentials Multi bath towel rack material: metal 604 mm (useable length 550 mm) concealed fastening GROHE Long-Life Shine durable sparkling sheen suitable for screwing (including screws and dowels) | | |
|  | 40 364 001 ★ | Chrome | 4005176326332 |
| | 40 364 DC1 ★ | supersteel | 4005176412424 |
| | 40 364 BE1 | polished nickel | 4005176430114 |
| | 40 364 EN1 | brushed nickel | 4005176326349 |
| | 40 364 GL1 ★ | cool sunrise | 4005176429361 |
| | 40 364 GN1 ★ | brushed cool sunrise | 4005176429811 |
| | 40 364 DA1 ★ | warm sunset | 4005176428913 |
| | 40 364 DL1 ★ | brushed warm sunset | 4005176429965 |
| | 40 364 A01 | hard graphite | 4005176429514 |
| | 40 364 AL1 ★ | brushed hard graphite | 4005176429668 |
|  | Essentials Robe hook material: metal concealed fastening GROHE Long-Life Shine durable sparkling sheen suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately) | | |
|  | 40 421 001 ★ | Chrome | 4005176326325 |
| | 40 421 DC1 ★ | supersteel | 4005176413117 |
| | 40 421 BE1 | polished nickel | 4005176430237 |
| | 40 421 EN1 | brushed nickel | 4005176430305 |
| | 40 421 GL1 ★ | cool sunrise | 4005176429484 |
| | 40 421 GN1 ★ | brushed cool sunrise | 4005176429934 |
| | 40 421 DA1 ★ | warm sunset | 4005176429330 |
| | 40 421 DL1 ★ | brushed warm sunset | 4005176430084 |
| | 40 421 A01 | hard graphite | 4005176429637 |
| | 40 421 AL1 ★ | brushed hard graphite | 4005176429781 |
|  | Essentials Grip bar material: metal 349 mm (useable length 295 mm) concealed fastening GROHE Long-Life Shine durable sparkling sheen suitable for screwing (including screws and dowels) | | |

GROHE ESSENTIALS

| | | Ref. No. | Colour | EAN |
|---|---|--|-------------------------|---------------|
|  |  | 40 793 001 | Chrome | 4005176327599 |
| | | 40 793 DC1 | supersteel | 4005176413230 |
| <p>Essentials Grip bar material: metal 507 mm (useable length 450 mm) concealed fastening GROHE Long-Life Shine durable sparkling sheen suitable for screwing (including screws and dowels)</p> | | | | |
|  |  | 40 794 001 | Chrome | 4005176327605 |
| | | 40 794 DC1 | supersteel | 4005176413247 |
| <p>Essentials Grip bar material: metal 657 mm (useable length 600 mm) concealed fastening GROHE Long-Life Shine durable sparkling sheen suitable for screwing (including screws and dowels)</p> | | | | |
|  |  | 40 797 001 | Chrome | 4005176327636 |
| | | <p>Essentials Grip bar material: metal 737 x 997 mm (useable length 680 x 940 mm) concealed fastening GROHE Long-Life Shine durable sparkling sheen suitable for screwing (including screws and dowels)</p> | | |
|  |  | 40 799 001 | Chrome | 4005176327971 |
| | | 40 799 DC1 | supersteel | 4005176413216 |
| <p>Essentials Glass shelf material: glass / metal 530 mm (useable length 380 mm) concealed fastening GROHE Long-Life Shine durable sparkling sheen suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)</p> | | | | |
|  |  | 40 689 001 | ★ Chrome | 4005176326363 |
| | | 40 689 DC1 | ★ supersteel | 4005176413131 |
| | | 40 689 BE1 | polished nickel | 4005176430213 |
| | | 40 689 EN1 | brushed nickel | 4005176326370 |
| | | 40 689 GL1 | ★ cool sunrise | 4005176429460 |
| | | 40 689 GN1 | ★ brushed cool sunrise | 4005176429910 |
| | | 40 689 DA1 | ★ warm sunset | 4005176429316 |
| | | 40 689 DL1 | ★ brushed warm sunset | 4005176430060 |
| | | 40 689 A01 | hard graphite | 4005176429613 |
| | | 40 689 AL1 | ★ brushed hard graphite | 4005176429767 |
| <p>Essentials Toilet roll holder material: metal without cover concealed fastening GROHE Long-Life Shine durable sparkling sheen suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)</p> | | | | |

GROHE ESSENTIALS



| Ref. No. | Colour | EAN |
|------------|-------------------------|---------------|
| 40 367 001 | ★ Chrome | 4005176326387 |
| 40 367 DC1 | ★ supersteel | 4005176412455 |
| 40 367 BE1 | polished nickel | 4005176430220 |
| 40 367 EN1 | brushed nickel | 4005176326394 |
| 40 367 GL1 | ★ cool sunrise | 4005176429477 |
| 40 367 GN1 | ★ brushed cool sunrise | 4005176429927 |
| 40 367 DA1 | ★ warm sunset | 4005176429323 |
| 40 367 DL1 | ★ brushed warm sunset | 4005176430077 |
| 40 367 A01 | hard graphite | 4005176429620 |
| 40 367 AL1 | ★ brushed hard graphite | 4005176429774 |


Essentials

Toilet roll holder

material: metal
with cover
concealed fastening

GROHE Long-Life Shine durable sparkling sheen

suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)



| | | |
|------------|-------------------------|---------------|
| 40 385 001 | ★ Chrome | 4005176326356 |
| 40 385 DC1 | ★ supersteel | 4005176413094 |
| 40 385 BE1 | polished nickel | 4005176430206 |
| 40 385 EN1 | brushed nickel | 4005176430299 |
| 40 385 GL1 | ★ cool sunrise | 4005176429453 |
| 40 385 GN1 | ★ brushed cool sunrise | 4005176429903 |
| 40 385 DA1 | ★ warm sunset | 4005176429309 |
| 40 385 DL1 | ★ brushed warm sunset | 4005176430053 |
| 40 385 A01 | hard graphite | 4005176429606 |
| 40 385 AL1 | ★ brushed hard graphite | 4005176429750 |


Essentials

Spare toilet paper holder

material: metal
wall mounted
concealed fastening

GROHE Long-Life Shine durable sparkling sheen

suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)



| | | |
|------------|-------------------------|---------------|
| 40 374 001 | ★ Chrome | 4005176326400 |
| 40 374 DC1 | ★ supersteel | 4005176412486 |
| 40 374 BE1 | polished nickel | 4005176430190 |
| 40 374 EN1 | brushed nickel | 4005176430282 |
| 40 374 GL1 | ★ cool sunrise | 4005176429446 |
| 40 374 GN1 | ★ brushed cool sunrise | 4005176429897 |
| 40 374 DA1 | ★ warm sunset | 4005176429293 |
| 40 374 DL1 | ★ brushed warm sunset | 4005176430046 |
| 40 374 A01 | hard graphite | 4005176429590 |
| 40 374 AL1 | ★ brushed hard graphite | 4005176429743 |

Essentials

Toilet brush set



material: glass / metal
wall mounted
concealed fastening

GROHE Long-Life Shine durable sparkling sheen

suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)

| | | |
|------------|--------------|---------------|
| 40 791 001 | white | 4005176323409 |
| 40 791 KS1 | velvet black | 4005176336379 |

Spare Brush Head



| | | |
|------------|--------|---------------|
| 40 663 001 | Chrome | 4005176327834 |
|------------|--------|---------------|











BauCosmopolitan

Soap wire basket



material: metal
for corner installation


large
suitable for screwing (including screws and dowels)

GROHE ESSENTIALS









| | Ref. No. | Colour | EAN |
|---|--|---|--|
|   | 40 664 001 | Chrome | 4005176327841 |
| | BauCosmopolitan Soap wire basket material: metal for corner installation small suitable for screwing (including screws and dowels) | | |
|   | 40 407 001 40 407 DC1 | Chrome supersteel | 4005176328350 4005176413179 |
| | Essentials 3-in-1 WC set material: glass / metal Consisting of: toilet brush set (40 374 001) robe hook (40 364 001) toilet paper holder (40 367 001) concealed fastening GROHE Long-Life Shine durable sparkling sheen suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately) | | |
|   | 40 775 001 40 775 DC1 40 775 EN1 | Chrome supersteel brushed nickel | 4005176328626 4005176413186 4005176324765 |
| | Essentials 3-in-1 Guest bathroom accessories set material: metal Consisting of: towel rail, 600 mm (40 366 001) robe hook (40 364 001) toilet paper holder (40 367 001) concealed fastening GROHE Long-Life Shine durable sparkling sheen suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately) | | |
|   | 40 776 001 40 776 DC1 | Chrome supersteel | 4005176328633 4005176413193 |
| | Essentials 4-in-1 Master bathroom accessories set material: metal Consisting of: towel ring (40 365 001) robe hook (40 364 001) toilet paper holder (40 367 001) towel rail, 600 mm (40 366 001) concealed fastening GROHE Long-Life Shine durable sparkling sheen suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately) | | |
|   | 40 846 001 | Chrome | 4005176344091 |
| | Essentials 4-in-1 Master bathroom accessories set material: metal Consisting of: soap dispenser with holder (40 448 001) crystal glass with holder (40 447 001) double towel bar (40 371 001), suitable for screwing only (including screws and dowels) robe hook (40 364 001) concealed fastening GROHE Long-Life Shine finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately) | | |

GROHE ESSENTIALS













| | Ref. No. | Colour | EAN |
|---|--|------------|---------------|
|  | 40 344 001 | Chrome | 4005176323461 |
| | 40 344 DC1 | supersteel | 4005176413209 |
|  | Essentials Master bathroom accessories set 5-in-1 material: glass / metal Consisting of: towel ring (40 365 001) towel rail, 600 mm (40 366 001) robe hook (40 364 001) paper holder with cover (40 367 001) soap dish with holder (40 444 001) concealed fastening GROHE Long-Life Shine durable sparkling sheen suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately) colour DC available until 31 march 2023 | | |

| | | | |
|--|------------|---------------|--|
|  | 40 915 000 | 4005176429262 | |
| Glue for bath accessories contains syringe with with glue and adapter for the wall mounting plate curing time 24 hours one pack is required for one wall holder plate, please note for bath towel holders suitable for tiles, marble, stone, glass, concrete, wood, plastic and metal not suitable for wallpaper, plaster and coating This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/ | | | |











GROHE ESSENTIALS CUBE

| | Ref. No. | Colour | EAN |
|---|---|-------------------------|---------------|
|  | 40 508 001 | Chrome | 4005176324413 |
| | 40 508 DC1 | supersteel | 4005176636554 |
|  | 40 508 AL1 | brushed hard graphite | 4005176636653 |
| | Essentials Cube Glass/soap dish holder material: metal for crystal glass (40 372 001) soap dish (40 368 001) or soap dispenser (40 394 001) concealed fastening GROHE Long-Life Shine durable sparkling sheen | | |
|  | 40 394 001 | ★ Chrome | 4005176326233 |
| | 40 394 DC1 | ★ supersteel | 4005176421532 |
|  | 40 394 AL1 | ★ brushed hard graphite | 4005176429736 |
| | Essentials Soap dispenser material: glass / metal filling quantity 160 ml fits in the following holders: Essentials (40 369 xx1) Essentials Cube (40 508 000) Bau Cosmopolitan (40 585) Essentials Authentic (40 652) GROHE Long-Life Shine durable sparkling sheen | | |
|  | 40 368 001 | glass clear | 4005176326219 |
| | Essentials Soap dish material: glass fits in the following holders: Essentials (40 369 xx1) Essentials Cube (40 508 000) Bau Cosmopolitan (40 585) Essentials Authentic (40 652) | | |
|  | 40 372 001 | | 4005176326226 |
| | Essentials Crystal glass material: glass fits in the following holders: Essentials (40 369 xx1) Essentials Cube (40 508 000) Bau Cosmopolitan (40 585) Essentials Authentic (40 652) | | |
|  | 40 756 001 | Chrome | 4005176328381 |
| | Essentials Cube Soap dispenser with holder material: glass / metal filling quantity 160 ml Consisting of: holder (40 508 001) soap dispenser (40 394 001) concealed fastening GROHE Long-Life Shine durable sparkling sheen | | |
|  | 40 755 001 | Chrome | 4005176328374 |
| | Essentials Cube Crystal glass with holder material: glass / metal Consisting of: holder (40 508 001) crystal glass (40 372 001) concealed fastening GROHE Long-Life Shine durable sparkling sheen | | |









GROHE ESSENTIALS CUBE

| | Ref. No. | Colour | EAN |
|---|---|--|--|
|   | 40 754 001 | Chrome | 4005176328367 |
| | Essentials Cube Soap dish with holder material: glass / metal Consisting of: holder (40 508 001) soap dish (40 368 001) concealed fastening GROHE Long-Life Shine durable sparkling sheen | | |
|   | 40 510 001 40 510 DC1 40 510 AL1 | Chrome supersteel brushed hard graphite | 4005176324420 4005176636172 4005176636578 |
| | Essentials Cube Towel ring material: metal concealed fastening GROHE Long-Life Shine durable sparkling sheen | | |
|   | 40 624 001 40 624 DC1 40 624 AL1 | Chrome supersteel brushed hard graphite | 4005176324444 4005176636486 4005176636585 |
| | Essentials Cube Towel bar material: metal 2 arms, pivotable 439 mm concealed fastening GROHE Long-Life Shine durable sparkling sheen | | |
|   | 40 509 001 40 509 DC1 | Chrome supersteel | 4005176324437 4005176636493 |
| | Essentials Cube Towel rail material: metal 600 mm (useable length 558 mm) concealed fastening GROHE Long-Life Shine durable sparkling sheen | | |
|   | 40 512 001 40 512 AL1 | Chrome brushed hard graphite | 4005176324451 4005176636608 |
| | Essentials Cube Multi-towel rack material: metal 600 mm (useable length 558 mm) concealed fastening GROHE Long-Life Shine durable sparkling sheen | | |
|   | 40 511 001 40 511 DC1 40 511 AL1 | Chrome supersteel brushed hard graphite | 4005176324475 4005176636516 4005176636615 |
| | Essentials Cube Robe hook material: metal concealed fastening GROHE Long-Life Shine durable sparkling sheen | | |













GROHE ESSENTIALS CUBE

| | Ref. No. | Colour | EAN |
|---|---|-----------------------|---------------|
|  | 40 514 001 | Chrome | 4005176324468 |
| | 40 514 DC1 | supersteel | 4005176636523 |
| | 40 514 AL1 | brushed hard graphite | 4005176636622 |
|  | Essentials Cube Grip bar material: metal 392 mm (useable length 340 mm) concealed fastening GROHE Long-Life Shine durable sparkling sheen | | |
|  | 40 507 001 | Chrome | 4005176324598 |
| | 40 507 DC1 | supersteel | 4005176636530 |
| | 40 507 AL1 | brushed hard graphite | 4005176636639 |
|  | Essentials Cube Toilet roll holder material: metal without cover concealed fastening GROHE Long-Life Shine durable sparkling sheen | | |
|  | 40 623 001 | Chrome | 4005176324482 |
| | 40 623 DC1 | supersteel | 4005176636547 |
| | 40 623 AL1 | brushed hard graphite | 4005176636646 |
|  | Essentials Cube Spare toilet paper holder material: metal wall mounted concealed fastening GROHE Long-Life Shine durable sparkling sheen | | |
|  | 40 513 001 | Chrome | 4005176324604 |
| | 40 513 DC1 | supersteel | 4005176636165 |
| | 40 513 AL1 | brushed hard graphite | 4005176636561 |
|  | Essentials Cube Toilet brush set material: glass / metal wall mounted concealed fastening GROHE Long-Life Shine durable sparkling sheen | | |
| | 40 791 001 | white | 4005176323409 |
| | 40 791 KS1 | velvet black | 4005176336379 |
| | Spare Brush Head | | |
|  | 40 757 001 | Chrome | 4005176328497 |
| | Essentials Cube 3-in-1 WC set material: glass / metal Consisting of: robe hook (40 511 001) toilet paper holder (40 507 001) toilet brush (40 513 001) concealed fastening GROHE Long-Life Shine durable sparkling sheen | | |
| |  | | |











GROHE ESSENTIALS CUBE

| | Ref. No. | Colour | EAN |
|--|-------------------|---------------|----------------------|
|   | 40 777 001 | Chrome | 4005176328640 |
| <p>Essentials Cube 3-in-1 Guest bathroom accessories set material: metal Consisting of: robe hook (40 511 001) toilet paper holder (40 507 001) towel rail, 558 mm (40 509 001) concealed fastening GROHE Long-Life Shine durable sparkling sheen</p> | | | |
|   | 40 778 001 | Chrome | 4005176328657 |
| <p>Essentials Cube 4-in-1 Master bathroom accessories set material: metal Consisting of: robe hook (40 511 001) towel ring (40 510 001) toilet paper holder (40 507 001) towel rail, 558 mm (40 509 001) concealed fastening GROHE Long-Life Shine durable sparkling sheen</p> | | | |
|   | 40 847 001 | Chrome | 4005176344107 |
| <p>Essentials Cube 4-in-1 Bathroom accessories set material: glass / metal Consisting of: soap dispenser with holder (40 756 001) crystal glass with holder (40 755 001) double towel bar (40 624 001) robe hook (40 511 001) concealed fastening GROHE Long-Life Shine finish</p> | | | |
|   | 40 758 001 | Chrome | 4005176328503 |
| <p>Essentials Cube Master bathroom accessories set 5-in-1 material: glass / metal Consisting of: soap dish with holder (40 754 001) towel rail, 558 mm (40 509 001) toilet paper holder (40 507 001) robe hook (40 511 001) towel ring (40 510 001) concealed fastening GROHE Long-Life Shine durable sparkling sheen</p> | | | |

GROHE BAUCOSMOPOLITAN

| | Ref. No. | Colour | EAN |
|---|--|--------------------|----------------------|
|   | 40 585 001 | Chrome | 4005176327797 |
| | BauCosmopolitan Glass/soap dish holder material: metal for crystal glass (40 372 001), soap dish (40 368 001), or soap dispenser (40 394 001) concealed fastening GROHE Long-Life Shine durable sparkling sheen suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately) | | |
|   | 40 394 001 ★ | Chrome | 4005176326233 |
| | Essentials Soap dispenser material: glass / metal filling quantity 160 ml fits in the following holders: Essentials (40 369 xx1) Essentials Cube (40 508 000) Bau Cosmopolitan (40 585) Essentials Authentic (40 652) GROHE Long-Life Shine durable sparkling sheen | | |
|   | 40 368 001 | glass clear | 4005176326219 |
| | Essentials Soap dish material: glass fits in the following holders: Essentials (40 369 xx1) Essentials Cube (40 508 000) Bau Cosmopolitan (40 585) Essentials Authentic (40 652) | | |
|   | 40 372 001 | | 4005176326226 |
| | Essentials Crystal glass material: glass fits in the following holders: Essentials (40 369 xx1) Essentials Cube (40 508 000) Bau Cosmopolitan (40 585) Essentials Authentic (40 652) | | |
|   | 40 460 001 | Chrome | 4005176327803 |
| | BauCosmopolitan Towel ring material: metal concealed fastening GROHE Long-Life Shine durable sparkling sheen suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately) | | |
|   | 40 459 001 | Chrome | 4005176327810 |
| | BauCosmopolitan Towel rail material: metal 522 mm (useable length 430 mm) concealed fastening GROHE Long-Life Shine durable sparkling sheen suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately) | | |


GROHE BAUCOSMOPOLITAN

| | Ref. No. | Colour | EAN |
|---|--|--------------|---------------|
|   | 40 462 001 | Chrome | 4005176327827 |
| | BauCosmopolitan Multi-towel rack material: metal 564 mm (useable length 510 mm) concealed fastening GROHE Long-Life Shine durable sparkling sheen suitable for screwing (including screws and dowels) | | |
|   | 40 461 001 | Chrome | 4005176327858 |
| | BauCosmopolitan Robe hook material: metal concealed fastening GROHE Long-Life Shine durable sparkling sheen suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately) | | |
|   | 40 457 001 | Chrome | 4005176327865 |
| | BauCosmopolitan Toilet Roll Holder material: metal without cover concealed fastening GROHE Long-Life Shine durable sparkling sheen suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately) | | |
|   | 40 463 001 | Chrome | 4005176327872 |
| | BauCosmopolitan Toilet brush set material: glass / metal wall mounted concealed fastening GROHE Long-Life Shine durable sparkling sheen suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately) | | |
| | 40 791 001 | white | 4005176323409 |
| | 40 791 KS1 | velvet black | 4005176336379 |
| | Spare Brush Head | | |
|   | 40 663 001 | Chrome | 4005176327834 |
| | BauCosmopolitan Soap wire basket material: metal for corner installation large suitable for screwing (including screws and dowels) | | |

GROHE BAUCOSMOPOLITAN

| Ref. No. | Colour | EAN |
|----------|--------|-----|
|----------|--------|-----|

| | | |
|------------|--------|---------------|
| 40 664 001 | Chrome | 4005176327841 |
|------------|--------|---------------|



BauCosmopolitan
Soap wire basket
 material: metal
for corner installation
 small
 suitable for screwing (including screws and dowels)












| | | |
|------------|--|---------------|
| 40 915 000 | | 4005176429262 |
|------------|--|---------------|













Glue for bath accessories

contains syringe with with glue and adapter for the wall mounting plate
 curing time 24 hours
 one pack is required for one wall holder plate, please note for bath towel holders
 suitable for tiles, marble, stone, glass, concrete, wood, plastic and metal
 not suitable for wallpaper, plaster and coating
 This product is a hazardous substance. Find more information in the safety data
 sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/



GROHE ESSENTIALS AUTHENTIC

| | Ref. No. | Colour | EAN |
|---|--|--|--|
|   | 40 652 001 40 652 EN1 | Chrome brushed nickel | 4005176324321 4005176324239 |
| Essentials Authentic Glass/soap dish holder material: metal for crystal glass (40 372 001), soap dish (40 368 001), or soap dispenser (40 394 001) concealed fastening GROHE Long-Life Shine durable sparkling sheen | | | |
|   | 40 394 001 ★ 40 394 EN1 | Chrome brushed nickel | 4005176326233 4005176412646 |
| Essentials Soap dispenser material: glass / metal filling quantity 160 ml fits in the following holders: Essentials (40 369 xx1) Essentials Cube (40 508 000) Bau Cosmopolitan (40 585) Essentials Authentic (40 652) GROHE Long-Life Shine durable sparkling sheen | | | |
|   | 40 368 001 | glass clear | 4005176326219 |
| Essentials Soap dish material: glass fits in the following holders: Essentials (40 369 xx1) Essentials Cube (40 508 000) Bau Cosmopolitan (40 585) Essentials Authentic (40 652) | | | |
|   | 40 372 001 | | 4005176326226 |
| Essentials Crystal glass material: glass fits in the following holders: Essentials (40 369 xx1) Essentials Cube (40 508 000) Bau Cosmopolitan (40 585) Essentials Authentic (40 652) | | | |
|   | 40 655 001 40 655 EN1 | Chrome brushed nickel | 4005176324338 4005176324246 |
| Essentials Authentic Towel ring material: metal concealed fastening GROHE Long-Life Shine durable sparkling sheen | | | |
|   | 40 653 001 40 653 EN1 | Chrome brushed nickel | 4005176324345 4005176324253 |
| Essentials Authentic Towel rail material: metal 626 mm (useable length 582 mm) concealed fastening GROHE Long-Life Shine durable sparkling sheen | | | |

GROHE ESSENTIALS AUTHENTIC

| | Ref. No. | Colour | EAN |
|---|----------------------------------|----------------------------------|--|
|   | <p>40 654 001 40 654 EN1</p> | <p>Chrome brushed nickel</p> | <p>4005176324352 4005176324260</p> |
| <p>Essentials Authentic Double towel rail material: metal 626 mm (useable length 582 mm) concealed fastening GROHE Long-Life Shine durable sparkling sheen</p> | | | |
|   | <p>40 660 001 40 660 EN1</p> | <p>Chrome brushed nickel</p> | <p>4005176324369 4005176324277</p> |
| <p>Essentials Authentic Multi-towel rack material: metal 586 mm (useable length 542 mm) concealed fastening GROHE Long-Life Shine durable sparkling sheen</p> | | | |
|   | <p>40 656 001 40 656 EN1</p> | <p>Chrome brushed nickel</p> | <p>4005176324383 4005176324291</p> |
| <p>Essentials Authentic Robe hook material: metal concealed fastening GROHE Long-Life Shine durable sparkling sheen</p> | | | |
|   | <p>40 657 001 40 657 EN1</p> | <p>Chrome brushed nickel</p> | <p>4005176324390 4005176324307</p> |
| <p>Essentials Authentic Toilet roll holder material: metal without cover concealed fastening GROHE Long-Life Shine durable sparkling sheen</p> | | | |
|   | <p>40 658 001 40 658 EN1</p> | <p>Chrome brushed nickel</p> | <p>4005176324406 4005176324314</p> |
| <p>Essentials Authentic Toilet brush set material: glass / metal wall mounted concealed fastening GROHE Long-Life Shine durable sparkling sheen</p> | | | |
| | <p>40 791 001 40 791 KS1</p> | <p>white velvet black</p> | <p>4005176323409 4005176336379</p> |
| <p>Spare Brush Head</p> | | | |

GROHE ESSENTIALS AUTHENTIC



| Ref. No. | Colour | EAN |
|------------|----------------|---------------|
| 40 659 001 | Chrome | 4005176324376 |
| 40 659 EN1 | brushed nickel | 4005176324284 |

**Essentials Authentic
Corner Basket, small**
material: metal
concealed fastening
GROHE Long-Life Shine durable sparkling sheen

GROHTHERM THERMOSTATS





CONTENTS

| | |
|-----------------------------|-----|
| Grotherm SmartControl | 307 |
| Grotherm 2 handle trim sets | 320 |
| Grotherm 2000 | 327 |
| Grotherm Cube | 333 |
| Grotherm 1000 Cosmopolitan | 337 |
| Grotherm 1000 | 339 |
| Grotherm 1000 Performance | 343 |
| Grotherm 800 Cosmopolitan | 347 |
| Grotherm 800 | 350 |
| Grotherm 500 | 352 |

SAFETY NOTE

Avoiding scalding

For a relaxing and comfortable shower and to avoid scalding, GROHE recommends the use of a thermostat. For particular environments, (hospitals, schools, care and nursing homes) it is extremely important that the outlet temperature of the water can be limited to a maximum of 43° C. The Grotherm thermostats for shower and bath are delivered with an appropriate temperature stop to limit the temperature.

In shower facilities in kindergartens and special areas like nursing homes, it is recommended, that the temperature should not exceed 38° C. In these cases we recommend the Grotherm Special with a specific ergonomic handle for better grip and additionally it enables easy thermal disinfection.

Applicable standards (e.g. EN 806-2) and technical rules for drinking water are to be taken in account.


GROHE TURBOSTAT



ALWAYS THE RIGHT TEMPERATURE, FOR ULTIMATE CONVENIENCE AND SAFETY.


GROHE TurboStat technology lies at the heart of our Grotherm thermostats. The thermo-element's unrivaled sensitivity means it delivers water at the desired temperature within a fraction of a second – and keeps it constant for the duration of your shower. No more time and water wasted getting the temperature right. And if the cold water supply fails, it reacts instantly: hot water will shut off automatically to avoid the risk of scalding.

Compensating precisely for fluctuations in temperature and pressure results in a consistent and comfortable shower throughout.



Exceptionally swift reaction to water-pressure fluctuations.

- without GROHE TurboStat
- with GROHE TurboStat



The GROHE TurboStat thermo-element at the heart of GROHE thermostats.



GROHE COOLTOUCH




SAFETY FIRST WITH 100 % GROHE COOLTOUCH.


GROHE's CoolTouch technology ensures that the entire outer surface never exceeds your preferred shower temperature. By designing our thermostats to include an innovative cooling channel, we have created a barrier between the hot water and the chrome surface – so it's never too hot to handle. This safety measure is especially useful for children, who can not always judge whether something they touch is dangerously hot.




Safety surround = 100% GROHE CoolTouch No risk of scalding



Safety housing with water cooling



Thermal image
without GROHE CoolTouch



Thermal image
with GROHE CoolTouch

THE NOT-SO-HIDDEN BENEFITS: GROHE SMARTCONTROL CONCEALED

Space – we'd all like to have more of it, especially in the shower area where it is often in short supply. So when you have the luxury of planning your shower from scratch, GROHE SmartControl Concealed is a wonderful option. With its concealed installation and exceedingly slim design, GROHE SmartControl Concealed offers more space under the shower and an uncluttered, clean look.

Of course, GROHE SmartControl Concealed also offers the many features shared by GROHE SmartControl Exposed and the GROHE Combi shower system: from precise and intuitive volume and temperature control to your choice of shower sprays at the touch of a button.



Wall plates adjustable by six degrees

One rough-in runs up to three shower/bath filler functions with just one trim

Easy job-side mounting, no bench vice needed

Only 75 mm minimum installation depth

Optional service stops for retrofit

Always compliant with retrofit backflow protection

Efficient piping thanks to bottom inlets

Control up to three shower functions for a better shower experience


Intuitive operation and perfect control of water volume through SmartControl

Concealed technology and elegant super slim design – 43 mm – for more space under the shower

NEW GROHE TWO-HANDLE THERMOSTATS: ROUND, SQUARE OR CUBE?

Our new thermostats with conventional operation are anything but conventional. We have designed them to be as user-friendly and intuitive as possible. Turn on the hand shower by rotating the upper control button slightly to the left. To switch over to the head shower, turn the control button towards the right. Also available as 1-function model to operate a single shower. The exceedingly narrow plates, with a height of just 10 mm and the slim design of the controls, ensure that the overall outreach is a mere 43 mm. Offering the choice between round, square and cube shapes, our thermostats appeal not only to lovers of geometry. Representing the perfect balance between form and function, our two-handle thermostats provide a beautiful centrepiece for every shower.

All Grohtherm Concealed thermostats are made to fit our new universal solution: the GROHE Rapido SmartBox system.



THE BEST OF BOTH WORLDS: **GROHE SMARTCONTROL COMBI** SHOWER SYSTEM

Flexibility best describes the reason for choosing the GROHE SmartControl Combi shower system, which offers a range of different installation options and possible combinations. This means for example, that you are free to position the thermostat either vertically under the shower head or, if you choose, away from the central axis – or even on one of the side walls of the shower. Flexibility also extends to the way you can combine the thermostat with other GROHE head, hand or body showers, creating your own personal shower experience. You also have the option of turning your bath into a shower – by combining the SmartControl thermostat with a bathtub inlet and a hand shower.



DISCOVER THE NEW STANDARD IN EXPOSED THERMOSTATS: **GROHTHERM SMARTCONTROL EXPOSED**

We are proud to present our Grohtherm SmartControl: a major new development in exposed thermostats. Available as separate units, Grohtherm SmartControl exposed thermostats combine the design of GROHE and the comfort of SmartControl. We've given it a compact shape to offer more space under the shower and its EasyReach tray makes plenty of room on top for shower accessories. A forward-facing thermostat button makes operation from the front most convenient. And like all GROHE thermostats, Grohtherm SmartControl comes equipped with TurboStat for precise temperature control and 100 % CoolTouch to keep thermostat surfaces at a safe temperature and avoid scalding.




GROHTHERM 3000 COSMOPOLITAN

MINIMALIST & 100 % GROHE COOLTOUCH.

Grohtherm 3000 Cosmopolitan thermostats are based on an aesthetic philosophy based on simple cylinders in perfect proportions, creating balance and harmony enhanced by GROHE StarLight chrome, a deep luxurious finish.

While GROHE TurboStat maintains your perfect water temperature, GROHE CoolTouch eliminates the risk of scalding from hot chrome surfaces, while the EcoButton enables you to reduce your water consumption up to 50 %.



GROHTHERM 2000

100 % GROHE COOLTOUCH, ADVANCED ERGONOMICS & EASYREACH TRAY.

The elegant design of Grohtherm 2000 ensures it will complement any bathroom design. Experience the beauty of the XL Waterfall from our exposed bath/shower thermostat. Enjoy the convenience of the GROHE EasyReach shower tray, with easy-to-clean integrated storage for your shampoo or soap.

Featuring 100 % GROHE CoolTouch, the solid metal housing of Grohtherm 2000 remains cool and safe at all times. With GROHE TurboStat you will always enjoy your perfect water temperature, independent of any fluctuations in water pressure. Grohtherm 2000 thermostats are available with and without the metal made GROHE EasyReach storage.



GROHE TurboStat
For a perfect water temperature at all times.

GROHE EasyReach
Easily accessible storage by optional shelf. Easy to clean.

GROHE Aqua Paddle
Beautiful ergonomics for ease of use and precise water control.

GROHE AquaDimmer Eco
The water-saving system for bath and shower.

GROHE XL Waterfall
Wide bath spout with XL-Size silent water flow.

100 % GROHE CoolTouch
No scalding from hot surfaces; the child-friendly solution.

GROHTHERM CUBE

100 % CUBE.

For years, GROHE has been synonymous with thermostats for the bathroom, with over 30 million sold worldwide. With the launch of this pure Cubist thermostat range, GROHE offers innovative design combined with the highest quality standards. From its Cubist design and its water-saving options to the smart EasyReach soap tray – Grohtherm Cube thermostats and shower systems offer full enjoyment to the last detail, perfectly matching several GROHE cubic tap and shower designs.



GROHE EasyReach
Easily accessible storage by optional shelf. Easy to clean.

GROHE AquaDimmer Eco
The water-saving system for bath and shower.


GROHE TurboStat
For a perfect water temperature at all times.

GROHE XL Waterfall
Wide bath spout with XL-Size silent water flow.

GROHTHERM 1000

ULTIMATE COMFORT WITH GROHE COOLTOUCH.

Enjoy taking a refreshing shower more than ever before. The Grohtherm 1000 with contemporary design offers a GROHE CoolTouch compact body, ergonomically shaped metal handles, GROHE TurboStat technology and water-saving eco functions.



GROHTHERM 1000 PERFORMANCE

COOLTOUCH THERMOSTAT WITH PROGRIP.

Transform your shower into a smart comfort zone. GROHE TurboStat provides you with a constant water temperature without the hot or cold surprises during your shower. The smart designed ProGrip gives you precise control on waterflow and temperature and thanks to the internal cooling channel of GROHE CoolTouch, the complete shower body never exceeds your showering temperature.



GROHTHERM 800 COSMOPOLITAN

MINIMALISTIC DESIGN WITH ERGONOMIC METAL HANDLE.

Offering quality, technology and design at a competitive price, Grohtherm 800 Cosmopolitan is our most compact thermostat. Crafted from a series of perfect cylinders, its slender design is the preferred choice for modern, architectural-style spaces.



GROHTHERM 800

SAFE AND ERGONOMIC.

Experience the benefits of a thermostatically controlled shower at an attractive price. Finished in sparkling GROHE StarLight chrome, Grohtherm 800 benefits from GROHE TurboStat technology, ensuring luxurious showering at a constant temperature. The SafeStop button, set at 38 °C, prevents children from turning up the temperature, while the EcoButton allows you to reduce water usage.



GROHE TurboStat
For a perfect water temperature at all times.

EasyLogic
Improved intuitive graphics on body


SafeStop
Temperature stop protects against scalding.

Eco Button
Saving up to 50 % water

GROHE GROHTHERM SMARTCONTROL

Ref. No. Colour EAN

| | | |
|------------|-----------------------|---------------|
| 29 123 000 | Chrome | 4005176413292 |
| 29 123 GN0 | brushed cool sunrise | 4005176558122 |
| 29 123 DL0 | brushed warm sunset | 4005176558092 |
| 29 123 A00 | hard graphite | 4005176558054 |
| 29 123 AL0 | brushed hard graphite | 4005176558061 |



Grotherm SmartControl

Thermostat for concealed installation with one valve

set for final installation for

GROHE Rapido SmartBox 35 600/35 604

metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable

GROHE Long-Life Shine durable sparkling sheen

GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow

exchangeable symbols

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE ProGrip with knurl structure

GROHE SafeStop safety button at 38°C

(calibration required)

GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included

built-in non return valve

and dirt strainers

without roughing-in-set

flow performance:

outlet A (to external shut-off) = 34 l/min

outlet B/C = 29 l/min



35 604 000

4005176698774

GROHE Rapido SmartBox universal rough-in box for concealed installation

| | | |
|------------|-----------------------|---------------|
| 29 124 000 | Chrome | 4005176413308 |
| 29 124 DC0 | supersteel | 4005176526329 |
| 29 124 GN0 | brushed cool sunrise | 4005176558207 |
| 29 124 DL0 | brushed warm sunset | 4005176558177 |
| 29 124 A00 | hard graphite | 4005176558139 |
| 29 124 AL0 | brushed hard graphite | 4005176558146 |

Grotherm SmartControl

Thermostat for concealed installation with 2 valves

set for final installation for

GROHE Rapido SmartBox 35 600/35 604

metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable

GROHE Long-Life Shine durable sparkling sheen

GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow

exchangeable symbols

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE ProGrip with knurl structure

GROHE SafeStop safety button at 38°C

(calibration required)

GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included

built-in non return valve

and dirt strainers

multiple outlets can be run simultaneously


without roughing-in-set

flow performance:

outlet B = 24 l/min

outlet C = 26 l/min

outlet B+C = 29 l/min




35 604 000

4005176698774

GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE GROHTHERM SMARTCONTROL



| Ref. No. | Colour | EAN |
|------------|--------|---------------|
| 29 125 000 | Chrome | 4005176413315 |

Grotherm SmartControl
Thermostat for concealed installation with 2 valves and integrated shower holder
 set for final installation for
 GROHE Rapido SmartBox 35 600/35 604
 metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE Long-Life Shine durable sparkling sheen
GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow
 exchangeable symbols
GROHE TurboStat compact cartridge with wax thermoelement
 GROHE ProGrip with knurl structure
GROHE SafeStop safety button at 38°C (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
 built-in non return valve and dirt strainers
 multiple outlets can be run simultaneously
 integrated shower union with shower outlet 1/2"
without roughing-in-set
 flow performance:
 outlet B = 24 l/min
 hand shower = 12 l/min
 outlet B + hand shower = 27 l/min




| | | |
|------------|--|---------------|
| 35 604 000 | | 4005176698774 |
|------------|--|---------------|

GROHE Rapido SmartBox universal rough-in box for concealed installation

| | | |
|------------|-----------------------|---------------|
| 29 126 000 | Chrome | 4005176413322 |
| 29 126 DC0 | supersteel | 4005176526343 |
| 29 126 GN0 | brushed cool sunrise | 4005176558368 |
| 29 126 DL0 | brushed warm sunset | 4005176558337 |
| 29 126 A00 | hard graphite | 4005176558290 |
| 29 126 AL0 | brushed hard graphite | 4005176558306 |

Grotherm SmartControl
Thermostat for concealed installation with 3 valves
 set for final installation for
 GROHE Rapido SmartBox 35 600/35 604
 metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE Long-Life Shine durable sparkling sheen
GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow
 exchangeable symbols
GROHE TurboStat compact cartridge with wax thermoelement
 GROHE ProGrip with knurl structure
GROHE SafeStop safety button at 38°C (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
 built-in non return valve and dirt strainers
 multiple outlets can be run simultaneously
without roughing-in-set
 flow performance:
 outlet A = 23 l/min
 outlet B = 27 l/min
 outlet C = 23 l/min
 outlet A + B = 33 l/min
 outlet A + B + C = 36 l/min




| | | |
|------------|--|---------------|
| 35 604 000 | | 4005176698774 |
|------------|--|---------------|

GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE GROHTHERM SMARTCONTROL

Ref. No. Colour EAN

| | | |
|------------|-----------------------|---------------|
| 29 127 000 | Chrome | 4005176413339 |
| 29 127 DC0 | supersteel | 4005176526350 |
| 29 127 GN0 | brushed cool sunrise | 4005176558443 |
| 29 127 DL0 | brushed warm sunset | 4005176558412 |
| 29 127 A00 | hard graphite | 4005176558375 |
| 29 127 AL0 | brushed hard graphite | 4005176558382 |



Grotherm SmartControl Triple volume control trim

set for final installation for
GROHE Rapido SmartBox 35 600/35 604/35 601
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon
and shaft sealing, covered fixing), retroactively 6° adjustable
10 mm thin profile escutcheon

GROHE Long-Life Shine durable sparkling sheen
GROHE SmartControl push for ON-OFF, turn for volume adjustment from
GROHE Water Saving to full flow
exchangeable symbols
GROHE ProGrip with knurl structure
multiple outlets can be run simultaneously

without roughing-in-set

flow performance:
outlet D = 28 l/min
outlet E = 28 l/min
outlet A = 28 l/min
outlet D+E+A = 65 l/min
optional flow reducer for CALGreen compliance included



35 604 000 4005176698774
**GROHE Rapido SmartBox universal rough-in box for concealed
installation**

29 153 LS0 moon white 4005176413582

Grotherm SmartControl Thermostat for concealed installation with one valve

set for final installation for
GROHE Rapido SmartBox 35 600/35 604
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon
and shaft sealing, covered fixing), retroactively 6° adjustable


GROHE Long-Life Shine finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from
GROHE Water Saving to full flow
exchangeable symbols

GROHE TurboStat compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop safety button at 38°C
(calibration required)

GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valve
and dirt strainers
cover plate in moon white acrylic glass

without roughing-in-set

flow performance:
outlet A (to external shut-off) = 34 l/min
outlet B/C = 29 l/min





35 604 000 4005176698774
**GROHE Rapido SmartBox universal rough-in box for concealed
installation**

GROHE GROHTHERM SMARTCONTROL

Ref. No. Colour EAN

29 156 LS0 moon white 4005176413599



Grotherm SmartControl

Thermostat for concealed installation with 2 valves

set for final installation for
GROHE Rapido SmartBox 35 600/35 604
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon
and shaft sealing, covered fixing), retroactively 6° adjustable

GROHE Long-Life Shine finish

GROHE SmartControl push for ON-OFF, turn for volume adjustment from
GROHE Water Saving to full flow
exchangeable symbols

GROHE TurboStat compact cartridge
with wax thermoelement

GROHE ProGrip with knurl structure

GROHE SafeStop safety button at 38°C

(calibration required)

GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included

built-in non return valve

and dirt strainers

multiple outlets can be run simultaneously

cover plate in moon white acrylic glass

without roughing-in-set

flow performance:

outlet B = 24 l/min

outlet C = 26 l/min

outlet B+C = 29 l/min





35 604 000

4005176698774

**GROHE Rapido SmartBox universal rough-in box for concealed
installation**

29 157 LS0 moon white

4005176413605



Grotherm SmartControl

Thermostat for concealed installation with 3 valves

set for final installation for
GROHE Rapido SmartBox 35 600/35 604
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon
and shaft sealing, covered fixing), retroactively 6° adjustable

GROHE Long-Life Shine finish

GROHE SmartControl push for ON-OFF, turn for volume adjustment from
GROHE Water Saving to full flow
exchangeable symbols

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE ProGrip with knurl structure

GROHE SafeStop safety button at 38°C

(calibration required)

GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included

built-in non return valve

and dirt strainers

multiple outlets can be run simultaneously

cover plate in moon white acrylic glass

without roughing-in-set

flow performance:

outlet A = 23 l/min

outlet B = 27 l/min

outlet C = 23 l/min

outlet A + B = 33 l/min

outlet A + B + C = 36 l/min




35 604 000

4005176698774

**GROHE Rapido SmartBox universal rough-in box for concealed
installation**

GROHE GROHTHERM SMARTCONTROL




| Ref. No. | Colour | EAN |
|------------|------------|---------------|
| 29 158 LS0 | moon white | 4005176413612 |

Grotherm SmartControl Triple volume control trim
set for final installation for GROHE Rapido SmartBox 35 600/35 604/35 601 metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
10 mm thin profile escutcheon
GROHE Long-Life Shine finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow
exchangeable symbols
GROHE ProGrip with knurl structure
multiple outlets can be run simultaneously
cover plate in moon white acrylic glass
without roughing-in-set
flow performance:
outlet D = 28 l/min
outlet E = 28 l/min
outlet A = 28 l/min
outlet D+E+A = 65 l/min
optional flow reducer for CALGreen compliance included



| | | |
|--|--|---------------|
| 35 604 000 | | 4005176698774 |
| GROHE Rapido SmartBox universal rough-in box for concealed installation | | |



| | | |
|------------|-----------------------|---------------|
| 29 118 000 | Chrome | 4005176412240 |
| 29 118 DC0 | supersteel | 4005176455032 |
| 29 118 GL0 | cool sunrise | 4005176492976 |
| 29 118 GN0 | brushed cool sunrise | 4005176492983 |
| 29 118 DA0 | warm sunset | 4005176492990 |
| 29 118 DL0 | brushed warm sunset | 4005176493003 |
| 29 118 A00 | hard graphite | 4005176493010 |
| 29 118 AL0 | brushed hard graphite | 4005176455049 |

Grotherm SmartControl Thermostat for concealed installation with one valve
set for final installation for GROHE Rapido SmartBox 35 600/35 604 metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE Long-Life Shine durable sparkling sheen
GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow
exchangeable symbols
GROHE TurboStat compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop safety button at 38°C (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valve
and dirt strainers
without roughing-in-set
flow performance:
outlet A (to external shut-off) = 34 l/min
outlet B/C = 29 l/min




| | | |
|--|--|---------------|
| 35 604 000 | | 4005176698774 |
| GROHE Rapido SmartBox universal rough-in box for concealed installation | | |

GROHE GROHTHERM SMARTCONTROL

Ref. No. Colour EAN

| | | |
|------------|-------------------------|---------------|
| 29 119 000 | ★ Chrome | 4005176412257 |
| 29 119 DC0 | ★ supersteel | 4005176455056 |
| 29 119 GL0 | ★ cool sunrise | 4005176493041 |
| 29 119 GN0 | ★ brushed cool sunrise | 4005176493058 |
| 29 119 DA0 | ★ warm sunset | 4005176493065 |
| 29 119 DL0 | ★ brushed warm sunset | 4005176493072 |
| 29 119 A00 | hard graphite | 4005176493089 |
| 29 119 AL0 | ★ brushed hard graphite | 4005176455063 |



Grotherm SmartControl

Thermostat for concealed installation with 2 valves

set for final installation for

GROHE Rapido SmartBox 35 600/35 604

metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable

GROHE Long-Life Shine durable sparkling sheen

GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow

exchangeable symbols

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE ProGrip with knurl structure

GROHE SafeStop safety button at 38°C

(calibration required)

GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included

built-in non return valve

and dirt strainers

multiple outlets can be run simultaneously

without roughing-in-set

flow performance:

outlet B = 24 l/min

outlet C = 26 l/min

outlet B+C = 29 l/min



35 604 000

4005176698774

GROHE Rapido SmartBox universal rough-in box for concealed installation

29 507 KF0 phantom black

4005176782534

Grotherm SmartControl

Thermostat for concealed installation with 2 valves

set for final installation for

GROHE Rapido SmartBox 35 600/35 604

metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable

GROHE Long-Life Shine finish

GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow

exchangeable symbols

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE ProGrip with knurl structure

GROHE SafeStop safety button at 38°C

(calibration required)

GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included

built-in non return valve

and dirt strainers

multiple outlets can be run simultaneously


without roughing-in-set

flow performance:

outlet B = 24 l/min

outlet C = 26 l/min

outlet B+C = 29 l/min




35 604 000

4005176698774

GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE GROHTHERM SMARTCONTROL



| Ref. No. | Colour | EAN |
|------------|--------|---------------|
| 29 120 000 | Chrome | 4005176412264 |


Grotherm SmartControl
Thermostat for concealed installation with 2 valves and integrated shower holder
 set for final installation for
 GROHE Rapido SmartBox 35 600/35 604
 metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE Long-Life Shine durable sparkling sheen
GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow
 exchangeable symbols
GROHE TurboStat compact cartridge with wax thermoelement
 GROHE ProGrip with knurl structure
GROHE SafeStop safety button at 38°C (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
 built-in non return valve and dirt strainers
 multiple outlets can be run simultaneously
 integrated shower union with shower outlet 1/2"
without roughing-in-set
 flow performance:
 outlet B = 24 l/min
 hand shower = 12 l/min
 outlet B + hand shower = 27 l/min



| | | |
|--|--|---------------|
| 35 604 000 | | 4005176698774 |
| GROHE Rapido SmartBox universal rough-in box for concealed installation | | |


| | | |
|------------|-------------------------|---------------|
| 29 121 000 | ★ Chrome | 4005176412271 |
| 29 121 DC0 | ★ supersteel | 4005176455094 |
| 29 121 GL0 | ★ cool sunrise | 4005176493188 |
| 29 121 GN0 | ★ brushed cool sunrise | 4005176493195 |
| 29 121 DA0 | ★ warm sunset | 4005176493201 |
| 29 121 DL0 | ★ brushed warm sunset | 4005176493218 |
| 29 121 A00 | hard graphite | 4005176493225 |
| 29 121 AL0 | ★ brushed hard graphite | 4005176455100 |

Grotherm SmartControl
Thermostat for concealed installation with 3 valves
 set for final installation for
 GROHE Rapido SmartBox 35 600/35 604
 metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE Long-Life Shine durable sparkling sheen
GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow
 exchangeable symbols
GROHE TurboStat compact cartridge with wax thermoelement
 GROHE ProGrip with knurl structure
GROHE SafeStop safety button at 38°C (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
 built-in non return valve and dirt strainers
 multiple outlets can be run simultaneously
without roughing-in-set
 flow performance:
 outlet A = 23 l/min
 outlet B = 27 l/min
 outlet C = 23 l/min
 outlet A + B = 33 l/min
 outlet A + B + C = 36 l/min



| | | |
|--|--|---------------|
| 35 604 000 | | 4005176698774 |
| GROHE Rapido SmartBox universal rough-in box for concealed installation | | |

GROHE GROHTHERM SMARTCONTROL




| Ref. No. | Colour | EAN |
|------------|---------------|---------------|
| 29 508 KF0 | phantom black | 4005176782541 |

Grotherm SmartControl
Thermostat for concealed installation with 3 valves
 set for final installation for
 GROHE Rapido SmartBox 35 600/35 604
 metal wall escutcheon with **GROHE FastFixation** (covered escutcheon
 and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE Long-Life Shine finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from
 GROHE Water Saving to full flow
 exchangeable symbols
GROHE TurboStat compact cartridge
 with wax thermoelement
 GROHE ProGrip with knurl structure
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
 built-in non return valve
 and dirt strainers
 multiple outlets can be run simultaneously
without roughing-in-set
 flow performance:
 outlet A = 23 l/min
 outlet B = 27 l/min
 outlet C = 23 l/min
 outlet A + B = 33 l/min
 outlet A + B + C = 36 l/min



| | | |
|--|--|---------------|
| 35 604 000 | | 4005176698774 |
| GROHE Rapido SmartBox universal rough-in box for concealed installation | | |



| | | |
|------------|-----------------------|---------------|
| 29 122 000 | Chrome | 4005176412288 |
| 29 122 DC0 | supersteel | 4005176455117 |
| 29 122 BE0 | polished nickel | 4005176493232 |
| 29 122 EN0 | brushed nickel | 4005176413728 |
| 29 122 GL0 | cool sunrise | 4005176515194 |
| 29 122 GN0 | brushed cool sunrise | 4005176515200 |
| 29 122 DA0 | warm sunset | 4005176515217 |
| 29 122 DL0 | brushed warm sunset | 4005176515224 |
| 29 122 A00 | hard graphite | 4005176515231 |
| 29 122 AL0 | brushed hard graphite | 4005176455124 |

Grotherm SmartControl
Triple volume control trim
 set for final installation for
 GROHE Rapido SmartBox 35 600/35 604/35 601
 metal wall escutcheon with **GROHE FastFixation** (covered escutcheon
 and shaft sealing, covered fixing), retroactively 6° adjustable
 10 mm thin profile escutcheon
GROHE Long-Life Shine durable sparkling sheen
GROHE SmartControl push for ON-OFF, turn for volume adjustment from
 GROHE Water Saving to full flow
 exchangeable symbols
 GROHE ProGrip with knurl structure
 multiple outlets can be run simultaneously
without roughing-in-set
 flow performance:
 outlet D = 28 l/min
 outlet E = 28 l/min
 outlet A = 28 l/min
 outlet D+E+A = 65 l/min




| | | |
|--|--|---------------|
| 35 604 000 | | 4005176698774 |
| GROHE Rapido SmartBox universal rough-in box for concealed installation | | |

GROHE GROHTHERM SMARTCONTROL

Ref. No. Colour EAN

29 150 LS0 moon white 4005176413544




Grohterm SmartControl
Thermostat for concealed installation with one valve
 set for final installation for
 GROHE Rapido SmartBox 35 600/35 604
 metal wall escutcheon with **GROHE FastFixation** (covered escutcheon
 and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE Long-Life Shine finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from
 GROHE Water Saving to full flow
 exchangeable symbols
GROHE TurboStat compact cartridge
 with wax thermoelement
 GROHE ProGrip with knurl structure
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
 built-in non return valve
 and dirt strainers
 cover plate in moon white acrylic glass
without roughing-in-set
 flow performance:
 outlet A (to external shut-off) = 34 l/min
 outlet B/C = 29 l/min



35 604 000 4005176698774
**GROHE Rapido SmartBox universal rough-in box for concealed
 installation**

29 151 LS0 moon white 4005176413551







Grohterm SmartControl
Thermostat for concealed installation with 2 valves
 set for final installation for
 GROHE Rapido SmartBox 35 600/35 604
 metal wall escutcheon with **GROHE FastFixation** (covered escutcheon
 and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE Long-Life Shine finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from
 GROHE Water Saving to full flow
 exchangeable symbols
GROHE TurboStat compact cartridge
 with wax thermoelement
 GROHE ProGrip with knurl structure
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
 built-in non return valve
 and dirt strainers
 multiple outlets can be run simultaneously
 cover plate in moon white acrylic glass
without roughing-in-set
 flow performance:
 outlet B = 24 l/min
 outlet C = 26 l/min
 outlet B+C = 29 l/min




35 604 000 4005176698774
**GROHE Rapido SmartBox universal rough-in box for concealed
 installation**





GROHE GROHTHERM SMARTCONTROL

| | Ref. No. | Colour | EAN |
|---|---|------------|---------------|
|  | 29 904 LS0 | moon white | 4005176413568 |
| | <p>Grotherm SmartControl Thermostat for concealed installation with 3 valves set for final installation for GROHE Rapido SmartBox 35 600/35 604 metal wall escutcheon with GROHE FastFixation (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable GROHE Long-Life Shine finish GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow exchangeable symbols GROHE TurboStat compact cartridge with wax thermoelement GROHE ProGrip with knurl structure GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included built-in non return valve and dirt strainers multiple outlets can be run simultaneously cover plate in moon white acrylic glass without roughing-in-set flow performance: outlet A = 23 l/min outlet B = 27 l/min outlet C = 23 l/min outlet A + B = 33 l/min outlet A + B + C = 36 l/min</p> | | |
| |  | 35 604 000 | 4005176698774 |
| <p>GROHE Rapido SmartBox universal rough-in box for concealed installation</p> | | | |

| | | | |
|---|--|------------|---------------|
|  | 29 152 LS0 | moon white | 4005176413575 |
| | <p>Grotherm SmartControl Triple volume control trim set for final installation for GROHE Rapido SmartBox 35 600/35 604/35 601 metal wall escutcheon with GROHE FastFixation (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable 10 mm thin profile escutcheon GROHE Long-Life Shine finish GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow exchangeable symbols GROHE ProGrip with knurl structure multiple outlets can be run simultaneously cover plate in moon white acrylic glass without roughing-in-set flow performance: outlet D = 28 l/min outlet E = 28 l/min outlet A = 28 l/min outlet D+E+A = 65 l/min optional flow reducer for CALGreen compliance included</p> | | |
| |  | 35 604 000 | 4005176698774 |
| <p>GROHE Rapido SmartBox universal rough-in box for concealed installation</p> | | | |

| | | | |
|---|---|--------|---------------|
|  | 34 742 000 | Chrome | 4005176484094 |
| | <p>Grotherm SmartControl Perfect shower set Consisting of: concealed thermostat with 2 valves and integrated hand shower holder Grotherm SmartControl set for final installation (29 125 000) GROHE Rapido SmartBox 35 600/35 604 Rainshower F-Series 10" head shower set (26 070 000) including horizontal shower arm 286 mm hand shower Power&Soul Cosmopolitan 115 (27 661 000) Silverflex shower hose 1250 mm (28 362)</p> | | |


GROHE GROHTHERM SMARTCONTROL

| | Ref. No. | Colour | EAN |
|---|---|---------------|----------------------|
|  | 34 804 000 | Chrome | 4005176686740 |
| | <p>Grohtherm SmartControl Perfect shower set with Rainshower SmartActive 310 Cube Consisting of: concealed thermostat with 3 valves Grohtherm SmartControl set for final installation (29 126 000) GROHE Rapido SmartBox (35 604) Rainshower SmartActive 310 Cube head shower set (26 479) including head shower with 2 sprays, horizontal shower arm 400 mm and head shower rough-in (26 483 000) hand shower Euphoria Cube Stick (27 698 000) Euphoria Cube wall union with integrated shower holder (26 370 000) Rotaflex Metal Long-Life TwistStop shower hose 1500 mm (28 417) professional edition</p> | | |
|  | 34 743 000 | Chrome | 4005176484100 |
| | <p>Grohtherm SmartControl Perfect shower set Consisting of: concealed thermostat with 2 valves and integrated hand shower holder Grohtherm SmartControl set for final installation (29 120 000) GROHE Rapido SmartBox 35 600/35 604 Rainshower Cosmopolitan 210 head shower set (26 062 000) including horizontal shower arm 286 mm hand shower Power&Soul Cosmopolitan 115 (27 661 000) Silverflex shower hose 1250 mm (28 362)</p> | | |
|  | 34 744 000 | Chrome | 4005176484117 |
| | <p>Grohtherm SmartControl Perfect shower set Consisting of: concealed thermostat with 2 valves and integrated hand shower holder Grohtherm SmartControl set for final installation (29 120 000) GROHE Rapido SmartBox 35 600/35 604 Euphoria 260 head shower set 3 sprays (26 458 000) including horizontal shower arm 380 mm hand shower Euphoria Cosmopolitan Stick (27 400) Silverflex shower hose 1250 mm (28 362)</p> | | |
|  | 34 705 000 | Chrome | 4005176413285 |
| | <p>Grohtherm SmartControl Perfect shower set with Rainshower SmartActive 310 Consisting of: concealed thermostat with 3 valves Grohtherm SmartControl set for final installation (29 121 000) GROHE Rapido SmartBox 35 600/35 604 Rainshower 310 head shower set (26 475) including head shower with 2 sprays, horizontal shower arm 400 mm and head shower rough-in (26 483 000) Euphoria Cosmopolitan Stick handshower (27 367) Rainshower wall holder (27 074 000) Rainshower wall union 1/2" (27 057 000) Silverflex shower hose 1.500 mm (28 364)</p> | | |

GROHE GROHTHERM SMARTCONTROL


Ref. No. Colour EAN

34 713 000 Chrome 4005176409776




Grotherm SmartControl
Combi thermostatic shower mixer
with 3 valves, exposed/concealed
wall mounted
GROHE CoolTouch prevents scalding on hot surfaces
GROHE Long-Life Shine durable sparkling sheen
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE Water Saving - Less water, perfect flow
GROHE SmartControl push for ON-OFF, turn for volume adjustment from
GROHE Water Saving to full flow
exchangeable symbols
GROHE EasyReach shower tray
shower bottom outlet 1/2"
multiple outlets can be run simultaneously
protected against backflow
requires concealed body 26 449 000 – to be ordered separately

34 714 000 Chrome 4005176409783




Grotherm SmartControl
Combi thermostatic shower mixer
with 2 valves, exposed/concealed
wall mounted
GROHE CoolTouch prevents scalding on hot surfaces
GROHE Long-Life Shine durable sparkling sheen
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE Water Saving - Less water, perfect flow
GROHE SmartControl push for ON-OFF, turn for volume adjustment from
GROHE Water Saving to full flow
exchangeable symbols
GROHE EasyReach shower tray
shower bottom outlet 1/2"
multiple outlets can be run simultaneously
protected against backflow
requires concealed body 26 449 000 – to be ordered separately


26 449 000 4005176409790





Concealed body for exposed/concealed variants
wall mounted
2 outlets 1/2"
installation depth 75-105 mm
flushing plug
wall sealing
installation device


GROHE GROHTHERM SMARTCONTROL


| | Ref. No. | Colour | EAN |
|---|---|--------|---------------|
|  | 34 719 000 | Chrome | 4005176457654 |
| | <p>Grohtherm SmartControl Thermostatic shower mixer 1/2" wall mounted GROHE CoolTouch prevents scalding on hot surfaces GROHE Long-Life Shine durable sparkling sheen GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement GROHE ProGrip with knurl structure GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow integrated GROHE EasyReach shower tray shower bottom outlet 1/2" built-in non return valve and dirt strainers protected against backflow</p> | | |





| | | | |
|--|--|--------|---------------|
|  | 34 718 000 | Chrome | 4005176457647 |
| | <p>Grohtherm SmartControl Thermostatic bath/shower mixer 1/2" wall mounted GROHE CoolTouch prevents scalding on hot surfaces GROHE Long-Life Shine durable sparkling sheen GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement GROHE ProGrip with knurl structure GROHE SmartControl push for ON-OFF, turn for volume adjustment from GROHE Water Saving to full flow integrated GROHE EasyReach shower tray shower bottom outlet 1/2" bath spout with mousseur built-in non return valve and dirt strainers protected against backflow</p> | | |












| | | | |
|---|--|--------|---------------|
|  | 34 721 000 | Chrome | 4005176457678 |
| | <p>Grohtherm SmartControl Thermostatic shower mixer 1/2" with shower set Consisting of: Grohtherm SmartControl thermostatic shower mixer (34 719 000) Euphoria 110 Massage shower set, 900 mm (27 226 001)</p> | | |











| | | | |
|---|--|--------|---------------|
|  | 34 720 000 | Chrome | 4005176457661 |
| | <p>Grohtherm SmartControl Thermostatic shower mixer 1/2" with shower set Consisting of: Grohtherm SmartControl thermostatic shower mixer (34 719 000) Euphoria 110 Massage shower set, 600 mm (27 231 001)</p> | | |












GROHE GROHTHERM 2 HANDLE TRIM SETS

| | Ref. No. | Colour | EAN |
|---|--|------------|---------------|
|   | 24 078 000 | Chrome | 4005176466038 |
| | <p>Grohtherm Thermostatic mixer for 1 outlet with shut off valve set for final installation for GROHE Rapido SmartBox 35 600/35 604 GROHE TurboStat compact cartridge with wax thermoelement GROHE Long-Life Shine durable sparkling sheen wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included built-in non return valve and dirt strainers ceramic stop valve, 120° flow performance: outlet B = 27 l/min outlet C = 30 l/min without roughing-in-set</p> | | |
| |  | 35 604 000 | 4005176698774 |
| | <p>GROHE Rapido SmartBox universal rough-in box for concealed installation</p> | | |
|   | 24 079 000 | Chrome | 4005176466045 |
| | <p>Grohtherm Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve set for final installation for GROHE Rapido SmartBox 35 600/35 604 GROHE TurboStat compact cartridge with wax thermoelement GROHE Long-Life Shine durable sparkling sheen wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable printed head and hand shower symbol GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included GROHE AquaDimmer, integrated shut off/diverter valve flow performance: outlet B = 27 l/min outlet C = 30 l/min without roughing-in-set</p> | | |
| |  | 35 604 000 | 4005176698774 |
| | <p>GROHE Rapido SmartBox universal rough-in box for concealed installation</p> | | |
|   | 24 080 000 | Chrome | 4005176466052 |
| | <p>Grohtherm Thermostatic bath tub mixer for 2 outlets with integrated shut off/diverter valve set for final installation for GROHE Rapido SmartBox 35 600/35 604 GROHE TurboStat compact cartridge with wax thermoelement GROHE Long-Life Shine durable sparkling sheen wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable printed hand shower and bath filler symbol GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included GROHE AquaDimmer, integrated shut off/diverter valve flow performance: outlet B = 27 l/min outlet C = 30 l/min without roughing-in-set</p> | | |
| |  | 35 604 000 | 4005176698774 |
| | <p>GROHE Rapido SmartBox universal rough-in box for concealed installation</p> | | |









GROHE GROHTHERM 2 HANDLE TRIM SETS

| | Ref. No. | Colour | EAN |
|---|---|--------|---------------|
|  | 34 728 000 | Chrome | 4005176466069 |
|  | <p>Grotherm Perfect shower set with Tempesta 210 Consisting of: Grotherm set for final installation with Aquadimmer (24 079) GROHE Rapido SmartBox 35 600/35 604 head shower Tempesta 210 9.5 l/min (26 410) Shower arm Rainshower 286 mm (28 576 000) hand shower, wall holder, wall elbow connection and shower hose to be ordered separately</p> | | |
|  | 34 729 000 | Chrome | 4005176466076 |
|  | <p>Grotherm Perfect shower set with Tempesta 210 Consisting of: Grotherm set for final installation with Aquadimmer (24 079) GROHE Rapido SmartBox 35 600/35 604 head shower Tempesta 210 9.5 l/min (26 410) Shower arm Rainshower 286 mm (28 576 000) hand shower Tempesta 100 II (27 597) Shower outlet elbow (28 628 000) Rotaflex shower hose 1500 mm 1/2" x 1/2" (28 409)</p> | | |
|  | 34 730 000 | Chrome | 4005176466342 |
|  | <p>Grotherm Perfect shower set with Rainshower Cosmopolitan 310 Consisting of: Grotherm set for final installation with Aquadimmer (24 079) GROHE Rapido SmartBox 35 600/35 604 metal head shower Rainshower Cosmopolitan 310 (27 477 000) Rainshower shower arm 422 mm (26 145 000) hand shower (28 034 000) Rainshower wall holder (27 075 000) Rainshower wall elbow connection (27 076 000) Silverflex shower hose 1250 mm (28 362)</p> | | |
|  | 34 734 000 | Chrome | 4005176466403 |
|  | <p>Grotherm Perfect shower set with Rainshower Cosmopolitan 210 Consisting of: Grotherm set for final installation with Aquadimmer (24 079) GROHE Rapido SmartBox 35 600/35 604 metal head shower Rainshower Cosmopolitan 210 (28 368 000) shower arm Rainshower 422 mm (26 146 000) Euphoria Hand shower (27 265) Shower outlet elbow (28 628 000) Silverflex shower hose 1250 mm (28 362)</p> | | |

GROHE GROHTHERM 2 HANDLE TRIM SETS

| | Ref. No. | Colour | EAN |
|---|--|------------|---------------|
|   | 24 075 000 | Chrome | 4005176465987 |
| | <p>Grotherm Thermostatic mixer for 1 outlet with shut off valve set for final installation for GROHE Rapido SmartBox 35 600/35 604 GROHE TurboStat compact cartridge with wax thermoelement GROHE Long-Life Shine durable sparkling sheen wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included built-in non return valve and dirt strainers ceramic stop valve, 120° flow performance: outlet B = 27 l/min outlet C = 30 l/min without roughing-in-set</p> | | |
| |  | 35 604 000 | 4005176698774 |
| | <p>GROHE Rapido SmartBox universal rough-in box for concealed installation</p> | | |
|   | 24 076 000 | Chrome | 4005176465994 |
| | <p>Grotherm Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve set for final installation for GROHE Rapido SmartBox 35 600/35 604 GROHE TurboStat compact cartridge with wax thermoelement GROHE Long-Life Shine durable sparkling sheen wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable printed head and hand shower symbol GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included GROHE AquaDimmer, integrated shut off/diverter valve flow performance: outlet B = 27 l/min outlet C = 30 l/min without roughing-in-set</p> | | |
| |  | 35 604 000 | 4005176698774 |
| | <p>GROHE Rapido SmartBox universal rough-in box for concealed installation</p> | | |
|   | 24 077 000 | Chrome | 4005176466007 |
| | <p>Grotherm Thermostatic bath tub mixer for 2 outlets with integrated shut off/diverter valve set for final installation for GROHE Rapido SmartBox 35 600/35 604 GROHE TurboStat compact cartridge with wax thermoelement GROHE Long-Life Shine durable sparkling sheen wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable printed hand shower and bath filler symbol GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included GROHE AquaDimmer, integrated shut off/diverter valve flow performance: outlet B = 27 l/min outlet C = 30 l/min without roughing-in-set</p> | | |
| |  | 35 604 000 | 4005176698774 |
| | <p>GROHE Rapido SmartBox universal rough-in box for concealed installation</p> | | |


GROHE GROHTHERM 2 HANDLE TRIM SETS

| | Ref. No. | Colour | EAN |
|---|---|--------|---------------|
|  | 34 726 000 | Chrome | 4005176466014 |
|  | <p>Grotherm Perfect shower set with Tempesta 210 Consisting of: Grotherm set for final installation with Aquadimmer (24 076) GROHE Rapido SmartBox 35 600/35 604 head shower Tempesta 210 9.5 l/min (26 410) Shower arm Rainshower 286 mm (28 576 000) hand shower, wall holder, wall elbow connection and shower hose to be ordered separately</p> | | |
|  | 34 727 000 | Chrome | 4005176466021 |
|  | <p>Grotherm Perfect shower set with Tempesta 210 Consisting of: Grotherm set for final installation with Aquadimmer (24 076) GROHE Rapido SmartBox 35 600/35 604 head shower Tempesta 210 9.5 l/min (26 410) Shower arm Rainshower 286 mm (28 576 000) hand shower Tempesta 100 II (27 597) Shower outlet elbow (28 628 000) Rotaflex shower hose 1500 mm 1/2" x 1/2" (28 409)</p> | | |
|  | 34 731 000 | Chrome | 4005176466359 |
|  | <p>Grotherm Perfect shower set with Rainshower Cosmopolitan 310 Consisting of: Grotherm set for final installation with Aquadimmer (24 076) GROHE Rapido SmartBox 35 600/35 604 metal head shower Rainshower Cosmopolitan 310 (27 477 000) shower arm Rainshower 422 mm (26 146 000) hand shower (28 034 000) Rainshower wall holder (27 074 000) Rainshower wall elbow connection (27 057 000) Silverflex shower hose 1250 mm (28 362)</p> | | |
|  | 34 732 000 | Chrome | 4005176466366 |
|  | <p>Grotherm Perfect shower set with Rainshower Cosmopolitan 210 Consisting of: Grotherm set for final installation with Aquadimmer (24 076) GROHE Rapido SmartBox 35 600/35 604 Rainshower Cosmopolitan 210 metal head shower (28 373) Rainshower shower arm 286 mm (28 576) hand shower (28 034 000) Rainshower wall holder (27 074 000) Rainshower wall elbow connection (27 057 000) Silverflex shower hose 1250 mm (28 362)</p> | | |

GROHE GROHTHERM 2 HANDLE TRIM SETS

| Ref. No. | Colour | EAN |
|----------|--------|-----|
|----------|--------|-----|

| | | |
|------------|--------|---------------|
| 34 735 000 | Chrome | 4005176466410 |
|------------|--------|---------------|



Grotherm

Perfect shower set with Rainshower Cosmopolitan 160

Consisting of:

Grotherm set for final installation with Aquadimmer (24 076)

GROHE Rapido SmartBox 35 600/35 604

Rainshower Cosmopolitan Headshower 160 mm (27 134)

Rainshower shower arm 286 mm (28 576)

Euphoria Hand shower (27 265)



Shower outlet elbow (28 628 000)

Silverflex shower hose 1250 mm (28 362)

GROHE GROHTHERM 2 HANDLE TRIM SETS

Ref. No. Colour EAN

24 153 000 Chrome 4005176481178
 24 153 DC0 supersteel 4005176574221
 24 153 AL0 brushed hard graphite 4005176585913





Grotherm Cube
Thermostatic mixer for 1 outlet with shut off valve
 set for final installation for
 GROHE Rapido SmartBox 35 600/35 604
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE Long-Life Shine durable sparkling sheen
 wall escutcheon with **GROHE FastFixation**
 (covered escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
 built-in non return valve
 and dirt strainers
 ceramic stop valve, 120°
 flow performance:
 outlet B = 27 l/min
 outlet C = 30 l/min
without roughing-in-set



35 604 000 4005176698774
GROHE Rapido SmartBox universal rough-in box for concealed installation

24 154 000 Chrome 4005176481185
 24 154 DC0 supersteel 4005176574238
 24 154 AL0 brushed hard graphite 4005176585920








Grotherm Cube
Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve
 set for final installation for
 GROHE Rapido SmartBox 35 600/35 604
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE Long-Life Shine durable sparkling sheen
 wall escutcheon with **GROHE FastFixation**
 (covered escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
 printed head and hand shower symbol
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
 GROHE AquaDimmer, integrated shut off/diverter valve
 flow performance:
 outlet B = 27 l/min
 outlet C = 30 l/min
without roughing-in-set



35 604 000 4005176698774
GROHE Rapido SmartBox universal rough-in box for concealed installation


GROHE GROHTHERM 2 HANDLE TRIM SETS

| | Ref. No. | Colour | EAN |
|---|------------|-----------------------|---------------|
|  | 24 155 000 | Chrome | 4005176481192 |
| | 24 155 DC0 | supersteel | 4005176574245 |
| | 24 155 AL0 | brushed hard graphite | 4005176585937 |
| <p>Grotherm Cube Thermostatic bath tub mixer for 2 outlets with integrated shut off/diverter valve set for final installation for GROHE Rapido SmartBox 35 600/35 604 GROHE TurboStat compact cartridge with wax thermostatic element GROHE Long-Life Shine durable sparkling sheen wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable printed hand shower and bath filler symbol GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included GROHE AquaDimmer, integrated shut off/diverter valve flow performance: outlet B = 27 l/min outlet C = 30 l/min without roughing-in-set</p> | | | |
|  | | | |
|  | 35 604 000 | | 4005176698774 |
| <p>GROHE Rapido SmartBox universal rough-in box for concealed installation</p> | | | |

| | | | | |
|--|--|--|--------|---------------|
|  |  | 34 741 000 | Chrome | 4005176481208 |
| | | <p>Grotherm Cube Perfect shower set with Rainshower Allure 230 Consisting of: Grotherm Cube set for final installation with Aquadimmer (24 154) GROHE Rapido SmartBox 35 600/35 604 Rainshower 230 metal head shower (27 479) Rainshower shower arm (27 709) hand shower Euphoria Cube (27 699 000) 9.5 l/min. shower outlet elbow (26 370) Silverflex shower hose 1250 mm (28 362)</p> | | |


GROHE GROHTHERM 2000

| Ref. No. | Colour | EAN |
|------------|--------|---------------|
| 34 469 001 | Chrome | 4005176926396 |









Grohtherm 2000
Thermostatic shower mixer 1/2"
 wall mounted
 100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons
GROHE Long-Life Shine durable sparkling sheen
 GROHE Aqua Paddle ergonomically shaped handles
 temperature scale handle with
GROHE SafeStop safety stop at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
 integrated mixed water shut off
GROHE TurboStat compact cartridge
 with wax thermoelement
 volume handle with **GROHE EcoButton**
 (economy button with individually adjustable economy stop)
 ceramic headpart 1/2", 180°
 shower bottom outlet 1/2"
 built-in non return valves
 dirt strainers
 protected against backflow
 covered S-unions, CoolTouch escutcheons with wall sealing
GROHE EasyReach shower tray
 removable for easy cleaning
 chrome
GROHE Water Saving - Less water, perfect flow

| | | |
|------------|--------|---------------|
| 34 463 001 | Chrome | 4005176926419 |
|------------|--------|---------------|




Grohtherm 2000
Thermostatic shower mixer 1/2"
 wall mounted
GROHE CoolTouch safety housing
GROHE Long-Life Shine durable sparkling sheen
 GROHE Aqua Paddle ergonomically shaped handles
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE SafeStop Plus integrated temperature limiter at max 50°C
 integrated mixed water shut off
 volume handle with **GROHE EcoButton**
 (economy button with individually adjustable economy stop)
 ceramic headpart 1/2", 180°
 shower bottom outlet 1/2"
 integrated flow limiter 14 l/min in the shower outlet
 built-in non return valves
 dirt strainers
 protected against backflow
 covered S-unions
GROHE EasyReach shower tray
 removable for easy cleaning
 chrome
GROHE Water Saving - Less water, perfect flow

GROHE GROHTHERM 2000

| | Ref. No. | Colour | EAN |
|---|---|---------------|----------------------|
|   | 34 169 001 | Chrome | 4005176926518 |
| | <p>Grohtherm 2000 Thermostatic shower mixer 1/2" wall mounted 100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons GROHE Long-Life Shine durable sparkling sheen GROHE Aqua Paddle ergonomically shaped handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" built-in non return valves dirt strainers protected against backflow covered S-unions, CoolTouch escutcheons with wall sealing optional upgrade: GROHE EasyReach shower tray (18 608 001) GROHE Water Saving - Less water, perfect flow</p> | | |
|   | 34 446 001 | Chrome | 4005176926402 |
| | <p>Grohtherm 2000 Thermostatic shower mixer 1/2" wall mounted 100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons GROHE Long-Life Shine durable sparkling sheen GROHE Aqua Paddle ergonomically shaped handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus integrated temperature limiter at max 50°C GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" built-in non return valves dirt strainers protected against backflow covered S-unions, CoolTouch escutcheons with wall sealing optional upgrade: GROHE EasyReach shower tray (18 608 001) GROHE Water Saving - Less water, perfect flow integrated flow limiter 14 l/min in the shower outlet</p> | | |
|   | 34 170 001 | Chrome | 4005176926471 |
| | <p>Grohtherm 2000 Thermostatic shower mixer 1/2" wall mounted GROHE CoolTouch safety housing GROHE Long-Life Shine durable sparkling sheen GROHE Aqua Paddle ergonomically shaped handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" built-in non return valves dirt strainers protected against backflow without connection unions for wall mounting chrome plated union nuts GROHE Water Saving - Less water, perfect flow</p> | | |


GROHE GROHTHERM 2000

| Ref. No. | Colour | EAN |
|------------|--------|---------------|
| 34 464 001 | Chrome | 4005176926433 |



Grohtherm 2000
Thermostatic bath/shower mixer 1/2"
 wall mounted
 100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons
GROHE Long-Life Shine durable sparkling sheen
 GROHE Aqua Paddle ergonomically shaped handles
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge with wax thermoelement
 integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
 - integrated (economy button with economy stop for shower)
 - flow control
 - diverter: bath/shower
 shower bottom outlet 1/2"
GROHE XL Waterfall
 flow straightener
 built-in non return valves
 dirt strainers
 protected against backflow
 covered S-unions, CoolTouch escutcheons with wall sealing
GROHE EasyReach shower tray
 removable for easy cleaning
GROHE Water Saving - Less water, perfect flow

| | | |
|------------|--------|---------------|
| 34 174 001 | Chrome | 4005176926426 |
|------------|--------|---------------|




Grohtherm 2000
Thermostatic bath/shower mixer 1/2"
 wall mounted
 100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons
GROHE Long-Life Shine durable sparkling sheen
 GROHE Aqua Paddle ergonomically shaped handles
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge with wax thermoelement
 integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
 - integrated (economy button with economy stop for shower)
 - flow control
 - diverter: bath/shower
 shower bottom outlet 1/2"
GROHE XL Waterfall
 flow straightener
 built-in non return valves
 dirt strainers
 protected against backflow
 covered S-unions, CoolTouch escutcheons with wall sealing
 optional upgrade: GROHE EasyReach shower tray (18 608 001)
GROHE Water Saving - Less water, perfect flow

GROHE GROHTHERM 2000

Ref. No. Colour EAN


34 466 001 Chrome 4005176926440

Grohtherm 2000
Thermostatic bath/shower mixer 1/2"
 wall mounted
 100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons
GROHE Long-Life Shine durable sparkling sheen
 GROHE Aqua Paddle ergonomically shaped handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus integrated temperature limiter at max 50°C
GROHE TurboStat compact cartridge with wax thermoelement
 integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
 - integrated (economy button with economy stop for shower)
 - flow control
 shower bottom outlet 1/2"
 - diverter: bath/shower
GROHE XL Waterfall
 flow straightener
 built-in non return valves
 dirt strainers
 protected against backflow
 covered S-unions, CoolTouch escutcheons with wall sealing
 optional upgrade: GROHE EasyReach shower tray (18 608 001)
 integrated flow limiter 14 l/min in the shower outlet
GROHE Water Saving - Less water, perfect flow











34 484 001 Chrome 4005176932519

Grohtherm 2000
Thermostatic bath/shower mixer 1/2"
 wall mounted
GROHE CoolTouch safety housing
GROHE Long-Life Shine durable sparkling sheen
 GROHE Aqua Paddle ergonomically shaped handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus integrated temperature limiter at max 50°C
GROHE TurboStat compact cartridge with wax thermoelement
 integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
 - integrated (economy button with economy stop for shower)
 - flow control
 - diverter: bath/shower
 shower bottom outlet 1/2"
GROHE XL Waterfall
 flow straightener
 built-in non return valves
 dirt strainers
 protected against backflow
 integrated flow limiter 14 l/min in the shower outlet
GROHE Water Saving - Less water, perfect flow



GROHE GROHTHERM 2000

| | Ref. No. | Colour | EAN |
|---|--|--------|---------------|
|  | 34 176 001 | Chrome | 4005176926488 |
|  | <p>Grotherm 2000 Thermostatic bath/shower mixer 1/2" deck mounted GROHE CoolTouch safety housing GROHE Long-Life Shine durable sparkling sheen GROHE Aqua Paddle ergonomically shaped handles GROHE TurboStat compact cartridge with wax thermoelement GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included integrated mixed water shut off GROHE AquaDimmer Eco with multiple function: - flow control - diverter: bath/shower - integrated (economy button with economy stop for shower) shower bottom outlet 1/2" GROHE XL Waterfall flow straightener built-in non return valves dirt strainers protected against backflow pillar unions with covered fixing GROHE Water Saving - Less water, perfect flow</p> | | |
|  | 34 281 001 | Chrome | 4005176926501 |
|  | <p>Grotherm 2000 Thermostatic shower mixer 1/2" with shower set Consisting of: Grotherm 2000 thermostat shower mixer (34 469) Power&Soul Cosmopolitan shower set 130/600 mm rail (27 731 000)</p> | | |
|  | 34 195 001 | Chrome | 4005176926631 |
|  | <p>Grotherm 2000 Thermostatic shower mixer 1/2" with shower set Consisting of: Grotherm 2000 thermostat shower mixer (34 469) Euphoria 110 Massage shower set, 600 mm (27 231 001)</p> | | |
|  | 18 608 001 | Chrome | 4005176985140 |
|  | <p>Grotherm 2000 GROHE EasyReach shower tray metal tray removable for easy cleaning GROHE Long-Life Shine durable sparkling sheen suitable for Grotherm 2000 - exposed thermostatic shower mixer with centre distance 150 mm - exposed thermostatic bath mixer with centre distance 150 mm</p> | | |

GROHE GROHTHERM 2000




| Ref. No. | Colour | EAN |
|------------|--------|---------------|
| 47 175 000 | | 4005176803895 |

GROHE TurboStat cartridge 1/2"
for reversed inlets (hot water right)
fits Grohtherm 800, Grohtherm 800 Cosmopolitan, Grohtherm 1000 Performance,
Grohtherm 1000, Grohtherm Cube, Grohtherm 2000, Grohtherm 3000 and
Grohtherm SmartControl exposed thermostats
service solution, does not comply with EN1111
Note: CoolTouch-function is omitted after
being installed in exposed fittings


GROHE GROHTHERM CUBE

| Ref. No. | Colour | EAN |
|------------|--------|---------------|
| 34 491 000 | Chrome | 4005176940644 |




Grohtherm Cube
Thermostatic shower mixer 1/2"
 wall mounted
GROHE Long-Life Shine durable sparkling sheen
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
 with wax thermoelement
 integrated mixed water shut off
 volume handle with **GROHE EcoButton**
 (economy button with individually
 adjustable economy stop)
 ceramic headpart 1/2", 180°
 shower bottom outlet 1/2"
 built-in non return valves
 dirt strainers
 protected against backflow
 covered S-unions
GROHE EasyReach shower tray (18 700 000)
 removable for easy cleaning
 Da Vinci satin white finish
GROHE Water Saving - Less water, perfect flow

| | | |
|------------|--------|---------------|
| 34 488 000 | Chrome | 4005176940620 |
|------------|--------|---------------|



Grohtherm Cube
Thermostatic shower mixer 1/2"
 wall mounted
GROHE Long-Life Shine durable sparkling sheen
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
 with wax thermoelement
 integrated mixed water shut off
 volume handle with **GROHE EcoButton**
 (economy button with individually
 adjustable economy stop)
 ceramic headpart 1/2", 180°
 shower bottom outlet 1/2"
 built-in non return valves
 dirt strainers
 protected against backflow
 covered S-unions
GROHE Water Saving - Less water, perfect flow

| | | |
|------------|--------|---------------|
| 34 509 000 | Chrome | 4005176941801 |
|------------|--------|---------------|




Grohtherm Cube
Thermostatic shower mixer 1/2"
 wall mounted
GROHE Long-Life Shine durable sparkling sheen
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus integrated temperature
 limiter at max 50°C
GROHE Turbostat C3 compact cartridge
 with wax thermoelement
 integrated mixed water shut off
 volume handle with **GROHE EcoButton**
 (economy button with individually
 adjustable economy stop)
 shower bottom outlet 1/2"
 ceramic headpart 1/2", 180°
 built-in non return valves
 dirt strainers
 protected against backflow
 covered S-unions
 integrated flow limiter 14 l/min in the shower outlet
GROHE Water Saving - Less water, perfect flow

GROHE GROHTHERM CUBE


Ref. No. Colour EAN

34 502 000 Chrome 4005176940798




Grohtherm Cube
Thermostatic bath/shower mixer 1/2"
 wall mounted
GROHE Long-Life Shine durable sparkling sheen
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
 with wax thermoelement
 integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
 - integrated **GROHE EcoButton**
 (economy button with economy stop for shower)
 - flow control
 - diverter: bath/shower
 shower bottom outlet 1/2"
GROHE XL Waterfall
 flow straightener
 built-in non return valves
 dirt strainers
 protected against backflow
 covered S-unions
GROHE EasyReach shower tray (18 700 000)
 removable for easy cleaning
 Da Vinci satin white finish
GROHE Water Saving - Less water, perfect flow

34 497 000 Chrome 4005176940675



Grohtherm Cube
Thermostatic bath/shower mixer 1/2"
 wall mounted
GROHE Long-Life Shine durable sparkling sheen
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
 with wax thermoelement
 integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
 - integrated **GROHE EcoButton**
 (economy button with economy stop for shower)
 - flow control
 - diverter: bath/shower
 shower bottom outlet 1/2"
GROHE XL Waterfall
 flow straightener
 built-in non return valves
 dirt strainers
 protected against backflow
 covered S-unions
GROHE Water Saving - Less water, perfect flow


34 508 000 Chrome 4005176941795



Grohtherm Cube
Thermostatic bath/shower mixer 1/2"
 wall mounted
GROHE Long-Life Shine durable sparkling sheen
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus integrated temperature
 limiter at max 50°C
GROHE Turbostat C3 compact cartridge
 with wax thermoelement
 integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
 - integrated **GROHE EcoButton**
 (economy button with economy stop for shower)
 - flow control
 - diverter: bath/shower
 shower bottom outlet 1/2"
GROHE XL Waterfall
 flow straightener
 built-in non return valves
 dirt strainers
 protected against backflow
 covered S-unions
GROHE Water Saving - Less water, perfect flow

GROHE GROHTHERM CUBE

| Ref. No. | Colour | EAN |
|------------|---------------------|---------------|
| 18 700 000 | daVinci satin white | 4005176940811 |




Grohtherm Cube
GROHE EasyReach tray
 for Grohtherm Cube
 removable for easy cleaning
 Da Vinci satin white finish
 suitable for Grohtherm Cube
 - exposed thermostatic shower mixer with centre distance 150 mm
 - exposed thermostatic bath mixer with centre distance 150 mm

| | | |
|------------|--|---------------|
| 47 175 000 | | 4005176803895 |
|------------|--|---------------|



GROHE TurboStat cartridge 1/2"
 for reversed inlets (hot water right)
 fits Grohtherm 800, Grohtherm 800 Cosmopolitan, Grohtherm 1000 Performance, Grohtherm 1000, Grohtherm Cube, Grohtherm 2000, Grohtherm 3000 and Grohtherm SmartControl exposed thermostats
 service solution, does not comply with EN1111
 Note: CoolTouch-function is omitted after being installed in exposed fittings

| | | |
|------------|-----------------------|---------------|
| 24 153 000 | Chrome | 4005176481178 |
| 24 153 DC0 | supersteel | 4005176574221 |
| 24 153 AL0 | brushed hard graphite | 4005176585913 |




Grohtherm Cube
Thermostatic mixer for 1 outlet with shut off valve
 set for final installation for
 GROHE Rapido SmartBox 35 600/35 604
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE Long-Life Shine durable sparkling sheen wall escutcheon with **GROHE FastFixation** (covered escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
 built-in non return valve
 and dirt strainers
 ceramic stop valve, 120°
 flow performance:
 outlet B = 27 l/min
 outlet C = 30 l/min
without roughing-in-set



| | | |
|------------|--|---------------|
| 35 604 000 | | 4005176698774 |
|------------|--|---------------|

GROHE Rapido SmartBox universal rough-in box for concealed installation

| | | |
|------------|-----------------------|---------------|
| 24 154 000 | Chrome | 4005176481185 |
| 24 154 DC0 | supersteel | 4005176574238 |
| 24 154 AL0 | brushed hard graphite | 4005176585920 |



Grohtherm Cube
Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve
 set for final installation for
 GROHE Rapido SmartBox 35 600/35 604
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE Long-Life Shine durable sparkling sheen wall escutcheon with **GROHE FastFixation** (covered escutcheon- and shaft sealing, covered fixing)
 metal escutcheon, retroactively 6° adjustable
 printed head and hand shower symbol
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
 GROHE AquaDimmer, integrated shut off/diverter valve
 flow performance:
 outlet B = 27 l/min
 outlet C = 30 l/min
without roughing-in-set




| | | |
|------------|--|---------------|
| 35 604 000 | | 4005176698774 |
|------------|--|---------------|

GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE GROHTHERM CUBE

| Ref. No. | Colour | EAN |
|----------|--------|-----|
|----------|--------|-----|

| | | |
|------------|-----------------------|---------------|
| 24 155 000 | Chrome | 4005176481192 |
| 24 155 DC0 | supersteel | 4005176574245 |
| 24 155 AL0 | brushed hard graphite | 4005176585937 |



Grotherm Cube
Thermostatic bath tub mixer for 2 outlets with integrated shut off/diverter valve

set for final installation for
GROHE Rapido SmartBox 35 600/35 604

GROHE TurboStat compact cartridge
with wax thermostatic element

GROHE Long-Life Shine durable sparkling sheen
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)

metal escutcheon, retroactively 6° adjustable

printed hand shower and bath filler symbol

GROHE SafeStop safety button at 38°C

(calibration required)

GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included

GROHE AquaDimmer, integrated shut off/diverter valve

flow performance:

outlet B = 27 l/min

outlet C = 30 l/min

without roughing-in-set




35 604 000

4005176698774

GROHE Rapido SmartBox universal rough-in box for concealed installation

34 741 000 Chrome

4005176481208



Grotherm Cube

Perfect shower set with Rainshower Allure 230

Consisting of:

Grotherm Cube set for final installation with Aquadimmer (24 154)

GROHE Rapido SmartBox 35 600/35 604

Rainshower 230 metal head shower (27 479)









Rainshower shower arm (27 709)

hand shower Euphoria Cube (27 699 000) 9.5 l/min.

shower outlet elbow (26 370)

Silverflex shower hose 1250 mm (28 362)

GROHE GROHTHERM 1000 COSMOPOLITAN

| | Ref. No. | Colour | EAN |
|---|--|--------|---------------|
|   | 34 430 000 | Chrome | 4005176917981 |
| | <p>Grotherm 1000 Cosmopolitan Thermostat shower mixer 3/4" GROHE Long-Life Shine durable sparkling sheen GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off shower bottom outlet 1/2" built-in non return valves dirt strainers S-unions recommended pressure 0.1 - 1.0 bar max. pressure differential 5:1</p> | | |
|   | 34 437 000 | Chrome | 4005176918025 |
| | <p>Grotherm 1000 Cosmopolitan Thermostatic shower mixer 3/4" with shower set Consisting of: Grotherm 1000 Cosmopolitan M thermostatic shower mixer 3/4" (34 430 000) Euphoria Mono shower set (27 256 001) with GROHE DreamSpray recommended pressure 0.1 - 1.0 bar max. pressure differential 5:1 Euphoria Shower set (27 256 001)</p> | | |
|   | 34 448 000 | Chrome | 4005176919183 |
| | <p>Grotherm 1000 Cosmopolitan Thermostatic bath/shower mixer 3/4" GROHE Long-Life Shine durable sparkling sheen chromed scale rings GROHE SafeStop Plus, removable max. temperature stop at 46° C GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off automatic diverter: bath/shower shower bottom outlet 1/2" built-in non return valve dirt strainers protected against backflow without connection unions for wall mounting recommended pressure 0.1 - 1.0 bar max. pressure differential 5:1</p> | | |
|   | 34 519 000 | Chrome | 4005176998515 |
| | <p>Grotherm 1000 Cosmopolitan Thermostatic bath/shower mixer 1/2" GROHE Long-Life Shine finish chromed scale rings GROHE SafeStop Plus, removable max. temperature stop at 46° C GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off automatic diverter: bath/shower shower bottom outlet 1/2" built-in non return valve dirt strainers protected against backflow without connection unions for wall mounting recommended pressure 0.1 - 1.0 bar max. pressure differential 5:1</p> | | |

GROHE GROHTHERM 1000 COSMOPOLITAN

| Ref. No. | Colour | EAN |
|----------|--------|-----|
|----------|--------|-----|




47 175 000




4005176803895



GROHE TurboStat cartridge 1/2"
for reversed inlets (hot water right)
fits Grohtherm 800, Grohtherm 800 Cosmopolitan, Grohtherm 1000 Performance,
Grohtherm 1000, Grohtherm Cube, Grohtherm 2000, Grohtherm 3000 and
Grohtherm SmartControl exposed thermostats
service solution, does not comply with EN1111
Note: CoolTouch-function is omitted after
being installed in exposed fittings

GROHE GROHTHERM 1000

| | Ref. No. | Colour | EAN |
|---|--|---------------|----------------------|
|   |  34 814 003 | Chrome | 4005176695728 |
| | <p>Grohtherm 1000 Thermostatic shower mixer 1/2" wall mounted GROHE CoolTouch safety housing GROHE Long-Life Shine durable sparkling sheen GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon GROHE Water Saving - Less water, perfect flow professional edition replaces Grohtherm 1000 thermostatic shower mixer 34 143 003</p> | | |
| | 34 143 003 | Chrome | 4005176309618 |
| replaced by 34 814 003 | | | |

| | | | |
|---|--|---------------|----------------------|
|   |  34 818 003 | Chrome | 4005176695766 |
| | <p>Grohtherm 1000 Thermostatic shower mixer 1/2" wall mounted GROHE CoolTouch safety housing GROHE Long-Life Shine durable sparkling sheen GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus integrated temperature limiter at max 50°C GROHE Turbostat C3 compact cartridge with wax thermoelement integrated mixed water shut off volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" built-in non return valves dirt strainers S-unions protected against backflow metal escutcheon GROHE Water Saving - Less water, perfect flow professional edition</p> | | |

GROHE GROHTHERM 1000


Ref. No. Colour EAN



34 817 003

Chrome

4005176695759



Grohtherm 1000
Thermostatic shower mixer 1/2"
 wall mounted
GROHE CoolTouch safety housing
GROHE Long-Life Shine durable sparkling sheen
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
 with wax thermoelement
 integrated mixed water shut off
 volume handle with **GROHE EcoButton**
 (economy button with individually
 adjustable economy stop)
 ceramic headpart 1/2", 180°
 shower bottom outlet 1/2"
 built-in non return valves
 dirt strainers
 protected against backflow
 without connection unions for wall mounting
GROHE Water Saving - Less water, perfect flow
 professional edition

34 146 003

Chrome

4005176309625


replaced by 34 817 003



34 816 003

Chrome

4005176695742



Grohtherm 1000
Thermostatic bath/shower mixer 1/2"
 wall mounted
GROHE CoolTouch safety housing
GROHE Long-Life Shine durable sparkling sheen
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
 with wax thermoelement
 integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
 - integrated **GROHE EcoButton**
 (economy button with economy stop for shower)
 - flow control
 - diverter: bath/shower
 shower bottom outlet 1/2"
 mousseur
 built-in non return valves
 dirt strainers
 protected against backflow
 S-unions
 metal escutcheon
GROHE Water Saving - Less water, perfect flow
 professional edition
 replaces Grohtherm 1000 thermostatic bath mixer 34 155 003

34 155 003

Chrome

4005176310027


replaced by 34 816 003

GROHE GROHTHERM 1000

Ref. No. Colour EAN




34 821 003 Chrome 4005176698590



Grohtherm 1000
Thermostatic bath/shower mixer 1/2"
 wall mounted
GROHE CoolTouch safety housing
GROHE Long-Life Shine durable sparkling sheen
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus integrated temperature limiter at max 50°C
GROHE Turbostat C3 compact cartridge with wax thermoelement
 integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
 - integrated **GROHE EcoButton** (economy button with economy stop for shower)
 - flow control
 - diverter: bath/shower shower bottom outlet 1/2"
 mousseur
 built-in non return valves
 dirt strainers
 protected against backflow
 S-unions
 metal escutcheon
GROHE Water Saving - Less water, perfect flow professional edition



34 823 003 Chrome 4005176698613




Grohtherm 1000
Thermostatic bath/shower mixer 1/2"
 wall mounted
GROHE CoolTouch safety housing
GROHE Long-Life Shine durable sparkling sheen
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge with wax thermoelement
 integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
 - integrated **GROHE EcoButton** (economy button with economy stop for shower)
 - flow control
 - diverter: bath/shower shower bottom outlet 1/2"
 built-in non return valves
 mousseur
 dirt strainers
 protected against backflow
 without connection unions for wall mounting
GROHE Water Saving - Less water, perfect flow professional edition

34 156 003 Chrome 4005176310034
 replaced by 34 823 003













34 824 004 Chrome 4005176698620






Grohtherm 1000
Thermostatic shower mixer 1/2" with shower set
 Consisting of:
 Grohtherm 1000 NEW thermostatic shower mixer 1/2"
 (34 814)
 Tempesta shower set II, 900 mm (27 646)
 professional edition

34 256 004 Chrome 4005176456671
 replaced by 34 824 004




GROHE GROHTHERM 1000

| | | Ref. No. | Colour | EAN |
|---|--|---|---|---------------|
|  |  |  34 820 004 | Chrome | 4005176698583 |
| | | Grotherm 1000 Thermostatic shower mixer 1/2" with shower set Consisting of: Grotherm 1000 NEW thermostatic shower mixer 1/2" (34 814) Tempesta shower rail set 2 sprays, 600 mm (27 598) professional edition | | |
| | | 34 151 004 | Chrome replaced by 34 820 004 | 4005176456664 |
|  |  |  34 825 001 | Chrome | 4005176698637 |
| | | Grotherm 1000 Thermostatic shower mixer 1/2" with shower set Consisting of: Grotherm 1000 NEW thermostatic shower mixer 1/2" (34 818) Tempesta shower rail set 2 sprays, 600 mm (27 598) professional edition | | |
| | | 34 557 001 | Chrome replaced by 34 825 001 | 4005176456688 |
|  |  |  34 819 004 | Chrome | 4005176695773 |
| | | Grotherm 1000 Thermostatic shower mixer 1/2" with shower set Consisting of: Grotherm 1000 NEW thermostatic shower mixer 1/2" (34 817) Tempesta shower rail set 2 sprays, 600 mm (27 598) professional edition | | |
| | | 34 152 004 | Chrome replaced by professional version 34 819 004 | 4005176456640 |
| | | 47 175 000 | | 4005176803895 |
|  | GROHE TurboStat cartridge 1/2" for reversed inlets (hot water right) fits Grotherm 800, Grotherm 800 Cosmopolitan, Grotherm 1000 Performance, Grotherm 1000, Grotherm Cube, Grotherm 2000, Grotherm 3000 and Grotherm SmartControl exposed thermostats service solution, does not comply with EN1111 Note: CoolTouch-function is omitted after being installed in exposed fittings | | | |

GROHE GROHTHERM 1000 PERFORMANCE



| | Ref. No. | Colour | EAN |
|---|---|---------------|----------------------|
|   |  34 827 000 | Chrome | 4005176698651 |
| | <p>Grotherm 1000 Performance Thermostatic shower mixer 1/2" wall mounted GROHE CoolTouch safety housing GROHE Long-Life Shine durable sparkling sheen GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement GROHE ProGrip with knurl structure integrated mixed water shut off volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon GROHE Water Saving - Less water, perfect flow professional edition</p> | | |



34 776 000 Chrome **4005176612930**
 replaced by professional version 34 827 000

| | | | |
|---|--|---------------|----------------------|
|   |  34 830 000 | Chrome | 4005176698682 |
| | <p>Grotherm 1000 Performance Thermostatic bath/shower mixer 1/2" wall mounted GROHE CoolTouch safety housing GROHE Long-Life Shine durable sparkling sheen GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement GROHE ProGrip with knurl structure integrated mixed water shut off GROHE AquaDimmer Eco with multiple function: - integrated GROHE EcoButton (economy button with economy stop for shower) - flow control - diverter: bath/shower shower bottom outlet 1/2" mousseur built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon GROHE Water Saving - Less water, perfect flow professional edition</p> | | |



34 779 000 Chrome **4005176612961**
 replaced by professional version 34 830 000



GROHE GROHTHERM 1000 PERFORMANCE



| | Ref. No. | Colour | EAN |
|---|---|--|---|
|  |  | 34 831 000 Chrome | 4005176698699 |
| | | <p>Grotherm 1000 Performance Thermostatic bath/shower mixer 1/2" wall mounted GROHE CoolTouch safety housing GROHE Long-Life Shine durable sparkling sheen GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement GROHE ProGrip with knurl structure integrated mixed water shut off GROHE AquaDimmer Eco with multiple function: - integrated GROHE EcoButton (economy button with economy stop for shower) - flow control - diverter: bath/shower shower bottom outlet 1/2" built-in non return valves mousseur dirt strainers protected against backflow without connection unions for wall mounting GROHE Water Saving - Less water, perfect flow professional edition</p> | |
| | 34 780 000 Chrome | 4005176612978 | replaced by professional version 34 831 000 |

| | | | |
|---|---|--|---|
|  |  | 34 832 000 Chrome | 4005176698705 |
| | | <p>Grotherm 1000 Performance Thermostatic shower mixer 1/2" wall mounted GROHE CoolTouch safety housing GROHE Long-Life Shine durable sparkling sheen GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus integrated temperature limiter at max 50°C GROHE Turbostat C3 compact cartridge with wax thermoelement GROHE ProGrip with knurl structure integrated mixed water shut off volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" built-in non return valves dirt strainers S-unions protected against backflow metal escutcheon GROHE Water Saving - Less water, perfect flow professional edition</p> | |
| | 34 781 000 Chrome | 4005176612985 | replaced by professional version 34 832 000 |

GROHE GROHTHERM 1000 PERFORMANCE

| | Ref. No. | Colour | EAN |
|---|---|--|----------------------|
|  |  | 34 833 000 Chrome | 4005176698712 |
| | | <p>Grohtherm 1000 Performance Thermostatic bath/shower mixer 1/2" wall mounted GROHE CoolTouch safety housing GROHE Long-Life Shine durable sparkling sheen GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus integrated temperature limiter at max 50°C GROHE Turbostat C3 compact cartridge with wax thermoelement GROHE ProGrip with knurl structure integrated mixed water shut off GROHE AquaDimmer Eco with multiple function: - integrated GROHE EcoButton (economy button with economy stop for shower) - flow control - diverter: bath/shower shower bottom outlet 1/2" mousseur built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon GROHE Water Saving - Less water, perfect flow professional edition</p> | |
| | 34 782 000 Chrome | replaced by professional version 34 833 000 | 4005176612992 |


| | | | |
|---|---|---|----------------------|
|  |  | 34 834 000 Chrome | 4005176698729 |
| | | <p>Grohtherm 1000 Performance Thermostatic shower mixer 1/2" with shower set Consisting of: Grohtherm 1000 Performance thermostatic shower mixer 1/2" (34 827) Tempesta Cosmopolitan 100 shower set, 2 sprays, 600 mm (27 578 002) optional GROHE Water Saving 5.7 l/min flow limiter included professional edition</p> | |
| | 34 783 000 Chrome | replaced by professional version 34 834 000 | 4005176613005 |

| | | | |
|---|---|---|----------------------|
|  |  | 34 835 000 Chrome | 4005176698736 |
| | | <p>Grohtherm 1000 Performance Thermostatic shower mixer 1/2" with shower set Consisting of: Grohtherm 1000 Performance thermostatic shower mixer 1/2" (34 827) Tempesta Cosmopolitan 100 shower set, 2 sprays, 900 mm (27 788 002) optional GROHE Water Saving 5.7 l/min flow limiter included professional edition</p> | |
| | 34 784 000 Chrome | replaced by professional version 34 835 000 | 4005176613012 |

GROHE GROHTHERM 1000 PERFORMANCE

Ref. No. Colour EAN

34 838 000 Chrome 4005176698767



Grotherm 1000 Performance Thermostatic shower mixer 1/2" with shower set

Consisting of:
Grotherm 1000 Performance thermostatic shower mixer 1/2" (34 832)
Tempesta Cosmopolitan 100 shower set, 2 sprays, 600 mm (27 578 002)
professional edition

47 175 000

4005176803895




GROHE TurboStat cartridge 1/2"

for reversed inlets (hot water right)
fits Grotherm 800, Grotherm 800 Cosmopolitan, Grotherm 1000 Performance,
Grotherm 1000, Grotherm Cube, Grotherm 2000, Grotherm 3000 and
Grotherm SmartControl exposed thermostats
service solution, does not comply with EN1111
Note: CoolTouch-function is omitted after
being installed in exposed fittings


GROHE GROHTHERM 800 COSMOPOLITAN

| Ref. No. | Colour | EAN |
|------------|--------|---------------|
| 34 765 000 | Chrome | 4005176612022 |




Grohtherm 800 Cosmopolitan
Thermostatic shower mixer 1/2"
 wall mounted
GROHE Long-Life Shine durable sparkling sheen
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
 with wax thermoelement
 integrated mixed water shut off
 volume handle with **GROHE EcoButton**
 (economy button with individually
 adjustable economy stop)
 ceramic headpart 1/2", 180°
 shower bottom outlet 1/2"
 built-in non return valves
 dirt strainers
 protected against backflow
 S-unions
 metal escutcheon
GROHE Water Saving - Less water, perfect flow

| | | |
|------------|--------|---------------|
| 34 767 000 | Chrome | 4005176612046 |
|------------|--------|---------------|









Grohtherm 800 Cosmopolitan
Thermostatic shower mixer 1/2"
 wall mounted
GROHE Long-Life Shine durable sparkling sheen
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
 with wax thermoelement
 integrated mixed water shut off
 volume handle with **GROHE EcoButton**
 (economy button with individually
 adjustable economy stop)
 ceramic headpart 1/2", 180°
 built-in non return valves
 shower bottom outlet 1/2"
 dirt strainers
 protected against backflow
 without connection unions for wall mounting
GROHE Water Saving - Less water, perfect flow

| | | |
|------------|--------|---------------|
| 34 771 000 | Chrome | 4005176612886 |
|------------|--------|---------------|




Grohtherm 800 Cosmopolitan
Thermostatic shower mixer 1/2"
 wall mounted
GROHE Long-Life Shine durable sparkling sheen
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus integrated temperature
 limiter at max 50°C
GROHE Turbostat C3 compact cartridge
 with wax thermoelement
 integrated mixed water shut off
 volume handle with **GROHE EcoButton**
 (economy button with individually
 adjustable economy stop)
 ceramic headpart 1/2", 180°
 shower bottom outlet 1/2"
 built-in non return valves
 dirt strainers
 protected against backflow
 S-unions
 metal escutcheon
GROHE Water Saving - Less water, perfect flow

GROHE GROHTHERM 800 COSMOPOLITAN


| | Ref. No. | Colour | EAN |
|---|---|--------|---------------|
|  | 34 766 000 | Chrome | 4005176612039 |
|  | <p>Grohtherm 800 Cosmopolitan Thermostatic bath/shower mixer 1/2" wall mounted GROHE Long-Life Shine durable sparkling sheen GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off automatic diverter: bath/shower volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" mousseur built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon GROHE Water Saving - Less water, perfect flow</p> | | |
|  | 34 770 000 | Chrome | 4005176612077 |
|  | <p>Grohtherm 800 Cosmopolitan Thermostatic bath/shower mixer 1/2" wall mounted GROHE Long-Life Shine durable sparkling sheen GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off automatic diverter: bath/shower volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" mousseur built-in non return valves dirt strainers protected against backflow without connection unions for wall mounting GROHE Water Saving - Less water, perfect flow</p> | | |
|  | 34 772 000 | Chrome | 4005176612893 |
|  | <p>Grohtherm 800 Cosmopolitan Thermostatic bath/shower mixer 1/2" wall mounted GROHE Long-Life Shine durable sparkling sheen GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus integrated temperature limiter at max 50°C GROHE Turbostat C3 compact cartridge with wax thermoelement integrated mixed water shut off automatic diverter: bath/shower volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" mousseur built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon GROHE Water Saving - Less water, perfect flow</p> | | |

GROHE GROHTHERM 800 COSMOPOLITAN

| Ref. No. | Colour | EAN |
|---|--------|---------------|
| 34 768 000 | Chrome | 4005176612053 |
| Grotherm 800 Cosmopolitan Thermostatic shower set 1/2" Consisting of: Grotherm 800 Cosmopolitan thermostatic shower mixer 1/2" (34 765 000) Tempesta Cosmopolitan 100 shower set, 2 sprays, 600 mm (27 578 002) optional GROHE Water Saving 5.7 l/min flow limiter included | | |



| | | |
|---|--------|---------------|
| 34 769 000 | Chrome | 4005176612060 |
| Grotherm 800 Cosmopolitan Thermostatic shower set 1/2" Consisting of: Grotherm 800 Cosmopolitan thermostatic shower mixer 1/2" (34 765 000) Tempesta Cosmopolitan 100 shower set, 2 sprays, 900 mm (27 788 002) optional GROHE Water Saving 5.7 l/min flow limiter included | | |




| | | |
|--|--|---------------|
| 47 175 000 | | 4005176803895 |
| GROHE TurboStat cartridge 1/2" for reversed inlets (hot water right) fits Grotherm 800, Grotherm 800 Cosmopolitan, Grotherm 1000 Performance, Grotherm 1000, Grotherm Cube, Grotherm 2000, Grotherm 3000 and Grotherm SmartControl exposed thermostats service solution, does not comply with EN1111 Note: CoolTouch-function is omitted after being installed in exposed fittings | | |



GROHE GROHTHERM 800


Ref. No. Colour EAN

34 558 000 Chrome 4005176310089




Grohtherm 800
Thermostatic shower mixer 1/2"
 wall mounted
GROHE Long-Life Shine durable sparkling sheen
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
 with wax thermoelement
 integrated mixed water shut off
 volume handle with **GROHE EcoButton**
 (economy button with individually
 adjustable economy stop)
 ceramic headpart 1/2", 180°
 shower bottom outlet 1/2"
 dirt strainers
 built-in non return valves
 protected against backflow
 S-unions
 metal escutcheon
GROHE Water Saving - Less water, perfect flow

34 562 000 Chrome 4005176310102










Grohtherm 800
Thermostatic shower mixer 1/2"
 wall mounted
GROHE Long-Life Shine durable sparkling sheen
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus integrated temperature
 limiter at max 50°C
GROHE Turbostat C3 compact cartridge
 with wax thermoelement
 integrated mixed water shut off
 volume handle with **GROHE EcoButton**
 (economy button with individually
 adjustable economy stop)
 ceramic headpart 1/2", 180°
 shower bottom outlet 1/2"
 built-in non return valves
 dirt strainers
 protected against backflow
 S-unions
 metal escutcheon
GROHE Water Saving - Less water, perfect flow

34 567 000 Chrome 4005176310157



Grohtherm 800
Thermostatic bath/shower mixer 1/2"
 wall mounted
GROHE Long-Life Shine durable sparkling sheen
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
 with wax thermoelement
 integrated mixed water shut off
 automatic diverter: bath/shower
 volume handle with **GROHE EcoButton**
 (economy button with individually
 adjustable economy stop)
 ceramic headpart 1/2", 180°
 shower bottom outlet 1/2"
 mousseur
 built-in non return valves
 dirt strainers
 protected against backflow
 S-unions
 metal escutcheon
GROHE Water Saving - Less water, perfect flow

GROHE GROHTHERM 800

| | Ref. No. | Colour | EAN |
|---|---|--------|---------------|
|   | 34 569 000 | Chrome | 4005176310171 |
| | <p>Grotherm 800 Thermostatic bath mixer 1/2", 160cc wall mounted GROHE Long-Life Shine durable sparkling sheen GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus integrated temperature limiter at max 50°C GROHE Turbostat C3 compact cartridge with wax thermoelement integrated mixed water shut off automatic diverter: bath/shower volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" mousseur built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon GROHE Water Saving - Less water, perfect flow</p> | | |
|   | 34 566 001 | Chrome | 4005176456701 |
| | <p>Grotherm 800 Thermostatic shower mixer 1/2" with shower set Consisting of: Grotherm 800 thermostatic shower mixer 1/2" (34 558 000) Tempesta shower set II, 900 mm (27 646)</p> | | |
|   | 34 565 001 | Chrome | 4005176456718 |
| | <p>Grotherm 800 Thermostatic shower mixer 1/2" with shower set Consisting of: Grotherm 800 thermostatic shower mixer 1/2" (34 558 000) Tempesta shower rail set 2 sprays, 600 mm (27 598)</p> | | |
|  | 47 175 000 | | 4005176803895 |
| | <p>GROHE TurboStat cartridge 1/2" for reversed inlets (hot water right) fits Grotherm 800, Grotherm 800 Cosmopolitan, Grotherm 1000 Performance, Grotherm 1000, Grotherm Cube, Grotherm 2000, Grotherm 3000 and Grotherm SmartControl exposed thermostats service solution, does not comply with EN1111 Note: CoolTouch-function is omitted after being installed in exposed fittings</p> | | |

GROHE GROHTHERM 500


Ref. No. Colour EAN



34 793 000

Chrome

4005176632433



Grohtherm 500

Thermostatic shower mixer 1/2"

wall mounted

GROHE Long-Life Shine durable sparkling sheen

GROHE SafeStop safety button at 38°C

(calibration required)

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE thermostatic cartridge with wax thermoelement

integrated mixed water shut off

volume handle with **GROHE EcoButton**

headpart 90°

shower bottom outlet 1/2"

built-in non return valves

dirt strainers

protected against backflow

S-unions

metal escutcheon

GROHE Water Saving - Less water, perfect flow


professional edition



34 796 000

Chrome

4005176632464



Grohtherm 500

Thermostatic shower mixer 1/2" with shower set

Consisting of:

Grohtherm 500 thermostatic shower mixer 1/2" (34 793)


Tempesta 100 shower rail set 1 spray 620 mm (27 853)



34 806 000

Chrome

4005176684432



Grohtherm 500

Thermostatic shower mixer 1/2" with shower set for low pressure

Consisting of:

Grohtherm 500 thermostatic shower mixer 1/2" (34 793)

Tempesta 100 shower rail set 1 spray for low pressure, 620 mm rail

(27 214 + 28 161 + 27 523)

min. recommended pressure 0.5 bar to comply with EN1111

GROHE CONCEALED SOLUTIONS





CONTENTS

| | |
|------------------------------|-----|
| GROHE Rapido SmartBox | 364 |
| GROHE Rapido | 366 |
| GROHE Rapido C / stop valves | 367 |

MASTERPIECE OF TECHNOLOGY

GROHE RAPIDO SMARTBOX SYSTEM

With its universal solutions, our GROHE Rapido SmartBox System is the answer for everything. Never before has a rough-in from GROHE offered so many different options and so much flexibility and freedom. A wide selection of suitable trim sets and showers ensures that the style chosen for the bathroom extends seamlessly into the shower area. And seen from a practical angle, the slim, streamlined design makes cleaning faster and more convenient. GROHE SmartControl Concealed promises perfect shower control and is remarkable for its exceedingly flat design and clean, uncluttered look. Our two-handle thermostats, too, are compact and space-saving, blending precise performance with a sleek, minimalistic appearance. Or take our single-lever mixers: a choice of models offering control of one, two or three functions and a range of stylish designs.



Wall plates adjustable by six degrees

One rough-in runs up to three shower/bath filler functions with just one trim

Easy job-side mounting, no bench vice needed

Only 75 mm minimum installation depth

Optional service stops for retrofit

Always compliant with retrofit backflow protection

Efficient piping thanks to bottom inlets

Control up to three shower functions for a better shower experience

Intuitive operation and perfect control of water volume through SmartControl

Concealed technology and elegant super slim design – 43 mm – for more space under the shower

GROHE

| | | | | | |
|------|---|-------|---|-----|---------|
| | B | A B C | | D E | D E A C |
| A | X | X X X | X | X | X |
| B | X | X X | X | X | X |
| C | X | X | X | X | X |
| D | X | X | X | X | X |
| E | X | X | X | X | X |
| HOT | | | | | |
| COLD | | | | | |



GROHE SMARTCONTROL



- Control up to three shower functions for a better shower experience
- Intuitive operation and perfect control of water volume through SmartControl
- Concealed technology and elegant super slim design – 43 mm – for more space under the shower



TWO-HANDLE THERMOSTATS



- New trim range in round, square and cube style
- Concealed technology and elegant super slim design – 43 mm – for more space under the shower
- 1-function and 2-function models available with GROHE AquaDimmer






















SINGLE-LEVER MIXERS




















- New trims in coordinated design for all GROHE bath lines
- 1-, 2- and 3-function models
- Slim wall plates with GROHE QuickFix system and slim diverters

GROHE RAPIDO SMARTBOX













OVERVIEW SINGLE-LEVER MIXER TRIM SETS

| | 1 function | 2 functions | 3 functions |
|-------------------------|---|--|---|
| Allure Brilliant |  24 071 000 |  24 072 000 |  24 099 000 |
| Allure |  24 069 000 |  24 070 000 | |
| Atrio |  24 065 003 |  24 066 003 |  24 096 003 |
| Grandera |  24 067 000 |  24 068 000 | |
| Lineare |  24 063 001 |  24 064 001 |  24 095 001 |
| Eurocube |  24 061 000 |  24 062 000 |  24 094 000 |
| GROHE Plus |  24 059 003 |  24 060 003 |  24 093 003 |

| | 1 function | 2 functions | 3 functions |
|-------------------------------|---|--|---|
| Essence |  24 057 001 |  24 058 001 |  24 092 001 |
| Eurodisc Cosmopolitan |  24 055 002 |  24 056 002 | |
| Concetto |  24 053 001 |  24 054 001 | |
| Eurostyle Cosmopolitan |  24 051 002 |  24 052 002 | |
| Eurostyle |  24 046 003 |  24 047 003 | |
| |  24 048 003 |  24 049 003 | |
| Eurosmart Cosmopolitan |  24 044 000 |  24 045 000 | |
| Eurosmart |  24 042 002 |  24 043 002 | |























GROHE RAPIDO SMARTBOX

OVERVIEW TWO-HANDLE THERMOSTAT TRIM SETS

| | 1 function | 2 functions shower/shower | 2 functions bathtub/shower |
|---------------------------|---|--|---|
| Atrio |  24 134 003 |  24 135 003 |  24 138 003 |
| Grohtherm Cube |  24 153 000 |  24 154 000 |  24 155 000 |
| Grohtherm (square) |  24 078 000 |  24 079 000 |  24 080 000 |
| Grohtherm (round) |  24 075 000 |  24 076 000 |  24 077 000 |

GROHE RAPIDO SMARTBOX


















OVERVIEW SMARTCONTROL TRIM SETS

| | 1 function | 2 functions | 3 functions | 4 functions |
|--|---|---|---|--|
| Grohtherm SmartControl round |  29 118 000 |  29 119 000 29 120 000 |  29 121 000 |  29 118 000 + 29 122 000 |
| Grohtherm SmartControl square |  29 123 000 |  29 124 000 29 125 000 |  29 126 000 |  29 123 000 + 29 127 000 |
| Grohtherm SmartControl glass round |  29 150 LS0 |  29 151 LS0 |  29 904 LS0 |  29 150 LS0 + 29 152 LS0 |
| Grohtherm SmartControl glass square |  29 153 LS0 |  29 156 LS0 |  29 157 LS0 |  29 153 LS0 + 29 158 LS0 |
| SmartControl Mixer round |  29 144 000 |  29 145 000 |  29 146 000 | |
| SmartControl Mixer square |  29 147 000 |  29 148 000 |  29 149 000 | |

GROHE RAPIDO C / CONCEALED VALVES OVERVIEW

| | Rapido C stop-valve with pre-assembled ceramic headpart | Concealed stop-valves 1/2", 3/4", 1" with screw connection and pre-assembled longlife headpart | Concealed stop-valves 1/2", 3/4", 1" with soldered connection and pre-assembled longlife headpart | Concealed stop-valves 1/2", 3/4" with screw connection and pre-assembled ceramic headpart |
|-------------------|---|---|---|---|
| | 35 028 | 29 800 / 29 802 / 29 805 | 29 801 / 29 803 / 29 804 / 29 806 | 29 811 / 29 813 |
| Allure |  19 334 000 |  19 334 000 |  19 334 000 |  19 334 000 |
| Allure* |  19 384 000 | | | |
| Allure Brilliant* |  19 796 000 | | | |
| Atlanta |  19 841 000 |  19 841 000 |  19 841 000 |  19 841 000 |
| Atrio |  19 088 003 |  19 088 003 |  19 088 003 |  19 088 003 |
| |  19 069 003 |  19 069 003 |  19 069 003 |  19 069 003 |

* Concealed valve 29 032 000 with longlife headpart can also be used


| | Rapido C stop-valve with pre-assembled ceramic headpart | Concealed stop-valves 1/2", 3/4", 1" with screw connection and pre-assembled longlife headpart | Concealed stop-valves 1/2", 3/4", 1" with soldered connection and pre-assembled longlife headpart | Concealed stop-valves 1/2", 3/4" with screw connection and pre-assembled ceramic headpart |
|---------------------------------------|---|---|---|---|
| | 35 028 | 29 800 / 29 802 / 29 805 | 29 801 / 29 803 / 29 804 / 29 806 | 29 811 / 29 813 |
| Brilliant |  19 830 000 / 19 831 000 |  19 830 000 / 19 831 000 |  19 830 000 / 19 831 000 |  19 830 000 / 19 831 000 |
| Costa |  19 808 001 19 809 001 |  19 808 001 19 809 001 19 806 001 19 807 001 19 854 001 19 855 001 |  19 808 001 19 809 001 19 806 001 19 807 001 19 854 001 19 855 001 |  19 808 001 19 809 001 19 806 001 19 807 001 19 854 001 19 855 001 |
| Eurocube |  19 910 000 |  19 910 000 |  19 910 000 |  19 910 000 |
| Grandera |  19 944 000 | | | |
| Grotherm 3000 Cosmopolitan |  19 470 000 |  19 470 000 |  19 470 000 |  19 470 000 |

GROHE RAPIDO SMARTBOX

Ref. No.

Colour

EAN



35 604 000


4005176698774

**GROHE Rapido SmartBox
Universal rough-in box, 1/2"**

3 outlets 1/2"
2 inlets below, 1/2"
installation depth 75-105 mm
connection unit in DR brass
pre-mounted flushing plug
stable build-in box and protective cover
fixing options for solid walls and dry cladding
gasket
without set for final installation
professional edition

14 055 000

4005176413520




Backflow protection combination (DIN-EN1717)

retrofit set for protection against backflow in combination with integrated inlet-, pop-up and waste systems
replaces separate pipe interrupter for residential use
fits trim sets for 2 outlets made for combination with GROHE Rapido SmartBox:
Grotherm SmartControl, SmartControl Mixer, Grotherm 2-handle thermostats, single-lever mixers

14 053 00M

4005176413513



Service stops

fits Grotherm SmartControl, SmartControl mixer and Grotherm 2-handle thermostatic trim sets in combination with GROHE Rapido SmartBox
packaging unit: 2 pieces

47 790 000

4005176841491




Rapido connection set

fits to Rapido T (35 050), Rapido E (35 501) and Rapido SmartBox (35 600/35 604)
VA approved
2 pcs./unit

14 048 000

4005176413483




GROHE Rapido SmartBox

Universal extension set single-lever mixers, 25 mm
fits Grotherm SmartControl and SmartControl Mixer sets for final installation with up to three functions in combination with GROHE Rapido SmartBox

14 056 000

4005176466298




Universal extension set single-lever mixers, 25 mm

fits for concealed single-lever mixers in combination with GROHE Rapido SmartBox

GROHE RAPIDO SMARTBOX

Ref. No. Colour EAN




14 057 000

4005176466304

Universal extension set single-lever mixers, 50 mm
fits for concealed single-lever mixers in combination with
GROHE Rapido SmartBox

CONCEALED
SOLUTIONS



14 058 000

4005176466311

Universal extension set 2-handle thermostats, 25 mm
fits for concealed 2-handle thermostats in combination with
GROHE Rapido SmartBox

49 003 000 Chrome

4005176413537











GROHE TurboStat cartridge 3/4"
for reversed inlets (hot water right)
fits Grohtherm SmartControl and Grohtherm 2-handle thermostatic trim sets in
combination with GROHE Rapido SmartBox
service solution, does not comply with EN1111

GROHE RAPIDO

| | Ref. No. | Colour | EAN |
|---|------------|--------|---------------|
| | 33 961 000 | | 4005176119972 |
| <p>Single-lever mixer 1/2", concealed body for bath and shower without finishing trim set wall installation GROHE SilkMove 46 mm ceramic cartridge adjustable flow rate limiter outlet above and below 1/2" cap included diverter in set for final installation clockwise closing fastening loops</p> | | | |
| | 33 962 000 | | 4005176119989 |
| <p>Single-lever mixer 1/2", concealed body for shower without finishing trim set wall installation GROHE SilkMove 46 mm ceramic cartridge adjustable flow rate limiter top outlet 1/2" clockwise closing fastening loops</p> | | | |
| | 33 963 000 | | 4005176128387 |
| <p>Single-lever mixer 1/2", concealed body for bath and shower without finishing trim set wall installation GROHE SilkMove 46 mm ceramic cartridge adjustable flow rate limiter outlet above and below 1/2" cap included diverter in set for final installation clockwise closing</p> | | | |
| | 33 964 000 | | 4005176128394 |
| <p>Single-lever mixer 1/2", concealed body for shower without finishing trim set wall installation GROHE SilkMove 46 mm ceramic cartridge adjustable flow rate limiter top outlet 1/2" clockwise closing</p> | | | |

GROHE RAPIDO C / STOP VALVES

| | Ref. No. | Colour | EAN |
|---|--|--------|----------------------|
|   | 35 028 000 | | 4005176908316 |
| | GROHE Rapido C Rough-in for single volume control for grid installation of Grohtherm Custom Shower system built-in box with removable protection cover waterproof membrane base for wall sealing for masonry and drywall installation fixing points for front and back wall body of DR brass pre-assembled ceramic headpart 3/4" connection threads 1/2" installation depth 70 - 95 mm | | |
|   | 29 800 000 | | 4005176504839 |
| | Concealed stop-valve, 1/2" pre-assembled headpart 1/2" short spindle protection sleeve threaded union 1/2" DR-brass | | |
| | 29 802 000 | | 4005176504853 |
| | ditto, 3/4", pre-assembled headpart 3/4", thread union 3/4" | | |
| | 29 805 000 | | 4005176504884 |
| | ditto, 1", pre-assembled headpart 1", thread union 1" | | |
|   | 29 801 000 | | 4005176504846 |
| | Concealed stop-valve, 1/2" pre-assembled headpart 1/2" short spindle protection sleeve soldered connection Ø15 mm DR-brass | | |
| | 29 804 000 | | 4005176504877 |
| | ditto, soldered connection Ø 22 mm | | |
|   | 29 811 000 | | 4005176062711 |
| | Concealed stop valve 1/2" preassembled ceramic headpart 1/2" 180° threaded union 1/2" installation depth adjustable 25 - 80 mm DR-brass | | |
| | 29 813 000 | | 4005176062735 |
| | ditto, 3/4" | | |

GROHE
SHOWERS





CONTENTS

| | | |
|----------------|--------------------------------------|-----|
| GROHE Digital | F-digital Controllers | 378 |
| Shower Systems | Rainshower System SmartControl | 379 |
| | Rainshower SmartActive System | 383 |
| | Rainshower System | 386 |
| | Euphoria SmartControl System | 389 |
| | Euphoria Shower System | 392 |
| | Tempesta System | 401 |
| | Shower System Accessories | 406 |
| Head Showers | Head Showers | 408 |
| | Side showers | 429 |
| Showers | Rainshower SmartActive | 430 |
| | Rainshower | 437 |
| | Relaxa | 439 |
| | Euphoria | 441 |
| | Tempesta | 450 |
| | Tempesta-F Trigger Sprays | 466 |
| | Shower Hoses | 468 |
| | Shower hoses available until 06/2023 | 472 |
| | Shower Accessories | 476 |

GROHE SHOWERS

INNOVATIVE SPRAY TECHNOLOGY

GROHE's DreamSpray technology is at the heart of every GROHE shower. Boasting the finest quality materials and engineering, it incorporates innovation that helps you to enjoy an unparalleled showering experience.

The advanced shower engine inside the shower heads delivers the ultimate in precise and consistent water distribution to each individual nozzle. Whatever spray pattern you choose, for whatever your mood, you can be assured of sheer joy under the shower.

GETTING THE BEST SHOWER EXPERIENCE WITH JUST ONE SHOWER

While some types of shower gently caress the skin like summer rain, others give an invigorating massage. The new GROHE Rainshower 310 SmartActive showers combine the best of both worlds for a thoroughly satisfying shower every time.

DOUBLE THE PLEASURE

GROHE Rainshower 310 SmartActive showers use a special spray face to double the pleasure of showering. Oval water outlets arranged in a star-shaped pattern at the center of the spray face generate the vigorous GROHE ActiveRain. They are surrounded by an arrangement of nozzles producing the much more gentle PureRain spray. This means users can choose between a concentrated jet to loosen up tense muscles or rinse shampoo out of their hair and a rain shower softly enveloping their body. The shower can be energizing and invigorating or soothing and relaxing – or it can combine the two modes into a deeply satisfying shower session. To simplify switching between the different shower functions and combining them, GROHE offers the new SmartControl Concealed units, featuring intuitive push-and-turn button technology.

Discover all our other spray patterns here:





DRIZZLE SPRAYS

Revitalizing cool water mist acts like a fresh sea breeze.



AQUACURTAIN

A wrap-around curtain of pure water invites you to dive into a different world.



NORMAL SPRAY

A great all-encompassing spray pattern with a refreshing and relaxing effect. Its universal appeal makes it a great all-rounder.



RAIN SPRAY

Wide and luxurious – a soft, delicate pattern to soothe the skin. Mimicking warm summer rain, the spray provides a full and even coverage.



GROHE PURERAIN SPRAY

The new and improved Rain Spray with larger and softer droplets for a more luxurious showering experience.



SMARTRAIN SPRAY

All the features and benefits of our authentic Rain Spray but with a reduced flow. A smart pattern that uses less water to deliver full showering enjoyment.



GROHE RAIN O² SPRAY

A soft, smooth spray based on our original Rain Spray. Water drops are infused with air for a wide and fuller spray.



GROHE BOKOMA SPRAY

Eight dynamic spray nozzles create a 'breathing' effect, recreating the tension-relieving sensation of a fingertip massage.



WATERFALL XL SPRAYS

An extra wide spout creates the sensual pleasure of a waterfall in your own bathroom.



PURE SPRAY

The name says it all. A soft stream of pure water delivered from the centre of the shower head – reminiscent of a fresh, mountain spring.



JET SPRAY

A focussed circular spray, which delivers a refreshing burst of water. Ideal for stimulating the skin or simply cleaning the bathtub or shower.



ACTIVERAIN SPRAY

Innovative Spray to loosen up tense muscles or rinse shampoo out of your hair.



MASSAGE SPRAY

A pulsating spray pattern for a stimulating massage. Gives a unique and invigorating all-over massage.



CHAMPAGNE SPRAY

Enriched with air for bigger and softer water droplets. More air means that less water is required when using this fulfilling and gentle spray pattern.



DELUXE CHAMPAGNE SPRAY

An extra-rich spray bursting with soft water droplets.



GROHE TRIOMASSAGE SPRAY


The combination of the renowned GROHE Bokoma Spray and two GROHE Massage sprays gives you a head and shoulder massage in one combined spray.

GROHE RAINSHOWER SMARTACTIVE SPREAD HAPPINESS – DESIGNED TO MAKE YOU SMILE

LIFE IS FUN. AND SO IS SHOWERING.

Start or end your day with a great shower experience, one that leaves you refreshed, relaxed and smiling. The new premium Rainshower SmartActive hand shower offers three great spray patterns. It comes in a choice of sleek, minimalist shapes in round and square and two sizes – 130 mm and 150 mm – and with either a chrome-plated or white moulded spray face as well as a host of colour options.

Every aspect of the **GROHE Rainshower SmartActive** is designed to make you smile. From its fresh design to the colourful range and the one-touch switching between the three spray modes.



RIGHT IS JUST ONE CLICK AWAY.

The GROHE SmartTip controller on the back of the shower head lets you switch between spray patterns with just one click.



GROHE Rain

A soft and refreshing shower.



GROHE ActiveMassage

A moving spray reducing stress and tension.



GROHE Jet

The power shower after sports.






EUPHORIA SMARTCONTROL

YOUR TURN – YOUR SHOWER


We've put a lot of thought into our new GROHE Euphoria SmartControl shower system: the result is a range of features that make the Euphoria more convenient and more enjoyable to use. The shower arm has a swivel function that allows you to rotate the showerhead through 180° to achieve the perfect angle. And the fully adjustable shower holder allows the hand shower to be positioned individually at the ideal height.

We have made the sleek Grohtherm SmartControl body smaller and more compact to offer more space in the shower. And because we want you to enjoy your shower as quickly as possible, we came up with the GROHE QuickFix. This allows the position of the upper bracket to be altered during installation of the shower rail. The advantage: the upper bracket can be installed easily and quickly by utilising existing drilled holes.






Push the button to start the shower.



Turn to adjust the water volume gradually from Eco to Full Flow.



Push again to stop or pause the shower. The volume is now preset when you restart.


GROHE RAINSHOWER SMARTCONTROL 3D SHOWERING – PUSH, TURN, SHOWER

Rainshower SmartControl – choose the spray, control the volume, save the settings. All with one control. Showering has just become an even more fluid experience. GROHE's unique SmartControl push-and-turn button technology takes the idea of comfortable showering to a new level and requires very little effort. The spray jet type can be directly selected by pressing the push button, meaning adjusting the jet disc is no longer necessary. In addition, personalised jet strength settings can be selected and saved for the desired spray jet type just by turning the button. Everything in one button = an innovative all-in-one solution.


What is more, GROHE SmartControl allows you to combine the different spray jet types in just a few steps. Try GROHE PureRain + TrioMassage, for example. Prefer to switch to hand shower? Not a problem! All it takes to activate it is pressing the push button. In short, just three buttons are enough to offer you a vast array of showering options. The new user-friendliness of GROHE SmartControl makes using water even more efficient and utterly convenient.

Additional features include: GROHE TurboStat technology, which ensures that the chosen temperature is reached and maintained within fractions of a second; the SafeStop button, which prevents the water temperature from being turned up beyond 38 degrees; GROHE CoolTouch, which keeps the outer surface of the thermostat at a temperature that is safe to touch; the GROHE Rainshower 360 XXL head shower; and last but not least an elegant organic design. Thanks to the clearly labelled EasyLogic design operating the thermostat becomes child's play and the EasyReach tray provides enough space for all your shower utensils.






Push the button to start the shower.







Turn to adjust the water volume gradually from Eco to Full Flow.



Push again to stop or pause the shower. The volume is now preset when you restart.

GROHE F-DIGITAL CONTROLLERS

| | Ref. No. | Colour | EAN |
|---|------------|--------|---------------|
|   | 36 309 000 | Chrome | 4005176894794 |
| <p>F-digital Digital Controller Remote Controller for bath or shower additional multifunctional operating unit</p> <ul style="list-style-type: none"> - Wireless technology - Temperature and flow control - Pause-function - Memory function - LED ring <p>GROHE Long-Life Shine durable sparkling sheen energy efficiency class illumination of control unit: not applicable</p> | | | |

| | | | |
|---|------------|--|---------------|
|   | 36 078 000 | | 4005176856532 |
| <p>Plug power supply 110-240 V operating voltage 6V cable length 400 mm</p> | | | |

GROHE RAINSHOWER SYSTEM SMARTCONTROL

Ref. No. Colour EAN

26 250 000 Chrome 4005176316999

Rainshower System SmartControl Duo 360 Shower system with thermostat for wall mounting

Consisting of:

horizontal 500 mm shower arm
exposed SmartControl thermostat
allows change between:
head shower Rainshower Duo 360, spray plate chrome
GROHE PureRain/GROHE Rain O² spray* and TrioMassage
hand shower Power&Soul 115, spray plate white (27 671 LSO)
hand shower wall holder (27 055)
Silverflex shower hose 1750 mm (28 388 000)

min. recommended pressure 1.5 bar

GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
GROHE CoolTouch prevents scalding on hot surfaces
GROHE TurboStat compact cartridge
with wax thermoelement

GROHE Water Saving - Less water, perfect flow

GROHE SafeStop safety button at 38°C

(calibration required)

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE SmartControl push for ON-OFF, turn for volume adjustment from

GROHE Water Saving to full flow

GROHE EasyReach shower tray


SpeedClean anti-limescale system

Inner WaterGuide for a longer life

suitable for instantaneous heaters from 18 kW/h

TwistStop preventing the hose from twisting

* to be decided during initial installation; factory default setting: GROHE PureRain



26 250 LSO moon white 4005176317002
ditto, head shower with white spray plate

26 361 000 Chrome 4005176347580

Rainshower System SmartControl Mono 360 Shower system with thermostat for wall mounting

Consisting of:

horizontal 500 mm shower arm
exposed SmartControl thermostat
allows change between:
head shower Rainshower Mono 360, spray plate chrome
GROHE PureRain/GROHE Rain O² spray*
Power&Soul 130 hand shower, spray plate white (27 673 LSO)
hand shower wall holder (27 055)
Silverflex shower hose 1750 mm (28 388 000)

min. recommended pressure 1.5 bar

GROHE DreamSpray perfect spray pattern

GROHE Long-Life Shine durable sparkling sheen

GROHE CoolTouch prevents scalding on hot surfaces

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE Water Saving - Less water, perfect flow

GROHE SafeStop safety button at 38°C

(calibration required)

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE SmartControl push for ON-OFF, turn for volume adjustment from

GROHE Water Saving to full flow

GROHE EasyReach shower tray


SpeedClean anti-limescale system

Inner WaterGuide for a longer life

suitable for instantaneous heaters from 18 kW/h

TwistStop preventing the hose from twisting

* to be decided during initial installation; factory default setting: GROHE PureRain



26 361 LSO moon white 4005176409707
ditto, head shower with white spray plate

GROHE RAINSHOWER SYSTEM SMARTCONTROL

Ref. No. Colour EAN

26 443 000 Chrome 4005176409875

Rainshower System SmartControl Duo 360
Combi shower system with thermostat, exposed/concealed

Consisting of:

exposed/concealed SmartControl thermostat

allows change between:

head shower Rainshower Duo 360 with horizontal 450 mm

shower arm, spray plate chrome

GROHE PureRain/GROHE Rain O² spray* and TrioMassage

hand shower Power&Soul 115, spray plate white (27 671 LS0)

hand shower wall holder (27 055)

Silverflex shower hose 1.500 mm (28 364)

min. recommended pressure 1.5 bar

GROHE DreamSpray perfect spray pattern

GROHE Long-Life Shine durable sparkling sheen

GROHE CoolTouch prevents scalding on hot surfaces

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE Water Saving - Less water, perfect flow

GROHE SafeStop safety button at 38°C

(calibration required)

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE SmartControl push for ON-OFF, turn for volume adjustment from

GROHE Water Saving to full flow

GROHE EasyReach shower tray

SpeedClean anti-limescale system

Inner WaterGuide for a longer life


TwistStop preventing the hose from twisting

requires rough-in set 26 264 001 and concealed unit 26 449 000 – all to be ordered separately

* to be decided during initial installation; factory default setting: GROHE PureRain

26 443 LS0 moon white 4005176409882

ditto, head shower with white spray plate



26 446 000 Chrome 4005176409905

Rainshower System SmartControl Mono 360

Combi shower system with thermostat, exposed/concealed

Consisting of:

exposed/concealed SmartControl thermostat

allows change between:

head shower Rainshower Mono 360 with horizontal

450 mm shower arm, spray plate chrome

GROHE PureRain/GROHE Rain O² spray*

Power&Soul 130 hand shower, spray plate white (27 673 LS0)

hand shower wall holder (27 055)

Silverflex shower hose 1.500 mm (28 364)

min. recommended pressure 1.5 bar

GROHE DreamSpray perfect spray pattern

GROHE Long-Life Shine durable sparkling sheen

GROHE CoolTouch prevents scalding on hot surfaces

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE Water Saving - Less water, perfect flow

GROHE SafeStop safety button at 38°C

(calibration required)

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE SmartControl push for ON-OFF, turn for volume adjustment from

GROHE Water Saving to full flow

GROHE EasyReach shower tray

SpeedClean anti-limescale system

Inner WaterGuide for a longer life


TwistStop preventing the hose from twisting

requires rough-in set 26 264 001 and concealed unit 26 449 000 – all to be ordered separately

* to be decided during initial installation; factory default setting: GROHE PureRain











26 446 LS0 moon white 4005176409912

ditto, head shower with white spray plate



GROHE RAINSHOWER SYSTEM SMARTCONTROL


SHOWERS

| | Ref. No. | Colour | EAN |
|---|--|------------|--|
|  | 26 254 000 | Chrome | 4005176317026 |
|  | Rainshower Duo 360 Head shower set 450 mm, 2 sprays Consisting of: head shower Rainshower Duo 360, spray plate chrome 2 spray patterns: GROHE PureRain/GROHE Rain O ² spray* and TrioMassage horizontal 450 mm shower arm GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life requires rough-in set 26 264 001 – to be ordered separately | | |
| | | | * to be decided during initial installation; factory default setting: GROHE PureRain |
|  | 26 254 LS0 | moon white | 4005176409806 |
|  | Rainshower Duo 360 Head shower set 450 mm, 2 sprays Consisting of: head shower Rainshower Duo 360, spray plate white 2 spray patterns: GROHE PureRain/GROHE Rain O ² spray* and TrioMassage horizontal 450 mm shower arm GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life requires rough-in set 26 264 001 – to be ordered separately | | |
| | | | * to be decided during initial installation; factory default setting: GROHE PureRain |
|  | 26 450 000 | Chrome | 4005176409813 |
|  | Rainshower Mono 360 Head shower set 450 mm, 1 spray Consisting of: head shower Rainshower Mono 360, spray plate chrome 1 spray pattern: GROHE PureRain/GROHE Rain O ² spray* horizontal 450 mm shower arm GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life requires rough-in set 26 264 001 – to be ordered separately | | |
| | | | * to be decided during initial installation; factory default setting: GROHE PureRain |
|  | 26 450 LS0 | moon white | 4005176409820 |
|  | Rainshower Mono 360 Head shower set 450 mm, 1 spray Consisting of: head shower Rainshower Mono 360, spray plate white 1 spray pattern: GROHE PureRain/GROHE Rain O ² spray* horizontal 450 mm shower arm GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life requires rough-in set 26 264 001 – to be ordered separately | | |
| | | | * to be decided during initial installation; factory default setting: GROHE PureRain |
|  | 26 264 001 | | 4005176417108 |
|  | Rainshower 360 Rough-in box for head shower set 26 254 / 26 450 inlets and outlets 1/2" fixing points for back wall leakproof housing removable protection cover with installation information | | |

GROHE RAINSHOWER SYSTEM SMARTCONTROL


Ref. No. Colour EAN

26 449 000 4005176409790



Concealed body for exposed/concealed variants


wall mounted
2 outlets 1/2"
installation depth 75-105 mm
flushing plug
wall sealing
installation device



48 349 000 Chrome 4005176409851

Rainshower SmartControl Shower system pipe for retrofitting


metal
shower pipe for retrofitting - 15 cm shorter
than original shower system pipe
suitable for all Rainshower SmartControl shower systems
GROHE Long-Life Shine durable sparkling sheen



48 350 000 Chrome 4005176409868

Rainshower SmartControl Shower system pipe for retrofitting

metal
shower pipe for retrofitting
15 cm longer than original shower system pipe
suitable for all Rainshower SmartControl shower systems
GROHE Long-Life Shine durable sparkling sheen
Note: longer pipe cannot be installed afterwards or rather
a mounted system cannot be modified to a longer pipe
useable with systems as of production date 04/2017, see TPI




26 385 000 Chrome 4005176375057

Rainshower SmartControl Spacer

for Rainshower SmartControl systems
26 250, 26 361, 26 379
stackable


GROHE RAINSHOWER SMARTACTIVE SYSTEM



| Ref. No. | Colour | EAN |
|------------|--------|---------------|
| 26 647 000 | Chrome | 4005176533013 |

Rainshower SmartActive 310
Shower system with thermostat for wall mounting
 Consisting of:
 horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
 with Aquadimmer function
 allows change between:
 head shower Rainshower Mono 310 (26 561)
 with ball joint
 rotation angle $\pm 15^\circ$
 hand shower Rainshower SmartActive 130 (26 544)
 adjustable height via gliding element
 including performance grip
 Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch prevents scalding on hot surfaces
GROHE DreamSpray perfect spray pattern
GROHE SmartTip showering spray selection via push of a ring
GROHE Long-Life Shine durable sparkling sheen
GROHE FastFixation upper bracket adjustable
SpeedClean anti-limescale system
 suitable for instantaneous heaters from 18 kW/h
 minimum flow rate 7 l/min.

| | | |
|---|------------|---------------|
| 26 647 LSO | moon white | 4005176533051 |
| ditto, head shower with white spray plate | | |



| | | |
|------------|--------|---------------|
| 26 648 000 | Chrome | 4005176533020 |
|------------|--------|---------------|


Rainshower SmartActive 310
Shower system with thermostat for wall mounting
 Consisting of:
 horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
 with Aquadimmer function
 allows change between:
 head shower Rainshower Mono 310 (26 562)
 with ball joint
 rotation angle $\pm 15^\circ$
 hand shower Rainshower SmartActive 130 (26 574)
 adjustable height via gliding element
 including performance grip
 Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch prevents scalding on hot surfaces
GROHE DreamSpray perfect spray pattern
GROHE SmartTip showering spray selection via push of a ring
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving 9.5 l/min flow limiter
GROHE FastFixation upper bracket adjustable
SpeedClean anti-limescale system
 suitable for instantaneous heaters from 18 kW/h
 minimum flow rate 7 l/min.

| | | |
|---|------------|---------------|
| 26 648 LSO | moon white | 4005176533068 |
| ditto, head shower with white spray plate | | |

GROHE RAINSHOWER SMARTACTIVE SYSTEM


Ref. No. Colour EAN

22 119 KF0 phantom black 4005176782510



Rainshower SmartActive 310
Shower system with thermostat for wall mounting
 Consisting of:
 horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
 with Aquadimmer function
 allows change between:
 head shower Rainshower Mono 310
 with ball joint
 rotation angle $\pm 15^\circ$
 hand shower Rainshower SmartActive 130 (22 127 KF0)
 adjustable height via gliding element
 including performance grip
 Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch prevents scalding on hot surfaces
GROHE DreamSpray perfect spray pattern
GROHE SmartTip showering spray selection via push of a ring
GROHE Long-Life Shine finish
GROHE Water Saving 9,5 l/min flow limiter
GROHE FastFixation upper bracket adjustable
SpeedClean anti-limescale system
 suitable for instantaneous heaters from 18 kW/h
 minimum flow rate 7 l/min.

26 649 000 Chrome 4005176533037




Rainshower SmartActive 310
Shower system with thermostat for wall mounting
 Consisting of:
 horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
 with Aquadimmer function
 allows change between:
 head shower Rainshower Mono 310 Cube (26 567)
 with ball joint
 rotation angle $\pm 15^\circ$
 hand shower Rainshower SmartActive 130 Cube (26 550)
 adjustable height via gliding element
 including performance grip
 Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch prevents scalding on hot surfaces
GROHE DreamSpray perfect spray pattern
GROHE SmartTip showering spray selection via push of a ring
GROHE Long-Life Shine durable sparkling sheen
GROHE FastFixation upper bracket adjustable
SpeedClean anti-limescale system
 suitable for instantaneous heaters from 18 kW/h
 minimum flow rate 7 l/min.

26 652 000 Chrome 4005176533044
 ditto, with GROHE EcoJoy 9.5 l/min flow limiter

GROHE RAINSHOWER SMARTACTIVE SYSTEM

Ref. No. Colour EAN


26 657 000 Chrome 4005176533075



Rainshower SmartActive 310
Shower system with bath thermostat for wall mounting
 Consisting of:
 horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
 with Aquadimmer function
 allows change between:
 head shower Rainshower Mono 310 (26 562)
 with ball joint
 rotation angle $\pm 15^\circ$
 bath inlet
 separate diverter for hand shower
 hand shower Rainshower SmartActive 130 (26 574)
 adjustable height via gliding element
 including performance grip
 Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch prevents scalding on hot surfaces
GROHE DreamSpray perfect spray pattern
GROHE SmartTip showering spray selection via push of a ring
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving 9.5 l/min flow limiter
GROHE FastFixation (upper bracket adjustable to adapt to existing holes)
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
 suitable for instantaneous heaters from 18 kW/h
 minimum flow rate 7 l/min.

SHOWERS

27 966 001 Chrome 4005176532993




Rainshower SmartActive 310
Shower system with thermostat for wall mounting
 Consisting of:
 horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
 with Aquadimmer function
 allows change between:
 Rainshower Cosmopolitan 310 head shower (27 477 000)
 material: metal
 with ball joint
 rotation angle $\pm 15^\circ$
 hand shower Rainshower SmartActive 130 (26 544)
 adjustable height via gliding element
 Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch prevents scalding on hot surfaces
GROHE DreamSpray perfect spray pattern
GROHE SmartTip showering spray selection via push of a ring
GROHE Long-Life Shine durable sparkling sheen
GROHE FastFixation upper bracket adjustable
SpeedClean anti-limescale system
 suitable for instantaneous heaters from 18 kW/h
 minimum flow rate 7 l/min.

27 968 001 Chrome 4005176533006
 ditto, with GROHE EcoJoy 9.5 l/min flow limiter

GROHE RAINSHOWER SYSTEM


Ref. No. Colour EAN

27 174 001 Chrome 4005176877162




Rainshower System 400
Shower system with thermostat for wall mounting
 horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
 with Aquadimmer function
 allows change between:
 Rainshower Cosmopolitan 400 head shower (28 778 000)
 material: metal
 with ball joint
 rotation angle $\pm 20^\circ$
 hand shower Sena Stick (28 034 000)
 adjustable height via gliding element
 (12 140 000)
 shower hose 1.750 mm (28 025 000)
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-limescale system
Inner WaterGuide for a longer life

27 966 000 Chrome 4005176929250



Rainshower System 310
Shower system with thermostat for wall mounting
 horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
 with Aquadimmer function
 allows change between:
 Rainshower Cosmopolitan 310 head shower (27 477 000)
 material: metal
 with ball joint
 rotation angle $\pm 15^\circ$
 hand shower Sena Stick (28 034 000)
 adjustable height via gliding element
 (12 140 000)
 Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch prevents scalding on hot surfaces
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-limescale system
 minimum flow rate 7 l/min.
 available until 31 march 2023

27 569 000 Chrome 4005176894275




Rainshower F-series System 10"
Shower system with thermostat for wall mounting
 horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
 with Aquadimmer function
 allows change between:
 head shower Rainshower F-Series 10" (27 271 000)
 material: metal
 with ball joint, rotation angle $\pm 20^\circ$
 hand shower Sena Stick (28 034 000)
 adjustable height via gliding element
 (12 140 000)
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
 metal shower hose 1750 mm (28 025)
GROHE CoolTouch
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
Inner WaterGuide for a longer life
 minimum flow rate 7 l/min.

GROHE RAINSHOWER SYSTEM


Ref. No. Colour EAN

27 032 001 Chrome 4005176877155




Rainshower System 210
Shower system with thermostat for wall mounting
 horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
 with Aquadimmer function
 allows change between:
 metal head shower Rainshower Cosmopolitan 210 (28 368 000)
 with ball joint, rotation angle $\pm 15^\circ$
 hand shower Sena Stick (28 034 000)
 adjustable height via gliding element
 (12 140 000)
 metal shower hose 1750 mm (27 178)
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch prevents scalding on hot surfaces
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
 available until 31 march 2023

27 967 000 Chrome 4005176929670




Rainshower System 210
Shower system with thermostat for wall mounting
 horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
 with Aquadimmer function
 allows change between:
 Rainshower Cosmopolitan 210 head shower (28 368 000)
 material: metal
 with ball joint
 rotation angle $\pm 15^\circ$
 hand shower Power&Soul Cosmopolitan 130 (27 664 000)
 adjustable height via gliding element
 (12 140 000)
 Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch
GROHE DreamSpray perfect spray pattern
GROHE One-Click Showering spray selection
 with one click
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
 minimum flow rate 7 l/min.

27 641 000 Chrome 4005176901645



Rainshower System 210
Shower system with bath thermostat for wall mounting
 horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
 with Aquadimmer function
 allows change between:
 Head shower Rainshower Cosmopolitan 210 (28 373 000)
 material: metal
 with ball joint, rotation angle $\pm 15^\circ$
 bath inlet
 separate diverter for hand shower Sena (28 341 000)
 adjustable height via gliding element
 (12 140 000)
 metal shower hose 1750 mm (27 178)
GROHE Water Saving 9.5 l/min flow limiter
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-limescale system
Inner WaterGuide for a longer life

GROHE RAINSHOWER SYSTEM




| Ref. No. | Colour | EAN |
|------------|--------|---------------|
| 27 058 000 | Chrome | 4005176830464 |

Rainshower System 210 Shower system with diverter for wall mounting

horizontal swivable 450 mm projection shower arm
change between hand and head shower
by using the diverter
metal head shower Rainshower Cosmopolitan 210 (28 368 000)
with ball joint
rotation angle $\pm 15^\circ$
hand shower (28 034 000)
adjustable height via gliding element
(12 140 000)
connection to water supply with 1/2"-thread of
the 800 mm shower hose to faucet / wall union
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-limescale system
Inner WaterGuide for a longer life

GROHE EUPHORIA SMARTCONTROL SYSTEM



| Ref. No. | Colour | EAN |
|--------------|-----------------------|---------------|
| 26 507 000 ★ | Chrome | 4005176457586 |
| 26 507 LS0 | moon white | 4005176457609 |
| 26 507 DC0 ★ | supersteel | 4005176526374 |
| 26 507 GL0 ★ | cool sunrise | 4005176557477 |
| 26 507 GN0 ★ | brushed cool sunrise | 4005176557484 |
| 26 507 DA0 ★ | warm sunset | 4005176557446 |
| 26 507 DL0 ★ | brushed warm sunset | 4005176557453 |
| 26 507 A00 | hard graphite | 4005176557415 |
| 26 507 AL0 ★ | brushed hard graphite | 4005176557422 |

Euphoria SmartControl System 310 Duo

Shower system with thermostat for wall mounting

Consisting of:

horizontal 450 mm shower arm

upper bracket adjustable for minimal adaption to existing drilling holes

exposed SmartControl thermostat

allows change between:

head shower Rainshower SmartActive 310

2 spray patterns:

GROHE PureRain, ActiveRain

hand shower Euphoria 110 Massage, spray plate white (27 221 001)

3 spray patterns:

Rain, SmartRain, Massage

adjustable height via gliding element

Silverflex shower hose 1750 mm (28 388 000)

GROHE DreamSpray perfect spray pattern

GROHE Long-Life Shine durable sparkling sheen

GROHE CoolTouch prevents scalding on hot surfaces

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE ProGrip with knurl structure

GROHE Water Saving - Less water, perfect flow

- GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE SmartControl push for ON-OFF, turn for volume adjustment from

GROHE Water Saving to full flow

integrated **GROHE EasyReach** shower tray


SpeedClean anti-limescale system

Inner WaterGuide for a longer life

TwistStop preventing the hose from twisting

suitable for instantaneous heaters from 18 kW/h

minimum flow rate 7 l/min.



| | | |
|------------|---------------|---------------|
| 22 120 KF0 | phantom black | 4005176782527 |
|------------|---------------|---------------|

Euphoria SmartControl System 310 Duo

Shower system with thermostat for wall mounting

Consisting of:

horizontal 450 mm shower arm

upper bracket adjustable for minimal adaption to existing drilling holes

exposed SmartControl thermostat

allows change between:

head shower Rainshower SmartActive 310

2 spray patterns:

GROHE PureRain, ActiveRain

hand shower Euphoria 110 Massage, spray plate phantom black

3 spray patterns:

Rain, SmartRain, Massage

adjustable height via gliding element

Silverflex shower hose 1750 mm (28 388 000)

GROHE DreamSpray perfect spray pattern

GROHE Long-Life Shine finish

GROHE CoolTouch prevents scalding on hot surfaces

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE ProGrip with knurl structure

GROHE Water Saving - Less water, perfect flow

- GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE SmartControl push for ON-OFF, turn for volume adjustment from

GROHE Water Saving to full flow

integrated **GROHE EasyReach** shower tray

SpeedClean anti-limescale system


Inner WaterGuide for a longer life

TwistStop preventing the hose from twisting

suitable for instantaneous heaters from 18 kW/h

minimum flow rate 7 l/min.


GROHE EUPHORIA SMARTCONTROL SYSTEM



| Ref. No. | Colour | EAN |
|------------|-----------------------|---------------|
| 26 508 000 | Chrome | 4005176457593 |
| 26 508 LS0 | moon white | 4005176457616 |
| 26 508 DC0 | supersteel | 4005176526367 |
| 26 508 GN0 | brushed cool sunrise | 4005176557569 |
| 26 508 DL0 | brushed warm sunset | 4005176557538 |
| 26 508 A00 | hard graphite | 4005176557491 |
| 26 508 AL0 | brushed hard graphite | 4005176557507 |

Euphoria SmartControl System 310 Cube Duo Shower system with thermostat for wall mounting

Consisting of:
horizontal 450 mm shower arm
upper bracket adjustable for minimal adaption to existing drilling holes
exposed SmartControl thermostat
allows change between:
head shower Rainshower SmartActive 310 Cube
2 spray patterns:
GROHE PureRain, ActiveRain
hand shower Euphoria Cube (27 699 000) 9.5 l/min.
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE DreamSpray perfect spray pattern
GROHE CoolTouch prevents scalding on hot surfaces
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
GROHE Water Saving - Less water, perfect flow
GROHE Long-Life Shine durable sparkling sheen
- GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for volume adjustment from
GROHE Water Saving to full flow
integrated **GROHE EasyReach** shower tray
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
TwistStop preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.



| | | |
|------------|--------|---------------|
| 26 608 000 | Chrome | 4005176518577 |
|------------|--------|---------------|


Euphoria SmartControl System 260 Mono Shower system with bath thermostat for wall mounting

Consisting of:
horizontal swivable 450 mm projection shower arm
upper bracket adjustable for minimal adaption to existing drilling holes
exposed SmartControl bath thermostat
allows change between:
head shower Euphoria 260 (26 455)
3 spray patterns:
Rain, SmartRain, Jet
with ball joint
rotation angle $\pm 15^\circ$
bath inlet
hand shower Euphoria 110 Massage, spray plate white (27 221 001)
3 spray patterns:
Rain, SmartRain, Massage
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
GROHE CoolTouch prevents scalding on hot surfaces
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE Water Saving - Less water, perfect flow
- GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for volume adjustment from
GROHE Water Saving to full flow
integrated **GROHE EasyReach** shower tray
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
TwistStop preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
GROHE ProGrip with knurl structure

GROHE EUPHORIA SMARTCONTROL SYSTEM

Ref. No. Colour EAN

26 509 000 Chrome 4005176457623



Euphoria SmartControl System 260 Mono Shower system with thermostat for wall mounting

Consisting of:

horizontal 450 mm shower arm
upper bracket adjustable for minimal adaption to existing drilling holes
exposed SmartControl thermostat

allows change between:

head shower Euphoria 260 (26 455)

3 spray patterns:

Rain, SmartRain, Jet

with ball joint

rotation angle $\pm 15^\circ$

hand shower Euphoria 110 Massage, spray plate white (27 221 001)

3 spray patterns:

Rain, SmartRain, Massage

adjustable height via gliding element

Silverflex shower hose 1750 mm (28 388 000)

GROHE DreamSpray perfect spray pattern

GROHE Long-Life Shine durable sparkling sheen

GROHE CoolTouch prevents scalding on hot surfaces

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE ProGrip with knurl structure

GROHE Water Saving - Less water, perfect flow

- GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE SmartControl push for ON-OFF, turn for volume adjustment from

GROHE Water Saving to full flow

integrated **GROHE EasyReach** shower tray

SpeedClean anti-limescale system

Inner WaterGuide for a longer life

TwistStop preventing the hose from twisting

suitable for instantaneous heaters from 18 kW/h

minimum flow rate 7 l/min.

26 510 000 Chrome 4005176457630

Euphoria SmartControl System 260 Mono Shower system with bath thermostat for wall mounting

Consisting of:

horizontal swivable 450 mm projection shower arm

upper bracket adjustable for minimal adaption to existing drilling holes

exposed SmartControl bath thermostat

allows change between:

head shower Euphoria 260 (26 455)

3 spray patterns:

Rain, SmartRain, Jet

with ball joint

rotation angle $\pm 15^\circ$

bath inlet

hand shower Euphoria 110 Massage, spray plate white (27 221 001)

3 spray patterns:

Rain, SmartRain, Massage

adjustable height via gliding element

Silverflex shower hose 1750 mm (28 388 000)

GROHE DreamSpray perfect spray pattern

GROHE Long-Life Shine durable sparkling sheen

GROHE CoolTouch prevents scalding on hot surfaces

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE ProGrip with knurl structure

GROHE Water Saving - Less water, perfect flow

- GROHE SafeStop at 38°C

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE SmartControl push for ON-OFF, turn for volume adjustment from

GROHE Water Saving to full flow

integrated **GROHE EasyReach** shower tray


SpeedClean anti-limescale system

Inner WaterGuide for a longer life

TwistStop preventing the hose from twisting

suitable for instantaneous heaters from 18 kW/h

minimum flow rate 7 l/min.




GROHE EUPHORIA SHOWER SYSTEM

Ref. No. Colour EAN




26 075 001 ★ Chrome

4005176648014



Euphoria System 310
Shower system with thermostatic mixer for wall mounting
Consisting of:
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
head shower Rainshower Mono 310 (26 561)
spray pattern:
GROHE PureRain
with ball joint
rotation angle $\pm 15^\circ$
hand shower Euphoria 110 Massage
(27 221 000)
3 spray patterns:
Rain, Massage, SmartRain
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
with wax thermostatic element
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch prevents scalding on hot surfaces
GROHE MetalGrip ergonomically shaped metal handles
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
GROHE SprayDimmer (Stepless
flow rate reduction)
GROHE FastFixation upper bracket adjustable
Inner WaterGuide for a longer life
SpeedClean anti-limescale system
TwistStop preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
optional upgrade: **GROHE EasyReach** tray (26 362)
professional edition

26 075 DC0 ★ supersteel 4005176371219
26 075 DA0 ★ warm sunset 4005176425356
26 075 DL0 ★ brushed warm sunset 4005176425363
26 075 GL0 ★ cool sunrise 4005176425332
26 075 GN0 ★ brushed cool sunrise 4005176425349
26 075 A00 hard graphite 4005176425387
26 075 AL0 ★ brushed hard graphite 4005176425370




Euphoria System 310
Shower system with thermostatic mixer for wall mounting
Consisting of:
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
metal head shower Rainshower Cosmopolitan 310 (27 477 000)
Rain spray pattern
with ball joint
rotation angle $\pm 15^\circ$
hand shower Euphoria 110 Massage
(27 221 000)
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
with wax thermostatic element
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine finish
Inner WaterGuide for a longer life
SpeedClean anti-limescale system
TwistStop preventing the hose from twisting
GROHE MetalGrip ergonomically shaped metal handles
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
optional upgrade: **GROHE EasyReach** tray (26 362)

GROHE EUPHORIA SHOWER SYSTEM

Ref. No. Colour EAN



26 723 000 Chrome 4005176648021




Euphoria System 310
Shower system with thermostatic mixer for wall mounting
 Consisting of:
 horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
 with Aquadimmer function
 allows change between:
 head shower Rainshower Mono 310 (26 562)
 spray pattern:
 GROHE PureRain
 with ball joint
 rotation angle $\pm 15^\circ$
 hand shower Euphoria 110 Massage
 (27 239 000)
 3 spray patterns:
 Rain, Massage, SmartRain
 adjustable height via gliding element
 Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch prevents scalding on hot surfaces
GROHE MetalGrip ergonomically shaped metal handles
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
GROHE SprayDimmer (Stepless
 flow rate reduction)
GROHE Water Saving 9.5 l/min flow limiter
GROHE FastFixation upper bracket adjustable
Inner WaterGuide for a longer life
SpeedClean anti-limescale system
TwistStop preventing the hose from twisting
 suitable for instantaneous heaters from 18 kW/h
 minimum flow rate 7 l/min.
 optional upgrade: **GROHE EasyReach** tray (26 362)
 professional edition

SHOWERS




27 296 003 Chrome 4005176647963



Euphoria System 260
Shower system with thermostatic mixer for wall mounting
 Consisting of:
 horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
 with Aquadimmer function
 allows change between:
 head shower Euphoria 260 (26 455)
 Rain, SmartRain, Jet
 with ball joint
 rotation angle $\pm 15^\circ$
 hand shower Euphoria 110 Massage
 (27 221 000)
 3 spray patterns:
 Rain, Massage, SmartRain
 adjustable height via gliding element
 Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch prevents scalding on hot surfaces
GROHE ProGrip with knurl structure
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
GROHE SprayDimmer (Stepless
 flow rate reduction)
GROHE FastFixation upper bracket adjustable
Inner WaterGuide for a longer life
SpeedClean anti-limescale system
TwistStop preventing the hose from twisting
 suitable for instantaneous heaters from 18 kW/h
 minimum flow rate 7 l/min.
 optional upgrade: **GROHE EasyReach** tray (26 362)
 professional edition

GROHE EUPHORIA SHOWER SYSTEM


| Ref. No. | Colour | EAN |
|------------|--------|---------------|
| 27 615 002 | Chrome | 4005176647970 |



Euphoria System 260
Shower system with thermostatic mixer for wall mounting
 Consisting of:
 horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
 with Aquadimmer function
 allows change between:
 head shower Euphoria 260 (26 457)
 Rain, SmartRain, Jet
 with ball joint
 rotation angle $\pm 15^\circ$
 hand shower Euphoria 110 Massage
 (27 239 000)
 3 spray patterns:
 Rain, Massage, SmartRain
 adjustable height via gliding element
 Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch prevents scalding on hot surfaces
GROHE ProGrip with knurl structure
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
GROHE SprayDimmer (Stepless
 flow rate reduction)
GROHE Water Saving 9.5 l/min flow limiter
GROHE FastFixation upper bracket adjustable
Inner WaterGuide for a longer life
SpeedClean anti-limescale system
TwistStop preventing the hose from twisting
 suitable for instantaneous heaters from 18 kW/h
 minimum flow rate 7 l/min.
 optional upgrade: **GROHE EasyReach** tray (26 362)
 professional edition



| | | |
|------------|--------|---------------|
| 27 475 002 | Chrome | 4005176647840 |
|------------|--------|---------------|





Euphoria System 260
Shower system with bath thermostat for wall mounting
 Consisting of:
 horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
 with Aquadimmer function
 allows change between:
 head shower Euphoria 260 (26 457)
 Rain, SmartRain, Jet
 with ball joint
 rotation angle $\pm 15^\circ$
 bath inlet
 separate diverter for hand shower
 hand shower Euphoria 110 Massage
 (27 239 000)
 3 spray patterns:
 Rain, Massage, SmartRain
 adjustable height via gliding element
 Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
GROHE SprayDimmer (Stepless
 flow rate reduction)
GROHE Water Saving 9.5 l/min flow limiter
GROHE FastFixation upper bracket adjustable
Inner WaterGuide for a longer life
SpeedClean anti-limescale system
TwistStop preventing the hose from twisting
 suitable for instantaneous heaters from 18 kW/h
 minimum flow rate 7 l/min.
 professional edition

GROHE EUPHORIA SHOWER SYSTEM


Ref. No. Colour EAN

26 087 000 Chrome 4005176940828



Euphoria Cube System 230
Shower system with thermostatic mixer for wall mounting
shower arm
projection 400 mm
exposed thermostatic shower
with Aquadimmer function
allows change between:
Rainshower head shower (27 479 000)
material: metal
Rain spray pattern
with ball joint
rotation angle $\pm 15^\circ$
hand shower Euphoria Cube (27 699)
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE Water Saving - Less water, perfect flow
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-limescale system
TwistStop preventing the hose from twisting
minimum flow rate 7 l/min.

26 187 000 Chrome 4005176310744




Euphoria System 230
Shower system with thermostat for wall mounting
Consisting of:
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
head shower 230 (27 479 000)
material: metal
Rain spray pattern
with ball joint
rotation angle $\pm 15^\circ$
hand shower Euphoria Cube Stick (27 698 000)
adjustable height via gliding element
(12 140 000)
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
TwistStop preventing the hose from twisting
GROHE MetalGrip ergonomically shaped metal handles
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
optional upgrade: **GROHE EasyReach** tray (26 362)

GROHE EUPHORIA SHOWER SYSTEM


Ref. No. Colour EAN

26 363 000 Chrome 4005176339264



Euphoria System 210
Shower system with thermostat for wall mounting
 Consisting of:
 horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
 with Aquadimmer function
 allows change between:
 metal head shower Rainshower Cosmopolitan 210 (28 368 000)
 Rain spray pattern
 with ball joint
 rotation angle $\pm 15^\circ$
 hand shower Euphoria 110 Massage
 (27 221 000)
 adjustable height via gliding element
 Silverflex shower hose 1750 mm (28 388 000)
 GROHE EasyReach tray (26 362 LN0)
 minimum flow rate 7 l/min.
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
TwistStop preventing the hose from twisting

27 964 000 Chrome 4005176929595




Euphoria System 210
Shower system with thermostat for wall mounting
 horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
 with Aquadimmer function
 allows change between:
 metal head shower Rainshower Cosmopolitan 210 (28 368 000)
 Rain spray pattern
 with ball joint
 rotation angle $\pm 15^\circ$
 hand shower Euphoria 110 Massage
 (27 221 000)
 adjustable height via gliding element
 Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
TwistStop preventing the hose from twisting
GROHE MetalGrip ergonomically shaped metal handles
 minimum flow rate 7 l/min.
 optional upgrade: **GROHE EasyReach** tray (26 362)

GROHE EUPHORIA SHOWER SYSTEM


Ref. No. Colour EAN

26 383 000 Chrome 4005176369025



Euphoria System 210
Shower system with thermostat for wall mounting
 Consisting of:
 horizontal swivable 450 mm projection shower arm
GROHE MetalGrip ergonomically shaped metal handles
exposed thermostatic shower
 with Aquadimmer function
 allows change between:
 Rainshower Cosmopolitan 210 metal head shower
 Rain spray pattern
GROHE Water Saving 12 l/min flow limiter
 with ball joint
 rotation angle $\pm 15^\circ$
 hand shower Euphoria 110 Massage
GROHE Water Saving 9.5 l/min flow limiter
 adjustable height via gliding element
 Silverflex shower hose 1750 mm (28 388 000)
 minimum flow rate 7 l/min.
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine finish
GROHE TurboStat compact cartridge
 with wax thermoelement
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
TwistStop preventing the hose from twisting
 suitable for instantaneous heaters from 18 kW/h
 optional upgrade: **GROHE EasyReach** tray (26 362)

27 296 001 Chrome 4005176896293




Euphoria System 180
Shower system with thermostat for wall mounting
 Consisting of:
 horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
 with Aquadimmer function
 allows change between:
 head shower Euphoria Cosmopolitan 180 (27 491 000), Rain spray pattern
 with ball joint, rotation angle $\pm 15^\circ$
 hand shower Euphoria 110 Massage
 (27 221 000)
 adjustable height via gliding element
 Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
TwistStop preventing the hose from twisting
 minimum flow rate 7 l/min.
 optional upgrade: **GROHE EasyReach** tray (26 362)

GROHE EUPHORIA SHOWER SYSTEM



Ref. No. Colour EAN

27 932 000 Chrome 4005176924231



Euphoria System 150
Shower system with thermostatic mixer for wall mounting
 Consisting of:
 horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
 with Aquadimmer function
 allows change between:
 head shower Euphoria Cube 150 (27 705 000)
 Rain spray pattern
 with ball joint
 rotation angle $\pm 12^\circ$
 hand shower Euphoria Cube Stick (27 698 000)
 adjustable height via gliding element
 Silverflex shower hose 1750 mm (28 388 000)
GROHE Water Saving 9.5 l/min flow limiter
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
TwistStop preventing the hose from twisting
 suitable for instantaneous heaters from 18 kW/h
 minimum flow rate 7 l/min.
 optional upgrade: **GROHE EasyReach** tray (26 362)

27 475 001 Chrome 4005176417863




Euphoria System 260
Shower system with bath thermostat for wall mounting
 Consisting of:
 horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
 with Aquadimmer function
 allows change between:
 head shower Euphoria 260 (26 457)
 3 spray patterns:
 Rain, SmartRain, Jet
 with ball joint
 rotation angle $\pm 15^\circ$
 bath inlet
 separate diverter for hand shower
 hand shower Euphoria 110 Massage
 (27 239 000)
 3 spray patterns:
 Rain, SmartRain, Massage
 adjustable height via gliding element
 Silverflex shower hose 1750 mm (28 388 000)
GROHE Water Saving 9.5 l/min flow limiter
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
GROHE SprayDimmer (Stepless
 flow rate reduction)
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
TwistStop preventing the hose from twisting
 suitable for instantaneous heaters from 18 kW/h
 minimum flow rate 7 l/min.

GROHE EUPHORIA SHOWER SYSTEM


Ref. No. Colour EAN

26 243 000 Chrome 4005176316326




Euphoria Shower System
Shower system with bath thermostat for wall mounting
 with short shower rail for installation in showers
 Consisting of:
 horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
 with Aquadimmer function
 separate diverter for hand shower
 gliding element
 Silverflex shower hose 1750 mm (28 388 000)
 distance between thermostat and upper bracket: 1016 mm
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE Long-Life Shine durable sparkling sheen
Inner WaterGuide for a longer life
TwistStop preventing the hose from twisting
 suitable for instantaneous heaters from 18 kW/h
 minimum flow rate 7 l/min.

23 058 003 Chrome 4005176313790



Euphoria Eurodisc Cosmopolitan System 210
Shower system with single lever for wall mounting
 Consisting of:
 horizontal swivable 450 mm projection shower arm
 exposed single-lever shower mixer
 with diverter
 allows change between:
 metal head shower Rainshower Cosmopolitan 210 (28 368 000)
 Rain spray pattern
 with ball joint
 rotation angle ± 15°
 hand shower Euphoria Cosmopolitan Stick (27 400)
 Rain spray pattern
 adjustable height via gliding element
 Silverflex shower hose 1750 mm (28 388 000)
GROHE SilkMove 46 mm ceramic cartridge
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
TwistStop preventing the hose from twisting
 suitable for instantaneous heaters from 18 kW/h
 minimum flow rate 7 l/min.


23 147 001 Chrome 4005176313271



Euphoria Cube System 230
Shower system with single lever for wall mounting
 Consisting of:
 shower arm
 projection 400 mm
 exposed single-lever shower mixer
 with diverter
 allows change between:
 Rainshower 230 metal head shower (27 479)
 Rain spray pattern
 with ball joint
 rotation angle ± 15°
 hand shower Euphoria Cube Stick (27 698 000)
 Rain spray pattern
 adjustable height via gliding element
 Silverflex shower hose 1750 mm (28 388 000)
GROHE SilkMove 35 mm ceramic cartridge
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
TwistStop preventing the hose from twisting
 suitable for instantaneous heaters from 18 kW/h
 minimum flow rate 7 l/min.

GROHE EUPHORIA SHOWER SYSTEM


| Ref. No. | Colour | EAN |
|------------|--------|---------------|
| 27 421 002 | Chrome | 4005176417924 |



Euphoria System 260 Shower system with diverter for wall mounting

Consisting of:
horizontal swivable 450 mm projection shower arm
change between hand and head shower
by using the diverter
head shower Euphoria 260 (26 457)
3 spray patterns:
Rain, SmartRain, Jet
with ball joint
rotation angle $\pm 15^\circ$
hand shower Euphoria 110 Massage
(27 239 000)
3 spray patterns:
Rain, SmartRain, Massage
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
Silverflex shower hose 800 mm
connection to water supply with 1/2"-thread of
the 800 mm shower hose to faucet / wall union
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
GROHE SprayDimmer (Stepless
flow rate reduction)
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
TwistStop preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1.0 bar

| | | |
|------------|--------|---------------|
| 27 696 000 | Chrome | 4005176907074 |
|------------|--------|---------------|



Euphoria Cube System 150 Shower system with diverter for wall mounting


Consisting of:
shower arm
projection 400 mm
change between hand and head shower
by using the diverter
head shower Euphoria Cube 152 mm x 152 mm
Rain spray pattern
with ball joint
rotation angle $\pm 20^\circ$
hand shower Euphoria Cube Stick (27 698 000)
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
Silverflex shower hose 800 mm
connection to water supply with 1/2"-thread of
the 800 mm shower hose to faucet / wall union
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-limescale system
TwistStop preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.

GROHE TEMPESTA SYSTEM

Ref. No. Colour EAN



26 670 000 Chrome 4005176580574



Tempesta Cosmopolitan System 250 Shower system with thermostat for wall mounting

Consisting of:

horizontal swivable 390 mm projection shower arm

exposed thermostatic shower

with Aquadimmer function

allows change between:

head shower Tempesta 250 (26 666)

spray pattern:

Rain

head shower with white rear cover

with ball joint

rotation angle $\pm 10^\circ$

GROHE Water Saving 9.5 l/min flow limiter

hand shower Tempesta Cosmopolitan 100 (27 571 001)

2 spray patterns:

Rain, Jet

GROHE Water Saving 5.7 l/min. flow limiter

adjustable height via gliding element

Rotaflex shower hose 1750 mm 1/2" x 1/2" (28 410)

GROHE Water Saving - Less water, perfect flow

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE SafeStop safety button at 38°C

(calibration required)

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE DreamSpray perfect spray pattern

GROHE Long-Life Shine durable sparkling sheen

SpeedClean anti-limescale system

Inner WaterGuide for a longer life

TwistStop preventing the hose from twisting

suitable for instantaneous heaters from 18 kW/h


minimum flow rate 7 l/min.

optional upgrade: **GROHE EasyReach** tray (26 362)

professional edition



26 689 000 Chrome 4005176580765



Tempesta Cosmopolitan System 250 Cube Shower system with thermostat for wall mounting

Consisting of:

horizontal swivable 390 mm projection shower arm

exposed thermostatic shower

with Aquadimmer function

allows change between:

head shower Tempesta 250 Cube (26 685)

spray pattern:

Rain

head shower with white rear cover

with ball joint

rotation angle $\pm 10^\circ$

GROHE Water Saving 9.5 l/min flow limiter

hand shower Tempesta Cosmopolitan 100 (27 571 001)

2 spray patterns:

Rain, Jet

GROHE Water Saving 5.7 l/min. flow limiter

adjustable height via gliding element

Rotaflex shower hose 1750 mm 1/2" x 1/2" (28 410)

GROHE Water Saving - Less water, perfect flow

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE SafeStop safety button at 38°C

(calibration required)

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE DreamSpray perfect spray pattern

GROHE Long-Life Shine durable sparkling sheen

SpeedClean anti-limescale system

Inner WaterGuide for a longer life

TwistStop preventing the hose from twisting


suitable for instantaneous heaters from 18 kW/h

minimum flow rate 7 l/min.

optional upgrade: **GROHE EasyReach** tray (26 362)

professional edition


GROHE TEMPESTA SYSTEM



| Ref. No. | Colour | EAN |
|------------|--------|---------------|
| 26 514 000 | Chrome | 4005176476099 |

Tempesta Cosmopolitan System 210 Shower system with thermostat for wall mounting

Consisting of:
horizontal swivable 390 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
head shower Tempesta 210 9.5 l/min (26 410)
Rain spray pattern
with ball joint
rotation angle $\pm 15^\circ$
hand shower Tempesta Cosmopolitan 100
2 spray patterns:
Rain, Jet
adjustable height via gliding element
Rotaflex shower hose 1750 mm 1/2" x 1/2" (28 410)
GROHE Water Saving 9.5 l/min flow limiter
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus integrated temperature
limiter at max 50°C
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
GROHE MetalGrip ergonomically shaped metal handles
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
TwistStop preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
optional upgrade: **GROHE EasyReach** tray (26 362)



| | | |
|------------|--------|---------------|
| 26 302 001 | Chrome | 4005176408137 |
|------------|--------|---------------|


Tempesta Cosmopolitan System 210 Shower system with thermostat for wall mounting

Consisting of:
horizontal swivable 390 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
head shower Tempesta 210 (26 408)
Rain spray pattern
with ball joint
rotation angle $\pm 15^\circ$
hand shower Tempesta Cosmopolitan 100 (27 571 001)
2 spray patterns:
Rain, Jet
adjustable height via gliding element
Relexaflex shower hose 1500 mm (28 161)
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
optional upgrade: **GROHE EasyReach** tray (26 362)

GROHE TEMPESTA SYSTEM

Ref. No. Colour EAN

27 922 000 Chrome 4005176923364





Tempesta Cosmopolitan 160
Shower system with thermostat for wall mounting
 Consisting of:
 horizontal swivable 390 mm projection shower arm
exposed thermostatic shower
 with Aquadimmer function
 allows change between:
 head shower 1 spray (28 232 000)
 Rain
 with ball joint
 rotation angle $\pm 15^\circ$
 hand shower Tempesta Cosmopolitan 100 (27 571 001)
 2 spray patterns:
 Rain, Jet
 adjustable height via gliding element
 Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
TwistStop preventing the hose from twisting
 optional upgrade: **GROHE EasyReach** tray (26 362)

SHOWERS



26 691 000 Chrome 4005176580789




Tempesta Cosmopolitan System 250 Cube
Shower system with bath thermostat for wall mounting
 Consisting of:
 horizontal swivable 390 mm projection shower arm
exposed thermostatic shower
 with Aquadimmer function
 allows change between:
 head shower Tempesta 250 Cube (26 685)
 spray pattern:
 Rain
 head shower with white rear cover
 with ball joint
 rotation angle $\pm 10^\circ$
GROHE Water Saving 9.5 l/min flow limiter
 bath inlet
 separate diverter for hand shower
 hand shower Tempesta Cosmopolitan 100 (27 571 001)
 2 spray patterns:
 Rain, Jet
GROHE Water Saving 5.7 l/min. flow limiter
 adjustable height via gliding element
 Rotaflex shower hose 1750 mm $1/2'' \times 1/2''$ (28 410)
GROHE Water Saving - Less water, perfect flow
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
TwistStop preventing the hose from twisting
 suitable for instantaneous heaters from 18 kW/h
 minimum flow rate 7 l/min.
 professional edition

GROHE TEMPESTA SYSTEM

Ref. No. Colour EAN

26 223 001 Chrome 4005176408144



Tempesta Cosmopolitan System 210

Shower system with bath thermostat for wall mounting

Consisting of:

horizontal swivable 390 mm projection shower arm
exposed thermostat Grohtherm 1000 Cosmopolitan with Aquadimmer function
allows change between:

head shower Tempesta 210 (26 408)

Rain spray pattern

with ball joint

rotation angle $\pm 15^\circ$

bath inlet

separate diverter for hand shower

hand shower Tempesta Cosmopolitan 100 (27 571 001)

2 spray patterns:

Rain, Jet

adjustable height via gliding element

Rotaflex shower hose 1750 mm 1/2" x 1/2" (28 410)

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE SafeStop safety button at 38°C

(calibration required)

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE DreamSpray perfect spray pattern

GROHE Long-Life Shine durable sparkling sheen

SpeedClean anti-limescale system


Inner WaterGuide for a longer life

TwistStop preventing the hose from twisting

suitable for instantaneous heaters from 18 kW/h

minimum flow rate 7 l/min.

26 224 001 Chrome 4005176408168



Tempesta Cosmopolitan System 210

Shower system with single lever for wall mounting

Consisting of:

horizontal swivable 390 mm projection shower arm

exposed single-lever shower mixer

with diverter

allows change between:

head shower Tempesta 210 (26 408)

Rain spray pattern

with ball joint

rotation angle $\pm 15^\circ$

hand shower Tempesta Cosmopolitan 100 (27 571 001)

2 spray patterns:

Rain, Jet

adjustable height via gliding element

Rotaflex shower hose 1750 mm 1/2" x 1/2" (28 410)

GROHE SilkMove 46 mm ceramic cartridge

GROHE DreamSpray perfect spray pattern

GROHE Long-Life Shine durable sparkling sheen

SpeedClean anti-limescale system


Inner WaterGuide for a longer life

TwistStop preventing the hose from twisting

suitable for instantaneous heaters from 18 kW/h

minimum flow rate 7 l/min.

GROHE TEMPESTA SYSTEM



| Ref. No. | Colour | EAN |
|------------|--------|---------------|
| 26 381 001 | Chrome | 4005176451980 |

Tempesta System 210

Flex shower system with diverter for wall mounting

Consisting of:

horizontal 390 mm shower arm, adjustable before installation
change by diverter between hand shower, head shower or head shower Eco setting

head shower Tempesta 210 (26 408)

2 spray patterns (via diverter):

chrome plated spray face

with ball joint

rotation angle $\pm 15^\circ$

hand shower Tempesta 100 (27 852)

Rain spray pattern

adjustable height via gliding element

distance between diverter and upper bracket: 620 mm

shower hose Relexaflex 1500 mm (28 151)

shower hose Relexaflex 1250 mm (28 150)

flexible installation: connection to tap / wall union for water supply with 1/2"

thread of the 1250 mm shower hose

GROHE DreamSpray perfect spray pattern

GROHE Long-Life Shine durable sparkling sheen

SpeedClean anti-limescale system











Inner WaterGuide for a longer life

ShockProof silicone ring prevents damage caused by a shower falling



suitable for instantaneous heaters from 18 kW/h

minimum flow rate 7 l/min.



GROHE SHOWER SYSTEM ACCESSORIES

| | Ref. No. | Colour | EAN |
|---|-------------------|---------------|----------------------|
|   | 48 349 000 | Chrome | 4005176409851 |
| <p>Rainshower SmartControl Shower system pipe for retrofitting metal shower pipe for retrofitting - 15 cm shorter than original shower system pipe suitable for all Rainshower SmartControl shower systems GROHE Long-Life Shine durable sparkling sheen</p> | | | |
|   | 48 350 000 | Chrome | 4005176409868 |
| <p>Rainshower SmartControl Shower system pipe for retrofitting metal shower pipe for retrofitting 15 cm longer than original shower system pipe suitable for all Rainshower SmartControl shower systems GROHE Long-Life Shine durable sparkling sheen Note: longer pipe cannot be installed afterwards or rather a mounted system cannot be modified to a longer pipe useable with systems as of production date 04/2017, see TPI</p> | | | |
|   | 48 053 000 | Chrome | 4005176890031 |
| <p>Shower system pipe for retrofitting for shower systems with metal or plastic inner water guide shower pipe for retrofitting 15 cm longer than original shower system pipe for bath/shower systems: 30 cm shorter than original pipe suitable for all Rainshower, Euphoria and Tempesta shower systems except SmartControl shower systems not suitable for shower systems with side sprays not suitable for Flex shower systems with diverter GROHE Long-Life Shine durable sparkling sheen</p> | | | |
|   | 48 054 000 | Chrome | 4005176890048 |
| <p>Shower system pipe for retrofitting for shower systems with metal or plastic inner water guide shower pipe for retrofitting - 15 cm shorter than original shower system pipe for bath/shower systems: 60 cm shorter than original pipe suitable for all Rainshower, Euphoria and Tempesta shower systems except SmartControl shower systems not suitable for shower systems with side sprays not suitable for Flex shower systems with diverter GROHE Long-Life Shine durable sparkling sheen</p> | | | |
|   | 14 014 000 | Chrome | 4005176929274 |
| <p>Rainshower Shower arm for shower systems material: metal projection 340 mm distance from wall 390 mm connection thread 1/2" GROHE Long-Life Shine durable sparkling sheen suitable for all GROHE shower systems except SmartControl suitable for all GROHE shower systems</p> | | | |

GROHE SHOWER SYSTEM ACCESSORIES








| | Ref. No. | Colour | EAN |
|---|-------------------|---------------|----------------------|
|   | 27 180 000 | Chrome | 4005176839306 |

**Rainshower
Spacer**
for Rainshower systems 27 174, 27 175, 27 032,
27 058, 27 030, 27 038, 27 089, 27 031
GROHE Long-Life Shine durable sparkling sheen









| | | | |
|---|-------------------|---------------|----------------------|
|   | 26 385 000 | Chrome | 4005176375057 |
|---|-------------------|---------------|----------------------|

**Rainshower SmartControl
Spacer**
for Rainshower SmartControl systems
26 250, 26 361, 26 379
stackable






GROHE HEAD SHOWERS

| | Ref. No. | Colour | EAN |
|---|--|-----------------------|---------------|
|  | 26 254 000 | Chrome | 4005176317026 |
| | Rainshower Duo 360 Head shower set 450 mm, 2 sprays Consisting of: head shower Rainshower Duo 360, spray plate chrome 2 spray patterns: GROHE PureRain/GROHE Rain O ² spray* and TrioMassage horizontal 450 mm shower arm GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life requires rough-in set 26 264 001 – to be ordered separately * to be decided during initial installation; factory default setting: GROHE PureRain | | |
|  | 26 254 LS0 | moon white | 4005176409806 |
| | ditto, head shower with white spray plate | | |
|  | 26 450 000 | Chrome | 4005176409813 |
| | Rainshower Mono 360 Head shower set 450 mm, 1 spray Consisting of: head shower Rainshower Mono 360, spray plate chrome 1 spray pattern: GROHE PureRain/GROHE Rain O ² spray* horizontal 450 mm shower arm GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life requires rough-in set 26 264 001 – to be ordered separately * to be decided during initial installation; factory default setting: GROHE PureRain | | |
|  | 26 450 LS0 | moon white | 4005176409820 |
| | ditto, head shower with white spray plate | | |
|  | 26 264 001 | | 4005176417108 |
| | Rainshower 360 Rough-in box for head shower set 26 254 / 26 450 inlets and outlets 1/2" fixing points for back wall leakproof housing removable protection cover with installation information | | |
|  | 26 475 000 | Chrome | 4005176423758 |
| | 26 475 DC0 | supersteel | 4005176526237 |
| | 26 475 GL0 | cool sunrise | 4005176557156 |
| | 26 475 GN0 | brushed cool sunrise | 4005176557163 |
| | 26 475 DA0 | warm sunset | 4005176557125 |
| | 26 475 DL0 | brushed warm sunset | 4005176557132 |
| | 26 475 A00 | hard graphite | 4005176557095 |
| | 26 475 AL0 | brushed hard graphite | 4005176557101 |
|  | Rainshower SmartActive 310 Head shower set 430 mm, 2 sprays Consisting of: head shower Rainshower SmartActive 310 2 spray patterns: GROHE PureRain, ActiveRain horizontal 430 mm shower arm GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life requires rough-in set 26 483 000 or 26 484 000 - to be ordered separately 26 475 LS0 moon white 4005176425899 ditto, head shower with white spray plate | | |

GROHE HEAD SHOWERS









| | Ref. No. | Colour | EAN |
|--|--|-----------------------|---------------|
|   | 22 123 KF0 | phantom black | 4005176782572 |
| | <p>Rainshower SmartActive 310 Head shower set 430 mm, 2 sprays Consisting of: head shower Rainshower SmartActive 310 2 spray patterns: GROHE PureRain, ActiveRain horizontal 430 mm shower arm GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine finish SpeedClean anti-limescale system Inner WaterGuide for a longer life requires rough-in set 26 483 000 or 26 484 000 - to be ordered separately</p> | | |
|   | 26 477 000 | Chrome | 4005176423772 |
| | 26 477 DC0 | supersteel | 4005176526244 |
| | 26 477 GL0 | cool sunrise | 4005176557231 |
| | 26 477 GN0 | brushed cool sunrise | 4005176557248 |
| | 26 477 DA0 | warm sunset | 4005176557200 |
| | 26 477 DL0 | brushed warm sunset | 4005176557217 |
| | 26 477 A00 | hard graphite | 4005176557170 |
| | 26 477 AL0 | brushed hard graphite | 4005176557187 |
| <p>Rainshower SmartActive 310 Head shower set ceiling 142 mm, 2 sprays Consisting of: head shower Rainshower SmartActive 310 2 spray patterns: GROHE PureRain, ActiveRain 142 mm ceiling shower arm GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life requires rough-in set 26 483 000 or 26 484 000 - to be ordered separately</p> | | | 4005176425912 |
| | 26 477 LS0 | moon white | 4005176425912 |
| | ditto, head shower with white spray plate | | |
|   | 22 124 KF0 | phantom black | 4005176782589 |
| | <p>Rainshower SmartActive 310 Head shower set ceiling 142 mm, 2 sprays Consisting of: head shower Rainshower SmartActive 310 2 spray patterns: GROHE PureRain, ActiveRain 142 mm ceiling shower arm GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine finish SpeedClean anti-limescale system Inner WaterGuide for a longer life requires rough-in set 26 483 000 or 26 484 000 - to be ordered separately</p> | | |
|   | 26 479 000 | Chrome | 4005176425196 |
| | 26 479 DC0 | supersteel | 4005176526251 |
| | 26 479 GN0 | brushed cool sunrise | 4005176557323 |
| | 26 479 DL0 | brushed warm sunset | 4005176557293 |
| | 26 479 A00 | hard graphite | 4005176557255 |
| | 26 479 AL0 | brushed hard graphite | 4005176557262 |
| <p>Rainshower SmartActive 310 Cube Head shower set 430 mm, 2 sprays Consisting of: head shower Rainshower SmartActive 310 Cube 2 spray patterns: GROHE PureRain, ActiveRain horizontal 430 mm shower arm GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life requires rough-in set 26 483 000 or 26 484 000 - to be ordered separately</p> | | | 4005176425936 |
| | 26 479 LS0 | moon white | 4005176425936 |
| | ditto, head shower with white spray plate | | |

GROHE HEAD SHOWERS









| | Ref. No. | Colour | EAN |
|---|--|--|---------------|
|  | 26 481 000 | Chrome | 4005176425219 |
| | 26 481 DC0 | supersteel | 4005176526268 |
| | 26 481 GN0 | brushed cool sunrise | 4005176557408 |
| | 26 481 DL0 | brushed warm sunset | 4005176557378 |
| | 26 481 A00 | hard graphite | 4005176557330 |
| | 26 481 AL0 | brushed hard graphite | 4005176557347 |
|  | Rainshower SmartActive 310 Cube Head shower set ceiling 142 mm, 2 sprays Consisting of: head shower Rainshower SmartActive 310 Cube 2 spray patterns: GROHE PureRain, ActiveRain 142 mm ceiling shower arm GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life requires rough-in set 26 483 000 or 26 484 000 - to be ordered separately | | |
| | 26 481 LS0 | moon white | 4005176425950 |
| | | ditto, head shower with white spray plate | |
|  | 26 484 000 | | 4005176425110 |
| | Rainshower Universal rough-in box, 1/2" for head shower set 26 475 / 26 477 / 26 479 / 26 481 2 inlets, 1/2" installation depth 75-105 mm connection unit in DR brass stable build-in box and protective cover leakproof housing gasket integrated flushing plug GROHE Water Saving 9.5 l/min flow limiter per each water way without set for final installation | | |
| | 26 483 000 | | 4005176425103 |
| | | ditto, with non-restricted flow | |
|  | 26 640 000 | Chrome | 4005176530203 |
| | Rainshower SmartConnect 310 Head shower set 422 mm, 2 sprays Consisting of: head shower Rainshower SmartConnect 310 (26 641) spray plate chrome 2 spray patterns: GROHE PureRain, ActiveRain default spray type programmable horizontal 422 mm shower arm (26 146) with round escutcheon with wireless remote control to change or combine spray patterns screw or glue holder to wall battery powered including 3 x AAA batteries and 1 x CR 2032 button cell LED indicator for pairing and battery change water resistant remote control rated IP57 GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.5 bar | | |
|  | | | |
| | | | |

GROHE HEAD SHOWERS









SHOWERS

| | Ref. No. | Colour | EAN |
|---|--|---------------|---------------|
|  | 26 642 000 | Chrome | 4005176530227 |
|  | <p>Rainshower SmartConnect 310 Cube Head shower set 422 mm, 2 sprays Consisting of: head shower Rainshower SmartConnect 310 Cube (26 643) spray plate chrome 2 spray patterns: GROHE PureRain, ActiveRain default spray type programmable horizontal 422 mm shower arm (26 146) with square escutcheon with wireless remote control to change or combine spray patterns screw or glue holder to wall battery powered including 3 x AAA batteries and 1 x CR 2032 button cell LED indicator for pairing and battery change water resistant remote control rated IP57 GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.5 bar</p> | | |
|  | 26 558 000 | Chrome | 4005176481727 |
|  | <p>Rainshower Mono 310 Head shower set 422 mm, 1 spray Consisting of: head shower Rainshower 310, spray plate chrome (26 562) 1 spray pattern: GROHE PureRain shower arm Rainshower 422 mm (26 146 000) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater</p> | | |
| | 26 557 000 | Chrome | 4005176481710 |
| | ditto, with non-restricted flow | | |
|  | 22 121 KF0 | phantom black | 4005176782558 |
|  | <p>Rainshower Mono 310 Head shower set 422 mm, 1 spray Consisting of: head shower Rainshower 310, spray plate phantom black 1 spray pattern: GROHE PureRain Rainshower shower arm 422 mm GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater</p> | | |
|  | 26 560 000 | Chrome | 4005176481741 |
|  | <p>Rainshower Mono 310 Head shower set ceiling 142 mm, 1 spray Consisting of: head shower Rainshower 310, spray plate chrome (26 562) 1 spray pattern: GROHE PureRain Rainshower shower arm ceiling 142 mm (28 724 000) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater</p> | | |
| | 26 559 000 | Chrome | 4005176481734 |
| | ditto, with non-restricted flow | | |











GROHE HEAD SHOWERS

| | Ref. No. | Colour | EAN | |
|--|---|--|-----------------------|---------------|
|  |  | 22 122 KF0 | phantom black | 4005176782565 |
| | | Rainshower Mono 310 Head shower set ceiling 142 mm, 1 spray Consisting of: head shower Rainshower 310, spray plate phantom black 1 spray pattern: GROHE PureRain Rainshower shower arm ceiling 142 mm GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater | | |
|  |  | 26 564 000 | Chrome | 4005176481789 |
| | | 26 564 GN0 | brushed cool sunrise | 4005176557804 |
| | | 26 564 DL0 | brushed warm sunset | 4005176557774 |
| | | 26 564 A00 | hard graphite | 4005176557736 |
| | | 26 564 AL0 | brushed hard graphite | 4005176557743 |
| Rainshower Mono 310 Cube Head shower set 422 mm, 1 spray Consisting of: head shower Rainshower 310 1 spray pattern: GROHE PureRain Rainshower shower arm 422 mm (26 145 000) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater | | | | |
| | 26 563 000 | Chrome | 4005176481772 | |
| ditto, with non-restricted flow | | | | |
|  |  | 26 566 000 | Chrome | 4005176482106 |
| | | 26 566 DC0 | supersteel | 4005176526282 |
| | | 26 566 GN0 | brushed cool sunrise | 4005176557880 |
| | | 26 566 DL0 | brushed warm sunset | 4005176557859 |
| | | 26 566 A00 | hard graphite | 4005176557811 |
| | | 26 566 AL0 | brushed hard graphite | 4005176557828 |
| Rainshower Mono 310 Cube Head shower set ceiling 142 mm, 1 spray Consisting of: head shower Rainshower 310 1 spray pattern: GROHE PureRain Rainshower shower arm ceiling 142 mm (27 485 000) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater | | | | |
| | 26 565 000 | Chrome | 4005176482090 | |
| ditto, with non-restricted flow | | | | |
|  |  | 26 256 000 | Chrome | 4005176318597 |
| | | Rainshower Cosmopolitan 400 Head shower set ceiling 142 mm, 1 spray Consisting of: head shower Rainshower Cosmopolitan 400 (28 778 000) 1 spray pattern: Rain Rainshower shower arm ceiling 142 mm (28 724 000) GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system suitable for instantaneous heater | | |




GROHE HEAD SHOWERS

| | Ref. No. | Colour | EAN |
|---|--|---------------|--|
|   | 26 257 000 | Chrome | 4005176317927 |
| | Rainshower 310 Head shower set 422 mm, 1 spray Consisting of: Rainshower Cosmopolitan 310 head shower (27 477 000) 1 spray pattern: Rain shower arm Rainshower 422 mm (26 146 000) GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system suitable for instantaneous heater | | |
|   | 26 066 000 ★ Chrome 26 066 DC0 ★ supersteel 26 066 GL0 ★ cool sunrise 26 066 GN0 ★ brushed cool sunrise 26 066 DA0 ★ warm sunset 26 066 DL0 ★ brushed warm sunset 26 066 A00 hard graphite 26 066 AL0 ★ brushed hard graphite | | 4005176937200 4005176371172 4005176427183 4005176427190 4005176427206 4005176427213 4005176427237 4005176427220 |
| | Rainshower Cosmopolitan 310 Head shower set 380 mm, 1 spray Consisting of: Head shower Rainshower Cosmopolitan 310 (27 478 000) material: metal 1 spray pattern: Rain shower arm Rainshower 380 mm (28 361 000) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system | | |
|   | 26 056 000 | Chrome | 4005176937101 |
| | ditto, with non-restricted flow | | |
|   | 26 067 000 ★ Chrome 26 067 DC0 ★ supersteel 26 067 GL0 ★ cool sunrise 26 067 GN0 ★ brushed cool sunrise 26 067 DA0 ★ warm sunset 26 067 DL0 ★ brushed warm sunset 26 067 A00 hard graphite 26 067 AL0 ★ brushed hard graphite | | 4005176937217 4005176371189 4005176427268 4005176427275 4005176427282 4005176427299 4005176427312 4005176427305 |
| | Rainshower Cosmopolitan 310 Head shower set ceiling 142 mm, 1 spray Consisting of: Head shower Rainshower Cosmopolitan 310 (27 478 000) material: metal 1 spray pattern: Rain Rainshower shower arm ceiling 142 mm (28 724 000) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system | | |
| | 26 070 000 | Chrome | 4005176937248 |
| | Rainshower F-Series 10" 254 x 254 Head shower set 275 mm, 1 spray Consisting of: head shower Rainshower F-Series 254 (27 285 000) material: metal 1 spray pattern: Rain Shower arm Rainshower 286 mm (27 488 000) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system | | |
| | 26 060 000 | Chrome | 4005176937149 |
| | ditto, with non-restricted flow | | |














GROHE HEAD SHOWERS

| | Ref. No. | Colour | EAN |
|---|---|---------------|----------------------|
|   | 26 071 000 | Chrome | 4005176937255 |
| | Rainshower F-Series 10" Head shower set ceiling 142 mm, 1 spray Consisting of: head shower Rainshower F-Series 254 (27 285 000) material: metal 1 spray pattern: Rain Rainshower shower arm ceiling 142 mm (27 485 000) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system | | |
|   | 26 171 000 | Chrome | 4005176997310 |
| | Rainshower Cosmopolitan 210 Head shower set 422 mm, 1 spray Consisting of: Rainshower Cosmopolitan 210 metal head shower, spray plate chrome (28 368 000) 1 spray pattern: Rain Rainshower shower arm 422 mm, escutcheon chrome (26 146) GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system suitable for instantaneous heater starting at 0.5 bar flow pressure | | |
|   | 26 062 000 | Chrome | 4005176937163 |
| | Rainshower Cosmopolitan 210 Head shower set 286 mm, 1 spray Consisting of: Head shower Rainshower Cosmopolitan 210 (28 373 000) material: metal 1 spray pattern: Rain Shower arm Rainshower 286 mm (28 576 000) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system starting at 0.5 bar flow pressure | | |
|   | 26 052 000 | Chrome | 4005176937064 |
| | ditto, with non-restricted flow | | |
|   | 26 063 000 | Chrome | 4005176937170 |
| | Rainshower Cosmopolitan 210 Head shower set ceiling 142 mm, 1 spray Consisting of: Head shower Rainshower Cosmopolitan 210 (28 373 000) material: metal 1 spray pattern: Rain Rainshower shower arm ceiling 142 mm (28 724 000) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system starting at 0.5 bar flow pressure | | |











GROHE HEAD SHOWERS

| | Ref. No. | Colour | EAN |
|---|---|--------|---------------|
|   | 26 459 000 | Chrome | 4005176416965 |
| | Euphoria 260 Head shower set 380 mm, 3 sprays Consisting of: head shower Euphoria 260 (26 457) 3 spray patterns: Rain, SmartRain, Jet shower arm Rainshower 380 mm (28 361 000) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater | | |
| | 26 458 000 | Chrome | 4005176416958 |
| | ditto, with non-restricted flow | | |
|   | 26 461 000 | Chrome | 4005176416989 |
| | Euphoria 260 Head shower set ceiling 142 mm, 3 sprays Consisting of: head shower Euphoria 260 (26 457) 3 spray patterns: Rain, SmartRain, Jet Rainshower shower arm ceiling 142 mm (28 724 000) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater | | |
| | 26 460 000 | Chrome | 4005176416972 |
| | ditto, with non-restricted flow | | |
|   | 26 073 000 | Chrome | 4005176937279 |
| | Euphoria Cube 150 Head shower set 286 mm, 1 spray head shower Euphoria Cube 150 (27 705 000) 1 spray pattern: Rain Shower arm Rainshower 286 mm (27 709 000) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life | | |
|   | 26 663 000 | Chrome | 4005176580505 |
| | Tempesta 250 Head shower set 380 mm, 1 spray Consisting of: head shower Tempesta 250 (26 662) Rain fully chrome plated surfaces shower arm 380 mm (28 361) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater professional edition | | |
| | 26 668 000 | Chrome | 4005176580550 |
| | ditto, but head shower with white rear cover | | |









GROHE HEAD SHOWERS

| | | Ref. No. | Colour | EAN |
|---|---|---|---------------|----------------------|
|  |  |  26 664 000 | Chrome | 4005176580512 |
| | | Tempesta 250 Head shower set ceiling 142 mm, 1 spray Consisting of: head shower Tempesta 250 (26 662) Rain fully chrome plated surfaces shower arm ceiling 142 mm (28 724) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater professional edition | | |
| | |  26 669 000 | Chrome | 4005176580567 |
| ditto, but head shower with white rear cover | | | | |
|  |  |  26 682 000 | Chrome | 4005176580697 |
| | | Tempesta 250 Cube Head shower set 380 mm, 1 spray Consisting of: head shower Tempesta 250 Cube (26 681) 1 spray pattern: Rain fully chrome plated surfaces shower arm 380 mm with square escutcheon GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater professional edition | | |
| | |  26 687 000 | Chrome | 4005176580741 |
| ditto, but head shower with white rear cover | | | | |
|  |  |  26 683 000 | Chrome | 4005176580703 |
| | | Tempesta 250 Cube Head shower set ceiling 142 mm, 1 spray Consisting of: head shower Tempesta 250 Cube (26 681) 1 spray pattern: Rain fully chrome plated surfaces shower arm ceiling 142 mm (27 485) with square escutcheon GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater professional edition | | |
| | |  26 688 000 | Chrome | 4005176580758 |
| ditto, but head shower with white rear cover | | | | |
|  |  | 26 412 000 | Chrome | 4005176390173 |
| | | Tempesta 210 Head shower set 286 mm, 1 spray Consisting of: head shower Tempesta 210 9.5 l/min (26 410) 1 spray pattern: Rain Shower arm Rainshower 286 mm (28 576 000) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater | | |











GROHE HEAD SHOWERS

| | Ref. No. | Colour | EAN |
|---|-------------------|---------------|----------------------|
|   | 26 267 001 | Chrome | 4005176444197 |
| <p>Tempesta 100 Head shower 1 spray Rain Ball joint +/- 15° rotatable shower arm with connection thread 1/2" escutcheon GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life for low pressure</p> | | | |
|   | 27 869 001 | Chrome | 4005176444005 |
| <p>Tempesta Cosmopolitan 100 Head shower 4 sprays GROHE Rain O², Rain, Massage, Jet Ball joint +/- 15° rotatable shower arm with connection thread 1/2" escutcheon GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater</p> | | | |
|   | 26 090 001 | Chrome | 4005176443992 |
| <p>Tempesta Cosmopolitan 100 Head shower set 3 sprays GROHE Rain O², Rain, Massage Ball joint +/- 15° rotatable shower arm with connection thread 1/2" escutcheon GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater</p> | | | |
|   | 26 089 001 | Chrome | 4005176444067 |
| <p>Tempesta Rustic 100 Head shower set 4 sprays GROHE Rain O², Rain, Massage, Jet Ball joint +/- 15° rotatable shower arm with connection thread 1/2" escutcheon GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater available until 31 march 2023</p> | | | |
|   | 26 641 000 | Chrome | 4005176530210 |
| <p>Rainshower SmartConnect 310 Head shower 2 sprays GROHE PureRain, ActiveRain default spray type programmable spray plate chrome ball joint with turning angle ± 10° connection thread 1/2" with wireless remote control to change or combine spray patterns screw or glue holder to wall battery powered including 3 x AAA batteries and 1 x CR 2032 button cell LED indicator for pairing and battery change water resistant remote control rated IP57 GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.5 bar</p> | | | |









GROHE HEAD SHOWERS

| | Ref. No. | Colour | EAN |
|---|--|--------------------------|--------------------------------|
|  | 26 643 000 | Chrome | 4005176530234 |
|  | <p>Rainshower SmartConnect 310 Cube Head shower 2 sprays GROHE PureRain, ActiveRain default spray type programmable spray plate chrome ball joint with turning angle $\pm 10^\circ$ connection thread 1/2" with wireless remote control to change or combine spray patterns screw or glue holder to wall battery powered including 3 x AAA batteries and 1 x CR 2032 button cell LED indicator for pairing and battery change water resistant remote control rated IP57 GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.5 bar</p> | | |
|  | 26 569 000 26 569 EN0 | Chrome brushed nickel | 4005176482175 4005176482182 |
|  | <p>Rainshower Mono 310 Head shower 1 spray GROHE PureRain spray plate chrome ball joint with turning angle $\pm 10^\circ$ connection thread 1/2" GROHE Water Saving 6.6 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar</p> | | |
|  | 26 562 000 26 562 LS0 | Chrome moon white | 4005176481765 4005176482144 |
|  | <p>Rainshower Mono 310 Head shower 1 spray GROHE PureRain spray plate chrome ball joint with turning angle $\pm 10^\circ$ connection thread 1/2" GROHE DreamSpray perfect spray pattern SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater</p> | | |
|  | 26 570 000 26 570 EN0 | Chrome brushed nickel | 4005176482199 4005176482205 |
|  | <p>Rainshower Mono 310 Cube Head shower 1 spray GROHE PureRain spray plate chrome ball joint with turning angle $\pm 10^\circ$ connection thread 1/2" GROHE Water Saving 6.6 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater</p> | | |
| | 26 568 000 26 568 LS0 | Chrome moon white | 4005176482120 4005176482168 |
| | <p>ditto, with GROHE EcoJoy 9.5 l/min flow limiter</p> | | |










GROHE HEAD SHOWERS

| | Ref. No. | Colour | EAN |
|---|--|------------|---------------|
|  | 26 567 000 | Chrome | 4005176482113 |
| | 26 567 LS0 | moon white | 4005176482151 |
|  | <p>Rainshower Mono 310 Cube Head shower 1 spray GROHE PureRain spray plate chrome ball joint with turning angle $\pm 10^\circ$ connection thread 1/2" GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater</p> | | |
|  | 27 470 000 | Chrome | 4005176882531 |
| | 27 470 LS0 | moon white | 4005176997235 |
|  | <p>Rainshower Veris 300 Head shower 1 spray Rain 300 x 150 mm material: metal ball joint with turning angle $\pm 15^\circ$ connection thread 1/2" GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system</p> | | |
|  | 28 778 000 | Chrome | 4005176820526 |
| | 28 778 LS0 | moon white | 4005176997235 |
|  | <p>Rainshower Cosmopolitan 400 Head shower 1 spray diameter 400 mm material: metal ball joint with turning angle $20^\circ \pm 20^\circ$ connection thread 1/2" GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system this head shower should only be used in conjunction with shower arm 26 146, 28 982 or 28 497</p> | | |
|  | 26 472 000 | Chrome | 4005176424908 |
| | 26 472 LS0 | moon white | 4005176997235 |
|  | <p>Rainshower Cosmopolitan 310 Head shower 1 spray Rain \varnothing 310 mm material: metal ball joint with turning angle $20^\circ \pm 20^\circ$ connection thread 1/2" GROHE Water Saving 6.6 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system suitable for instantaneous heater</p> | | |
|  | 27 478 000 | Chrome | 4005176883293 |
| | 27 478 LS0 | moon white | 4005176997235 |
| ditto, with GROHE Water Saving 9.5 l/min flow limiter | | | |
|  | 27 477 000 | Chrome | 4005176883286 |
| | 27 477 LS0 | moon white | 4005176997235 |
| ditto, with non-restricted flow | | | |






GROHE HEAD SHOWERS

| | Ref. No. | Colour | EAN |
|---|--|-----------------------|----------------------|
|   | 28 368 00E | Chrome | 4005176867385 |
| | Rainshower Cosmopolitan 210 Head shower 1 spray Rain starting at 0.5 bar flow pressure Ø 210 mm material: metal with ball joint rotation angle ± 15° connection thread 1/2" GROHE Water Saving 5.7 l/min. flow limiter GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system | | |
| | 28 368 000 | Chrome | 4005176267253 |
| | 28 368 LS0 | moon white | 4005176997242 |
| | ditto, with non-restricted flow | | |
| | 28 373 000 | Chrome | 4005176267277 |
| | ditto, with 9.5 l/min flow limiter | | |
|   | 27 135 000 | Chrome | 4005176836077 |
| | 27 135 EN0 | brushed nickel | 4005176836084 |
| | Rainshower Cosmopolitan 160 Head shower 4 sprays Rain / Jet / Pure / Champagne spray Ø 160 mm ball joint with turning angle 15° ± 15° GROHE Water Saving 9.5 l/min flow limiter SpeedClean anti-limescale system suitable for instantaneous heater Min. recommended pressure 0.5 bar The head shower is suitable for minimum flow rate of 7.5 l/min and a maximum of 9.5 l/min (ASME A112.18.1M). Minimum pressure > 1 bar, maximum 6 bar (ASME A112.18.1M). recommended for use with Rainshower shower arms | | |
|   | 27 134 000 | Chrome | 4005176836060 |
| | Rainshower Cosmopolitan 160 Head shower 4 sprays Rain / Jet / Pure / Champagne spray Ø 160 mm ball joint with turning angle ± 15° connection thread 1/2" GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system | | |
| | | | |
|   | 26 474 EN0 | brushed nickel | 4005176424946 |
| | Rainshower Rustic 210 Head shower 1 spray Rain spray pattern normal (wide) spray starting at 0.5 bar flow pressure Ø 210 mm 120 spray nozzles brass ball joint with turning angle 20° ± 20° connection thread 1/2" GROHE Water Saving 6.6 l/min flow limiter GROHE Long-Life Shine finish SpeedClean anti-limescale system | | |
| | | | |


GROHE HEAD SHOWERS

| | Ref. No. | Colour | EAN |
|---|--|--------|---------------|
|   | 27 530 000 | Chrome | 4005176889219 |
| | Relaxa Deluxe 130 Head shower 4 sprays Normal, Rain, Champagne spray, Champagne spray Deluxe Ball joint +/- 15° rotatable GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen Inner WaterGuide for a longer life available until 31 march 2023 | | |
|   | 27 062 000 | Chrome | 4005176831669 |
| | Relaxa 100 Five Head shower 5 sprays Wide spray / Needle Jet / Rain / Massage / Champagne spray ball-joint connection thread with pre-assembled sealing GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life minimum flow rate 7.5 l/min. | | |
|   | 27 067 000 | Chrome | 4005176832123 |
| | Relaxa 65 Side shower 2 sprays Wide spray/Massage ball-joint GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life | | |
|   | 26 457 000 | Chrome | 4005176416934 |
| | Euphoria 260 Head shower 3 sprays Rain, SmartRain, Jet Ø 260 mm Ball joint +/- 15° rotatable connection thread 1/2" GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater | | |
| | 26 455 000 | Chrome | 4005176416903 |
| | ditto, with non-restricted flow | | |
|   | 27 492 000 | Chrome | 4005176885556 |
| | Euphoria Cosmopolitan 180 Head shower 1 spray Rain Ø 180 mm Ball joint +/- 15° rotatable connection thread 1/2" GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system | | |







GROHE HEAD SHOWERS

| | Ref. No. | Colour | EAN |
|---|---|--------|---------------|
|   | 28 233 000 | Chrome | 4005176868016 |
| | Euphoria Cosmopolitan 160 Head shower 1 spray Rain Ball joint +/- 15° rotatable connection thread 1/2" GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system suitable for instantaneous heater | | |
|   | 27 237 000 | Chrome | 4005176854286 |
| | Euphoria 110 Mono Head shower 1 spray Rain connection thread 1/2" bellows GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system suitable for instantaneous heater | | |
|   | 26 468 000 | Chrome | 4005176423963 |
| | Euphoria Cube 150 Head shower 1 spray Rain 152 x 152 mm ball-joint rotation angle ± 12° connection thread 1/2" GROHE Water Saving 6.6 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life | | |
|   | 27 705 000 | Chrome | 4005176907166 |
| | Euphoria Cube 150 Head shower 1 spray Rain 152 x 152 mm ball-joint rotation angle ± 12° connection thread 1/2" GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life | | |
|   | 26 662 000 | Chrome | 4005176580499 |
| | Tempesta 250 Head shower 1 spray Rain Ø 250 mm fully chrome plated surfaces ball joint with turning angle ± 10° connection thread 1/2" GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater professional edition | | |
| | 26 666 000 | Chrome | 4005176580536 |
| | ditto, but with white rear cover | | |

GROHE HEAD SHOWERS

| | Ref. No. | Colour | EAN |
|---|---|--------|---------------|
|   | 26 681 000 | Chrome | 4005176580680 |
| | Tempesta 250 Cube Head shower 1 spray Rain 250 mm x 250 mm fully chrome plated surfaces ball joint with turning angle $\pm 10^\circ$ connection thread 1/2" GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater professional edition | | |
|   | 26 685 000 | Chrome | 4005176580727 |
| | ditto, but with white rear cover | | |
|   | 26 409 000 | Chrome | 4005176390128 |
| | Tempesta 210 Head shower 1 spray Rain Ø 210 mm Ball joint +/- 15° rotatable connection thread 1/2" GROHE Water Saving 6.6 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater | | |
| | 26 410 000 | Chrome | 4005176390142 |
| | ditto, with 9.5 l/min flow limiter | | |
|   | 26 408 000 | Chrome | 4005176390111 |
| | ditto, with non-restricted flow | | |
|   | 27 606 001 | Chrome | 4005176444180 |
| | Tempesta 100 Head shower 4 sprays GROHE Rain O ² , Rain, Massage, Jet connection thread 1/2" GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life | | |
|   | 26 050 001 | Chrome | 4005176444166 |
| | Tempesta 100 Head shower 1 spray Rain Ball joint +/- 15° rotatable GROHE Water Saving 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater | | |
|   | 27 591 001 | Chrome | 4005176443985 |
| | Tempesta Cosmopolitan 100 Head shower 4 sprays GROHE Rain O ² , Rain, Massage, Jet connection thread 1/2" GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life | | |

GROHE HEAD SHOWERS













| | Ref. No. | Colour | EAN |
|---|---|--------|---------------|
|   | 26 051 001 | Chrome | 4005176443954 |
| | Tempesta Cosmopolitan 100 Head shower 1 spray Rain Ball joint +/- 15° rotatable connection thread 1/2" GROHE Water Saving 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater | | |
|   | 27 541 001 | Chrome | 4005176451676 |
| | Tempesta Cosmopolitan 200 Head shower 1 spray Rain spray pattern Ball joint +/- 20° rotatable connection thread 1/2" suitable for instantaneous heater | | |
|   | 27 610 001 | Chrome | 4005176444050 |
| | Tempesta Rustic 100 Head shower 4 sprays GROHE Rain O ² , Rain, Massage, Jet Ball joint +/- 15° rotatable connection thread 1/2" GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life available until 31 march 2023 | | |

GROHE HEAD SHOWERS











| | Ref. No. | Colour | EAN |
|---|------------|--------|---------------|
|   | 28 404 000 | Chrome | 4005176601736 |
| Relaxa Basic 85 Head shower 1 spray Rain brass tin plate 50 mm high connection thread 1/2" | | | |
|   | 28 094 000 | Chrome | 4005176601132 |
| Relaxa Plus 50 Head shower 1 spray with ball joint 1/2" connection GROHE Long-Life Shine durable sparkling sheen adjustable flow rate without shower arm | | | |
|   | 28 002 000 | Chrome | 4005176858796 |
| Relaxa 70 Sports head shower 1 spray low aerosol emission heavy, cast model theft proof connection thread 1/2" projection 57 mm flow limiter 9 l/min. and 12 l/min. GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life suicide resistant design pipe union plug-in for wall connection | | | |
|   | 28 948 000 | Chrome | 4005176209871 |
| Relaxa Plus 60 Sports head shower 1 spray heavy, cast model connection thread 1/2" projection 148 mm GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system | | | |

SHOWERS

GROHE HEAD SHOWERS

| | Ref. No. | Colour | EAN |
|---|---|---|----------------------|
|   | 26 146 000 | Chrome | 4005176986017 |
| | Rainshower Shower arm 422 mm material: metal connection thread 1/2" with round escutcheon, can be used for all Rainshower head showers GROHE Long-Life Shine durable sparkling sheen | | |
| | 26 146 LS0 | moon white ditto, with white escutcheon | 4005176997266 |
|   | 28 982 000 | Chrome | 4005176829987 |
| | Rainshower Shower arm 372 mm material: metal connection thread 1/2" GROHE Long-Life Shine durable sparkling sheen can be used for all Rainshower head showers except Rainshower 400 mm | | |
|   | 28 361 000 | Chrome | 4005176295157 |
| | Rainshower Shower arm, 380 mm material: metal connection thread 1/2" can be used for all Rainshower head showers except Rainshower 400 mm GROHE Long-Life Shine durable sparkling sheen | | |
| | 28 576 000 | Chrome Ditto, projection 286 mm | 4005176274022 |
|   | 26 145 000 | Chrome | 4005176986000 |
| | Rainshower Shower arm 422 mm material: metal connection thread 1/2" with square escutcheon can be used for all Rainshower head showers GROHE Long-Life Shine durable sparkling sheen | | |
|   | 27 488 000 | Chrome | 4005176885525 |
| | Rainshower Shower arm 286 mm material: metal connection thread 1/2" with square escutcheon can be used for all Rainshower head showers except Rainshower 400 mm GROHE Long-Life Shine durable sparkling sheen | | |
|   | 27 709 000 | Chrome | 4005176909092 |
| | Rainshower Shower arm 286 mm material: metal connection thread 1/2" with square escutcheon and rectangular arm suitable for square Rainshower Allure and Euphoria Cube head shower GROHE Long-Life Shine durable sparkling sheen | | |

GROHE HEAD SHOWERS

| | Ref. No. | Colour | EAN |
|---|---|---------------|----------------------|
|   | 28 497 000 | Chrome | 4005176270338 |
| | Rainshower Shower ceiling arm 292 mm material: metal connection thread 1/2" can be used for all Rainshower head showers GROHE Long-Life Shine durable sparkling sheen | | |
| | 28 724 000 | Chrome | 4005176812644 |
| | ditto, length 142 mm | | |
|   | 27 484 000 | Chrome | 4005176885488 |
| | Rainshower Shower ceiling arm 292 mm material: metal connection thread 1/2" with square escutcheon can be used for all Rainshower head showers GROHE Long-Life Shine durable sparkling sheen | | |
| | 27 485 000 | Chrome | 4005176885495 |
| | ditto, 142 mm length | | |
|   | 27 711 000 | Chrome | 4005176909115 |
| | Rainshower Shower arm ceiling 154 mm material: metal connection thread 1/2" GROHE Long-Life Shine durable sparkling sheen | | |
|   | 27 406 000 | Chrome | 4005176600166 |
| | Relaxa Shower arm 218 mm connection thread 1/2" projection 218 mm escutcheon GROHE Long-Life Shine durable sparkling sheen | | |
|   | 28 541 000 | Chrome | 4005176040528 |
| | Relaxa Shower arm 147 mm connection thread 1/2" escutcheon GROHE Long-Life Shine durable sparkling sheen | | |

GROHE HEAD SHOWERS

| Ref. No. | Colour | EAN |
|----------|--------|-----|
|----------|--------|-----|


| | | |
|------------|--------|---------------|
| 28 429 000 | Chrome | 4005176601910 |
|------------|--------|---------------|

Relexa







Shower arm 55 mm

connection thread 1/2"

GROHE Long-Life Shine durable sparkling sheen



GROHE SIDE SHOWERS

| | Ref. No. | Colour | EAN |
|---|---|--------|---------------|
|   | 27 067 000 | Chrome | 4005176832123 |
| | Relaxa 65 Side shower 2 sprays Wide spray/Massage ball-joint GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life | | |
|   | 28 198 000 | Chrome | 4005176038686 |
| | Relaxa 50 Side shower 1 spray Normal spray ball-joint GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system pre-adjustment for the flow rate pre-adjustable flow rate from 5-11 l/min. minimum flow rate 4,5 l/min | | |
|   | 28 286 000 | Chrome | 4005176198526 |
| | Relaxa 50 Side shower 2 sprays Wide Spray/ Needle Jet ball-joint GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system | | |


SHOWERS

GROHE RAINSHOWER SMARTACTIVE

| | Ref. No. | Colour | EAN | |
|---|---|--|---------------|---------------|
|   | 26 574 000 ★ | Chrome | 4005176485916 | |
| | 26 574 DC0 ★ | supersteel | 4005176526459 | |
| | 26 574 GL0 ★ | cool sunrise | 4005176558511 | |
| | 26 574 GN0 ★ | brushed cool sunrise | 4005176558528 | |
| | 26 574 DA0 ★ | warm sunset | 4005176558481 | |
| | 26 574 DL0 ★ | brushed warm sunset | 4005176558498 | |
| | 26 574 A00 | hard graphite | 4005176558450 | |
| | 26 574 AL0 ★ | brushed hard graphite | 4005176558467 | |
| | Rainshower SmartActive 130 Hand shower 3 sprays spray plate chrome GROHE Rain including DripStop, Jet including DripStop, ActiveMassage GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE SmartTip showering spray selection via push of a ring GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses suitable for instantaneous heater | | | |
| | 26 544 000 | Chrome | 4005176478888 | |
| | ditto, with non-restricted flow | | | |
|   | 22 127 KF0 | phantom black | 4005176782633 | |
| | Rainshower SmartActive 130 Hand shower 3 sprays spray plate phantom black GROHE Rain including DripStop, Jet including DripStop, ActiveMassage GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE SmartTip showering spray selection via push of a ring GROHE Long-Life Shine finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses suitable for instantaneous heater | | | |
| | 26 574 LS0 | moon white | 4005176485923 | |
| | Rainshower SmartActive 130 Hand shower 3 sprays spray plate moon white GROHE Rain including DripStop, Jet including DripStop, ActiveMassage GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE SmartTip showering spray selection via push of a ring GROHE Long-Life Shine finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses suitable for instantaneous heater | | | |
| |   | 26 575 000 | Chrome | 4005176485947 |
| | | Rainshower SmartActive 130 Shower rail set 3 sprays Consisting of: hand shower Rainshower SmartActive 130 (26 574) shower rail 600 mm with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) GROHE EasyReach tray GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen GROHE FastFixation Plus adjustable distance between brackets, to adapt to existing holes GROHE TileFix adjustable depth on upper and lower bracket SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting suitable for instantaneous heater | | |
| | | 26 546 000 | Chrome | 4005176479816 |
| | | ditto, with non-restricted flow | | |

GROHE RAINSHOWER SMARTACTIVE


Ref. No. Colour EAN



26 578 000 Chrome 4005176485985

**Rainshower SmartActive 130
Shower rail set 3 sprays**

Consisting of:
hand shower Rainshower SmartActive 130 (26 544)
shower rail 900 mm
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
GROHE FastFixation Plus adjustable distance
between brackets, to adapt to existing holes
GROHE TileFix adjustable depth on upper and lower bracket
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
TwistStop preventing the hose from twisting
suitable for instantaneous heater




26 579 LSO moon white 4005176486203

**Rainshower SmartActive 130
Shower rail set 3 sprays**

Consisting of:
hand shower Rainshower SmartActive 130 (26 574)
spray plate moon white
shower rail 900 mm
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine finish
GROHE FastFixation Plus adjustable distance
between brackets, to adapt to existing holes
GROHE TileFix adjustable depth on upper and lower bracket
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
TwistStop preventing the hose from twisting
suitable for instantaneous heater

26 578 LSO moon white 4005176486197
ditto, with non-restricted flow




26 581 000 Chrome 4005176486234

**Rainshower SmartActive 130
Wall holder set 3 sprays**

Consisting of:
hand shower Rainshower SmartActive 130 (26 574)
wall shower holder (27 056)
Silverflex shower hose 1.500 mm (28 364)
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
TwistStop preventing the hose from twisting
suitable for instantaneous heater

26 581 LSO moon white 4005176486241
ditto, with white spray plate









26 580 000 Chrome 4005176486210

**Rainshower SmartActive 130
Wall holder set 3 sprays**

Consisting of:
hand shower Rainshower SmartActive 130 (26 574)
wall shower holder, adjustable (27 055)
Silverflex shower hose 1.500 mm (28 364)
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
TwistStop preventing the hose from twisting
suitable for instantaneous heater









26 580 LSO moon white 4005176486227
ditto, with white spray plate

GROHE RAINSHOWER SMARTACTIVE









| | Ref. No. | Colour | EAN |
|---|--|-----------------------|---------------|
|   | 26 582 000 | Chrome | 4005176486258 |
| | 26 582 DC0 | supersteel | 4005176526466 |
| | 26 582 GN0 | brushed cool sunrise | 4005176558603 |
| | 26 582 DL0 | brushed warm sunset | 4005176558573 |
| | 26 582 A00 | hard graphite | 4005176558535 |
| | 26 582 AL0 | brushed hard graphite | 4005176558542 |
| | Rainshower SmartActive 130 Cube Hand shower 3 sprays spray plate chrome GROHE Rain including DripStop, Jet including DripStop, ActiveMassage GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE SmartTip showering spray selection via push of a ring GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses suitable for instantaneous heater | | |
| | 26 552 000 | Chrome | 4005176486272 |
| | ditto, with GROHE EcoJoy 6.8 l/min flow limiter | | |
| | 26 550 000 | Chrome | 4005176479854 |
| | ditto, with non-restricted flow | | |
|   | 26 582 LS0 | moon white | 4005176486265 |
| | Rainshower SmartActive 130 Cube Hand shower 3 sprays spray plate moon white GROHE Rain including DripStop, Jet including DripStop, ActiveMassage GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE SmartTip showering spray selection via push of a ring GROHE Long-Life Shine finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses suitable for instantaneous heater | | |
| | 26 584 000 | Chrome | 4005176486296 |
| | Rainshower SmartActive 130 Cube Shower rail set 3 sprays Consisting of: hand shower Rainshower SmartActive 130 Cube (26 582) shower rail 600 mm with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) GROHE EasyReach tray GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen GROHE FastFixation Plus adjustable distance between brackets, to adapt to existing holes GROHE TileFix adjustable depth on upper and lower bracket SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting suitable for instantaneous heater | | |
| | 26 585 000 | Chrome | 4005176486319 |
| | ditto, with GROHE EcoJoy 6.8 l/min flow limiter | | |
|   | 26 583 000 | Chrome | 4005176486289 |
| | ditto, with non-restricted flow | | |

GROHE RAINSHOWER SMARTACTIVE

SHOWERS


| | Ref. No. | Colour | EAN |
|---|--|------------|---------------|
|   | 26 584 LS0 | moon white | 4005176486302 |
| | Rainshower SmartActive 130 Cube Shower rail set 3 sprays Consisting of: hand shower Rainshower SmartActive 130 Cube (26 582) spray plate moon white shower rail 600 mm with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) GROHE EasyReach tray GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen GROHE FastFixation Plus adjustable distance between brackets, to adapt to existing holes GROHE TileFix adjustable depth on upper and lower bracket SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting suitable for instantaneous heater | | |
|   | 26 586 000 | Chrome | 4005176486333 |
| | Rainshower SmartActive 130 Cube Shower rail set 3 sprays Consisting of: hand shower Rainshower SmartActive 130 Cube (26 550) shower rail 900 mm with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) GROHE EasyReach tray GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen GROHE FastFixation Plus adjustable distance between brackets, to adapt to existing holes GROHE TileFix adjustable depth on upper and lower bracket SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting suitable for instantaneous heater | | |
| | 26 587 000 | Chrome | 4005176486340 |
| | ditto, with GROHE EcoJoy 9.5 l/min flow limiter | | |
|   | 26 586 LS0 | moon white | 4005176486357 |
| | Rainshower SmartActive 130 Cube Shower rail set 3 sprays Consisting of: hand shower Rainshower SmartActive 130 Cube (26 550) spray plate moon white shower rail 900 mm with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) GROHE EasyReach tray GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine finish GROHE FastFixation Plus adjustable distance between brackets, to adapt to existing holes GROHE TileFix adjustable depth on upper and lower bracket SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting suitable for instantaneous heater | | |
| | 26 587 LS0 | moon white | 4005176486364 |
| | ditto, with GROHE EcoJoy 9.5 l/min flow limiter | | |
|   | 26 589 000 | Chrome | 4005176486395 |
| | Rainshower SmartActive 130 Cube Wall holder set 3 sprays Consisting of: hand shower Rainshower SmartActive 130 Cube (26 582) wall shower holder (27 056) Silverflex shower hose 1.500 mm (28 364) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting suitable for instantaneous heater | | |

GROHE RAINSHOWER SMARTACTIVE

| | Ref. No. | Colour | EAN |
|---|--|-------------------|----------------------|
|   | 26 589 LSO | moon white | 4005176486401 |
| | Rainshower SmartActive 130 Cube Wall holder set 3 sprays Consisting of: hand shower Rainshower SmartActive 130 Cube (26 582) spray plate moon white wall shower holder (27 056) Silverflex shower hose 1.500 mm (28 364) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine finish SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting suitable for instantaneous heater | | |
|   | 26 588 000 | Chrome | 4005176486371 |
| | Rainshower SmartActive 130 Cube Wall holder set 3 sprays Consisting of: hand shower Rainshower SmartActive 130 Cube (26 582) wall shower holder, adjustable (27 055) Silverflex shower hose 1.500 mm (28 364) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting suitable for instantaneous heater | | |
|   | 26 588 LSO | moon white | 4005176486388 |
| | Rainshower SmartActive 130 Cube Wall holder set 3 sprays Consisting of: hand shower Rainshower SmartActive 130 Cube (26 582) spray plate moon white wall shower holder, adjustable (27 055) Silverflex shower hose 1.500 mm (28 364) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine finish SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting suitable for instantaneous heater | | |
|   | 26 590 000 | Chrome | 4005176486418 |
| | Rainshower SmartActive 150 Hand shower 3 sprays spray plate chrome GROHE Rain including DripStop, Jet including DripStop, ActiveMassage GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE SmartTip showering spray selection via push of a ring GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses suitable for instantaneous heater | | |
| | 26 553 000 | Chrome | 4005176479885 |
| | ditto, with non-restricted flow | | |

GROHE RAINSHOWER SMARTACTIVE

Ref. No. Colour EAN




26 592 000 Chrome 4005176486449

**Rainshower SmartActive 150
Shower rail set 3 sprays**

Consisting of:
hand shower Rainshower SmartActive 150 (26 590)
shower rail 600 mm
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)

GROHE EasyReach tray
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
GROHE FastFixation Plus adjustable distance between brackets, to adapt to existing holes
GROHE TileFix adjustable depth on upper and lower bracket
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
TwistStop preventing the hose from twisting
suitable for instantaneous heater

26 591 000 Chrome 4005176486425
ditto, with non-restricted flow



26 592 LSO moon white 4005176486432

**Rainshower SmartActive 150
Shower rail set 3 sprays**

Consisting of:
hand shower Rainshower SmartActive 150 (26 554)
spray plate moon white
shower rail 600 mm
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)

GROHE EasyReach tray
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine finish
GROHE FastFixation Plus adjustable distance between brackets, to adapt to existing holes
GROHE TileFix adjustable depth on upper and lower bracket
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
TwistStop preventing the hose from twisting
suitable for instantaneous heater


26 594 000 Chrome 4005176486470

**Rainshower SmartActive 150
Shower rail set 3 sprays**









Consisting of:
hand shower Rainshower SmartActive 150 (26 590)
shower rail 900 mm
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)

GROHE EasyReach tray
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE FastFixation Plus adjustable distance between brackets, to adapt to existing holes
GROHE TileFix adjustable depth on upper and lower bracket
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
TwistStop preventing the hose from twisting
suitable for instantaneous heater

26 593 000 Chrome 4005176486456
ditto, with non-restricted flow




GROHE RAINSHOWER SMARTACTIVE

| | Ref. No. | Colour | EAN |
|---|---|----------------------|--|
|   | 26 594 LS0 | moon white | 4005176486463 |
| | Rainshower SmartActive 150 Shower rail set 3 sprays Consisting of: hand shower Rainshower SmartActive 150 (26 554) spray plate moon white shower rail 900 mm with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) GROHE EasyReach tray GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine finish GROHE FastFixation Plus adjustable distance between brackets, to adapt to existing holes GROHE TileFix adjustable depth on upper and lower bracket SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting suitable for instantaneous heater | | |
|   | 26 602 000 | Chrome | 4005176486531 |
| | Rainshower SmartActive Shower rail, 600 mm with wall holders made of metal glide element and swivel holder GROHE FastFixation (variable distance between wall shower holders to adapt to existing holes) GROHE TileFix adjustable depth on upper and lower bracket GROHE EasyReach tray GROHE Long-Life Shine durable sparkling sheen | | |
|   | 26 603 000 ★ Chrome 26 603 BE0 polished nickel 26 603 EN0 brushed nickel 26 603 GLO ★ cool sunrise 26 603 GN0 ★ brushed cool sunrise 26 603 DA0 ★ warm sunset 26 603 DL0 ★ brushed warm sunset 26 603 A00 hard graphite 26 603 AL0 ★ brushed hard graphite | | 4005176486548 4005176558719 4005176558740 4005176558757 4005176558764 4005176558726 4005176558733 4005176558696 4005176558702 |
| | Rainshower SmartActive Shower rail, 900 mm with wall holders made of metal glide element and swivel holder GROHE FastFixation (variable distance between wall shower holders to adapt to existing holes) GROHE TileFix adjustable depth on upper and lower bracket GROHE EasyReach tray GROHE Long-Life Shine durable sparkling sheen | | |
|   | 22 125 KF0 | phantom black | 4005176782619 |
| | Rainshower SmartActive Shower rail, 900 mm with wall holders made of metal glide element and swivel holder GROHE FastFixation (variable distance between wall shower holders to adapt to existing holes) GROHE TileFix adjustable depth on upper and lower bracket GROHE EasyReach tray GROHE Long-Life Shine finish | | |

GROHE RAINSHOWER

| Ref. No. | Colour | EAN |
|----------|--------|-----|
|----------|--------|-----|

| | | |
|------------|--------|---------------|
| 27 134 000 | Chrome | 4005176836060 |
|------------|--------|---------------|





Rainshower Cosmopolitan 160
Head shower 4 sprays



Rain / Jet / Pure / Champagne spray
Ø 160 mm

ball joint with turning angle $\pm 15^\circ$
connection thread 1/2"

GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-limescale system

GROHE RAINSHOWER


| | Ref. No. | Colour | EAN |
|---|---|--------|---------------|
|   | 27 274 000 | Chrome | 4005176861383 |
| | Rainshower Eco 120 Hand shower 2 sprays Rain, SmartRain Eco function (reduction of flow rate) Elbow adapter for the combination of handshowers with shower sets GROHE Long-Life Shine durable sparkling sheen GROHE DreamSpray perfect spray pattern SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses | | |

| | | | |
|---|--|-----------------|---------------|
|   | 45 914 XE0 | gray night time | 4005176842054 |
| | Spacer for Relexa / Rainshower shower bars 28 819 / 28 797 / 27 136 | | |

GROHE RELEXA


Ref. No. Colour EAN

27 530 000 Chrome 4005176889219




Relexa Deluxe 130
Head shower 4 sprays
 Normal, Rain, Champagne spray, Champagne spray Deluxe
 Ball joint +/- 15° rotatable
GROHE Water Saving 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
Inner WaterGuide for a longer life
 available until 31 march 2023

28 796 000 Chrome 4005176824296




Relexa 100 Five
Hand shower 5 sprays
 Wide spray / Needle Jet / Rain / Massage /
 Champagne spray
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
 minimum flow rate 7.5 l/min.

28 964 001 Chrome 4005176877254




Relexa 100 Five
Shower rail set 5 sprays
 Consisting of:
 Hand shower Relexa Five (28 796 000)
 shower rail, 600 mm (28 797)
 with wall holders made of metal
 Rotaflex shower hose 1750 mm 1/2" x 1/2" (28 410)
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
GROHE FastFixation Plus adjustable distance
 between brackets, to adapt to existing holes
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
TwistStop preventing the hose from twisting

27 062 000 Chrome 4005176831669













Relexa 100 Five
Head shower 5 sprays
 Wide spray / Needle Jet / Rain / Massage /
 Champagne spray
 ball-joint
 connection thread with pre-assembled
 sealing
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
 minimum flow rate 7.5 l/min.

27 067 000 Chrome 4005176832123











Relexa 65
Side shower 2 sprays
 Wide spray/Massage
 ball-joint
GROHE DreamSpray perfect spray pattern
GROHE Long-Life Shine durable sparkling sheen
SpeedClean anti-limescale system
Inner WaterGuide for a longer life









GROHE RELEXA

| | Ref. No. | Colour | EAN |
|---|------------|--------|---------------|
|   | 28 404 000 | Chrome | 4005176601736 |
| Relaxa Basic 85 Head shower 1 spray Rain brass tin plate 50 mm high connection thread 1/2" | | | |
|   | 28 094 000 | Chrome | 4005176601132 |
| Relaxa Plus 50 Head shower 1 spray with ball joint 1/2" connection GROHE Long-Life Shine durable sparkling sheen adjustable flow rate without shower arm | | | |
|   | 28 002 000 | Chrome | 4005176858796 |
| Relaxa 70 Sports head shower 1 spray low aerosol emission heavy, cast model theft proof connection thread 1/2" projection 57 mm flow limiter 9 l/min. and 12 l/min. GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life suicide resistant design pipe union plug-in for wall connection | | | |
|   | 28 948 000 | Chrome | 4005176209871 |
| Relaxa Plus 60 Sports head shower 1 spray heavy, cast model connection thread 1/2" projection 148 mm GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system | | | |
|   | 28 286 000 | Chrome | 4005176198526 |
| Relaxa 50 Side shower 2 sprays Wide Spray/ Needle Jet ball-joint GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system | | | |

GROHE EUPHORIA









| | Ref. No. | Colour | EAN |
|---|------------|--------|---------------|
|   | 27 222 000 | Chrome | 4005176854132 |
| <p>Euphoria 110 Champagne Hand shower 3 sprays Rain, Champagne spray, SmartRain GROHE DreamSpray perfect spray pattern GROHE SprayDimmer (Stepless flow rate reduction) GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses suitable for instantaneous heater</p> | | | |
|   | 26 513 000 | Chrome | 4005176457722 |
| <p>Euphoria 110 Massage Hand shower 3 sprays spray face Ø 110 mm Rain, Massage, SmartRain GROHE Water Saving 6,6 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE SprayDimmer (Stepless flow rate reduction) GROHE Long-Life Shine durable sparkling sheen spray plate white SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses suitable for instantaneous heater min. recommended pressure 1.0 bar</p> | | | |
|   | 27 239 001 | Chrome | 4005176457715 |
| <p>Euphoria 110 Massage Hand shower 3 sprays spray face Ø 110 mm Rain, Massage, SmartRain GROHE Water Saving 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE SprayDimmer (Stepless flow rate reduction) GROHE Long-Life Shine durable sparkling sheen spray plate white SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses suitable for instantaneous heater min. recommended pressure 1.0 bar</p> | | | |
| | 27 221 001 | Chrome | 4005176457708 |
| <p>ditto, with non-restricted flow</p> | | | |
|   | 27 239 000 | Chrome | 4005176854323 |
| <p>Euphoria 110 Massage Hand shower 3 sprays Rain, Massage, SmartRain GROHE Water Saving 9,5 l/min flow limiter GROHE SprayDimmer (Stepless flow rate reduction) GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses</p> | | | |
| | 27 221 000 | Chrome | 4005176854125 |
| <p>ditto, with non-restricted flow</p> | | | |









GROHE EUPHORIA

| | Ref. No. | Colour | EAN |
|---|---|--------|---------------|
|   | 27 238 000 | Chrome | 4005176854293 |
| | Euphoria 110 Duo Hand shower 2 sprays Rain, SmartRain GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE SprayDimmer (Stepless flow rate reduction) GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses suitable for instantaneous heater min. recommended pressure 1.0 bar | | |
| | 27 220 000 | Chrome | 4005176854118 |
| | ditto, with non-restricted flow | | |
|   | 27 265 00E | Chrome | 4005176885693 |
| | Euphoria 110 Mono Hand shower 1 spray Rain GROHE Water Saving 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses suitable for instantaneous heater min. recommended pressure 1.0 bar | | |
| | 27 265 000 | Chrome | 4005176856983 |
| | ditto, with non-restricted flow | | |
|   | 27 224 000 | Chrome | 4005176854156 |
| | Euphoria 110 Mono Hand shower 1 spray Rain GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life min. recommended pressure 1.0 bar | | |
|   | 27 232 001 | Chrome | 4005176899560 |
| | Euphoria 110 Champagne Shower rail set 3 sprays Consisting of: hand shower Champagne (27 222) shower rail, 600 mm (27 499) Silverflex shower hose 1750 mm (28 388 000) GROHE EasyReach tray (27 596) GROHE SprayDimmer (Stepless flow rate reduction) GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen GROHE FastFixation (upper bracket adjustable to adapt to existing holes) SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting suitable for instantaneous heater min. recommended pressure 1.0 bar | | |









GROHE EUPHORIA

SHOWERS











| | Ref. No. | Colour | EAN |
|---|---|---------------|----------------------|
|   | 27 243 001 | Chrome | 4005176899799 |
| | <p>Euphoria 110 Massage Shower rail set 3 sprays hand shower Massage (27 239 000) shower rail, 600 mm (27 499) Silverflex shower hose 1750 mm (28 388 000) GROHE EasyReach tray (27 596) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE SprayDimmer (Stepless flow rate reduction) GROHE Long-Life Shine durable sparkling sheen GROHE FastFixation (upper bracket adjustable to adapt to existing holes) SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting suitable for instantaneous heater</p> | | |
| | 27 231 001 | Chrome | 4005176899553 |
| | ditto, with non-restricted flow | | |
|   | 27 242 001 | Chrome | 4005176899782 |
| | <p>Euphoria 110 Duo Shower rail set 2 sprays Consisting of: hand shower Euphoria 110 Duo (27 238) shower rail, 600 mm (27 499) Silverflex shower hose 1750 mm (28 388 000) GROHE EasyReach tray (27 596) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE SprayDimmer (Stepless flow rate reduction) GROHE Long-Life Shine durable sparkling sheen GROHE FastFixation (upper bracket adjustable to adapt to existing holes) SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting suitable for instantaneous heater min. recommended pressure 1.0 bar</p> | | |
| | 27 230 001 | Chrome | 4005176899546 |
| | ditto, with non-restricted flow | | |
|   | 27 266 00E | Chrome | 4005176890710 |
| | <p>Euphoria 110 Mono Shower rail set 1 spray Consisting of: hand shower Euphoria Mono (27 265 000) shower rail, 600 mm (27 499) Silverflex shower hose 1750 mm (28 388 000) GROHE EasyReach tray GROHE Water Saving 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen GROHE FastFixation (upper bracket adjustable to adapt to existing holes) SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting suitable for instantaneous heater min. recommended pressure 1.0 bar</p> | | |
| | 27 266 001 | Chrome | 4005176899812 |
| | ditto, with non-restricted flow | | |
|   | 27 256 001 | Chrome | 4005176899805 |
| | <p>Euphoria 110 Mono Shower rail set 1 spray hand shower Mono (27 224 000) shower rail, 600 mm (27 499) shower hose 1500 mm (28 161) soap dish GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen GROHE FastFixation (upper bracket adjustable to adapt to existing holes) SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar</p> | | |

| | Ref. No. | Colour | EAN |
|---|------------|--------|---------------|
|   | 27 227 001 | Chrome | 4005176899522 |
| <p>Euphoria 110 Champagne Shower rail set 3 sprays Consisting of: hand shower Champagne (27 222) shower rail 900 mm (27 500) Silverflex shower hose 1750 mm (28 388 000) GROHE EasyReach tray (27 596) GROHE DreamSpray perfect spray pattern GROHE SprayDimmer (Stepless flow rate reduction) GROHE Long-Life Shine durable sparkling sheen GROHE FastFixation (upper bracket adjustable to adapt to existing holes) SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting suitable for instantaneous heater min. recommended pressure 1.0 bar</p> | | | |
|   | 27 226 001 | Chrome | 4005176899515 |
| <p>Euphoria 110 Massage Shower rail set 3 sprays Consisting of: hand shower Massage (27 221 000) shower rail 900 mm (27 500) Silverflex shower hose 1750 mm (28 388 000) GROHE EasyReach tray (27 596) GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen GROHE SprayDimmer (Stepless flow rate reduction) GROHE FastFixation (upper bracket adjustable to adapt to existing holes) SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting suitable for instantaneous heater</p> | | | |
|   | 27 225 001 | Chrome | 4005176899508 |
| <p>Euphoria 110 Duo Shower rail set 2 sprays Consisting of: hand shower Duo (27 220 000) shower rail 900 mm (27 500) Silverflex shower hose 1750 mm (28 388 000) GROHE EasyReach tray (27 596) GROHE DreamSpray perfect spray pattern GROHE SprayDimmer (Stepless flow rate reduction) GROHE Long-Life Shine durable sparkling sheen GROHE FastFixation (upper bracket adjustable to adapt to existing holes) SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting suitable for instantaneous heater</p> | | | |
|   | 27 267 001 | Chrome | 4005176899829 |
| <p>Euphoria 110 Mono Shower rail set 1 spray Consisting of: Handshower mono (27 265 000) shower rail 900 mm (27 500) Silverflex shower hose 1750 mm (28 388 000) GROHE EasyReach tray (27 596) GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen GROHE FastFixation (upper bracket adjustable to adapt to existing holes) SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting suitable for instantaneous heater min. recommended pressure 1.0 bar</p> | | | |

GROHE EUPHORIA











| | Ref. No. | Colour | EAN |
|---|---|--------|---------------|
|   | 27 355 000 | Chrome | 4005176874451 |
| | Euphoria 110 Champagne Wall holder set 3 sprays Wall shower holder 28 401 Silverflex shower hose 1750 mm (28 388 000) GROHE DreamSpray perfect spray pattern GROHE SprayDimmer (Stepless flow rate reduction) GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting suitable for instantaneous heater min. recommended pressure 1.0 bar | | |
|   | 27 354 000 | Chrome | 4005176874444 |
| | Euphoria 110 Mono Wall holder set 1 spray wall shower holder (27 056) Silverflex shower hose 1250 mm (28 362) GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting suitable for instantaneous heater min. recommended pressure 1.0 bar | | |
|   | 26 459 000 | Chrome | 4005176416965 |
| | Euphoria 260 Head shower set 380 mm, 3 sprays Consisting of: head shower Euphoria 260 (26 457) 3 spray patterns: Rain, SmartRain, Jet shower arm Rainshower 380 mm (28 361 000) GROHE Water Saving 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater | | |
| | 26 458 000 | Chrome | 4005176416958 |
| | ditto, with non-restricted flow | | |
|   | 26 461 000 | Chrome | 4005176416989 |
| | Euphoria 260 Head shower set ceiling 142 mm, 3 sprays Consisting of: head shower Euphoria 260 (26 457) 3 spray patterns: Rain, SmartRain, Jet Rainshower shower arm ceiling 142 mm (28 724 000) GROHE Water Saving 9,5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater | | |
| | 26 460 000 | Chrome | 4005176416972 |
| | ditto, with non-restricted flow | | |

GROHE EUPHORIA











| | Ref. No. | Colour | EAN |
|---|--|--------|---------------|
|   | 26 457 000 | Chrome | 4005176416934 |
| | <p>Euphoria 260 Head shower 3 sprays Rain, SmartRain, Jet Ø 260 mm Ball joint +/- 15° rotatable connection thread 1/2" GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater</p> | | |
| | 26 455 000 | Chrome | 4005176416903 |
| | ditto, with non-restricted flow | | |
|   | 27 237 000 | Chrome | 4005176854286 |
| | <p>Euphoria 110 Mono Head shower 1 spray Rain connection thread 1/2" bellows GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system suitable for instantaneous heater</p> | | |
|   | 27 499 000 | Chrome | 4005176886041 |
| | <p>Euphoria Shower rail, 600 mm with wall holders, glide element and swivel holder GROHE FastFixation (upper bracket adjustable to adapt to existing holes) GROHE Long-Life Shine durable sparkling sheen</p> | | |
| | 27 500 000 | Chrome | 4005176886058 |
| | ditto, 900 mm | | |
|   | 48 051 000 | | 4005176890024 |
| | <p>Spacer for Tempesta shower rails 27 519 / 27 520 / 27 521 / 27 522 / 27 523 / 27 524 for Euphoria shower rails 27 499 / 27 500</p> | | |
|   | 27 596 000 | | 4005176895944 |
| | <p>GROHE EasyReach tray acrylic for Tempesta and Euphoria shower rails Ø 22 mm</p> | | |

GROHE EUPHORIA







SHOWERS

| | Ref. No. | Colour | EAN |
|---|---|---------------|---------------|
|   | 27 400 000 | Chrome | 4005176877292 |
| | Euphoria Cosmopolitan Stick Hand shower 1 spray Normal spray GROHE Water Saving 9.5 l/min flow limiter GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses suitable for instantaneous heater min. recommended pressure 1.0 bar | | |
| | 27 367 000 | Chrome | 4005176875939 |
| | ditto, with non-restricted flow | | |
|   | 22 126 KF0 | phantom black | 4005176782626 |
| | Euphoria Cosmopolitan Stick Hand shower 1 spray Normal spray GROHE Water Saving 9.5 l/min flow limiter GROHE Long-Life Shine finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses suitable for instantaneous heater min. recommended pressure 1.0 bar | | |
|   | 27 368 000 | Chrome | 4005176875946 |
| | Euphoria Cosmopolitan Stick Shower rail set 1 spray Consisting of: hand shower 27 400 000 shower rail, 900 mm with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) soap dish (27 206) GROHE Water Saving 9.5 l/min flow limiter GROHE Long-Life Shine durable sparkling sheen GROHE FastFixation Plus adjustable distance between brackets, to adapt to existing holes SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting suitable for instantaneous heater min. recommended pressure 1.0 bar | | |
|   | 27 369 000 | Chrome | 4005176875953 |
| | Euphoria Cosmopolitan Stick Wall holder set 1 spray hand shower 27 400 000 wall shower holder (27 056) Silverflex shower hose 1.500 mm (28 364) GROHE Water Saving 9.5 l/min flow limiter GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting suitable for instantaneous heater Min. recommended pressure 0.5 bar | | |
|   | 27 492 000 | Chrome | 4005176885556 |
| | Euphoria Cosmopolitan 180 Head shower 1 spray Rain Ø 180 mm Ball joint +/- 15° rotatable connection thread 1/2" GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system | | |

GROHE EUPHORIA

| | Ref. No. | Colour | EAN |
|---|--|--------|---------------|
|   | 28 233 000 | Chrome | 4005176868016 |
| | Euphoria Cosmopolitan 160 Head shower 1 spray Rain Ball joint +/- 15° rotatable connection thread 1/2" GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system suitable for instantaneous heater | | |
|   | 27 891 000 | Chrome | 4005176921209 |
| | Euphoria Cube+ Stick Shower rail set 1 spray hand shower, metal (27 888 000) shower rail 600 mm (27 892 000) metal shower hose 1750 mm (28 025) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting | | |
|   | 27 699 000 | Chrome | 4005176907104 |
| | Euphoria Cube Stick Hand shower 1 spray Normal spray GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses | | |
| | 27 698 000 | Chrome | 4005176907098 |
| | ditto, with non-restricted flow | | |
|   | 27 936 000 | Chrome | 4005176927058 |
| | Euphoria Cube Shower set Consisting of: Hand shower (27 698 000) shower rail 600 mm (27 892 000) Silverflex shower hose 1750 mm (28 388 000) GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar available until 31 march 2023 | | |
|   | 27 700 000 | Chrome | 4005176907111 |
| | Euphoria Cube Stick Shower rail set 1 spray Hand shower (27 698 000) shower rail 900 mm (27 841) Silverflex shower hose 1750 mm (28 388 000) GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting min. recommended pressure 1.0 bar | | |









GROHE EUPHORIA

| | Ref. No. | Colour | EAN |
|---|---|--------|---------------|
|   | 26 405 000 | Chrome | 4005176385162 |
| | <p>Euphoria Cube Stick Wall holder set 1 spray with integrated wall union 1/2" Consisting of: Handshower (27 699 000) shower outlet elbow 1/2" with wall shower holder (26 370) male thread protected against backflow Silverflex shower hose 1250 mm (28 362) GROHE Water Saving 9.5 l/min flow limiter GROHE Long-Life Shine durable sparkling sheen GROHE DreamSpray perfect spray pattern SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting suitable for instantaneous heater min. recommended pressure 1.0 bar</p> | | |
|   | 27 703 000 | Chrome | 4005176907142 |
| | <p>Euphoria Cube Stick Wall holder set 1 spray Handshower (27 699 000) wall shower holder (27 693 000) Silverflex shower hose 1250 mm (28 362) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting min. recommended pressure 1.0 bar</p> | | |
| | 27 702 000 | Chrome | 4005176907135 |
| | <p>ditto, with non-restricted flow</p> | | |
|   | 26 073 000 | Chrome | 4005176937279 |
| | <p>Euphoria Cube 150 Head shower set 286 mm, 1 spray head shower Euphoria Cube 150 (27 705 000) 1 spray pattern: Rain Shower arm Rainshower 286 mm (27 709 000) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life</p> | | |
|   | 27 705 000 | Chrome | 4005176907166 |
| | <p>Euphoria Cube 150 Head shower 1 spray Rain 152 x 152 mm ball-joint rotation angle $\pm 12^\circ$ connection thread 1/2" GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life</p> | | |
|   | 27 841 000 | Chrome | 4005176916670 |
| | <p>Euphoria Cube Shower rail, 900 mm with wall holders, glide element and swivel holder GROHE Long-Life Shine durable sparkling sheen</p> | | |









GROHE TEMPESTA

| | Ref. No. | Colour | EAN | |
|---|---|--|--------|---------------|
|  |  | 27 575 002 | Chrome | 4005176443930 |
| | | Tempesta Cosmopolitan 100 Hand shower 4 sprays GROHE Rain O ² , Rain, Massage, Jet GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses | | |
| | | 27 573 002 | Chrome | 4005176443947 |
| ditto, with non-restricted flow | | | | |
|  |  | 27 574 002 | Chrome | 4005176443916 |
| | | Tempesta Cosmopolitan 100 Hand shower 3 sprays GROHE Rain O ² , Rain, Massage GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses | | |
| | | 27 572 002 | Chrome | 4005176443923 |
| ditto, with non-restricted flow | | | | |
|  |  | 27 571 20E | Chrome | 4005176443275 |
| | | Tempesta Cosmopolitan 100 Hand shower 2 sprays Rain, Jet GROHE Water Saving 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses suitable for instantaneous heater min. recommended pressure 1.0 bar | | |
| | | 27 571 002 | Chrome | 4005176443893 |
| ditto, with non-restricted flow | | | | |
| | | 26 130 001 | Chrome | 4005176443909 |
| ditto, with non-restricted flow, for low pressure | | | | |
|  |  | 26 082 002 | Chrome | 4005176443268 |
| | | Tempesta Cosmopolitan 100 Hand shower 1 spray Rain GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses | | |











GROHE TEMPESTA

| | Ref. No. | Colour | EAN |
|---|---|---------------|----------------------|
|   | 27 577 002 | Chrome | 4005176451584 |
| | Tempesta Cosmopolitan 100 Shower rail set 4 sprays Consisting of: hand shower (27 575) shower rail, 600 mm (27 521) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EasyReach tray (27 596) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar | | |
|   | 27 576 002 | Chrome | 4005176451560 |
| | Tempesta Cosmopolitan 100 Shower set 3 sprays Consisting of: hand shower (27 574) shower rail, 600 mm (27 521 000) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EasyReach tray (27 596) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar | | |
| | 27 929 002 | Chrome | 4005176451577 |
| | ditto, with non-restricted flow | | |
|   | 26 083 002 | Chrome | 4005176451546 |
| | Tempesta Cosmopolitan 100 Shower rail set 1 spray Consisting of: hand shower (26 082) shower rail, 600 mm (27 521) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EasyReach tray (27 596) GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life | | |
|   | 27 580 002 | Chrome | 4005176451515 |
| | Tempesta Cosmopolitan 100 Shower rail set 4 sprays Consisting of: hand shower Tempesta Cosmopolitan 100 (27 575) shower rail, 600 mm (27 521) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life | | |
| | 27 787 002 | Chrome | 4005176451522 |
| | ditto, with non-restricted flow | | |



GROHE TEMPESTA

| | Ref. No. | Colour | EAN |
|---|---|---------------|----------------------|
|   | 27 579 002 | Chrome | 4005176451492 |
| | Tempesta Cosmopolitan 100 Shower rail set 3 sprays Consisting of: hand shower (27 574) shower rail, 600 mm (27 521) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life | | |
| | 27 786 002 | Chrome | 4005176451508 |
| | ditto, with non-restricted flow | | |
|   | 27 578 20E | Chrome | 4005176451362 |
| | Tempesta Cosmopolitan 100 Shower rail set 2 sprays Consisting of: hand shower Tempesta Cosmopolitan 100 (27 571 20E) shower rail, 600 mm (27 521) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE Water Saving 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life | | |
| | 27 578 002 | Chrome | 4005176451386 |
| | ditto, with non-restricted flow | | |
|   | 27 790 002 | Chrome | 4005176451614 |
| | Tempesta Cosmopolitan 100 Shower rail set 4 sprays Consisting of: hand shower (27 573) shower rail, 900 mm (27 522) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar | | |
|   | 27 584 002 | Chrome | 4005176451621 |
| | Tempesta Cosmopolitan 100 Shower set 3 sprays hand shower (27 574) wall shower holder adjustable (27 595) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life | | |









GROHE TEMPESTA

| | Ref. No. | Colour | EAN |
|---|--|--------|---------------|
|   | 27 588 002 | Chrome | 4005176451669 |
| | Tempesta Cosmopolitan 100 Wall holder set 3 sprays Consisting of: hand shower (27 574) wall shower holder non-adjustable (27 594) Relaxaflex hose 1500 mm 1/2" x 1/2" (28 151) GROHE Water Saving 9.5 l/min flow limiter GROHE Long-Life Shine durable sparkling sheen GROHE DreamSpray perfect spray pattern SpeedClean anti-limescale system Inner WaterGuide for a longer life | | |
|   | 26 084 002 | Chrome | 4005176451645 |
| | Tempesta Cosmopolitan 100 Wall holder set 1 spray Consisting of: hand shower (26 082) wall shower holder non-adjustable (27 594) Relaxaflex hose 1500 mm 1/2" x 1/2" (28 151) GROHE Long-Life Shine durable sparkling sheen GROHE DreamSpray perfect spray pattern SpeedClean anti-limescale system Inner WaterGuide for a longer life | | |
|   | 27 869 001 | Chrome | 4005176444005 |
| | Tempesta Cosmopolitan 100 Head shower 4 sprays GROHE Rain O ² , Rain, Massage, Jet Ball joint +/- 15° rotatable shower arm with connection thread 1/2" escutcheon GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater | | |
|   | 26 090 001 | Chrome | 4005176443992 |
| | Tempesta Cosmopolitan 100 Head shower set 3 sprays GROHE Rain O ² , Rain, Massage Ball joint +/- 15° rotatable shower arm with connection thread 1/2" escutcheon GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater | | |
|   | 27 591 001 | Chrome | 4005176443985 |
| | Tempesta Cosmopolitan 100 Head shower 4 sprays GROHE Rain O ² , Rain, Massage, Jet connection thread 1/2" GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life | | |









GROHE TEMPESTA

| | Ref. No. | Colour | EAN |
|---|--|---------------|----------------------|
|   | 26 051 001 | Chrome | 4005176443954 |
| | Tempesta Cosmopolitan 100 Head shower 1 spray Rain Ball joint +/- 15° rotatable connection thread 1/2" GROHE Water Saving 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater | | |
|   | 27 541 001 | Chrome | 4005176451676 |
| | Tempesta Cosmopolitan 200 Head shower 1 spray Rain spray pattern Ball joint +/- 20° rotatable connection thread 1/2" suitable for instantaneous heater | | |
|   | 27 521 000 | Chrome | 4005176886508 |
| | Tempesta Cosmopolitan Shower rail, 600 mm with wall brackets, glider and swivel holder GROHE Long-Life Shine durable sparkling sheen | | |
| | 27 522 000 | Chrome | 4005176886515 |
| | ditto, 900 mm | | |
|   | 48 051 000 | | 4005176890024 |
| | Spacer for Tempesta shower rails 27 519 / 27 520 / 27 521 / 27 522 / 27 523 / 27 524 for Euphoria shower rails 27 499 / 27 500 | | |
|   | 27 596 000 | | 4005176895944 |
| | GROHE EasyReach tray acrylic for Tempesta and Euphoria shower rails Ø 22 mm | | |







GROHE TEMPESTA

| | Ref. No. | Colour | EAN |
|---|---|---------------|----------------------|
|   | 28 421 002 | Chrome | 4005176444142 |
| | Tempesta 100 Hand shower 4 sprays GROHE Rain O ² , Rain, Massage, Jet GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life ShockProof silicone ring prevents damage caused by a shower falling | | |
| | 28 578 002 | Chrome | 4005176444159 |
| | ditto, with non-restricted flow | | |
|   | 28 419 002 | Chrome | 4005176444128 |
| | Tempesta 100 Hand shower 3 sprays GROHE Rain O ² , Rain, Massage GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life ShockProof silicone ring prevents damage caused by a shower falling | | |
| | 28 261 002 | Chrome | 4005176444135 |
| | ditto, with non-restricted flow | | |
|   | 27 597 10E | Chrome | 4005176985409 |
| | Tempesta 100 Hand shower 2 sprays Rain, Jet Cradle to Cradle Certified Bronze GROHE Water Saving 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life ShockProof silicone ring prevents damage caused by a shower falling | | |
| | 26 161 001 | Chrome | 4005176444104 |
| | ditto, with 9.5 l/min flow limiter | | |
| | 27 597 001 | Chrome | 4005176985508 |
| | ditto, with non-restricted flow | | |
| | 28 422 002 | Chrome | 4005176444111 |
| | ditto, with non-restricted flow, for low pressure | | |
|   | 27 923 001 | Chrome | 4005176444074 |
| | Tempesta 100 Hand shower 1 spray Rain GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life ShockProof silicone ring prevents damage caused by a shower falling Universal Mounting System. Fits all standard shower hoses | | |
| | 27 852 001 | Chrome | 4005176444081 |
| | ditto, with non-restricted flow | | |
| | 28 214 003 | Chrome | 4005176444098 |
| | ditto, with non-restricted flow, for low pressure | | |









GROHE TEMPESTA

| | Ref. No. | Colour | EAN |
|---|--|---------------|----------------------|
|   | 28 436 002 | Chrome | 4005176451799 |
| | Tempesta 100 Shower rail set 4 sprays Consisting of: hand shower (28 421) shower rail, 600 mm (27 523) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EasyReach tray (27 596) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life ShockProof silicone ring prevents damage caused by a shower falling suitable for instantaneous heater | | |
|   | 27 600 001 | Chrome | 4005176451775 |
| | Tempesta 100 Shower rail set 3 sprays Consisting of: hand shower (28 419) shower rail, 600 mm (27 523) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EasyReach tray (27 596) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life ShockProof silicone ring prevents damage caused by a shower falling | | |
|   | 27 926 001 | Chrome | 4005176451768 |
| | Tempesta 100 Shower rail set 2 sprays Consisting of: hand shower Tempesta 100 II (27 597) shower rail, 600 mm (27 523) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EasyReach tray (27 596) GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life ShockProof silicone ring prevents damage caused by a shower falling suitable for instantaneous heater | | |
|   | 27 645 001 | Chrome | 4005176451744 |
| | Tempesta 100 Shower rail set 4 sprays Consisting of: hand shower (28 421) shower rail, 600 mm (27 523) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life ShockProof silicone ring prevents damage caused by a shower falling | | |
| | 27 795 001 | Chrome | 4005176451751 |
| | ditto, with non-restricted flow | | |

GROHE TEMPESTA

| | Ref. No. | Colour | EAN |
|---|---|--|----------------------|
|  |  | 27 644 001 Chrome | 4005176451720 |
| | | Tempesta 100 Shower rail set 3 sprays Consisting of: hand shower (28 419) shower rail, 600 mm (27 523) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life ShockProof silicone ring prevents damage caused by a shower falling | |
| | | 27 794 001 Chrome ditto, with non-restricted flow | 4005176451737 |
|  |  | 26 803 000 Chrome | 4005176723766 |
| | | Tempesta 100 Shower rail set 2 sprays Cradle to Cradle Certified Gold Consisting of: hand shower Tempesta 100 II 5.7 l/min shower rail, 600 mm (27 523) metal shower hose 1750 mm 1/2" x 1/2" GROHE Water Saving 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life ShockProof silicone ring prevents damage caused by a shower falling | |
| | | 27 598 10E Chrome ditto, with non-restricted flow | 4005176985416 |
|  |  | 27 598 10E Chrome | 4005176985416 |
| | | Tempesta 100 Shower rail set 2 sprays Consisting of: hand shower Tempesta 100 II 5.7 l/min (27 597) shower rail, 600 mm (27 523) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE Water Saving 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life ShockProof silicone ring prevents damage caused by a shower falling | |
| | | 26 162 001 Chrome ditto, with 9.5 l/min flow limiter | 4005176451713 |
| | | 27 598 001 Chrome ditto, with non-restricted flow | 4005176985515 |
| | | 28 438 001 Chrome ditto, with non-restricted flow, for low pressure | 4005176985553 |









GROHE TEMPESTA

| | Ref. No. | Colour | EAN | |
|---|---|---|--|----------------------|
|  |  | 27 924 001 Chrome | 4005176451690 | |
| | | Tempesta 100 Shower rail set 1 spray Consisting of: hand shower (27 923) shower rail, 600 mm (27 523) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life ShockProof silicone ring prevents damage caused by a shower falling | | |
| | | 27 853 001 Chrome | 4005176451706 | |
| | 28 280 004 Chrome | ditto, with non-restricted flow | 4005176306624 | |
|  |  | 28 789 002 Chrome | 4005176451843 | |
| | | Tempesta 100 Shower rail set 3 sprays Consisting of: hand shower (28 419) shower rail, 900 mm (27 524) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life ShockProof silicone ring prevents damage caused by a shower falling suitable for instantaneous heater | | |
| | | 27 796 001 Chrome | ditto, with non-restricted flow | 4005176451850 |
|  |  | 27 646 10E Chrome | 4005176985423 | |
| | | Tempesta 100 Shower rail set 2 sprays Consisting of: hand shower Tempesta 100 II (27 597) shower rail, 900 mm (27 524) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE Water Saving 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life ShockProof silicone ring prevents damage caused by a shower falling suitable for instantaneous heater | | |
| | | 27 646 001 Chrome | ditto, with non-restricted flow | 4005176985522 |
|  |  | 27 925 001 Chrome | 4005176451812 | |
| | | Tempesta 100 Shower rail set 1 spray Consisting of: hand shower (27 923) shower rail, 900 mm (27 524) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life ShockProof silicone ring prevents damage caused by a shower falling suitable for instantaneous heater | | |
| | | 27 854 001 Chrome | ditto, with non-restricted flow | 4005176451829 |

















GROHE TEMPESTA

| | Ref. No. | Colour | EAN |
|---|---|--------|---------------|
|   | 27 601 10E | Chrome | 4005176985430 |
| | Tempesta 100 Wall holder set 2 sprays hand shower Tempesta 100 II (27 597) wall shower holder adjustable (27 595) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE Water Saving 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life ShockProof silicone ring prevents damage caused by a shower falling min. recommended pressure 1.0 bar | | |
|   | 27 803 10E | Chrome | 4005176985454 |
| | Tempesta 100 Wall holder set 2 sprays hand shower Tempesta 100 II (27 597) wall shower holder (28 605), non-adjustable Relaxaflex hose 1500 mm 1/2" x 1/2" (28 151) GROHE Water Saving 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life ShockProof silicone ring prevents damage caused by a shower falling min. recommended pressure 1.0 bar | | |
|   | 27 798 10E | Chrome | 4005176985447 |
| | Tempesta 100 Wall holder set 2 sprays Consisting of: hand shower Tempesta 100 II (27 597) wall shower holder (28 605) non-adjustable Relaxaflex hose 1250 mm 1/2" x 1/2" (28 150) GROHE Water Saving 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life ShockProof silicone ring prevents damage caused by a shower falling suitable for instantaneous heater min. recommended pressure 1.0 bar | | |
| | 26 164 001 | Chrome | 4005176451867 |
| | ditto, with 9.5 l/min flow limiter | | |
| | 27 799 001 | Chrome | 4005176985539 |
| | ditto, with non-restricted flow | | |
|   | 26 406 001 | Chrome | 4005176451881 |
| | Tempesta 100 Wall holder set 2 sprays with integrated wall union 1/2" Consisting of: hand shower Tempesta 100 II (27 597) shower outlet elbow 1/2" with wall shower holder (28 679) male thread protected against backflow Relaxaflex hose 1500 mm 1/2" x 1/2" (28 151) GROHE Water Saving 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life ShockProof silicone ring prevents damage caused by a shower falling suitable for instantaneous heater min. recommended pressure 1.0 bar | | |













GROHE TEMPESTA

| | Ref. No. | Colour | EAN |
|---|--|--------|---------------|
|   | 26 663 000 | Chrome | 4005176580505 |
| | Tempesta 250 Head shower set 380 mm, 1 spray Consisting of: head shower Tempesta 250 (26 662) Rain fully chrome plated surfaces shower arm 380 mm (28 361) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater professional edition | | |
| | 26 668 000 | Chrome | 4005176580550 |
| | ditto, but head shower with white rear cover | | |
|   | 26 682 000 | Chrome | 4005176580697 |
| | Tempesta 250 Cube Head shower set 380 mm, 1 spray Consisting of: head shower Tempesta 250 Cube (26 681) 1 spray pattern: Rain fully chrome plated surfaces shower arm 380 mm with square escutcheon GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater professional edition | | |
| | 26 687 000 | Chrome | 4005176580741 |
| | ditto, but head shower with white rear cover | | |
|   | 26 412 000 | Chrome | 4005176390173 |
| | Tempesta 210 Head shower set 286 mm, 1 spray Consisting of: head shower Tempesta 210 9.5 l/min (26 410) 1 spray pattern: Rain Shower arm Rainshower 286 mm (28 576 000) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater | | |
|   | 26 267 001 | Chrome | 4005176444197 |
| | Tempesta 100 Head shower 1 spray Rain Ball joint +/- 15° rotatable shower arm with connection thread 1/2" escutcheon GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life for low pressure | | |











GROHE TEMPESTA

| | Ref. No. | Colour | EAN | |
|---|---|---|---------------|----------------------|
|  |  |  26 664 000 | Chrome | 4005176580512 |
| | | Tempesta 250 Head shower set ceiling 142 mm, 1 spray Consisting of: head shower Tempesta 250 (26 662) Rain fully chrome plated surfaces shower arm ceiling 142 mm (28 724) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater professional edition | | |
| | |  26 669 000 | Chrome | 4005176580567 |
| ditto, but head shower with white rear cover | | | | |
|  |  |  26 683 000 | Chrome | 4005176580703 |
| | | Tempesta 250 Cube Head shower set ceiling 142 mm, 1 spray Consisting of: head shower Tempesta 250 Cube (26 681) 1 spray pattern: Rain fully chrome plated surfaces shower arm ceiling 142 mm (27 485) with square escutcheon GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater professional edition | | |
| | |  26 688 000 | Chrome | 4005176580758 |
| ditto, but head shower with white rear cover | | | | |
|  |  |  26 414 000 | Chrome | 4005176408090 |
| | | Tempesta 210 Head shower set ceiling 142 mm, 1 spray Consisting of: head shower Tempesta 210 9.5 l/min (26 410) 1 spray pattern: Rain Rainshower shower arm ceiling 142 mm (28 724 000) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater | | |
| | |  26 413 000 | Chrome | 4005176390180 |
| ditto, with non-restricted flow | | | | |
|  |  |  26 662 000 | Chrome | 4005176580499 |
| | | Tempesta 250 Head shower 1 spray Rain Ø 250 mm fully chrome plated surfaces ball joint with turning angle $\pm 10^\circ$ connection thread 1/2" GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater professional edition | | |
| | |  26 666 000 | Chrome | 4005176580536 |
| ditto, but with white rear cover | | | | |











GROHE TEMPESTA

| | Ref. No. | Colour | EAN |
|---|---|--------|---------------|
|   |  26 681 000 | Chrome | 4005176580680 |
| | Tempesta 250 Cube Head shower 1 spray Rain 250 mm x 250 mm fully chrome plated surfaces ball joint with turning angle $\pm 10^\circ$ connection thread 1/2" GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater professional edition | | |
| |  26 685 000 | Chrome | 4005176580727 |
| ditto, but with white rear cover | | | |
|   | 26 409 000 | Chrome | 4005176390128 |
| | Tempesta 210 Head shower 1 spray Rain \varnothing 210 mm Ball joint $\pm 15^\circ$ rotatable connection thread 1/2" GROHE Water Saving 6.6 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater | | |
| | 26 410 000 | Chrome | 4005176390142 |
| ditto, with 9.5 l/min flow limiter | | | |
| | 26 408 000 | Chrome | 4005176390111 |
| ditto, with non-restricted flow | | | |
|   | 27 606 001 | Chrome | 4005176444180 |
| | Tempesta 100 Head shower 4 sprays GROHE Rain O ² , Rain, Massage, Jet connection thread 1/2" GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life | | |
|   | 26 050 001 | Chrome | 4005176444166 |
| | Tempesta 100 Head shower 1 spray Rain Ball joint $\pm 15^\circ$ rotatable GROHE Water Saving 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater | | |
|   | 27 523 000 | Chrome | 4005176886522 |
| | Tempesta Shower rail, 600 mm with wall brackets, glider and swivel holder GROHE Long-Life Shine durable sparkling sheen | | |
| | 27 524 000 | Chrome | 4005176886539 |
| ditto, 900 mm | | | |

GROHE TEMPESTA

| | Ref. No. | Colour | EAN |
|---|------------|--------|---------------|
|   | 48 051 000 | | 4005176890024 |
| <p>Spacer for Tempesta shower rails 27 519 / 27 520 / 27 521 / 27 522 / 27 523 / 27 524 for Euphoria shower rails 27 499 / 27 500</p> | | | |
|   | 27 596 000 | | 4005176895944 |
| <p>GROHE EasyReach tray acrylic for Tempesta and Euphoria shower rails Ø 22 mm</p> | | | |
|   | 27 594 000 | Chrome | 4005176895920 |
| <p>Tempesta Cosmopolitan Wall hand Shower holder non-adjustable GROHE Long-Life Shine durable sparkling sheen</p> | | | |
|   | 27 406 000 | Chrome | 4005176600166 |
| <p>Relaxa Shower arm 218 mm connection thread 1/2" projection 218 mm escutcheon GROHE Long-Life Shine durable sparkling sheen</p> | | | |
|   | 28 541 000 | Chrome | 4005176040528 |
| <p>Relaxa Shower arm 147 mm connection thread 1/2" escutcheon GROHE Long-Life Shine durable sparkling sheen</p> | | | |
|   | 28 429 000 | Chrome | 4005176601910 |
| <p>Relaxa Shower arm 55 mm connection thread 1/2" GROHE Long-Life Shine durable sparkling sheen</p> | | | |

GROHE TEMPESTA


| | Ref. No. | Colour | EAN |
|---|---|--------|---------------|
|   | 27 608 001 | Chrome | 4005176444029 |
| | Tempesta Rustic 100 Hand shower 4 sprays GROHE Rain O ² , Rain, Massage, Jet GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life | | |
| | 26 085 001 | Chrome | 4005176444036 |
| | ditto, with non-restricted flow | | |
|   | 27 609 001 | Chrome | 4005176451898 |
| | Tempesta Rustic 100 Shower rail set 4 sprays hand shower (27 608) shower rail, 600 mm (27 519) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EasyReach tray (27 596) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life | | |
| | 26 086 001 | Chrome | 4005176451904 |
| | ditto, with non-restricted flow | | |
|   | 27 805 001 | Chrome | 4005176451911 |
| | Tempesta Rustic 100 Wall holder set 4 sprays hand shower (27 608) wall shower holder adjustable (27 595) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life available until 31 march 2023 | | |
|   | 26 089 001 | Chrome | 4005176444067 |
| | Tempesta Rustic 100 Head shower set 4 sprays GROHE Rain O ² , Rain, Massage, Jet Ball joint +/- 15° rotatable shower arm with connection thread 1/2" escutcheon GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater available until 31 march 2023 | | |
|   | 27 610 001 | Chrome | 4005176444050 |
| | Tempesta Rustic 100 Head shower 4 sprays GROHE Rain O ² , Rain, Massage, Jet Ball joint +/- 15° rotatable connection thread 1/2" GROHE Water Saving 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life available until 31 march 2023 | | |

GROHE TEMPESTA

Ref. No. Colour EAN













27 519 000 Chrome 4005176886485

Tempesta Rustic
Shower rail, 600 mm
with wall brackets, glider and swival holder
GROHE Long-Life Shine durable sparkling sheen
available until 31 march 2023









SHOWERS




















GROHE TEMPESTA-F TRIGGER SPRAYS

| | Ref. No. | Colour | EAN |
|---|--------------|--------------|---------------|
|   | 27 512 001 | Chrome | 4005176333804 |
| <p>Tempesta-F Trigger Spray 30 Hand shower 1 spray with trigger control GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses Please refer to local norms regarding installation.</p> | | | |
|   | 28 020 L01 | white | 4005176333828 |
| <p>Tempesta-F Trigger Spray 30 Hand shower 1 spray with trigger control GROHE Long-Life Shine finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses Please refer to local norms regarding installation.</p> | | | |
|   | 26 353 000 | Chrome | 4005176333866 |
| <p>Tempesta-F Trigger Spray 30 Wall holder set 1 spray Consisting of: hand shower with trigger control (27 512 001) wall shower holder (28 605) Silverflex Long-Life shower hose 1500 mm (26 346) GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting Please refer to local norms regarding installation.</p> | | | |
|   | 27 513 001 ★ | Chrome | 4005176333842 |
| <p>ditto, with 1250 mm hose</p> | | | |
|   | 26 352 000 | Chrome | 4005176333835 |
| <p>ditto, with 1000 mm hose</p> | | | |
|   | 26 354 000 | Chrome | 4005176333873 |
| <p>Tempesta-F Trigger Spray 30 Wall holder set 1 spray Consisting of: hand shower with trigger control (27 512 001) wall shower holder (28 605) metal shower hose 1250 mm GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life Please refer to local norms regarding installation. Relexaflex Metal Long-Life shower hose 1250 mm</p> | | | |
| | 27 812 IL1 | chrome/white | 4005176333897 |
| <p>Tempesta-F Trigger Spray 30 Wall holder set 1 spray Consisting of: hand shower with trigger control (28 020 L01) wall shower holder (28 605) Silverflex Long-Life shower hose 1250 mm (26 335) GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting Please refer to local norms regarding installation.</p> | | | |
| | 26 355 IL0 | chrome/white | 4005176333880 |
| <p>ditto, with 1000 mm hose</p> | | | |



























GROHE TEMPESTA-F TRIGGER SPRAYS

| | Ref. No. | Colour | EAN |
|---|--|--------------|---------------|
|   | 26 356 ILO | chrome/white | 4005176333903 |
| | Tempesta-F Trigger Spray 30 Wall holder set 1 spray Consisting of: hand shower with trigger control wall shower holder (28 605) Relexaflex Metal Long-Life shower hose 1250 mm GROHE Water Saving 5.7 l/min. flow limiter GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life min. recommended pressure 1.0 bar Please refer to local norms regarding installation. | | |
|   | 26 357 000 | Chrome | 4005176333927 |
| | Tempesta-F Trigger Spray 30 Wall holder set with angle valve 1 spray Consisting of: hand shower with trigger control (27 512 001) wall shower holder (28 605) Silverflex Long-Life shower hose 1500 mm (26 346) angle valve 1/2" (22 958) GROHE Long-Life Shine finish SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting min. recommended pressure 1.0 bar Please refer to local norms regarding installation. | | |
| | 27 514 001 | Chrome | 4005176333910 |
| | ditto, with 1250 mm hose | | |
|   | 26 358 000 | Chrome | 4005176333941 |
| | Tempesta-F Trigger Spray 30 Wall holder set with self-closing angle valve, 1 spray Consisting of: hand shower with trigger control (27 512 001) valve with integrated shower holder (26 333 000) Silverflex Long-Life shower hose 1000 mm (26 334) GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life TwistStop preventing the hose from twisting Please refer to local norms regarding installation. | | |































GROHE SHOWER HOSES

| | Ref. No. | Colour | EAN |
|---|---|--|----------------------|
|   |  28 025 001 | Chrome | 4005176933387 |
| | Rotaflex Metal Long-Life TwistStop Metal shower hose 1750 1750 mm material: metal AntiFold bendproof universal connection G 1/2" x 1/2" Rotation cone for TwistStop function GROHE ProGrip with knurl structure Cone with silicone tape to prevent turning of hand shower during usage GROHE Long-Life strengthened model heat resistance 75°C pressure resistance up to 16 bar tensile strength 500 N GROHE Long-Life Shine durable sparkling sheen | | |
|   |  28 417 001 | Chrome ditto, 1500 mm | 4005176933363 |
| | Relexaflex Metal Long-Life Metal shower hose 2000 2000 mm material: metal AntiFold bendproof universal connection G 1/2" x 1/2" GROHE ProGrip with knurl structure GROHE Long-Life strengthened model heat resistance 75°C pressure resistance up to 16 bar tensile strength 750 N GROHE Long-Life Shine durable sparkling sheen | | |
|   |  28 143 001 | Chrome | 4005176933349 |
| |  28 143 LS1 | moon white | 4005176935084 |
| |  28 143 KS1 | velvet black | 4005176934179 |
| |  ditto, 1500 mm | | |
| |  28 142 002 | Chrome ditto, 1250 mm | 4005176933332 |
|   |  28 140 001 | Chrome | 4005176933325 |
| | Relexaflex Metal Metal shower hose 2000 2000 mm material: metal AntiFold bendproof universal connection G 1/2" x 1/2" GROHE ProGrip with knurl structure heat resistance 70°C pressure resistance up to 5 bar tensile strength 500 N GROHE Long-Life Shine durable sparkling sheen | | |
| |  28 139 001 | Chrome | 4005176933318 |
| |  ditto, 1750 mm | | |
| |  28 105 001 | Chrome ditto, 1500 mm | 4005176933301 |





GROHE SHOWER HOSES

| | Ref. No. | Colour | EAN |
|---|---|------------------------|----------------------|
|   |  26 346 001 | Chrome | 4005176775314 |
| | Silverflex Long-Life TwistStop Shower hose 1500 1500 mm smooth surface for easy cleaning GROHE Long-Life strengthened model tensile strength 500 N pressure resistance up to 12 bar heat resistance 75°C AntiFold bendproof universal connection G 1/2" x 1/2" Rotation cone for TwistStop function GROHE ProGrip with knurl structure GROHE Long-Life Shine durable sparkling sheen | | |
| |  26 335 001 | Chrome | 4005176775321 |
| |  26 334 001 | Chrome | 4005176775338 |
| | <hr/> | | |
|   |  27 137 001 | Chrome | 4005176933295 |
| | Silverflex TwistStop Shower hose 2000 2000 mm smooth surface for easy cleaning AntiFold bendproof universal connection G 1/2" x 1/2" Rotation cone for TwistStop function GROHE ProGrip with knurl structure heat resistance 70°C pressure resistance up to 5 bar tensile strength 500 N GROHE Long-Life Shine durable sparkling sheen | | |
| |  28 388 001 | ★ Chrome | 4005176933288 |
| |  28 388 DC1 | ★ supersteel | 4005176775420 |
| |  28 388 BE1 | polished nickel | 4005176775390 |
| |  28 388 GL1 | ★ cool sunrise | 4005176775413 |
| |  28 388 DA1 | ★ warm sunset | 4005176775406 |
| |  28 388 A01 | hard graphite | 4005176775383 |
| |  ditto, 1750 mm | | |
| |  28 364 001 | Chrome | 4005176933271 |
| |  ditto, 1500 mm | | |
| |  28 362 001 | ★ Chrome | 4005176933264 |
| |  28 362 DC1 | ★ supersteel | 4005176775475 |
| |  28 362 BE1 | polished nickel | 4005176775444 |
| |  28 362 GL1 | ★ cool sunrise | 4005176775468 |
| |  28 362 DA1 | ★ warm sunset | 4005176775451 |
| |  28 362 A01 | hard graphite | 4005176775437 |
| |  ditto, 1250 mm | | |
| | <hr/> | | |
|   | 28 388 KF1 | phantom black | 4005176782602 |
| | Silverflex TwistStop Shower hose 1750 1750 mm smooth surface for easy cleaning AntiFold bendproof universal connection G 1/2" x 1/2" Rotation cone for TwistStop function GROHE ProGrip with knurl structure heat resistance 70°C pressure resistance up to 5 bar tensile strength 500 N GROHE Long-Life Shine finish | | |
| | 28 362 KF1 | phantom black | 4005176782596 |
| | ditto, 1250 mm | | |







GROHE SHOWER HOSES

| | | Ref. No. | Colour | EAN |
|---|---|--|---------------|----------------------|
|  |  |  28 161 002 | Chrome | 4005176775482 |
| | | Silverflex TwistStop Shower hose 1500 for low pressure 1500 mm smooth surface for easy cleaning tensile strength 350 N pressure resistance up to 5 bar heat resistance 70°C AntiFold bendproof universal connection G 1/2" x 1/2" Rotation cone for TwistStop function GROHE ProGrip with knurl structure GROHE Long-Life Shine durable sparkling sheen | | |
|  |  |  28 413 002 | Chrome | 4005176605512 |
| | | Rotaflex TwistStop Shower hose 2000 2000 mm smooth surface for easy cleaning tensile strength 500 N pressure resistance up to 5 bar heat resistance 70°C AntiFold bendproof universal connection G 1/2" x 1/2" Rotation cone for TwistStop function GROHE ProGrip with knurl structure GROHE Long-Life Shine durable sparkling sheen | | |
|  |  |  28 410 002 | Chrome | 4005176605529 |
| | | ditto, 1750 mm | | |
|  |  |  28 409 002 | Chrome | 4005176605536 |
| | | ditto, 1500 mm | | |
|  |  |  28 155 002 | Chrome | 4005176605567 |
| | | Relexaflex Shower hose 2000 2000 mm smooth surface for easy cleaning tensile strength 500 N pressure resistance up to 5 bar heat resistance 70°C AntiFold bendproof universal connection G 1/2" x 1/2" GROHE ProGrip with knurl structure GROHE Long-Life Shine durable sparkling sheen | | |
|  |  |  28 154 002 | Chrome | 4005176605574 |
| | | ditto, 1750 mm | | |
|  |  |  28 151 002 | Chrome | 4005176605581 |
| | |  28 151 L02 | Chrome | 4005176775512 |
| ditto, 1500 mm | | | | |
|  |  |  28 150 002 | Chrome | 4005176605598 |
| | | ditto, 1250 mm | | |
|  |  |  22 115 000 | Chrome | 4005176775529 |
| | | ditto, 500 mm | | |
|  |  |  28 158 001 | Chrome | 4005176775543 |
| | | Metal hose 2000 mm for bath rim, installation under tiled surround and shower sets GROHE Long-Life Shine durable sparkling sheen | | |







GROHE SHOWER HOSES

| | Ref. No. | Colour | EAN |
|---|---|--------|---------------|
|   | 28 146 000 | Chrome | 4005176121753 |
| | Metal hose 2000 mm M 15 x M 15 GROHE Long-Life Shine durable sparkling sheen | | |
|   | 45 973 001 | Chrome | 4005176442919 |
| | Relaxflex Shower hose 1500 1500 mm smooth surface for easy cleaning tensile strength 500 N pressure resistance up to 5 bar heat resistance 70°C AntiFold bendproof universal connection G 1/2" x 1/2" GROHE Long-Life Shine durable sparkling sheen minimum order quantity 10 pieces | | |





GROHE SHOWER HOSES AVAILABLE UNTIL 06/2023

| | Ref. No. | Colour | EAN |
|---|---|--------------|---------------|
|   | 28 025 000 | Chrome | 4005176284830 |
| | Rotaflex Metal Long-Life Metal shower hose TwistStop 1750 1750 mm material: metal GROHE Long-Life strengthened model tensile strength 500 N pressure resistance up to 16 bar heat resistance 75°C AntiFold bendproof universal connection G 1/2" x 1/2" Rotation cone for TwistStop function Cone with silicone tape to prevent turning of hand shower during usage GROHE Long-Life Shine durable sparkling sheen | | |
| | 28 417 000 | Chrome | 4005176264702 |
| | ditto, 1500 mm hose | | |
|   | 28 145 000 | Chrome | 4005176601354 |
| | Relaxflex Metal Long-Life Metal shower hose 2000 2000 mm material: metal GROHE Long-Life strengthened model tensile strength 750 N pressure resistance up to 16 bar heat resistance 75°C AntiFold bendproof universal connection G 1/2" x 1/2" GROHE Long-Life Shine durable sparkling sheen | | |
| | 28 143 000 | Chrome | 4005176601347 |
| | 28 143 LS0 | moon white | 4005176842269 |
| | 28 143 KS0 | velvet black | 4005176842252 |
| | ditto, 1500 mm hose | | |
| | 28 142 000 | Chrome | 4005176601330 |
| | ditto, 1250 mm hose | | |
|   | 28 140 000 | Chrome | 4005176601323 |
| | Relaxflex Metal Metal shower hose 2000 2000 mm material: metal tensile strength 500 N pressure resistance up to 5 bar heat resistance 70°C AntiFold bendproof universal connection G 1/2" x 1/2" GROHE Long-Life Shine durable sparkling sheen | | |
| | 28 139 000 | Chrome | 4005176601316 |
| | ditto, 1750 mm hose | | |
| | 28 105 000 | Chrome | 4005176601217 |
| | ditto, 1500 mm hose | | |


GROHE SHOWER HOSES AVAILABLE UNTIL 06/2023

| | Ref. No. | Colour | EAN |
|---|---|---------------|---------------|
|   | 26 346 000 | Chrome | 4005176332173 |
| | Silverflex Long-Life Shower hose TwistStop 1500 1500 mm smooth surface for easy cleaning GROHE Long-Life strengthened model tensile strength 500 N pressure resistance up to 12 bar heat resistance 75°C AntiFold bendproof universal connection G 1/2" x 1/2" Rotation cone for TwistStop function GROHE Long-Life Shine durable sparkling sheen | | |
| | 26 335 000 | Chrome | 4005176332166 |
| | 26 334 000 | Chrome | 4005176332159 |
| | ditto, 1250 mm hose | | |
| | ditto, 1000 mm hose | | |
|   | 27 137 000 | Chrome | 4005176836237 |
| | Silverflex Shower hose TwistStop 2000 2000 mm smooth surface for easy cleaning tensile strength 500 N pressure resistance up to 5 bar heat resistance 70°C AntiFold bendproof universal connection G 1/2" x 1/2" Rotation cone for TwistStop function GROHE Long-Life Shine durable sparkling sheen | | |
| | 28 388 000 | Chrome | 4005176295362 |
| | 28 388 DC0 | supersteel | 4005176386428 |
| | 28 388 GL0 | cool sunrise | 4005176427657 |
| | 28 388 DA0 | warm sunset | 4005176427671 |
| | 28 388 A00 | hard graphite | 4005176427701 |
| | ditto, 1750mm hose | | |
| | 28 364 000 | Chrome | 4005176295294 |
| | ditto, 1500 mm hose | | |
| | 28 362 000 | Chrome | 4005176295225 |
| | 28 362 DC0 | supersteel | 4005176386435 |
| | 28 362 GL0 | cool sunrise | 4005176427589 |
| | 28 362 DA0 | warm sunset | 4005176427602 |
| | 28 362 A00 | hard graphite | 4005176427633 |
| | ditto, 1250 mm | | |
|   | 28 161 001 | Chrome | 4005176935107 |
| | Silverflex Shower hose TwistStop 1500 for low pressure 1500 mm smooth surface for easy cleaning tensile strength 350 N pressure resistance up to 5 bar heat resistance 70°C AntiFold bendproof universal connection G 1/2" x 1/2" Rotation cone for TwistStop function GROHE Long-Life Shine durable sparkling sheen | | |

GROHE SHOWER HOSES AVAILABLE UNTIL 06/2023

| | Ref. No. | Colour | EAN |
|---|---|--------|---------------|
|  | 28 413 001 | Chrome | 4005176933257 |
| | Rotaflex Shower hose TwistStop 2000 2000 mm smooth surface for easy cleaning tensile strength 500 N pressure resistance up to 5 bar heat resistance 70°C AntiFold bendproof universal connection G 1/2" x 1/2" Rotation cone for TwistStop function GROHE Long-Life Shine durable sparkling sheen | | |
| | 28 410 001 | Chrome | 4005176933240 |
| | 28 409 001 | Chrome | 4005176933233 |
|  | 28 155 001 | Chrome | 4005176933226 |
| | Relexaflex Shower hose 2000 2000 mm smooth surface for easy cleaning tensile strength 500 N pressure resistance up to 5 bar heat resistance 70°C AntiFold bendproof universal connection G 1/2" x 1/2" GROHE Long-Life Shine durable sparkling sheen | | |
| | 28 154 001 | Chrome | 4005176933219 |
| | 28 151 001 | Chrome | 4005176933202 |
| | 28 151 L01 | white | 4005176935091 |
| | 28 150 001 | Chrome | 4005176933196 |
|  | 28 158 000 | Chrome | 4005176601606 |
| | Metal hose 2000 mm for bath rim, installation under tiled surround and shower sets GROHE Long-Life Shine durable sparkling sheen | | |
|  | 28 146 000 | Chrome | 4005176121753 |
| | Metal hose 2000 mm M 15 x M 15 GROHE Long-Life Shine durable sparkling sheen | | |













GROHE SHOWER HOSES AVAILABLE UNTIL 06/2023




| Ref. No. | Colour | EAN |
|------------|--------|---------------|
| 45 973 001 | Chrome | 4005176442919 |

Relaxaflex
Shower hose 1500
 1500 mm
 smooth surface for easy cleaning
 tensile strength 500 N
 pressure resistance up to 5 bar
 heat resistance 70°C
 AntiFold bendproof
 universal connection G 1/2" x 1/2"
GROHE Long-Life Shine durable sparkling sheen
 minimum order quantity 10 pieces

GROHE SHOWER ACCESSORIES


| | Ref. No. | Colour | EAN |
|---|------------|--------|---------------|
|   | 27 055 000 | Chrome | 4005176830433 |
| <p>Rainshower Wall hand Shower holder adjustable GROHE Long-Life Shine durable sparkling sheen</p> | | | |
|   | 28 401 000 | Chrome | 4005176264474 |
| <p>Movario Wall hand Shower holder adjustable GROHE Long-Life Shine durable sparkling sheen</p> | | | |
|   | 28 623 000 | Chrome | 4005176031595 |
| <p>Relexa Wall hand Shower holder adjustable GROHE Long-Life Shine durable sparkling sheen</p> | | | |
|   | 27 595 000 | Chrome | 4005176895937 |
| <p>Tempesta Wall hand Shower holder adjustable GROHE Long-Life Shine durable sparkling sheen</p> | | | |
|   | 28 690 000 | Chrome | 4005176256196 |
| <p>Sena Wall hand Shower holder non-adjustable material: metal GROHE Long-Life Shine durable sparkling sheen</p> | | | |
|   | 27 056 000 | Chrome | 4005176830440 |
| <p>Rainshower Wall hand Shower holder non-adjustable without escutcheon GROHE Long-Life Shine durable sparkling sheen</p> | | | |

GROHE SHOWER ACCESSORIES




| Ref. No. | Colour | EAN |
|--------------|-----------------------|---------------|
| 27 074 000 ★ | Chrome | 4005176833083 |
| 27 074 DC0 ★ | supersteel | 4005176374487 |
| 27 074 LS0 | moon white | 4005176873591 |
| 27 074 BE0 | polished nickel | 4005176834325 |
| 27 074 EN0 | brushed nickel | 4005176834301 |
| 27 074 GL0 ★ | cool sunrise | 4005176338984 |
| 27 074 GN0 ★ | brushed cool sunrise | 4005176427084 |
| 27 074 DA0 ★ | warm sunset | 4005176338977 |
| 27 074 DL0 ★ | brushed warm sunset | 4005176427091 |
| 27 074 A00 | hard graphite | 4005176338991 |
| 27 074 AL0 ★ | brushed hard graphite | 4005176339004 |

Rainshower
Wall hand Shower holder
 non-adjustable
 with round escutcheon
GROHE Long-Life Shine durable sparkling sheen




| | | |
|------------|---------------|---------------|
| 22 117 KF0 | phantom black | 4005176782497 |
|------------|---------------|---------------|

Rainshower
Wall hand Shower holder
 non-adjustable
 with round escutcheon
GROHE Long-Life Shine finish




| | | |
|------------|--------|---------------|
| 27 075 000 | Chrome | 4005176833090 |
|------------|--------|---------------|

Rainshower
Wall hand Shower holder
 non-adjustable
 with square escutcheon
GROHE Long-Life Shine durable sparkling sheen



| | | |
|------------|-----------------------|---------------|
| 27 706 000 | Chrome | 4005176908439 |
| 27 706 DC0 | supersteel | 4005176490989 |
| 27 706 AL0 | brushed hard graphite | 4005176490972 |









Allure Brilliant
Wall hand Shower holder
 non-adjustable
 material: metal
GROHE Long-Life Shine durable sparkling sheen













| | | |
|------------|--------|---------------|
| 27 693 000 | Chrome | 4005176907043 |
|------------|--------|---------------|

Euphoria Cube
Wall hand Shower holder
 non-adjustable
GROHE Long-Life Shine durable sparkling sheen

















GROHE SHOWER ACCESSORIES

| | Ref. No. | Colour | EAN |
|---|------------|--------|---------------|
|   | 28 403 000 | Chrome | 4005176264511 |
| Movario Wall hand Shower holder non-adjustable GROHE Long-Life Shine durable sparkling sheen | | | |
|   | 28 622 000 | Chrome | 4005176041297 |
| Relaxa Wall hand Shower holder non-adjustable GROHE Long-Life Shine durable sparkling sheen | | | |
|   | 27 594 000 | Chrome | 4005176895920 |
| Tempesta Cosmopolitan Wall hand Shower holder non-adjustable GROHE Long-Life Shine durable sparkling sheen | | | |
|   | 28 605 000 | Chrome | 4005176041105 |
| Relaxa Wall hand Shower holder non-adjustable GROHE Long-Life Shine durable sparkling sheen | | | |











GROHE SHOWER ACCESSORIES

| | Ref. No. | Colour | EAN |
|---|---|-------------------------|---------------|
|   | 27 151 000 | Chrome | 4005176837012 |
| | <p>Pull-out shower for bath rim installation and under tiled surround Lead-through for shower hose shower hose 1/2" x 3/8", 2000 mm (28 158 000) The pull-out shower assembly can be combined with all hand showers GROHE Long-Life Shine durable sparkling sheen</p> | | |
|   | 27 531 000 | Chrome | 4005176889486 |
| | <p>Pull-out shower for bath rim installation and under tiled surround Lead-through for shower hose with square escutcheon shower hose 1/2" x 3/8", 2000 mm (28 158 000) The pull-out shower assembly can be combined with all hand showers GROHE Long-Life Shine durable sparkling sheen</p> | | |
|   | 27 057 000 | ★ Chrome | 4005176830457 |
| | 27 057 DC0 | ★ supersteel | 4005176371196 |
| | 27 057 GL0 | ★ cool sunrise | 4005176338946 |
| | 27 057 GN0 | ★ brushed cool sunrise | 4005176426933 |
| | 27 057 DA0 | ★ warm sunset | 4005176338939 |
| | 27 057 DL0 | ★ brushed warm sunset | 4005176426940 |
| | 27 057 A00 | hard graphite | 4005176338953 |
| | 27 057 AL0 | ★ brushed hard graphite | 4005176338960 |
| | <p>Rainshower Shower outlet elbow, 1/2" male thread with round escutcheon protected against backflow GROHE Long-Life Shine durable sparkling sheen</p> | | |
|   | 22 118 KF0 | phantom black | 4005176782503 |
| | <p>Rainshower Shower outlet elbow, 1/2" male thread with round escutcheon protected against backflow GROHE Long-Life Shine finish</p> | | |
|   | 27 076 000 | Chrome | 4005176833106 |
| | <p>Rainshower Shower outlet elbow male thread with square escutcheon protected against backflow GROHE Long-Life Shine durable sparkling sheen</p> | | |













GROHE SHOWER ACCESSORIES

| | Ref. No. | Colour | EAN |
|---|--|-----------------------|---------------|
|  | 27 707 000 | Chrome | 4005176908446 |
| | 27 707 DC0 | supersteel | 4005176490897 |
| | 27 707 AL0 | brushed hard graphite | 4005176490880 |
|  | Allure Brilliant Shower outlet elbow, 1/2" male thread protected against backflow material: metal GROHE Long-Life Shine durable sparkling sheen | | |
|  | 27 704 000 | Chrome | 4005176907159 |
| | Euphoria Cube Shower outlet elbow, 1/2" male thread protected against backflow GROHE Long-Life Shine durable sparkling sheen | | |
| |  | | |
|  | 26 370 000 | Chrome | 4005176341380 |
| | Euphoria Cube Shower outlet elbow, 1/2" with wall shower holder male thread protected against backflow GROHE Long-Life Shine durable sparkling sheen | | |
| |  | | |
|  | 28 405 000 | Chrome | 4005176264559 |
| | Movario Shower outlet elbow, 1/2" protected against backflow GROHE Long-Life Shine durable sparkling sheen | | |
| |  | | |
|  | 28 671 000 | Chrome | 4005176103070 |
| | Relaxa Shower outlet elbow, 1/2" male thread GROHE Long-Life Shine durable sparkling sheen | | |
| |  | | |
|  | 28 680 000 | Chrome | 4005176116780 |
| | ditto, protected against backflow | | |
| |  | | |
|  | 28 626 000 | Chrome | 4005176041358 |
| | Relaxa Shower outlet elbow, 1/2" shower connection 1/2" wall connection 1/2" male thread GROHE Long-Life Shine durable sparkling sheen with matt chrome cap | | |
| |  | | |
|  | 28 636 000 | Chrome | 4005176078606 |
| | ditto, for IG-combination | | |
| |  | | |










GROHE SHOWER ACCESSORIES

| | Ref. No. | Colour | EAN |
|--|--------------|---------------|---------------|
|   | 28 406 000 | Chrome | 4005176264566 |
| Movario Shower outlet elbow, 1/2" with shower holder protected against backflow GROHE Long-Life Shine durable sparkling sheen | | | |
|   | 28 628 000 | Chrome | 4005176041396 |
| Relaxa Shower outlet elbow, 1/2" with wall shower holder male thread GROHE Long-Life Shine durable sparkling sheen | | | |
| | 28 679 000 | Chrome | 4005176116759 |
| ditto, protected against backflow | | | |
|   | 26 603 000 ★ | Chrome | 4005176486548 |
| 26 603 BE0 polished nickel 4005176558719 | | | |
| 26 603 EN0 brushed nickel 4005176558740 | | | |
| 26 603 GL0 ★ cool sunrise 4005176558757 | | | |
| 26 603 GN0 ★ brushed cool sunrise 4005176558764 | | | |
| 26 603 DA0 ★ warm sunset 4005176558726 | | | |
| 26 603 DL0 ★ brushed warm sunset 4005176558733 | | | |
| 26 603 A00 hard graphite 4005176558696 | | | |
| 26 603 AL0 ★ brushed hard graphite 4005176558702 | | | |
| Rainshower SmartActive Shower rail, 900 mm with wall holders made of metal glide element and swivel holder GROHE FastFixation (variable distance between wall shower holders to adapt to existing holes) GROHE TileFix adjustable depth on upper and lower bracket GROHE EasyReach tray GROHE Long-Life Shine durable sparkling sheen | | | |
| | 26 602 000 | Chrome | 4005176486531 |
| ditto, 600 mm | | | |
|   | 22 125 KF0 | phantom black | 4005176782619 |
| Rainshower SmartActive Shower rail, 900 mm with wall holders made of metal glide element and swivel holder GROHE FastFixation (variable distance between wall shower holders to adapt to existing holes) GROHE TileFix adjustable depth on upper and lower bracket GROHE EasyReach tray GROHE Long-Life Shine finish | | | |
|   | 28 620 000 | Chrome | 4005176041259 |
| Relaxa Shower rail, 600 mm Ø 28 mm with wall holders glide element and swivel holder angle of inclination adjustable by click stop device height adjustment via locking nut GROHE Long-Life Shine durable sparkling sheen | | | |












GROHE SHOWER ACCESSORIES

| | | Ref. No. | Colour | EAN |
|--|---|------------|--------|---------------|
|  |  | 28 621 000 | Chrome | 4005176041273 |
| Relexa Shower rail, 1000 mm Ø 28 mm with wall holders glide element and swivel holder angle of inclination adjustable by click stop device height adjustment via locking nut GROHE Long-Life Shine durable sparkling sheen | | | | |
|  |  | 28 587 000 | Chrome | 4005176282966 |
| Relexa Shower rail, 900 mm with handle handle can be mounted right or left handed with wall brackets (3 pieces) gliding element with metal sleeve angle of inclination adjustable by click stop device height adjustment via locking nut GROHE Long-Life Shine durable sparkling sheen | | | | |
|  |  | 27 892 000 | Chrome | 4005176921216 |
| Euphoria Cube Shower rail, 600 mm with wall holders, glide element and swivel holder GROHE Long-Life Shine durable sparkling sheen | | | | |
| | | 27 841 000 | Chrome | 4005176916670 |
| ditto, 900 mm | | | | |
|  |  | 27 499 000 | Chrome | 4005176886041 |
| Euphoria Shower rail, 600 mm with wall holders, glide element and swivel holder GROHE FastFixation (upper bracket adjustable to adapt to existing holes) GROHE Long-Life Shine durable sparkling sheen | | | | |
| | | 27 500 000 | Chrome | 4005176886058 |
| ditto, 900 mm | | | | |
|  |  | 27 519 000 | Chrome | 4005176886485 |
| Tempesta Rustic Shower rail, 600 mm with wall brackets, glider and swival holder GROHE Long-Life Shine durable sparkling sheen available until 31 march 2023 | | | | |
|  |  | 27 521 000 | Chrome | 4005176886508 |
| Tempesta Cosmopolitan Shower rail, 600 mm with wall brackets, glider and swival holder GROHE Long-Life Shine durable sparkling sheen | | | | |
| | | 27 522 000 | Chrome | 4005176886515 |
| ditto, 900 mm | | | | |









GROHE SHOWER ACCESSORIES

| | Ref. No. | Colour | EAN |
|---|--|------------------------|----------------------|
|   | 27 523 000 | Chrome | 4005176886522 |
| | Tempesta Shower rail, 600 mm with wall brackets, glider and swival holder GROHE Long-Life Shine durable sparkling sheen | | |
| | 27 524 000 | Chrome | 4005176886539 |
| | ditto, 900 mm | | |
|   | 12 435 000 | Chrome | 4005176272141 |
| | Relexa Plus Gliding element with metal sleeve for shower rail 28 620 / 28 621 Ø 28 mm angle of inclination adjustable by click stop device height adjustment via locking nut GROHE Long-Life Shine durable sparkling sheen | | |
|   | 45 914 XE0 | gray night time | 4005176842054 |
| | Spacer for Relexa / Rainshower shower bars 28 819 / 28 797 / 27 136 | | |
|   | 45 459 000 | | 4005176056444 |
| | Spacer for shower rail 28 620 / 28 621 | | |
|   | 48 051 000 | | 4005176890024 |
| | Spacer for Tempesta shower rails 27 519 / 27 520 / 27 521 / 27 522 / 27 523 / 27 524 for Euphoria shower rails 27 499 / 27 500 | | |
|   | 26 385 000 | Chrome | 4005176375057 |
| | Rainshower SmartControl Spacer for Rainshower SmartControl systems 26 250, 26 361, 26 379 stackable | | |

GROHE SHOWER ACCESSORIES

| | Ref. No. | Colour | EAN |
|--|------------|-----------|---------------|
|   | 28 856 000 | | 4005176603495 |
| <p>Soap dish acrylic, clear for Relaxa shower rails (28 820 and 28 666) GROHE Long-Life Shine durable sparkling sheen</p> | | | |
|   | 28 631 000 | | 4005176019142 |
| <p>Relaxa Soap dish for shower rail 28 620 / 28 621 GROHE Long-Life Shine durable sparkling sheen</p> | | | |
|   | 27 206 000 | | 4005176845444 |
| <p>Soap dish transparent surface textured in parts</p> | | | |
|   | 27 596 000 | | 4005176895944 |
| <p>GROHE EasyReach tray acrylic for Tempesta and Euphoria shower rails Ø 22 mm</p> | | | |
|   | 28 389 000 | Chrome | 4005176269837 |
| <p>Sena Adapter 1/2" x 1/2" material: metal for use with hand shower holder or shower rail GROHE Long-Life Shine durable sparkling sheen</p> | | | |
|   | 28 634 XX0 | dark grey | 4005176041440 |
| <p>Relaxa Quick coupling for combination with average showers without integrated Grohclick with new system only in connection with coupling piece (28 635/28 637)</p> | | | |

GROHE SHOWER ACCESSORIES

| | Ref. No. | Colour | EAN |
|--|------------|--------|---------------|
|   | 28 874 000 | Chrome | 4005176042348 |
| <p>Tee Connection for connection to shower and bath/shower-mixer union nut 1/2" 2 connections 1/2" for the shower hose or drain valves GROHE Long-Life Shine durable sparkling sheen</p> | | | |
|   | 28 988 000 | Chrome | 4005176042805 |
| <p>Drain Down Valve for fitting between shut-off valve and shower acc. to hospital guide rules female thread 1/2" GROHE Long-Life Shine durable sparkling sheen</p> | | | |
|   | 28 799 000 | Chrome | 4005176602511 |
| <p>Diverter GROHE Long-Life Shine durable sparkling sheen</p> | | | |
|   | 27 102 000 | Chrome | 4005176600074 |
| <p>Trigger Spray Wall holder set 1 spray GROHE Long-Life Shine durable sparkling sheen</p> | | | |

GROHE
KITCHEN FITTINGS





CONTENTS

| | | |
|------------------|--|-----|
| Water Systems | GROHE Blue Professional | 509 |
| | GROHE Blue Home | 515 |
| | GROHE Blue Pure | 524 |
| | GROHE Blue Accessories | 529 |
| | GROHE Red | 534 |
| | Waste separation systems | 538 |
| Premium Lines | K7 | 539 |
| | Foot Control | 540 |
| | Minta / Minta SmartControl / Minta Touch | 541 |
| | Zedra / Zedra SmartControl / Zedra Touch | 546 |
| | Essence | 548 |
| | Eurocube | 551 |
| Competence Lines | Eurodisc Cosmopolitan | 552 |
| | Eurodisc | 553 |
| | Concetto | 554 |
| | Eurostyle Cosmopolitan | 557 |
| | Eurosmart Cosmopolitan | 559 |
| | Eurosmart | 562 |
| | Euroeco / Euroeco Special | 565 |
| | Costa | 566 |
| | Bau Lines | 568 |
| | Soap dispensers | 571 |
| Kitchen sinks | Stainless steel sinks | 572 |
| | Composite sinks | 579 |

HANDS ON GROHE KITCHEN FEATURES

Accommodating your every wish and desire, GROHE water systems and kitchen taps include user-centric features and ingenious details that make all the difference. More choice, more comfort and more flexibility; which is why our products are such a pleasure to use.



Lead+Nickel Free

No contact of water with lead and nickel due to isolated inner water ways.



EasyExchange

The aerator is easy to install and de-install using just a coin.



ProfessionalSpray

Features a 360° spring arm and easy switching between the spray and mousseur.



EasyTouch

Just touch the tap at any point with your wrist, elbow or just your fingertip to turn the tap ON and OFF.



FootControl

Just touch the bottom side of the cabinet with a gentle tap of your foot to turn the tap ON and OFF.



Magnetic Docking

Thanks to powerful integrated magnets the pull-out spray head retracts easily and smoothly to the perfect position after every use.



Pull-Out Dual Spray

Increases operating radius of the tap and offers easy switching between mousseur and the spray.



Pull-Out Mousseur

Increases the operating radius of your tap.



EasyDock

Guarantees easy retraction and smooth docking for your pull-out spray head, every time.



GROHE FastFixation
65 % faster installation.



SpeedClean
Remove limescale
with a single wipe.



OpenWaterHeater
The perfect flow in combination
with open water heaters.



StopValve
Includes a dishwasher shut-off
valve on the tap body.



PreWindow
To open the window, just lift
up the tap and lay it flat on the
surface.



ComfortHeight
Height of the spout allows
easy filling of large pots.



SwivelStop
Limited turn angle
prevents flooding.



Forward Rotating Lever
Forward rotating lever prevents
the lever hitting the backsplash.



Enhanced Water
Superior-quality water directly
from the kitchen tap – saving time,
money and the environment.



ChildLock
Integrated safety mechanism
prevents unintentional opening
by young children.



Titanium Inside
All boilers in our GROHE Red
collection are made from titanium.

GROHE BLUE HOME

WELCOME TO YOUR **PRIVATE WATER SOURCE**

When was the last time you truly tasted water? When you took a sip that left you thirsting for more? That's what happens after your first encounter with GROHE Blue Home: a beautiful and intelligent system that transforms simple water into pure thirst-quenching pleasure. And your kitchen into a meeting place for thirsty friends.



STILL, MEDIUM OR SPARKLING: THE CHOICE IS ALL YOURS

How sparkling do you like your water? It's all a matter of taste. GROHE Blue Home has a simple and intuitive mechanism that lets you carbonate your drinking water at the touch of a button. Deliciously cool filtered water, just the way that you – and all your family – like it.



Still waters run deep. If you prefer your water cool and still, nothing could be simpler: just push the top button. The LED lights up blue and your glass fills with pure refreshment.



Sparkling – but not too much? More of a medium sparkling? Coming right up. Press both buttons in sequence – the LED lights up turquoise – to produce a finely pearled stream of water.




Sparkling water, alive with bubbles. If that's your idea of thirst-quenching heaven, just press the lower button – the LED lights up green – for your perfect glass of water.

GROHE BLUE HOME

NEW: WITH PULL-OUT FUNCTION

Our new GROHE Blue Home taps now come with a pull-out mousseur head for ultimate functionality and flexibility. Select from three contemporary tap shapes with a pull-out head, each with a hygienic mousseur and two separate waterways, delivering both filtered and unfiltered water effortlessly.



CONTROL VIA SMARTPHONE APP

Control your GROHE Blue Home tap via smartphone app for total convenience. The GROHE Ondus App will not only let you know when the filter or CO₂ need replacing, but can reorder for you automatically. Use it to pour water and monitor your consumption via personal fitness apps.

System requirements

iPhone with iOS 9.0 or higher / smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App are not included in delivery and have to be ordered separately via an authorised Apple store / store / iTunes or Google Play store.

The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

GROHE BLUE HOME PRODUCT PORTFOLIO



31 454 001
GROHE Blue Home
L-spout Starter Kit



31 455 001
GROHE Blue Home
C-spout Starter Kit



31 456 001
GROHE Blue Home
U-spout Starter Kit



31 498 001
GROHE Blue Home
Mono Starter Kit



31 539 000
GROHE Blue Home
L-spout Starter Kit
with pull-out mousseur



31 541 000
GROHE Blue Home
C-spout Starter Kit
with pull-out mousseur



31 543 000
GROHE Blue Home
U-spout Starter Kit
with pull-out mousseur

KITCHEN
FITTINGS

EACH GROHE BLUE HOME STARTER KIT CONTAINS:



GROHE BLUE HOME
CARBONATOR



CO₂ BOTTLE 425 g



S-SIZE FILTER

Colour options:

- 000/001 | StarLight Chrome
- DC0/DC1 | SuperSteel
- DL1 | Brushed Warm Sunset
- AL1 | Brushed Hard Graphite

GROHE BLUE PROFESSIONAL

THE **PERFECT SOLUTION** FOR OFFICES

Imagine drinking water fresh from a mountain spring – life-affirming, thirst-quenching, and absolutely pure. Now imagine the same health-giving, untainted water flowing directly from your own kitchen tap.

The GROHE Blue Professional water system makes this a reality in your own home or office. It transforms ordinary tap water and filters it, leaving a taste as fresh and pure as nature intended.

Whatever your idea of perfect water refreshment – filtered, chilled, sparkling or all three – GROHE Blue brings it to you straight from the tap.



FIND OUT THE WAYS IN WHICH **GROHE BLUE** BRINGS **BENEFITS** TO YOUR OFFICE:

Access to fresh, cool water at any time – still, medium or sparkling

Fresh water delivers a positive impact on motivation and health of your employees

Cost effective solution for staff refreshment

Convenient logistics, without costly delivery and disposal

Environmental friendly solution with less waste on packaging and processing

GROHE BLUE PROFESSIONAL PRODUCT PORTFOLIO



● ●
31 323 002
GROHE Blue Professional
C-spout



● ●
31 347 003
GROHE Blue Professional
L-spout



● ●
31 325 002
GROHE Blue Professional
C-spout
with pull-out mousseur



● ●
31 326 002
GROHE Blue Professional
L-spout
with pull-out mousseur



● ●
31 302 002 / 31 302 DC2
GROHE Blue Professional
Mono

EACH GROHE BLUE PROFESSIONAL CONTAINS:



COOLER AND CARBONATOR BOX,
FILTER HEAD, CO₂ PRESSURE REDUCER
AND CLEANING ADAPTER

Filter, CO₂ bottle and cleaning cartridge
have to be ordered separately according
to your personal needs.

KITCHEN
FITTINGS

Colour options:

● 002/003 | StarLight Chrome ● DC2/DC3 | SuperSteel

GROHE RED

99 °C STRAIGHT FROM THE TAP

Never wait for the kettle to boil again. With the innovative GROHE Red system you can fill anything, from a mug to a large pot, with kettle-hot water in an instant – and all direct from your kitchen tap.

With GROHE Red you still have your standard kitchen mixer, but separate push-buttons provide kettle-hot water on tap.



THE **BENEFITS** ARE CRYSTAL CLEAR

SAFETY FIRST

Our first commitment is to our safety. That's why GROHE Red comes with an unique, failsafe child lock.

NO MORE WAITING

Kettle-hot water is always available at the push of a button, so waiting for the kettle or pot to boil is a thing of the past.

LESS WASTE

You only take the exact amount of hot water you need, so you save on water and energy consumption.

CLEAN, FRESH TASTE

Filtered water heated to 99 degrees for an exceptional taste experience.

CLEAR YOUR WORKTOP

No need for the clutter of a kettle. GROHE Red fulfils all your water needs from a single tap.



GROHE RED PRODUCT PORTFOLIO



30 340 001
GROHE Red Duo
L-spout, L-Size boiler



30 329 001
GROHE Red Mono
L-spout, M-Size boiler



30 058 001
GROHE Red Duo
C-spout, M-Size boiler



30 060 001
GROHE Red Mono
C-spout, M-Size boiler

KITCHEN
FITTINGS

EACH GROHE RED CONTAINS: BOILER (M- OR L-SIZE) & FILTERSET



L-SIZE BOILER

M-SIZE BOILER



40 841 001
GROHE Red mixing valve
(additional equipment)

Colour options:

● 001 | StarLight Chrome
● DC1 | SuperSteel

● DA1 | Warm Sunset
● DL1 | Brushed Warm Sunset

● A01 | Hard Graphite
● AL1 | Brushed Hard Graphite

GROHE EASYS TOUCH



Simple activation/deactivation of the water flow by touch.



Manual control with the lever.



Kitchens are hands-on places, where multi-tasking is a must. Why not make life easier for yourself with a GROHE touch-activated tap? We've developed a choice of two innovative solutions that let you control the flow of water without using your hands, making your kitchen more hygienic, convenient and instinctive to use. GROHE EasyTouch taps can be activated with a simple touch of the wrist or elbow. Leave your hands free and keep your tap sparkling clean. Change the way you control your kitchen with just a single touch.

GROHE SMARTCONTROL

JUGGLING KITCHEN TASKS?

Multi-tasking is a fact of the modern world, and nowhere more so than in the kitchen, where the collision of family life, meal prep and entertaining mean you often have your hands full. So why can't everything be just that little bit easier? With the new GROHE SmartControl it is, offering innovative push-operation that is effortless to use. Instead of grappling with a lever handle with wet hands, simply press the button to start and stop the water flow. Holding a full pan or a pile of plates? Just push with your wrist or elbow. It couldn't be more simple. Turning the same button alters the flow, and there is even a water-saving option. Temperature control is as straightforward as a twist of the valve on the tap's body. Smooth and intuitive to use for the whole family, SmartControl is the perfect solution for anyone who too often has their hands full in the kitchen. And what could be easier than that?

SUPERIOR DESIGN

- Sleek, streamlined and puristic

SMARTCONTROL BUTTON

- Push the button to start & stop the water flow
- Turn the button by 150° from eco to powerful jet

TEMPERATURE ADJUSTMENT

- Turn the valve gently to the left or right to adjust your perfect temperature

PULL-OUT LAMINAR SPRAY

- For an increased operation radius

MAGNETIC DOCKING

- Integrated magnets for seamless docking of the spray head

LEAD AND NICKEL FREE WATER FLOW

QUICKFIX PLUS INSTALLATION

- 65% faster installation



GROHE PROFESSIONAL SPRAYS

THE COLOURFUL WORLD OF **ESSENCE** PROFESSIONAL

Enhance your kitchen's performance with the sleek, architectural Essence New Profispray tap, designed to bring professional features and convenience to your scheme. From the 360 degree turnable spring arm to the effortless EasyDock M magnetic system for the dual-spray metal head, every detail has been designed with ease of use in mind. Featuring GrohFlexx technology, the hygienic santoprene hose is not only easy-to-clean but also comes in a choice of 11 colour finishes.



Colour options (hose)

Order 30 503 000 (chrome) / 30 503 DC0 (SuperSteel) and add a colour of your choice 30 321 + colour code

- | | | | | |
|----------------------|-------------------|----------------|----------------|--------------------|
| ● MW0 Sheer Marble | ● XC0 Dark Grey | ● YF0 Yellow | ● YR0 Orange | ● DG0 Red |
| ● DP0 Pink | ● DU0 Purple | ● GE0 Green | ● TY0 Blue | ● HG0 Dark Brown |

Exchange the hose via 4 simple steps:



Step 1
Loose the 2 screws with the screwdriver from the body and the spray.



Step 2
Take the original hose with the connection out of the tap body and the spray and put it to the side.



Step 3
Take the new hose and insert it with the connection into the tap body and the spray.



Step 4
Insert the 2 screws with the screwdriver.









A CYLINDRICAL STATEMENT **CONCETTO PROFESSIONAL**

Treat your kitchen to an upgrade with the Concetto Profispray tap, putting premium, professional performance in your hands. Switch the pull-down head between a mousser and powerful SpeedClean spray with ease – the EasyDock M intelligent docking system uses a powerful magnet to automatically dock the spray head when you are done. Thanks to its pared-back, slim design and height of just 510 mm, the new Concetto Professional is also a great solution for installation on kitchen islands and under wall cupboard. Enjoyable to use, its the ideal way to add enviable contemporary style to any busy kitchen.



GROHE KITCHEN SINK FEATURES

STAINLESS STEEL SINKS






| | STANDARD BUILT-IN | FLAT-EDGE | FLUSH-MOUNT | UNDERMOUNT | 1 | 1.5 | 2 | INNER RADIUS | DRAINER AVAILABLE | AISI 304 (V2A) | AISI 316 (V4A) | SATIN FINISH | PVD COLOUR | PRE-POLISHED | PRE-PUNCHED TAP HOLES | REVERSIBLE SINK | AUTOMATIC WASTE FITTING INCLUDED | BUNDLE AVAILABLE | |
|---|-------------------|-----------|-------------|------------|--------------------------|-----|---|--------------|-------------------|----------------|----------------|--------------|------------|---------------------|-----------------------|-----------------|----------------------------------|------------------|---|
| | MOUNTING TYPE | | | | NUMBER OF BOWLS & RADIUS | | | DRAINER | MATERIAL | FINISH | | | | ADDITIONAL FEATURES | | | | | |
| K1000  | | | ● | | ● | | | R10 | ● | ● | | ● | | | ● | | *** | ● | |
| K800  | | | ● | | ● | | ● | R10 | | ● | | ● | | | ● | | *** | ● | |
| K700 U  | ● | | ● | ● | ● | ● | | R10 | | ● | | ● | ● | | | | *** | ● | |
| K700  | ● | | ● | | ● | | | R15 | | ● | | ● | | | | | *** | ● | |
| K500  | ● | | ● | | ● | ● | ● | R65 | ● | ● | | ● | | | ● | ● | *** | ● | ● |
| K400+  | | ● | | | ● | ● | | R20 | ● | | ● | ● | | | ● | ● | *** | ● | |
| K400  | ● | | | | ● | ● | ● | R20 | ● | ● | | ● | | | ● | ● | *** | ● | ● |
| K200  | ● | | | | ● | ● | | R100/ R60 | ● | ● | | | | ● | ● | ● | *** | ● | ● |

* R0 (bottom, front & back top) / R30 (right & left top)

** R0 (vertical) / R9 (bottom)

















*** optional accessory 40 986 SD0

COMPOSITE SINKS

| | STANDARD BUILT-IN | UNDERMOUNT | 1 | 1.5 | 2 | INNER RADIUS | DRAINER AVAILABLE | COMPOSITE | PRE-PUNCHED TAP HOLES | REVERSIBLE SINK | AUTOMATIC WASTE FITTING INCLUDED |
|---|-------------------|------------|--------------------------|-----|---|--------------|-------------------|-----------|-----------------------|-----------------|----------------------------------|
| | MOUNTING TYPE | | NUMBER OF BOWLS & RADIUS | | | | DRAINER | MATERIAL | ADDITIONAL FEATURES | | |
| K700 U  | ● | ● | ● | | | R0 / R30* | | ● | | | *** |
| K700  | ● | ○ | ● | ● | ● | R0 | | ● | ● | ○ | *** |
| K500  | ● | ○ | ● | ● | | R0 / R9** | ● | ● | ● | ○ | *** |
| K400  | ● | | ● | ● | | R15 | ● | ● | ● | ● | *** |
| K200  | ● | | ● | | | R60 | | ● | ● | | *** |





















- selected products
- all products in this line

GROHE BLUE & GROHE RED WATERSYSTEMS

| | DESIGN | MIXED WATER | FILTERED WATER | SPARKLING WATER | BOILING WATER | PULL-OUT MOUSSEUR | CO ₂ -BOTTLE | FILTER | FILTERHEAD | CARBONIZER | BOILER | APP CONTROL | CHROME | PVD COLOURS | PERFECT MATCH | |
|------------------------------|---|-------------|----------------|-----------------|---------------|-------------------|-------------------------|--------|------------|------------|--------|-------------|--------|-------------|---|---------------|
| | | | | | | | | | | | | | | | SOAP DISPENSER 40 535 000 / 40 535 DC0 | WASTE SYSTEMS |
| GROHE BLUE HOME |  | ● | ● | ● | | ● | ● | ● | ● | ● | | ● | ● | ● | ● | ● |
| |  | ● | ● | ● | | ● | ● | ● | ● | ● | | ● | ● | ● | ● | ● |
| |  | ● | ● | ● | | ● | ● | ● | ● | ● | | ● | ● | ● | ● | ● |
| GROHE BLUE HOME MONO |  | | ● | ● | | | ● | ● | ● | | | ● | ● | ● | ● | ● |
| GROHE BLUE PROFESSIONAL |  | ● | ● | ● | | ● | ● | ● | ● | ● | | ● | ● | ● | ● | ● |
| |  | ● | ● | ● | | ● | ● | ● | ● | ● | | ● | ● | ● | ● | ● |
| |  | ● | ● | ● | | ● | ● | ● | ● | ● | | ● | ● | ● | ● | ● |
| GROHE BLUE MONO PROFESSIONAL |  | | ● | ● | | | ● | ● | ● | | | ● | ● | ● | ● | ● |
| GROHE BLUE PURE FILTER |  | ● | ● | | | | | ● | ● | | | | ● | ● | ● | ●* |
| |  | ● | ● | | | | | ● | ● | | | | ● | ● | ● | ●* |
| GROHE BLUE PURE FILTER MONO |  | | ● | | | | | ● | ● | | | | ● | ● | ● | ●* |
| GROHE RED DUO |  | ● | | | ● | | | ● | ● | | ● | | ● | ● | ● | ● |
| |  | ● | | | ● | | | ● | ● | | ● | | ● | ● | ● | ● |
| |  | ● | | | ● | | | ● | ● | | ● | | ● | ● | ● | ● |
| GROHE RED MONO |  | | | | ● | | | ● | ● | | ● | | ● | ● | ● | ● |
| |  | | | | ● | | | ● | ● | | ● | | ● | ● | ● | ● |
















* Additional waste bin is needed

GROHE FUNCTIONALITY AT A GLANCE












| | DESIGN | FILTERED WATER | EASYTOUCH | FOOTCONTROL | SMARTCONTROL | PROFESSIONAL SPRAY | PULL-OUT TRIPLE SPRAY | PULL-OUT DUAL SPRAY | PULL-OUT MOUSSEUR | SIDE SPRAY | PRE-WINDOW | SHUT-OFF VALVE | CHROME | PVD COLOURS | PERFECT MATCH – OUR RECOMMENDATION | | | |
|-----------------------------|---|----------------|-----------|-------------|--------------|--------------------|-----------------------|---------------------|-------------------|------------|------------|----------------|--------|-------------|---|---|---|---|
| | | | | | | | | | | | | | | | SOAP DISPENSER 40 535 000 / 40 535 DC0 | SOAP DISPENSER 40 536 000 / 40 536 DC0 | SOAP DISPENSER 40 553 000 / 40 553 DC0 | SOAP DISPENSER 40 537 000 / 40 537 DC0 |
| GROHE K7 |  | | | | | | | ● | | ● | | | ● | ● | ● | | | |
| |  | | | | | ● | | | | | | | ● | ● | ● | | | |
| GROHE K7 FOOTCONTROL |  | | | ● | | ● | | | | | | | ● | | | ● | | |
| GROHE MINTA |  | | | | ● | | | ● | ● | | | ● | ● | ● | ● | | | |
| |  | | | | | | | ● | ● | | | ● | ● | ● | ● | | | |
| GROHE MINTA TOUCH |  | | ● | | | | | ● | | | | | ● | ● | ● | | | |
| |  | | ● | | | | | | ● | | | | ● | ● | ● | | | |
| GROHE ZEDRA |  | | | | ● | | ● | ● | | | | ● | ● | ● | | | ● | |
| |  | ● | | | | | ● | ● | | | | ● | ● | ● | | | ● | |
| GROHE ZEDRA TOUCH |  | | ● | | | | ● | ● | | | | | ● | ● | | | ● | |
| GROHE ESSENCE |  | | | | ● | ● | | ● | | | | | ● | ● | ● | | | |
| GROHE ESSENCE FOOTCONTROL |  | | | ● | | | | ● | | | | | ● | ● | ● | | | |
| GROHE ATRIO |  | | | | | | | | | | | | ● | ● | ● | | | |
| GROHE EUROCUBE |  | | | | | | | | | | | | ● | ● | ● | | | |
| |  | | | | | ● | | | | | | | ● | ● | ● | | | |
| GROHE AMBI |  | | | | | | | | | | | | ● | | ● | ● | | |
| GROHE PARKFIELD |  | | | | | | | ● | | | | | ● | ● | | | | ● |
| GROHE EURODISC COSMOPOLITAN |  | | | | | | | ● | | | ● | ● | ● | | ● | | | |
| |  | | | | | | | | ● | | | | ● | | ● | | | |
| |  | | | | | | | | | | | | ● | | ● | | | |

KITCHEN FITTINGS

GROHE FUNCTIONALITY AT A GLANCE

















| | DESIGN | PROFESSIONAL SPRAY | PULL-OUT DUAL SPRAY | PULL-OUT MOUSSEUR | PRE-WINDOW | SHUT-OFF VALVE | CHROME | PVD COLOURS | PERFECT MATCH – OUR RECOMMENDATION | |
|------------------------------------|---|--------------------|---------------------|-------------------|------------|----------------|--------|-------------|---|---|
| | | | | | | | | | SOAP DISPENSER 40 535 000 / 40 535 DC0 | SOAP DISPENSER 40 536 000 / 40 536 DC0 |
| GROHE CONCETTO |  | ● | | | | | ● | ● | ● | |
| |  | ● | ● | ● | ● | ● | ● | ● | ● | |
| |  | ● | ● | ● | | ● | ● | ● | ● | |
| |  | ● | | | | | ● | | ● | |
| GROHE EUROSTYLE COSMOPOLITAN |  | | | | | | ● | | ● | |
| |  | | | | ● | ● | ● | | ● | |
| |  | | ● | ● | | | ● | | ● | |
| |  | | | | | | ● | | ● | |
| GROHE EUROSMART COSMOPOLITAN |  | | | | ● | ● | ● | | ● | |
| |  | | | | | ● | ● | ● | ● | |
| |  | | ● | | | | ● | ● | ● | |
| GROHE EUROSMART |  | | ● | | | | ● | ● | | ● |
| |  | | | | | ● | ● | ● | | ● |
| |  | | | | | | ● | | | ● |
| GROHE BAU |  | | | | | | ● | | | ● |

GROHE FUNCTIONALITY AT A GLANCE

| | DESIGN | PULL-OUT DUAL SPRAY | PULL-OUT MOUSSEUR | PRE-WINDOW | SHUT-OFF VALVE | CHROME | PVD COLOURS | PERFECT MATCH – OUR RECOMMENDATION | |
|------------------------------|---|---------------------|-------------------|------------|----------------|--------|-------------|---|---|
| | | | | | | | | SOAP DISPENSER 40 535 000 / 40 535 DC0 | SOAP DISPENSER 40 553 000 / 40 553 DC0 |
| GROHE ZEDRA |  | ● | | | | ● | | | ● |
| GROHE MINTA |  | | ● | | | ● | | ● | |
| |  | ● | | | | ● | | ● | |
| GROHE CONCETTO |  | | ● | ● | ● | ● | | ● | |
| |  | | ● | | | ● | | ● | |
| GROHE EUROSTYLE COSMOPOLITAN |  | | | | | ● | | ● | |
| |  | | | | | ● | | ● | |
| |  | | | | | ● | | ● | |
| GROHE EUROSMART COSMOPOLITAN |  | | | | | ● | | ● | |
| |  | | | | | ● | ● | ● | |
| |  | | | | | ● | | ● | |


KITCHEN FITTINGS

ACCESSORIES FOR GROHE WATER SYSTEMS

| | FILTER | | | | | CO ₂ BOTTLES | | CLEANING AND ACCESSORIES | | | | |
|---|--|--|--|---|---|--|---|---|--|---|---|--|
| |  40 404 001 S-Size |  40 430 001 M-Size |  40 412 001 L-Size |  40 547 001 ACTIVATED CARBON |  40 691 002 MAGNESIUM |  40 422 000 CO ₂ STARTER KIT 425 G |  40 687 000 CO ₂ REFILL 425 G |  40 423 000 CO ₂ STARTER KIT 2 KG |  40 424 000 CO ₂ REFILL 2 KG |  40 962 000 CO ₂ ADAPTER TO CO ₂ G |  40 434 001 CLEANING CARTRIDGE |  40 694 000 CLEANING CARTRIDGE ADAPTER |
|  GROHE BLUE HOME | • | • | | • | • | • | | | | | • | • |
|  GROHE BLUE PROFESSIONAL | • | • | • | • | • | • | • | • | • | • | • | • |
|  GROHE RED | • | • | • | | • | | | | | | | |
|  FILTER TAPS | • | • | • | • | • | | | | | | | |

GROHE BLUE PROFESSIONAL

| Ref. No. | Colour | EAN |
|------------|------------|---------------|
| 31 323 002 | Chrome | 4005176989933 |
| 31 323 DC2 | supersteel | 4005176989940 |



GROHE Blue Professional

C-spout kit

Consisting of:

GROHE Blue single-lever sink mixer with filter function
monobloc installation

C-spout

touch operated for 3 types of filtered and chilled water
still, medium, sparkling

GROHE Long-Life Shine durable sparkling sheen
28 mm ceramic cartridge

with **GROHE SilkMove**

swivel tubular spout

swivel area 150°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses

GROHE Blue Professional cooler

delivers 12 liters of chilled sparkling water per hour

colour display with push and turn control

270 Watt cooling unit, 230 V, 50 Hz

sound level in standby 46 dB(A)

type of protection IP 21

CE approved

requires ventilation holes in the bottom of the kitchen cabinet

software set-up and monitoring of filter and CO₂ capacity possible via GROHE Ondus app

push notifications at low filter resp. CO₂ capacity

additional monitoring via GROHE Blue Professional Browser-Monitor possible

with Bluetooth 4.0* and WIFI interface for wireless data communication

for Apple** and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls

between transmitter and receiver

filter head with flexible water hardness adjustment

GROHE Blue filter, CO₂ bottle and cleaning cartridge are not included in the

delivery and have to be ordered separately

suitable filters:

- filter S-size, capacity 600 l at 20° dKH (40 404 001)
- filter M-size, capacity 1500 l at 20° dKH (40 430 001)
- filter L-size, capacity 2500 l at 20° dKH (40 412 001)
- activated carbon filter, capacity 3000 l (40 547 001)
- Magnesium + Zinc filter, capacity 400 l at 17° dGH (40 691 002)

System requirements Apple

iPhone with iOS 12.0 or higher

System requirements Android

smart phone with Android 6.0 or higher

Mobile devices and GROHE Watersystems App*** are not included in delivery

and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license.


Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.


GROHE BLUE PROFESSIONAL

| Ref. No. | Colour | EAN |
|---|------------|---------------|
| 31 347 003 | Chrome | 4005176443336 |
| 31 347 DC3 | supersteel | 4005176446559 |
| <p>GROHE Blue Professional L-spout kit Consisting of: GROHE Blue single-lever sink mixer with filter function monobloc installation L-spout touch operated for 3 types of filtered and chilled water still, medium, sparkling GROHE Long-Life Shine durable sparkling sheen 28 mm ceramic cartridge with GROHE SilkMove swivel tubular spout swivel area 150° separate inner water ways for filtered and non-filtered water flexible connection hoses GROHE Blue Professional cooler delivers 12 liters of chilled sparkling water per hour colour display with push and turn control 270 Watt cooling unit, 230 V, 50 Hz sound level in standby 46 dB(A) type of protection IP 21 CE approved requires ventilation holes in the bottom of the kitchen cabinet software set-up and monitoring of filter and CO₂ capacity possible via GROHE Ondus app push notifications at low filter resp. CO₂ capacity additional monitoring via GROHE Blue Professional Browser-Monitor possible with Bluetooth 4.0* and WIFI interface for wireless data communication for Apple** and Android devices Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver filter head with flexible water hardness adjustment GROHE Blue filter, CO₂ bottle and cleaning cartridge are not included in the delivery and have to be ordered separately suitable filters: - filter S-size, capacity 600 l at 20° dKH (40 404 001) - filter M-size, capacity 1500 l at 20° dKH (40 430 001) - filter L-size, capacity 2500 l at 20° dKH (40 412 001) - activated carbon filter, capacity 3000 l (40 547 001) - Magnesium + Zinc filter, capacity 400 l at 17° dGH (40 691 002) System requirements Apple iPhone with iOS 12.0 or higher System requirements Android smart phone with Android 6.0 or higher Mobile devices and GROHE Watersystems App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store. * The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners. ** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards. *** Available for free via iTunes app or Google Play store. to be equipped with a non-return valve EA approved by Belgaqua</p> | | |



GROHE BLUE PROFESSIONAL

| Ref. No. | Colour | EAN |
|--|------------|---------------|
| 31 325 002 | Chrome | 4005176507274 |
| 31 325 DC2 | supersteel | 4005176507250 |
| <p>GROHE Blue Professional C-spout kit with pull-out mousseur Consisting of: GROHE Blue single-lever sink mixer with filter function monobloc installation C-spout touch operated for 3 types of filtered and chilled water still, medium, sparkling GROHE Long-Life Shine durable sparkling sheen 28 mm ceramic cartridge with GROHE SilkMove pull out mousseur spout swivel tubular spout swivel area 360° separate inner water ways for filtered and non-filtered water flexible connection hoses GROHE Blue Professional cooler delivers 12 liters of chilled sparkling water per hour colour display with push and turn control 270 Watt cooling unit, 230 V, 50 Hz sound level in standby 46 dB(A) type of protection IP 21 CE approved requires ventilation holes in the bottom of the kitchen cabinet software set-up and monitoring of filter and CO₂ capacity possible via GROHE Ondus app push notifications at low filter resp. CO₂ capacity additional monitoring via GROHE Blue Professional Browser-Monitor possible for Apple** and Android devices Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver filter head with flexible water hardness adjustment GROHE Blue filter, CO₂ bottle and cleaning cartridge are not included in the delivery and have to be ordered separately suitable filters: - filter S-size, capacity 600 l at 20° dKH (40 404 001) - filter M-size, capacity 1500 l at 20° dKH (40 430 001) - filter L-size, capacity 2500 l at 20° dKH (40 412 001) - activated carbon filter, capacity 3000 l (40 547 001) - Magnesium + Zinc filter, capacity 400 l at 17° dGH (40 691 002) System requirements Apple iPhone with iOS 12.0 or higher System requirements Android smart phone with Android 6.0 or higher Mobile devices and GROHE Watersystems App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store. * The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners. ** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards. *** Available for free via iTunes app or Google Play store. to be equipped with a non-return valve EA approved by Belgaqua</p> | | |



GROHE BLUE PROFESSIONAL

| Ref. No. | Colour | EAN |
|------------|------------|---------------|
| 31 326 002 | Chrome | 4005176507236 |
| 31 326 DC2 | supersteel | 4005176507212 |

GROHE Blue Professional
L-spout kit with pull-out mousseur
 Consisting of:
GROHE Blue single-lever sink mixer with filter function
 monobloc installation
 L-spout
 touch operated for 3 types of filtered and chilled water
 still, medium, sparkling
GROHE Long-Life Shine durable sparkling sheen
 28 mm ceramic cartridge
 with **GROHE SilkMove**
pull out mousseur spout
 swivel tubular spout
 swivel area 360°
 separate inner water ways for filtered
 and non-filtered water
 flexible connection hoses
GROHE Blue Professional cooler
 delivers 12 liters of chilled sparkling water per hour
 colour display with push and turn control
 270 Watt cooling unit, 230 V, 50 Hz
 sound level in standby 46 dB(A)
 type of protection IP 21
 CE approved
 requires ventilation holes in the bottom of the kitchen cabinet
 software set-up and monitoring of filter and CO₂ capacity possible via GROHE
 Ondus app
 push notifications at low filter resp. CO₂ capacity
 additional monitoring via GROHE Blue Professional Browser-Monitor possible
 with Bluetooth 4.0* and WIFI interface for wireless data communication
 for Apple** and Android devices
 Bluetooth range (max. 10 m) varies depending on materials used and walls
 between transmitter and receiver
 filter head with flexible water hardness adjustment
 GROHE Blue filter, CO₂ bottle and cleaning cartridge are not included in the
 delivery and have to be ordered separately
 suitable filters:
 - filter S-size, capacity 600 l at 20° dKH (40 404 001)
 - filter M-size, capacity 1500 l at 20° dKH (40 430 001)
 - filter L-size, capacity 2500 l at 20° dKH (40 412 001)
 - activated carbon filter, capacity 3000 l (40 547 001)
 - Magnesium + Zinc filter, capacity 400 l at 17° dGH (40 691 002)

System requirements Apple
 iPhone with iOS 12.0 or higher

System requirements Android
 smart phone with Android 6.0 or higher

Mobile devices and GROHE Watersystems App*** are not included in delivery
 and have to be ordered separately via an authorised Apple store/store/iTunes or
 Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by
 Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license.
 Other trademarks and trade names are those of their respective owners.
 ** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of
 Apple Inc., registered in the U.S. and other countries. Apple is not responsible for
 the function of this device or its compliance with safety and regulatory standards.
 *** Available for free via iTunes app or Google Play store.
 to be equipped with a non-return valve EA approved by Belgaqua

GROHE BLUE PROFESSIONAL

| Ref. No. | Colour | EAN |
|------------|------------|---------------|
| 31 302 002 | Chrome | 4005176443343 |
| 31 302 DC2 | supersteel | 4005176443350 |

GROHE Blue Professional C-spout kit with Mono tap
 Consisting of:
GROHE Blue Mono mixer with filter function
 monobloc installation
 C-spout
 touch operated for 3 types of filtered and chilled water
 still, medium, sparkling
GROHE Long-Life Shine durable sparkling sheen
 swivel tubular spout
 swivel area 150°
GROHE Blue Professional cooler
 delivers 12 liters of chilled sparkling water per hour
 colour display with push and turn control
 270 Watt cooling unit, 230 V, 50 Hz
 sound level in standby 46 dB(A)
 type of protection IP 21
 CE approved
 requires ventilation holes in the bottom of the kitchen cabinet
 software set-up and monitoring of filter and CO₂ capacity possible via GROHE Ondus app
 push notifications at low filter resp. CO₂ capacity
 additional monitoring via GROHE Blue Professional Browser-Monitor possible
 for Apple** and Android devices
 Bluetooth range (max. 10 m) varies depending on materials used and walls
 between transmitter and receiver
 filter head with flexible water hardness adjustment
 GROHE Blue filter, CO₂ bottle and cleaning cartridge are not included in the
 delivery and have to be ordered separately
 suitable filters:
 - filter S-size, capacity 600 l at 20° dKH (40 404 001)
 - filter M-size, capacity 1500 l at 20° dKH (40 430 001)
 - filter L-size, capacity 2500 l at 20° dKH (40 412 001)
 - activated carbon filter, capacity 3000 l (40 547 001)
 - Magnesium + Zinc filter, capacity 400 l at 17° dGH (40 691 002)


System requirements Apple
 iPhone with iOS 12.0 or higher

System requirements Android
 smart phone with Android 6.0 or higher

Mobile devices and GROHE Watersystems App*** are not included in delivery
 and have to be ordered separately via an authorised Apple store/store/iTunes or
 Google Play store.


* The Bluetooth word mark and logos are registered trademarks owned by
 Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license.
 Other trademarks and trade names are those of their respective owners.
 ** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of
 Apple Inc., registered in the U.S. and other countries. Apple is not responsible for
 the function of this device or its compliance with safety and regulatory standards.
 *** Available for free via iTunes app or Google Play store.

to be equipped with a non-return valve EA approved by Belgaqua



KITCHEN
FITTINGS

GROHE BLUE PROFESSIONAL



| Ref. No. | Colour | EAN |
|------------|--------|---------------|
| 40 554 002 | | 4005176458521 |

GROHE Blue Professional Cooler and carbonizer

delivers 12 liters of chilled water per hour
 colour display with push and turn control
 270 Watt cooling unit, 230 V, 50 Hz
 type of protection IP 21
 CE approved
 requires ventilation holes in the bottom of the kitchen cabinet
 software set-up and monitoring of filter and CO₂ capacity possible via GROHE Ondus app
 push notifications at low filter resp. CO₂ capacity
 additional monitoring via GROHE Blue Professional Browser-Monitor possible with Bluetooth 4.0* and WIFI interface for wireless data communication for Apple** and Android devices
 Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver
 compatible only with GROHE Blue taps with push button operation

System requirements Apple

iPhone with iOS 12.0 or higher

System requirements Android

smart phone with Android 6.0 or higher

Mobile devices and GROHE Watersystems App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.

This product includes an article which is declared as a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/

GROHE BLUE HOME

| Ref. No. | Colour | EAN |
|------------|-----------------------|---------------|
| 31 455 001 | Chrome | 4005176454134 |
| 31 455 DC1 | supersteel | 4005176454141 |
| 31 455 DL1 | brushed warm sunset | 4005176488962 |
| 31 455 AL1 | brushed hard graphite | 4005176488948 |

GROHE Blue Home
C-spout
 Consisting of:
 GROHE Blue Home single-lever sink mixer with filter function
 monobloc installation
 C-spout
 touch operated for 3 types of filtered and chilled water
 still, medium, sparkling
GROHE Long-Life Shine finish
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 swivel tubular spout, swivel area 150°
 separate inner water ways for filtered
 and non-filtered water
 flexible connection hoses
 GROHE Blue Home cooler
 delivers 3 liters of chilled sparkling water per hour
 180 Watt cooling unit, 230 V, 50 Hz
 sound level in standby 44 dB(A)
 type of protection IP 21
 CE approved
 requires ventilation holes in the bottom of the kitchen cabinet
 software set-up and monitoring of filter and CO₂ capacity possible via GROHE
 Ondus app
 with Bluetooth 4.0* and WIFI interface for wireless data communication
 for Apple** and Android devices
 Bluetooth range (max. 10 m) varies depending on materials used and walls
 between transmitter and receiver
 adjustable for GROHE Blue filter S-Size, GROHE Blue activated
 carbon filter and GROHE Blue magnesium + zinc filter
 GROHE Blue filter S-Size, filter head with flexible
 water hardness adjustment
 for regions with water hardness of more than 9° dKH
 for regions with water hardness below 9° dKH please order activated carbon filter
 40 547 001
GROHE Blue 425 g CO₂ bottle
System requirements Apple
 iPhone with iOS 12.0 or higher
System requirements Android
 smart phone with Android 6.0 or higher
 Mobile devices and GROHE Watersystems App*** are not included in delivery
 and have to be ordered separately via an authorised Apple store/store/iTunes or
 Google Play store.
 * The Bluetooth word mark and logos are registered trademarks owned by
 Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license.
 Other trademarks and trade names are those of their respective owners.
 ** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of
 Apple Inc., registered in the U.S. and other countries. Apple is not responsible for
 the function of this device or its compliance with safety and regulatory standards.
 *** Available for free via iTunes app or Google Play store.
 This product includes an article which is declared as a hazardous substance.
 Find more information in the safety data sheet. You can download the safety data
 at: www.grohe.com/safety-data-sheets/
 to be equipped with a non-return valve EA approved by Belgaqua



GROHE BLUE HOME

| Ref. No. | Colour | EAN |
|------------|------------|---------------|
| 31 455 000 | Chrome | 4005176323027 |
| 31 455 DC0 | supersteel | 4005176323034 |

GROHE Blue Home

C-spout

Consisting of:

GROHE Blue Home single-lever sink mixer with filter function
monobloc installation

C-spout

touch operated for 3 types of filtered and chilled water
still, medium, sparkling

GROHE Long-Life Shine finish

28 mm ceramic cartridge

with **GROHE SilkMove**

swivel tubular spout, swivel area 150°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses

GROHE Blue Home cooler

delivers 3 liters of chilled water per hour

180 Watt cooling unit, 230 V, 50 Hz

type of protection IP 21

CE approved

requires ventilation holes in the bottom of the kitchen cabinet

adjustable for GROHE Blue filter S-Size, GROHE Blue activated

carbon filter and GROHE Blue magnesium + zinc filter

GROHE Blue filter S-Size, filter head with flexible


water hardness adjustment

for regions with water hardness of more than 9° dKH

for regions with water hardness below 9° dKH please order activated carbon filter

40 547 001

GROHE Blue 425 g CO₂ bottle



GROHE BLUE HOME

| Ref. No. | Colour | EAN |
|------------|------------|---------------|
| 31 541 000 | Chrome | 4005176437038 |
| 31 541 DC0 | supersteel | 4005176437045 |

GROHE Blue Home

C-spout starter kit with pull-out mousseur

Consisting of:

GROHE Blue Home single-lever sink mixer with filter function
monobloc installation

C-spout

touch operated for 3 types of filtered and chilled water
still, medium, sparkling

GROHE Long-Life Shine finish

28 mm ceramic cartridge

with GROHE SilkMove

pull out mousseur spout

swivel tubular spout, swivel area 360°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses

GROHE Blue Home cooler

delivers 3 liters of chilled sparkling water per hour

180 Watt cooling unit, 230 V, 50 Hz

sound level in standby 44 dB(A)

type of protection IP 21

CE approved

requires ventilation holes in the bottom of the kitchen cabinet

software set-up and monitoring of filter and CO₂ capacity possible via GROHE Ondus app

with Bluetooth 4.0* and WIFI interface for wireless data communication

for Apple** and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls

between transmitter and receiver

adjustable for GROHE Blue filter S-Size, GROHE Blue activated

carbon filter and GROHE Blue magnesium + zinc filter

GROHE Blue filter S-Size, filter head with flexible

water hardness adjustment

for regions with water hardness of more than 9° dKH

for regions with water hardness below 9° dKH please order activated carbon filter

40 547 001

GROHE Blue 425 g CO₂ bottle

System requirements Apple

iPhone with iOS 12.0 or higher

System requirements Android

smart phone with Android 6.0 or higher

Mobile devices and GROHE Watersystems App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.

This product includes an article which is declared as a hazardous substance.

Find more information in the safety data sheet. You can download the safety data

at: www.grohe.com/safety-data-sheets/

to be equipped with a non-return valve EA approved by Belgaqua



GROHE BLUE HOME

| Ref. No. | Colour | EAN |
|------------|-----------------------|---------------|
| 31 454 001 | Chrome | 4005176454110 |
| 31 454 DC1 | supersteel | 4005176454127 |
| 31 454 DL1 | brushed warm sunset | 4005176488924 |
| 31 454 AL1 | brushed hard graphite | 4005176488900 |

GROHE Blue Home

L-spout

Consisting of:

GROHE Blue Home single-lever sink mixer with filter function
monobloc installation

L-spout

touch operated for 3 types of filtered and chilled water
still, medium, sparkling

GROHE Long-Life Shine finish

28 mm ceramic cartridge

with **GROHE SilkMove**

swivel tubular spout, swivel area 150°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses

GROHE Blue Home cooler

delivers 3 liters of chilled sparkling water per hour

180 Watt cooling unit, 230 V, 50 Hz

sound level in standby 44 dB(A)

type of protection IP 21

CE approved

requires ventilation holes in the bottom of the kitchen cabinet

software set-up and monitoring of filter and CO₂ capacity possible via GROHE Ondus app

with Bluetooth 4.0* and WIFI interface for wireless data communication
for Apple** and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls

between transmitter and receiver

adjustable for GROHE Blue filter S-Size, GROHE Blue activated

carbon filter and GROHE Blue magnesium + zinc filter

GROHE Blue filter S-Size, filter head with flexible

water hardness adjustment

for regions with water hardness of more than 9° dKH

for regions with water hardness below 9° dKH please order activated carbon filter 40 547 001

GROHE Blue 425 g CO₂ bottle

System requirements Apple

iPhone with iOS 12.0 or higher

System requirements Android

smart phone with Android 6.0 or higher

Mobile devices and GROHE Watersystems App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.

This product includes an article which is declared as a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/

to be equipped with a non-return valve EA approved by Belgaqua



GROHE BLUE HOME

| Ref. No. | Colour | EAN |
|------------|------------|---------------|
| 31 539 000 | Chrome | 4005176437014 |
| 31 539 DC0 | supersteel | 4005176437021 |

GROHE Blue Home

L-spout starter kit with pull-out mousseur

Consisting of:

GROHE Blue Home single-lever sink mixer with filter function
monobloc installation

L-spout

touch operated for 3 types of filtered and chilled water
still, medium, sparkling

GROHE Long-Life Shine finish

28 mm ceramic cartridge

with GROHE SilkMove

pull out mousseur spout

swivel tubular spout, swivel area 360°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses

GROHE Blue Home cooler

delivers 3 liters of chilled sparkling water per hour

180 Watt cooling unit, 230 V, 50 Hz

sound level in standby 44 dB(A)

type of protection IP 21

CE approved

requires ventilation holes in the bottom of the kitchen cabinet

software set-up and monitoring of filter and CO₂ capacity possible via GROHE Ondus app

with Bluetooth 4.0* and WIFI interface for wireless data communication

for Apple** and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls

between transmitter and receiver

adjustable for GROHE Blue filter S-Size, GROHE Blue activated

carbon filter and GROHE Blue magnesium + zinc filter

GROHE Blue filter S-Size, filter head with flexible

water hardness adjustment

for regions with water hardness of more than 9° dKH

for regions with water hardness below 9° dKH please order activated carbon filter

40 547 001

GROHE Blue 425 g CO₂ bottle

System requirements Apple

iPhone with iOS 12.0 or higher

System requirements Android

smart phone with Android 6.0 or higher

Mobile devices and GROHE Watersystems App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.

This product includes an article which is declared as a hazardous substance.

Find more information in the safety data sheet. You can download the safety data

at: www.grohe.com/safety-data-sheets/

to be equipped with a non-return valve EA approved by Belgaqua



GROHE BLUE HOME

| Ref. No. | Colour | EAN |
|------------|------------|---------------|
| 31 456 001 | Chrome | 4005176454158 |
| 31 456 DC1 | supersteel | 4005176454165 |

GROHE Blue Home

U-spout

Consisting of:

GROHE Blue Home single-lever sink mixer with filter function
monobloc installation

U spout

touch operated for 3 types of filtered and chilled water
still, medium, sparkling

GROHE Long-Life Shine finish

28 mm ceramic cartridge

with **GROHE SilkMove**

swivel tubular spout, swivel area 150°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses

GROHE Blue Home cooler

delivers 3 liters of chilled sparkling water per hour

180 Watt cooling unit, 230 V, 50 Hz

sound level in standby 44 dB(A)

type of protection IP 21

CE approved

requires ventilation holes in the bottom of the kitchen cabinet

software set-up and monitoring of filter and CO₂ capacity possible via GROHE

Ondus app

with Bluetooth 4.0* and WIFI interface for wireless data communication

for Apple** and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls

between transmitter and receiver

adjustable for GROHE Blue filter S-Size, GROHE Blue activated

carbon filter and GROHE Blue magnesium + zinc filter

GROHE Blue filter S-Size, filter head with flexible

water hardness adjustment

for regions with water hardness of more than 9° dKH

for regions with water hardness below 9° dKH please order activated carbon filter

40 547 001

GROHE Blue 425 g CO₂ bottle

System requirements Apple

iPhone with iOS 12.0 or higher

System requirements Android

smart phone with Android 6.0 or higher

Mobile devices and GROHE Watersystems App*** are not included in delivery

and have to be ordered separately via an authorised Apple store/store/iTunes or

Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license.

Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.

This product includes an article which is declared as a hazardous substance.

Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/

to be equipped with a non-return valve EA approved by Belgaqua



GROHE BLUE HOME

| Ref. No. | Colour | EAN |
|------------|------------|---------------|
| 31 543 000 | Chrome | 4005176437052 |
| 31 543 DC0 | supersteel | 4005176437069 |

GROHE Blue Home

U-spout starter kit with pull-out mousseur

Consisting of:

GROHE Blue Home single-lever sink mixer with filter function

monobloc installation

U spout

touch operated for 3 types of filtered and chilled water

still, medium, sparkling

GROHE Long-Life Shine finish

28 mm ceramic cartridge

with **GROHE SilkMove**

pull out mousseur spout

swivel tubular spout, swivel area 360°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses

GROHE Blue Home cooler

delivers 3 liters of chilled sparkling water per hour

180 Watt cooling unit, 230 V, 50 Hz

sound level in standby 44 dB(A)

type of protection IP 21

CE approved

requires ventilation holes in the bottom of the kitchen cabinet

software set-up and monitoring of filter and CO₂ capacity possible via GROHE

Ondus app

with Bluetooth 4.0* and WIFI interface for wireless data communication

for Apple** and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls

between transmitter and receiver

adjustable for GROHE Blue filter S-Size, GROHE Blue activated

carbon filter and GROHE Blue magnesium + zinc filter

GROHE Blue filter S-Size, filter head with flexible

water hardness adjustment

for regions with water hardness of more than 9° dKH

for regions with water hardness below 9° dKH please order activated carbon filter

40 547 001

GROHE Blue 425 g CO₂ bottle

System requirements Apple

iPhone with iOS 12.0 or higher

System requirements Android

smart phone with Android 6.0 or higher

Mobile devices and GROHE Watersystems App*** are not included in delivery

and have to be ordered separately via an authorised Apple store/store/iTunes or

Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by

Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license.

Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of

Apple Inc., registered in the U.S. and other countries. Apple is not responsible for

the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.

This product includes an article which is declared as a hazardous substance.


Find more information in the safety data sheet. You can download the safety data

at: www.grohe.com/safety-data-sheets/

to be equipped with a non-return valve EA approved by Belgaqua



GROHE BLUE HOME



| Ref. No. | Colour | EAN |
|------------|-----------------------|---------------|
| 31 498 001 | Chrome | 4005176454172 |
| 31 498 DC1 | supersteel | 4005176454189 |
| 31 498 DL1 | brushed warm sunset | 4005176489006 |
| 31 498 AL1 | brushed hard graphite | 4005176488986 |

GROHE Blue Home

C-spout starter kit with Mono tap

Consisting of:

GROHE Blue Home Mono tap with filter function
monobloc installation

C-spout

touch operated for 3 types of filtered and chilled water
still, medium, sparkling

GROHE Long-Life Shine finish

swivel tubular spout

swivel area 150°

GROHE Blue Home cooler

delivers 3 liters of chilled sparkling water per hour

180 Watt cooling unit, 230 V, 50 Hz

sound level in standby 44 dB(A)

type of protection IP 21

CE approved

requires ventilation holes in the bottom of the kitchen cabinet

software set-up and monitoring of filter and CO₂ capacity possible via GROHE Ondus app

with Bluetooth 4.0* and WIFI interface for wireless data communication

for Apple** and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver

adjustable for GROHE Blue filter S-Size, GROHE Blue activated

carbon filter and GROHE Blue magnesium + zinc filter

GROHE Blue filter S-Size, filter head with flexible

water hardness adjustment

for regions with water hardness of more than 9° dKH

for regions with water hardness below 9° dKH please order activated carbon filter 40 547 001

GROHE Blue 425 g CO₂ bottle

System requirements Apple

iPhone with iOS 12.0 or higher

System requirements Android

smart phone with Android 6.0 or higher

Mobile devices and GROHE Watersystems App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards. *** Available for free via iTunes app or Google Play store.

This product includes an article which is declared as a hazardous substance.

Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/

to be equipped with a non-return valve EA approved by Belgaqua

GROHE BLUE HOME

Ref. No. Colour EAN

40 711 001 4005176454301

GROHE Blue Home Cooler

180 Watt cooling unit, 230 V, 50 Hz
 sound level in standby 44 dB(A)
 delivers 3 liters of chilled sparkling water per hour
 CE approved
 requires ventilation holes in the bottom of the kitchen cabinet
 software set-up and monitoring of filter and CO₂ capacity possible via GROHE Ondus app
 with Bluetooth 4.0* and WIFI interface for wireless data communication
 for Apple** and Android devices
 Bluetooth range (max. 10 m) varies depending on materials used and walls
 between transmitter and receiver
 adjustable for GROHE Blue filter S-Size, GROHE Blue activated
 carbon filter and GROHE Blue magnesium + zinc filter

System requirements Apple

iPhone with iOS 12.0 or higher

System requirements Android

smart phone with Android 6.0 or higher


Mobile devices and GROHE Watersystems App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.


to be equipped with a non-return valve EA approved by Belgaqua



KITCHEN
FITTINGS


GROHE BLUE PURE

| Ref. No. | Colour | EAN |
|------------|--------|---------------|
| 30 580 000 | Chrome | 4005176744891 |




**GROHE Blue Pure BauCurve
Filter tap**
Consisting of:
GROHE Blue single-lever sink mixer with filter function
monobloc installation
C-spout
separate handle for filtered water
28 mm ceramic cartridge
with **GROHE SilkMove**
swivel tubular spout
swivel area 150°
separate inner water ways for filtered
and non-filtered water
flexible connection hoses

| | | |
|------------|--------|---------------|
| 30 581 000 | Chrome | 4005176744907 |
|------------|--------|---------------|




**GROHE Blue Pure BauCurve
Starter kit with S-Size filter**
Consisting of:
GROHE Blue single-lever sink mixer with filter function
monobloc installation
C-spout
separate handle for filtered water
28 mm ceramic cartridge
with **GROHE SilkMove**
swivel tubular spout
swivel area 150°
separate inner water ways for filtered
and non-filtered water
flexible connection hoses
GROHE Blue filter head
GROHE Blue S-Size filter for water hardness reduction and premium taste
Capacity 600 L at 20° dKH
flow meter for filter lifetime measurement including 2 x AA batteries

| | | |
|------------|--------|---------------|
| 30 582 000 | Chrome | 4005176744914 |
|------------|--------|---------------|



**GROHE Blue Pure BauCurve
Starter kit with Ultrasafe filter**
Consisting of:
GROHE Blue single-lever sink mixer with filter function
monobloc installation
C-spout
separate handle for filtered water
28 mm ceramic cartridge
with **GROHE SilkMove**
swivel tubular spout
swivel area 150°
separate inner water ways for filtered
and non-filtered water
flexible connection hoses
GROHE Blue filter head
GROHE Blue Ultrasafe filter retains microplastic > 1 µm, 99.999 % of bacteria and 99,5 % of lead
reduces substances responsible for unpleasant taste and odour, e.g. chlorine
filter capacity 3000 l, the filter must be replaced after 6 months of use
flow meter for filter lifetime measurement including 2 x AA batteries


| | | |
|------------|------------|---------------|
| 30 583 000 | Chrome | 4005176744921 |
| 30 583 DC0 | supersteel | 4005176744938 |



**GROHE Blue Pure Eurosmart
Filter tap**
Consisting of:
GROHE Blue single-lever sink mixer with filter function
monobloc installation
U spout
separate handle for filtered water
28 mm ceramic cartridge
with **GROHE SilkMove**
swivel tubular spout
swivel area 150°
separate inner water ways for filtered
and non-filtered water
flexible connection hoses


GROHE BLUE PURE

| Ref. No. | Colour | EAN |
|------------|--------|---------------|
| 30 584 000 | Chrome | 4005176744945 |




GROHE Blue Pure Eurosmart Starter kit with S-Size filter
 Consisting of:
GROHE Blue single-lever sink mixer with filter function
 monobloc installation
 U spout
 separate handle for filtered water
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 swivel tubular spout
 swivel area 150°
 separate inner water ways for filtered
 and non-filtered water
 flexible connection hoses
GROHE Blue filter head
GROHE Blue S-Size filter for water hardness reduction and premium taste
 Capacity 600 L at 20° dKH
 flow meter for filter lifetime measurement including 2 x AA batteries

| | | |
|------------|--------|---------------|
| 30 586 000 | Chrome | 4005176744969 |
|------------|--------|---------------|



GROHE Blue Pure Eurosmart Starter kit with reverse osmosis filter
 Consisting of:
GROHE Blue single-lever sink mixer with filter function
 monobloc installation
 U spout
 separate handle for filtered water
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 swivel tubular spout
 swivel area 150°
 separate inner water ways for filtered
 and non-filtered water
 flexible connection hoses
GROHE Blue reverse osmosis system
 reverse osmosis filter membrane for pure and safe water
 significant removal of chemicals, hormones and microorganisms
 flow rate 1.5 l/min
 salt rejection more than 97%
 efficiency rate min. 50%
 feed water pressure 1.00 - 4.00 bar
 standard IEC connector with EU plug, power supply 230V / 50 Hz
 no water storage tank required
 membrane lifetime one year
 connection set

| | | |
|------------|--------|---------------|
| 30 587 000 | Chrome | 4005176745263 |
|------------|--------|---------------|




GROHE Blue Pure Eurosmart Starter kit with reverse osmosis mineralization filter
 Consisting of:
GROHE Blue single-lever sink mixer with filter function
 monobloc installation
 U spout
 separate handle for filtered water
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 swivel tubular spout
 swivel area 150°
 separate inner water ways for filtered
 and non-filtered water
 flexible connection hoses
GROHE Blue reverse osmosis mineralization system
 reverse osmosis filter membrane for pure and safe water
 significant removal of chemicals, hormones and microorganisms
 mineralization filter enriches drinking water with magnesium and silicate for
 premium taste
 flow rate 1.5 l/min
 salt rejection more than 97%
 efficiency rate min. 50%
 feed water pressure 1.00 - 4.00 bar
 standard IEC connector with EU plug, power supply 230V / 50 Hz
 no water storage tank required
 membrane lifetime one year
 connection set

GROHE BLUE PURE

Ref. No. Colour EAN


30 588 000 Chrome 4005176744983



**GROHE Blue Pure Minta
Filter tap**

Consisting of:
GROHE Blue single-lever sink mixer with filter function
 monobloc installation
 L-spout
 separate handle for filtered water
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 swivel tubular spout
 swivel area 150°
 separate inner water ways for filtered
 and non-filtered water
 flexible connection hoses

30 589 000 Chrome 4005176745270




**GROHE Blue Pure Minta
Starter kit with S-Size filter**

Consisting of:
GROHE Blue single-lever sink mixer with filter function
 monobloc installation
 L-spout
 separate handle for filtered water
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 swivel tubular spout
 swivel area 150°
 separate inner water ways for filtered
 and non-filtered water
 flexible connection hoses
 GROHE Blue filter head
GROHE Blue S-Size filter for water hardness reduction and premium taste
 Capacity 600 L at 20° dKH
 flow meter for filter lifetime measurement including 2 x AA batteries

30 590 000 Chrome 4005176745003


30 590 DC0 supersteel 4005176745010



**GROHE Blue Pure Minta
Filter tap with pull-out mousseur**

Consisting of:
GROHE Blue single-lever sink mixer with filter function
 monobloc installation
 L-spout
pull out mousseur spout
 separate handle for filtered water
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 swivel tubular spout
 swivel area 360°
 separate inner water ways for filtered
 and non-filtered water
 flexible connection hoses

30 590 KFO phantom black 4005176781728




**GROHE Blue Pure Minta
Filter tap with pull-out mousseur**

Consisting of:
GROHE Blue single-lever sink mixer with filter function
 monobloc installation
 L-spout
pull out mousseur spout
 separate handle for filtered water
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 swivel tubular spout
 swivel area 360°
 separate inner water ways for filtered
 and non-filtered water
 flexible connection hoses

GROHE BLUE PURE

Ref. No. Colour EAN

30 591 000 Chrome 4005176745034



**GROHE Blue Pure Minta
Starter kit with pull-out tap**

Consisting of:

GROHE Blue single-lever sink mixer with filter function
monobloc installation
L-spout

pull out mousseur spout

separate handle for filtered water

28 mm ceramic cartridge

with **GROHE SilkMove**

swivel tubular spout

swivel area 360°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses


GROHE Blue filter head

GROHE Blue S-Size filter for water hardness reduction and premium taste

Capacity 600 L at 20° dKH

flow meter for filter lifetime measurement including 2 x AA batteries

41 136 000 4005176774430



GROHE Blue

Activated carbon filter starter set

Consisting of:

GROHE Blue filter head

GROHE Blue activated carbon filter for soft water areas below 9° dKH


reduces substances responsible for unpleasant taste and odour, e.g. chlorine

capacity 1500 l at 9° dKH

time counter for filter lifetime measurement including 2 x AA batteries

compatible with GROHE Blue Pure single faucets

40 438 001 4005176984105



GROHE Blue

S-size filter starter set

Consisting of:

GROHE Blue filter head


GROHE Blue S-Size filter for water hardness reduction and premium taste

Capacity 600 L at 20° dKH

flow meter for filter lifetime measurement including 2 x AA batteries

compatible with GROHE Blue Pure single faucets and GROHE Red water systems

40 875 000 Chrome 4005176745195



GROHE Blue

Magnesium + Zinc filter starter set

Consisting of:

GROHE Blue filter head

GROHE Blue Magnesium + zinc filter

enriches water with up to 35 mg/l magnesium and up to 3 mg/l zinc

reduces substances responsible for unpleasant taste and odour, e.g. chlorine


reduces limescale and heavy metals

Capacity 400 L at 17° dGH

flow meter for filter lifetime measurement including 2 x AA batteries

compatible with GROHE Blue Pure single faucets

40 876 000 Chrome 4005176745201



GROHE Blue

Ultrasafe filter starter set

Consisting of:

GROHE Blue filter head

GROHE Blue Ultrasafe filter retains microplastic > 1 µm, 99.999 % of bacteria and

99,5 % of lead

reduces substances responsible for unpleasant taste and odour, e.g. chlorine

filter capacity 3000 l, the filter must be replaced after 6 months of use

flow meter for filter lifetime measurement including 2 x AA batteries

compatible with GROHE Blue Pure single faucets

GROHE BLUE PURE



| Ref. No. | Colour | EAN |
|------------|--------|---------------|
| 40 877 000 | Chrome | 4005176745218 |

GROHE Blue
Reverse osmosis filter starter set
 Consisting of:
GROHE Blue reverse osmosis system
 reverse osmosis filter membrane for pure and safe water
 significant removal of chemicals, hormones and microorganisms
 flow rate 1.5 l/min
 salt rejection more than 97%
 efficiency rate min. 50%
 feed water pressure 1.00 - 4.00 bar
 standard IEC connector with EU plug, power supply 230V / 50 Hz
 no water storage tank required
 membrane lifetime one year
 connection set
 compatible with GROHE Blue Pure single faucets



| | | |
|------------|--------|---------------|
| 40 878 000 | Chrome | 4005176745225 |
|------------|--------|---------------|

GROHE Blue
Reverse osmosis with mineralization filter starter set
 Consisting of:
GROHE Blue reverse osmosis mineralization system
 reverse osmosis filter membrane for pure and safe water
 significant removal of chemicals, hormones and microorganisms
 mineralization filter enriches drinking water with magnesium and silicate for premium taste
 flow rate 1.5 l/min
 salt rejection more than 97%
 efficiency rate min. 50%
 feed water pressure 1.00 - 4.00 bar
 standard IEC connector with EU plug, power supply 230V / 50 Hz
 no water storage tank required
 membrane lifetime one year
 connection set
 compatible with GROHE Blue Pure single faucets


GROHE BLUE ACCESSORIES

| | | Ref. No. | Colour | EAN |
|---|---|--|---|--|
|  |  | 40 848 SD0 40 848 GN0 40 848 DL0 40 848 AL0 | stainless steel brushed cool sunrise brushed warm sunset brushed hard graphite | 4005176386008 4005176647000 4005176647017 4005176646997 |
| <p>GROHE Blue Thermo drinking bottle stainless steel drinking bottle with GROHE Blue decor double-walled lid with strap volume 450 ml</p> | | | | |
|  |  | 40 405 001 | | 4005176698019 |
| <p>GROHE Blue Glass carafe with lid set crystal glass with GROHE Blue decor stainless steel lid with tilt lock with integrated sieve to hold back e.g. fruits plastic lid for closing BPA (Bisphenol A) free dish washer safe volume 1l</p> | | | | |
|  | | 40 636 SD0 | stainless steel | 4005176706707 |
| <p>GROHE Blue Lid set set consists of 2 lids stainless steel lid with tilt lock with integrated sieve to hold back e.g. fruits plastic lid for closing BPA (Bisphenol A) free dish washer safe</p> | | | | |
|  |  | 40 437 000 | | 4005176885471 |
| <p>GROHE Blue Water glasses (6 pieces) crystal glasses with GROHE Blue decor dish washer safe volume 250 ml</p> | | | | |
|  |  | 40 547 001 | | 4005176984099 |
| <p>GROHE Blue Activated carbon filter BWT replacement filter for GROHE Blue water systems for soft water areas below 9° dKH Up to 3000 Liters reduces substances responsible for unpleasant taste and odour, e.g. chlorine compatible with GROHE Blue Home, GROHE Blue Professional and GROHE Blue Pure</p> | | | | |

GROHE BLUE ACCESSORIES

| | Ref. No. | Colour | EAN |
|---|--|--------|----------------------|
|   | 40 404 001 | | 4005176984068 |
| | GROHE Blue Filter S-Size BWT replacement filter for GROHE Blue and GROHE Red water systems Capacity 600 L at 20° dKH reduces substances responsible for unpleasant taste and odour, e.g. chlorine reduces limescale and heavy metals compatible with GROHE Blue Home, GROHE Blue Professional, GROHE Blue Pure (only with flow meter) and GROHE Red | | |
| | 40 430 001 | | 4005176984075 |
| | ditto, M-Size, capacity 1500 l at 20° dKh, 315 mm high | | |
| 40 412 001 | | | 4005176984082 |
| | ditto, L-Size, capacity 2500 l at 20° dKh, 350 mm high | | |
|   | 40 691 002 | | 4005176674099 |
| | GROHE Blue Magnesium + Zinc filter BWT replacement filter for GROHE Blue and GROHE Red water systems Capacity 400 L at 17° dGH enriches water with up to 35 mg/l magnesium and up to 3 mg/l zinc reduces substances responsible for unpleasant taste and odour, e.g. chlorine reduces limescale and heavy metals compatible with GROHE Blue Home, GROHE Blue Professional, GROHE Blue Pure (only with flow meter) and GROHE Red | | |
| | 40 575 002 | | 4005176674082 |
| | GROHE Blue UltraSafe filter BWT replacement filter for GROHE Blue water systems filter capacity 3000 l, the filter must be replaced after 6 months of use retains microplastic > 1 µm and 99,999 % of bacteria, removes lead by 99,5 % reduces substances responsible for unpleasant taste and odour, e.g. chlorine compatible with GROHE Blue Home, GROHE Blue Professional and GROHE Blue Pure (only with flow meter) | | |
|   | 41 136 000 | | 4005176774430 |
| | GROHE Blue Activated carbon filter starter set Consisting of: GROHE Blue filter head GROHE Blue activated carbon filter for soft water areas below 9° dKH reduces substances responsible for unpleasant taste and odour, e.g. chlorine capacity 1500 l at 9° dKH time counter for filter lifetime measurement including 2 x AA batteries compatible with GROHE Blue Pure single faucets | | |
| | 40 438 001 | | 4005176984105 |
| | GROHE Blue S-size filter starter set Consisting of: GROHE Blue filter head GROHE Blue S-Size filter for water hardness reduction and premium taste Capacity 600 L at 20° dKH flow meter for filter lifetime measurement including 2 x AA batteries compatible with GROHE Blue Pure single faucets and GROHE Red water systems | | |




GROHE BLUE ACCESSORIES

| | Ref. No. | Colour | EAN |
|---|-------------------|---------------|----------------------|
|   | 40 875 000 | Chrome | 4005176745195 |
| <p>GROHE Blue Magnesium + Zinc filter starter set Consisting of: GROHE Blue filter head GROHE Blue Magnesium + zinc filter enriches water with up to 35 mg/l magnesium and up to 3 mg/l zinc reduces substances responsible for unpleasant taste and odour, e.g. chlorine reduces limescale and heavy metals Capacity 400 L at 17° dGH flow meter for filter lifetime measurement including 2 x AA batteries compatible with GROHE Blue Pure single faucets</p> | | | |
|   | 40 876 000 | Chrome | 4005176745201 |
| <p>GROHE Blue Ultrasafe filter starter set Consisting of: GROHE Blue filter head GROHE Blue Ultrasafe filter retains microplastic > 1 µm, 99.999 % of bacteria and 99,5 % of lead reduces substances responsible for unpleasant taste and odour, e.g. chlorine filter capacity 3000 l, the filter must be replaced after 6 months of use flow meter for filter lifetime measurement including 2 x AA batteries compatible with GROHE Blue Pure single faucets</p> | | | |
|  | 40 877 000 | Chrome | 4005176745218 |
| <p>GROHE Blue Reverse osmosis filter starter set Consisting of: GROHE Blue reverse osmosis system reverse osmosis filter membrane for pure and safe water significant removal of chemicals, hormones and microorganisms flow rate 1.5 l/min salt rejection more than 97% efficiency rate min. 50% feed water pressure 1.00 - 4.00 bar standard IEC connector with EU plug, power supply 230V / 50 Hz no water storage tank required membrane lifetime one year connection set compatible with GROHE Blue Pure single faucets</p> | | | |
|  | 40 878 000 | Chrome | 4005176745225 |
| <p>GROHE Blue Reverse osmosis with mineralization filter starter set Consisting of: GROHE Blue reverse osmosis mineralization system reverse osmosis filter membrane for pure and safe water significant removal of chemicals, hormones and microorganisms mineralization filter enriches drinking water with magnesium and silicate for premium taste flow rate 1.5 l/min salt rejection more than 97% efficiency rate min. 50% feed water pressure 1.00 - 4.00 bar standard IEC connector with EU plug, power supply 230V / 50 Hz no water storage tank required membrane lifetime one year connection set compatible with GROHE Blue Pure single faucets</p> | | | |
|  | 64 508 001 | | 4005176984112 |
| <p>GROHE Blue Filter Head for use with GROHE Blue filters, sold separately</p> | | | |

GROHE BLUE ACCESSORIES

| | Ref. No. | Colour | EAN |
|---|--|--------|---------------|
|   | 40 434 001 | | 4005176985294 |
| | GROHE Blue Cleaning cartridge for 100% disinfection and cleaning of the GROHE Blue cooler and filter head including spray head for use with GROHE Blue cleaning cartridge adapter 40 694 000, sold separately This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/ | | |
|  | 40 694 000 | | 4005176985300 |
| | GROHE Blue Cleaning cartridge adapter for GROHE Blue BWT filterhead 64 508 001 for use with GROHE Blue cleaning cartridge 40 434 001, sold separately | | |
|   | 40 422 000 | | 4005176890246 |
| | GROHE Blue Starter kit 425 g CO₂ bottles (4 pieces) carbon dioxide from natural sources for food and beverage (E290) Purity: CO ₂ 99.9 % v/v min. volume 1 bottle: 425 g, for up to 60 l of sparkling water for refilling please order 40 687 000 This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/ | | |
|   | 40 687 000 | | 4005176981838 |
| | GROHE Blue Refill 425 g CO₂ bottles (4 pieces) carbon dioxide from natural sources for food and beverage (E290) Purity: CO ₂ 99.9 % v/v min. volume 1 bottle: 425 g, for up to 60 l of sparkling water This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/ | | |
|   | 40 920 000 | Chrome | 4005176470646 |
| | GROHE Blue 425 g CO₂ bottle carbon dioxide from natural sources for food and beverage (E290) Purity: CO ₂ 99.9 % v/v min. volume 1 bottle: 425 g, for up to 60 l of sparkling water This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/ sales unit 18 pieces | | |



GROHE BLUE ACCESSORIES



| | Ref. No. | Colour | EAN |
|--|------------|--------|---------------|
|  | 40 423 000 | | 4005176890253 |
|  | 40 962 000 | | 4005176529412 |
|  | 40 843 000 | | 4005176337109 |



**GROHE Blue
Starter kit 2 kg CO₂ bottle**
 carbondioxid from natural sources for food and beverage (E290)
 Purity: CO₂ 99.9 % v/v min.
 volume 1 bottle: 2 kg, up to 350 l sparkling water
 integrated residual pressure valve and safety carrier handle
 for refilling please order 40 424 000
 sales unit 1 piece
 not suitable for the GROHE Blue Home cooler
 This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/



**GROHE Blue
CO₂ adapter**
 adapter for GROHE Blue Professional CO₂ pressure reducer
 for use with 425 g CO₂ bottles
 for GROHE Blue Professional systems as of January 2019





**GROHE Blue
Extension set**
 Consisting of:
 extension cable 5 m
 hose for drinking water, 5 m
 tube cutter
 adapters and clips
 suitable for GROHE Blue Home and GROHE Blue Professional
 (from January 2019)

| | Ref. No. | Colour | EAN |
|---|---|------------|---------------|
|  | 30 328 001 | Chrome | 4005176414107 |
| | 30 328 DC1 | supersteel | 4005176414114 |
|  | <p>GROHE Red Duo Tap and L Size Boiler Consisting of: GROHE Red Duo single-lever sink mixer monobloc installation C-spout GROHE ChildLock push buttons for kettle hot water TÜV certified triple electronic safeguards against accidental activation of boiling water GROHE Long-Life Shine durable sparkling sheen 28 mm ceramic cartridge with GROHE SilkMove insulated tubular spout swivel area 150° separate water ways flexible connection hoses connection for GROHE Red boiler GROHE Red boiler L size reservoir for kettle hot and hot water Without safety expansion vessel, comes with safety valve assembly instead 5.5 liter total capacity required inlet pressure: 1-7 bar with flexible connection hose and outlet for kettle hot water CE approved power supply 230 V 50 Hz power consumption 2100 W standby power consumption 15 W energy efficiency class A GROHE Blue S-Size filter starter set for protection of the boiler from limescale Capacity 600 L at 20° dKH flow rate measuring unit</p> | | |


| | | | |
|---|---|------------|---------------|
|  | 30 340 001 | Chrome | 4005176414893 |
| | 30 340 DC1 | supersteel | 4005176414909 |
|  | <p>GROHE Red Duo Tap and L Size Boiler Consisting of: GROHE Red Duo single-lever sink mixer monobloc installation L-spout GROHE ChildLock push buttons for kettle hot water TÜV certified triple electronic safeguards against accidental activation of boiling water GROHE Long-Life Shine durable sparkling sheen 28 mm ceramic cartridge with GROHE SilkMove insulated tubular spout swivel area 150° separate water ways flexible connection hoses connection for GROHE Red boiler GROHE Red boiler L size reservoir for kettle hot and hot water 5.5 liter total capacity required inlet pressure: 1-7 bar with flexible connection hose and outlet for kettle hot water CE approved power supply 230 V 50 Hz power consumption 2100 W standby power consumption 15 W energy efficiency class A GROHE Blue S-Size filter starter set for protection of the boiler from limescale Capacity 600 L at 20° dKH flow rate measuring unit</p> | | |

| | Ref. No. | Colour | EAN |
|---|--|-----------------------|---------------|
|  | 30 058 001 | Chrome | 4005176989162 |
| | 30 058 DC1 | supersteel | 4005176989179 |
| | 30 058 DL1 | brushed warm sunset | 4005176489280 |
| | 30 058 AL1 | brushed hard graphite | 4005176489266 |
| | GROHE Red Duo Tap and M Size Boiler Consisting of: GROHE Red Duo single-lever sink mixer monobloc installation C-spout GROHE ChildLock push buttons for kettle hot water TÜV certified triple electronic safeguards against accidental activation of boiling water GROHE Long-Life Shine durable sparkling sheen 28 mm ceramic cartridge with GROHE SilkMove insulated tubular spout swivel area 150° separate water ways flexible connection hoses connection for GROHE Red boiler GROHE Red boiler M size reservoir for kettle hot and hot water 3 litre 99° C kettle hot water 4 litre total capacity required inlet pressure: 1-7 bar with flexible connection hose and outlet for kettle hot water CE approved power supply 230 V 50 Hz power consumption 2100 W standby power consumption 15 W energy efficiency class A GROHE Blue S-Size filter starter set for protection of the boiler from limescale Capacity 600 L at 20° dKH flow rate measuring unit | | |
|  | | | |

| | | | |
|---|--|-----------------------|---------------|
|  | 30 341 001 | Chrome | 4005176414916 |
| | 30 341 DC1 | supersteel | 4005176414923 |
| | 30 341 DL1 | brushed warm sunset | 4005176489327 |
| | 30 341 AL1 | brushed hard graphite | 4005176489303 |
| | GROHE Red Duo Tap and M Size Boiler Consisting of: GROHE Red Duo single-lever sink mixer monobloc installation L-spout GROHE ChildLock push buttons for kettle hot water TÜV certified triple electronic safeguards against accidental activation of boiling water GROHE Long-Life Shine durable sparkling sheen 28 mm ceramic cartridge with GROHE SilkMove insulated tubular spout swivel area 150° separate water ways flexible connection hoses connection for GROHE Red boiler GROHE Red boiler M size reservoir for kettle hot and hot water 3 litre 99° C kettle hot water 4 litre total capacity required inlet pressure: 1-7 bar with flexible connection hose and outlet for kettle hot water CE approved power supply 230 V 50 Hz power consumption 2100 W standby power consumption 15 W energy efficiency class A GROHE Blue S-Size filter starter set for protection of the boiler from limescale Capacity 600 L at 20° dKH flow rate measuring unit | | |
|  | | | |

| | Ref. No. | Colour | EAN |
|---|-------------------|---------------|---|
|  | 30 060 001 | Chrome | 4005176989186 GROHE Red Mono Pillar tap and M size boiler Consisting of: GROHE Red Mono pillar tap monobloc installation C-spout GROHE ChildLock push buttons for kettle hot water TÜV certified triple electronic safeguards against accidental activation of boiling water GROHE Long-Life Shine durable sparkling sheen insulated tubular spout swivel area 150° connection for GROHE Red boiler GROHE Red boiler M size reservoir for kettle hot and hot water 3 litre 99° C kettle hot water 4 litre total capacity required inlet pressure: 1-7 bar with flexible connection hose and outlet for kettle hot water CE approved power supply 230 V 50 Hz power consumption 2100 W standby power consumption 15 W energy efficiency class A GROHE Blue S-Size filter starter set for protection of the boiler from limescale Capacity 600 L at 20° dKH flow rate measuring unit |
|  | 40 841 001 | Chrome | 4005176335358 GROHE Red Mixing valve for thermostatic mixing of mains and boiling water to generate warm water adjustable between 35°C and 75°C hot fill and cold fill installation possible including 70 cm connection hose, manifold and wall fixation |
|  | 40 842 001 | Chrome | 4005176335365 GROHE Red Boiler Size M reservoir for hot water 3 liter hot water at 99° C 4 litre total capacity required inlet pressure: 1-7 bar with flexible connection hoses and connection for boiling water CE approved power supply 230 V 50 Hz 30 VA power consumption 2100 W standby power consumption 15 W |
|  | 40 834 001 | Chrome | 4005176335280 GROHE Red Boiler Size L reservoir for hot water 5.5 liter hot water at 99° C 5.5 liter total capacity required inlet pressure: 1-7 bar with flexible connection hoses and connection for boiling water CE approved power supply 230 V 50 Hz 30 VA power consumption 2100 W standby power consumption 15 W |

GROHE RED



Ref. No.

Colour

EAN

40 432 000

4005176883255

GROHE Red

Tea glasses (4 pieces)

heat proof glass with GROHE Red decor

dish washer safe


volume 250 ml

GROHE WASTE SEPARATION SYSTEMS

Ref. No.

Colour

EAN



40 855 000

4005176356452

GROHE Blue

Waste bin recycling separation system

installation type: floor mounted, behind swinging door

technique: full extension


operation: manual telescopic

separation: double, 2 x up to 15 l filling volume

cabinet width: 30 cm and wider


compatible with GROHE Blue Home and GROHE Red M and L size

GROHE K7



| Ref. No. | Colour | EAN |
|------------|------------|---------------|
| 32 950 000 | Chrome | 4005176879838 |
| 32 950 DC0 | supersteel | 4005176879845 |

K7
Single-lever sink mixer 1/2"
 monobloc installation
GROHE Long-Life Shine finish
GROHE SilkMove 35 mm ceramic cartridge
 professional spray
 diverter: mousseur/shower jet
 automatic return to mousseur
 metal spray
 adjustable flow rate limiter
 swivel spout
 swivel area 140°
 protected against backflow
 flexible connection hoses
 rapid installation system





| | | |
|------------|------------|---------------|
| 31 379 000 | Chrome | 4005176938085 |
| 31 379 DC0 | supersteel | 4005176938092 |

K7
Single-lever sink mixer 1/2"
 monobloc installation
GROHE Long-Life Shine finish
GROHE SilkMove 35 mm ceramic cartridge
 professional spray
 diverter: mousseur/shower jet
 automatic return to mousseur
 metal spray
 adjustable flow rate limiter
 swivel spout, swivel area 140°
 protected against backflow
 flexible connection hoses
 rapid installation system

GROHE FOOT CONTROL

| Ref. No. | Colour | EAN |
|----------|--------|-----|
|----------|--------|-----|

| | | |
|------------|--|---------------|
| 30 309 000 | | 4005176351235 |
|------------|--|---------------|



Foot Control

Dual flush valve set

Foot control: activation of water via contact with sensor

battery supply 6 V lithium-battery,

type CR-P2

CE approved

solenoid valve

fixed value mixing valve

automatically stops after 60 sec. (factory set)

type of protection IP 44

upgrade set for GROHE pull-out kitchen faucets

not suitable for combination with open water heater (SKUs 32 555 000,


31 397 000, 32 511 000, 31 127 002, 33 984 002, 31 180 000, 30 194 000/DC0,

31 179 000, 31 132 001

GROHE MINTA / MINTA SMARTCONTROL / MINTA TOUCH


Ref. No. Colour EAN

31 360 001 Chrome 4005176343025
31 360 DC1 supersteel 4005176343032




Minta Touch
Electronic single-lever sink mixer 1/2"
L-spout
Touch: activation of water via skin contact
battery supply 6 V lithium-battery, type CR-P2
CE approved
solenoid valve
fixed value mixing valve
automatically stops after 60 sec. (factory set)
type of protection IP 44
GROHE SilkMove 46 mm ceramic cartridge
pull out mousseur spout
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
rapid installation system

31 358 002 Chrome 4005176465000
31 358 DC2 supersteel 4005176465017




Minta Touch
Electronic single-lever sink mixer 1/2"
C-spout
monobloc installation
Touch: activation of water via skin contact
battery supply 6 V lithium-battery, type CR-P2
CE approved
solenoid valve
fixed value mixing valve
automatically stops after 60 sec. (factory set)
type of protection IP 44
GROHE Long-Life Shine durable sparkling sheen
GROHE SilkMove 46 mm ceramic cartridge
pull-out dual spray
diverter: laminar spray/SpeedClean shower jet
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
rapid installation system

31 613 000 Chrome 4005176521973
31 613 DC0 supersteel 4005176521980
31 613 A00 hard graphite 4005176523601




Minta SmartControl
Sink mixer with SmartControl
monobloc installation
GROHE Long-Life Shine durable sparkling sheen
pull-out spray with laminar metal spray
GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position
GROHE SmartControl push for ON-OFF, turn for volume adjustment from water saving eco mode to Full Flow
temperature adjustment by turning of mixing valve on body
swivel tubular spout
swivel area 140°
protected against backflow
flexible connection hoses
metal fixation set
Lead and Nickel Free Inner Water Ways

GROHE MINTA / MINTA SMARTCONTROL / MINTA TOUCH




| Ref. No. | Colour | EAN |
|------------|-----------------------|---------------|
| 30 274 000 | Chrome | 4005176314988 |
| 30 274 DC0 | supersteel | 4005176314995 |
| 30 274 DA0 | warm sunset | 4005176488672 |
| 30 274 DL0 | brushed warm sunset | 4005176488689 |
| 30 274 A00 | hard graphite | 4005176488658 |
| 30 274 AL0 | brushed hard graphite | 4005176488665 |

Minta
Single-lever sink mixer 1/2"
 L-spout
 monobloc installation
GROHE Long-Life Shine finish
GROHE SilkMove 46 mm ceramic cartridge
 flow strainer
 pull-out dual spray control - switches between regular flow and spray
 diverter: laminar spray/SpeedClean shower jet
 automatic return to laminar spray
 metal spray
 adjustable flow rate limiter
 swivel tubular spout
 swivel area 360°
 integrated non-return valve
 protected against backflow
 flexible connection hoses
 rapid installation system



| | | |
|------------|-----------------------|---------------|
| 32 321 002 | Chrome | 4005176465109 |
| 32 321 DC2 | supersteel | 4005176465116 |
| 32 321 GN2 | brushed cool sunrise | 4005176618529 |
| 32 321 DA2 | warm sunset | 4005176488757 |
| 32 321 DL2 | brushed warm sunset | 4005176488764 |
| 32 321 A02 | hard graphite | 4005176488733 |
| 32 321 AL2 | brushed hard graphite | 4005176488740 |









Minta
Single-lever sink mixer 1/2"
 C-spout
 monobloc installation
GROHE Long-Life Shine durable sparkling sheen
GROHE SilkMove 46 mm ceramic cartridge
GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position
 pull-out dual spray
 diverter: laminar spray/SpeedClean shower jet
 adjustable flow rate limiter
 swivel tubular spout
 swivel area 360°
 integrated non-return valve
 protected against backflow
 flexible connection hoses
 rapid installation system
 colours DA and A0 available until 31 march 2023











| | | |
|------------|--------|---------------|
| 30 348 001 | Chrome | 4005176464973 |
|------------|--------|---------------|

Minta
Single-lever sink mixer 1/2"
 C-spout
 monobloc installation
GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen
GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position
 pull-out dual spray
 diverter: laminar spray/SpeedClean shower jet
 adjustable flow rate limiter
 swivel tubular spout
 swivel area 360°
 shorter lever (71 mm)
 integrated non-return valve
 protected against backflow
 flexible connection hoses
 rapid installation system
 available until 31 march 2023


GROHE MINTA / MINTA SMARTCONTROL / MINTA TOUCH

| | Ref. No. | Colour | EAN |
|---|---|--|---------------|
|  | 32 322 002 | Chrome | 4005176465123 |
| | 32 322 DC2 | supersteel | 4005176465130 |
| | 32 322 DA2 | warm sunset | 4005176488832 |
| | 32 322 DL2 | brushed warm sunset | 4005176488849 |
| | 32 322 A02 | hard graphite | 4005176488818 |
| | 32 322 AL2 | brushed hard graphite | 4005176488825 |
|  | <p>Minta Single-lever sink mixer 1/2" U spout monobloc installation GROHE Long-Life Shine durable sparkling sheen GROHE SilkMove 46 mm ceramic cartridge GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position pull-out dual spray diverter: laminar spray/SpeedClean shower jet automatic return to laminar spray adjustable flow rate limiter swivel tubular spout swivel area 360° integrated non-return valve protected against backflow flexible connection hoses rapid installation system colours DA and A0 available until 31 march 2023</p> | | |
|  | 32 168 000 | Chrome | 4005176824425 |
| | 32 168 DC0 | supersteel | 4005176824432 |
|  | <p>Minta Single-lever sink mixer 1/2" monobloc installation GROHE Long-Life Shine finish GROHE SilkMove 46 mm ceramic cartridge pull out mousseur spout adjustable flow rate limiter swivel tubular spout integrated non-return valve protected against backflow flexible connection hoses rapid installation system</p> | | |
|  | 32 918 000 | Chrome | 4005176230967 |
| | 32 918 DC0 | supersteel | 4005176804953 |
|  | <p>Minta Single-lever sink mixer 1/2" monobloc installation GROHE Long-Life Shine finish GROHE SilkMove 46 mm ceramic cartridge pull out mousseur spout adjustable flow rate limiter swivel tubular spout integrated non-return valve protected against backflow flexible connection hoses rapid installation system optional temperature limiter (46 308 000)</p> | | |
| | 32 918 00E | Chrome | 4005176866616 |
| | Ditto, with GROHE Ecojoy 5.7 l/min flow limiter | | |
|  | 32 511 000 | Chrome | 4005176295621 |
| | | <p>Minta Single-lever sink mixer 1/2" for use with displacement water heater C-spout monobloc installation GROHE Long-Life Shine finish GROHE SilkMove 46 mm ceramic cartridge pull-out laminar spray adjustable flow rate limiter swivel tubular spout swivel area 360° integrated non-return valve protected against backflow flexible connection hoses rapid installation system optional temperature limiter (46 308 000)</p> | |
|  | | | |

GROHE MINTA / MINTA SMARTCONTROL / MINTA TOUCH

| | Ref. No. | Colour | EAN |
|--|---|--|--|
|  | 32 067 000 | Chrome | 4005176811142 |
|  | <p>Minta Single-lever sink mixer 1/2" U spout monobloc installation GROHE Long-Life Shine finish GROHE SilkMove 46 mm ceramic cartridge pull out mousseur spout adjustable flow rate limiter swivel tubular spout swivel area 360° integrated non-return valve protected against backflow flexible connection hoses rapid installation system</p> | | |
|  | 31 375 000 31 375 DC0 31 375 DA0 31 375 DL0 31 375 A00 31 375 AL0 | Chrome supersteel warm sunset brushed warm sunset hard graphite brushed hard graphite | 4005176934155 4005176934162 4005176488634 4005176488641 4005176488610 4005176488627 |
|  | <p>Minta Single-lever sink mixer 1/2" L-spout monobloc installation GROHE Long-Life Shine finish GROHE SilkMove 46 mm ceramic cartridge adjustable flow rate limiter swivel tubular spout swivel range 0°/150°/360° flexible connection hoses protected against backflow rapid installation system colours DA and A0 available until 31 march 2023</p> | | |
|  | 32 917 000 32 917 DC0 32 917 DA0 32 917 DL0 32 917 A00 32 917 AL0 | Chrome supersteel warm sunset brushed warm sunset hard graphite brushed hard graphite | 4005176230950 4005176804946 4005176488719 4005176488726 4005176488696 4005176488702 |
|  | <p>Minta Single-lever sink mixer 1/2" C-spout monobloc installation GROHE Long-Life Shine finish GROHE SilkMove 46 mm ceramic cartridge adjustable flow rate limiter swivel tubular spout selectable swivel area : 0° / 150° / 360° flexible connection hoses with compression nut rapid installation system optional temperature limiter (46 308 000) colours DA and A0 available until 31 march 2023</p> | | |
|  | 32 917 KS0 | velvet black | 4005176980640 |
|  | <p>Minta Single-lever sink mixer 1/2" C-spout monobloc installation GROHE SilkMove 46 mm ceramic cartridge GROHE Long-Life Shine finish adjustable flow rate limiter swivel tubular spout selectable swivel area : 0° / 150° / 360° flexible connection hoses with compression nut rapid installation system optional temperature limiter (46 308 000)</p> | | |

GROHE MINTA / MINTA SMARTCONTROL / MINTA TOUCH



| Ref. No. | Colour | EAN |
|------------|-----------------------|---------------|
| 32 488 000 | Chrome | 4005176289552 |
| 32 488 DC0 | supersteel | 4005176804939 |
| 32 488 DA0 | warm sunset | 4005176488795 |
| 32 488 DL0 | brushed warm sunset | 4005176488801 |
| 32 488 A00 | hard graphite | 4005176488771 |
| 32 488 AL0 | brushed hard graphite | 4005176488788 |





Minta
Single-lever sink mixer 1/2"
 U spout, monobloc installation
GROHE Long-Life Shine finish
GROHE SilkMove 46 mm ceramic cartridge
 adjustable flow rate limiter
 selectable swivel area : 0° / 150° / 360°
 swivel tubular spout
 flexible connection hoses
 rapid installation system
 optional temperature limiter (46 308 000)
 colours DA and A0 available until 31 march 2023

| | | |
|------------|------------|---------------|
| 40 684 000 | Chrome | 4005176940088 |
| 40 684 DC0 | supersteel | 4005176940095 |


Minta
Lever
 for Minta single lever sink mixer



GROHE ZEDRA / ZEDRA SMARTCONTROL / ZEDRA TOUCH


| | Ref. No. | Colour | EAN |
|---|---|------------|---------------|
|  | 30 219 002 | Chrome | 4005176466540 |
| | 30 219 DC2 | supersteel | 4005176466557 |
|  | Zedra Touch Electronic single-lever sink mixer 1/2" Touch: activation of water via skin contact battery supply 6 V lithium-battery, type CR-P2 CE approved solenoid valve fixed value mixing valve automatically stops after 60 sec. (factory set) type of protection IP 44 GROHE Long-Life Shine durable sparkling sheen GROHE SilkMove 35 mm ceramic cartridge Lead and Nickel Free Inner Water Ways GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position pull-out spray with 3 spray types diverter: laminar spray/ SpeedClean shower jet/GROHE Blade spray (reduced water consumption by up to 70 % and even stronger spray performance) stop function - pause button to stop the water flow automatic return to laminar spray adjustable flow rate limiter swivel tubular spout swivel area 360° protected against backflow flexible connection hoses | | |
| | 31 593 002 Chrome 4005176521942 31 593 DC2 supersteel 4005176521959 Zedra SmartControl Sink mixer with SmartControl monobloc installation GROHE Long-Life Shine durable sparkling sheen pull-out spray with laminar metal spray GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position GROHE SmartControl push for ON-OFF, turn for volume adjustment from water saving eco mode to Full Flow temperature adjustment by turning of mixing valve on body swivel tubular spout swivel area 140° protected against backflow flexible connection hoses metal fixation set Lead and Nickel Free Inner Water Ways | | |
|  | 31 593 002 | Chrome | 4005176521942 |
| | 31 593 DC2 | supersteel | 4005176521959 |
|  | 32 294 002 Chrome 4005176466496 32 294 DC2 supersteel 4005176466502 Zedra Single-lever sink mixer 1/2" monobloc installation GROHE Long-Life Shine durable sparkling sheen GROHE SilkMove 35 mm ceramic cartridge GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position pull-out spray with 3 spray types diverter: laminar spray/ SpeedClean shower jet/GROHE Blade spray (reduced water consumption by up to 70 % and even stronger spray performance) stop function - pause button to stop the water flow automatic return to laminar spray adjustable flow rate limiter swivel tubular spout swivel area 360° protected against backflow flexible connection hoses metal fixation set Lead and Nickel Free Inner Water Ways | | |
| | 32 294 002 Chrome 4005176466496 32 294 DC2 supersteel 4005176466502 Zedra Single-lever sink mixer 1/2" monobloc installation GROHE Long-Life Shine durable sparkling sheen GROHE SilkMove 35 mm ceramic cartridge GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position pull-out spray with 3 spray types diverter: laminar spray/ SpeedClean shower jet/GROHE Blade spray (reduced water consumption by up to 70 % and even stronger spray performance) stop function - pause button to stop the water flow automatic return to laminar spray adjustable flow rate limiter swivel tubular spout swivel area 360° protected against backflow flexible connection hoses metal fixation set Lead and Nickel Free Inner Water Ways | | |
|  | 32 294 002 | Chrome | 4005176466496 |
| | 32 294 DC2 | supersteel | 4005176466502 |
|  | 32 294 002 Chrome 4005176466496 32 294 DC2 supersteel 4005176466502 Zedra Single-lever sink mixer 1/2" monobloc installation GROHE Long-Life Shine durable sparkling sheen GROHE SilkMove 35 mm ceramic cartridge GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position pull-out spray with 3 spray types diverter: laminar spray/ SpeedClean shower jet/GROHE Blade spray (reduced water consumption by up to 70 % and even stronger spray performance) stop function - pause button to stop the water flow automatic return to laminar spray adjustable flow rate limiter swivel tubular spout swivel area 360° protected against backflow flexible connection hoses metal fixation set Lead and Nickel Free Inner Water Ways | | |
| | 32 294 002 Chrome 4005176466496 32 294 DC2 supersteel 4005176466502 Zedra Single-lever sink mixer 1/2" monobloc installation GROHE Long-Life Shine durable sparkling sheen GROHE SilkMove 35 mm ceramic cartridge GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position pull-out spray with 3 spray types diverter: laminar spray/ SpeedClean shower jet/GROHE Blade spray (reduced water consumption by up to 70 % and even stronger spray performance) stop function - pause button to stop the water flow automatic return to laminar spray adjustable flow rate limiter swivel tubular spout swivel area 360° protected against backflow flexible connection hoses metal fixation set Lead and Nickel Free Inner Water Ways | | |

GROHE ZEDRA / ZEDRA SMARTCONTROL / ZEDRA TOUCH




| Ref. No. | Colour | EAN |
|------------|------------|---------------|
| 32 553 002 | Chrome | 4005176466649 |
| 32 553 DC2 | supersteel | 4005176466656 |

Zedra
Single-lever sink mixer 1/2"
 monobloc installation
GROHE Long-Life Shine durable sparkling sheen
GROHE SilkMove 35 mm ceramic cartridge
GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position
 pull-out dual spray
 diverter: laminar spray/SpeedClean shower jet
 automatic return to laminar spray
 adjustable flow rate limiter
 swivel tubular spout
 swivel area 360°
 protected against backflow
 flexible connection hoses
 metal fixation set
 Lead and Nickel Free Inner Water Ways



| Ref. No. | Colour | EAN |
|------------|-----------------------|---------------|
| 31 615 000 | Chrome | 4005176523649 |
| 31 615 DC0 | supersteel | 4005176523656 |
| 31 615 GL0 | cool sunrise | 4005176523670 |
| 31 615 GN0 | brushed cool sunrise | 4005176523687 |
| 31 615 DA0 | warm sunset | 4005176523694 |
| 31 615 DL0 | brushed warm sunset | 4005176523700 |
| 31 615 A00 | hard graphite | 4005176523717 |
| 31 615 AL0 | brushed hard graphite | 4005176523724 |

Essence SmartControl
Sink mixer with SmartControl
monobloc installation
GROHE Long-Life Shine durable sparkling sheen
pull-out spray with laminar metal spray
GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position
GROHE SmartControl push for ON-OFF, turn for volume adjustment from water saving eco mode to Full Flow
temperature adjustment by turning of mixing valve on body
swivel tubular spout
swivel area 140°
protected against backflow
flexible connection hoses
metal fixation set
Lead and Nickel Free Inner Water Ways




| | | |
|------------|---------------|---------------|
| 31 928 KF0 | phantom black | 4005176782701 |
|------------|---------------|---------------|

Essence SmartControl
Sink mixer with SmartControl
monobloc installation
GROHE Long-Life Shine finish
pull-out spray with laminar metal spray
GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position
GROHE SmartControl push for ON-OFF, turn for volume adjustment from water saving eco mode to Full Flow
temperature adjustment by turning of mixing valve on body
swivel tubular spout
swivel area 140°
protected against backflow
flexible connection hoses
metal fixation set
Lead and Nickel Free Inner Water Ways
professional edition



| | | |
|------------|------------|---------------|
| 30 503 000 | Chrome | 4005176695698 |
| 30 503 DC0 | supersteel | 4005176720178 |


Essence
Single-lever sink mixer 1/2"
monobloc installation
GROHE Long-Life Shine durable sparkling sheen
28 mm ceramic cartridge
with **GROHE SilkMove**
flow strainer
with integrated temperature limiter
professional spray
with flexible, hygienic GROHFlexx kitchen santoprene hose
diverter: laminar spray/SpeedClean shower jet
automatic return to laminar spray
metal spray
GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position
swivel spout
swivel area 360°
protected against backflow
flexible connection hoses
metal fixation set
professional edition
replaces Essence sink mixer 30 294 xx0



| | | |
|------------|-----------------------|---------------|
| 30 294 GL0 | cool sunrise | 4005176488078 |
| 30 294 GN0 | brushed cool sunrise | 4005176488085 |
| 30 294 DA0 | warm sunset | 4005176488498 |
| 30 294 DL0 | brushed warm sunset | 4005176488504 |
| 30 294 A00 | hard graphite | 4005176488054 |
| 30 294 AL0 | brushed hard graphite | 4005176488061 |

Colour variants for 30 503

GROHE ESSENCE




| Ref. No. | Colour | EAN |
|------------|---------------|---------------|
| 30 503 KF0 | phantom black | 4005176782695 |

Essence
Single-lever sink mixer 1/2"
 monobloc installation
GROHE Long-Life Shine finish
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 flow strainer
 with integrated temperature limiter
 professional spray
 with flexible, hygienic GROHFlexx kitchen santoprene hose
 diverter: laminar spray/SpeedClean shower jet
 automatic return to laminar spray
 metal spray
GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position
 swivel spout
 swivel area 360°
 protected against backflow
 flexible connection hoses
 metal fixation set
 professional edition



| | | |
|------------|--------------|---------------|
| 30 321 GE0 | green | 4005176438271 |
| 30 321 XC0 | Dark Grey | 4005176385735 |
| 30 321 MW0 | Sheer Marble | 4005176385728 |
| 30 321 HG0 | Dark Brown | 4005176385742 |
| 30 321 DG0 | red | 4005176438219 |
| 30 321 DP0 | pink | 4005176438264 |
| 30 321 DU0 | purple | 4005176438257 |
| 30 321 TY0 | blue | 4005176438240 |
| 30 321 YF0 | yellow | 4005176438233 |
| 30 321 YR0 | orange | 4005176438226 |







Essence GROHFlexx kitchen hose
 Spout hose for Essence kitchen tap
 for 30 294 000/ 30 294 DC0/30 503 xxx
 flexible, hygienic **GROHFlexx kitchen** santoprene hose
 including fixing parts



| | | |
|------------|-----------------------|---------------|
| 30 504 000 | Chrome | 4005176695704 |
| 30 504 DC0 | supersteel | 4005176720130 |
| 30 504 GL0 | cool sunrise | 4005176720154 |
| 30 504 GN0 | brushed cool sunrise | 4005176720161 |
| 30 504 DA0 | warm sunset | 4005176720123 |
| 30 504 DL0 | brushed warm sunset | 4005176720147 |
| 30 504 A00 | hard graphite | 4005176720109 |
| 30 504 AL0 | brushed hard graphite | 4005176720116 |


Essence
Single-lever sink mixer 1/2"
 high spout
 monobloc installation
GROHE Long-Life Shine durable sparkling sheen
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 flow strainer
 pull-out dual spray control - switches between regular flow and spray
 diverter: laminar spray/SpeedClean shower jet
 automatic return to laminar spray
 metal spray
 swivel tubular spout
 swivel area 360°
 integrated non-return valve
 protected against backflow
 flexible connection hoses
 metal fixation set
 integrated temperature limiter
 professional edition
 replaces Essence sink mixer 30 270 xx0

GROHE ESSENCE

| | Ref. No. | Colour | EAN |
|---|---|--|--|
|  | 30 504 KF0 | phantom black | 4005176782688 |
|  | Essence Single-lever sink mixer 1/2" high spout monobloc installation GROHE Long-Life Shine finish 28 mm ceramic cartridge with GROHE SilkMove flow strainer pull-out dual spray control - switches between regular flow and spray diverter: laminar spray/SpeedClean shower jet automatic return to laminar spray metal spray swivel tubular spout swivel area 360° integrated non-return valve protected against backflow flexible connection hoses metal fixation set integrated temperature limiter professional edition | | |
|  | 30 505 000 30 505 DC0 30 505 GL0 30 505 GN0 30 505 DA0 30 505 DL0 30 505 A00 30 505 AL0 | Chrome supersteel cool sunrise brushed cool sunrise warm sunset brushed warm sunset hard graphite brushed hard graphite | 4005176695711 4005176720062 4005176720086 4005176720352 4005176719752 4005176720079 4005176719738 4005176719745 |
|  | Essence Single-lever sink mixer 1/2" high spout monobloc installation GROHE Long-Life Shine durable sparkling sheen 28 mm ceramic cartridge with GROHE SilkMove mousseur swivel tubular spout adjustable swivel area 0° / 150° / 360° flexible connection hoses rapid installation system integrated temperature limiter professional edition replaces Essence sink mixer 30 269 xx0 | | |
|  | 30 505 KF0 | phantom black | 4005176782671 |
|  | Essence Single-lever sink mixer 1/2" high spout monobloc installation GROHE Long-Life Shine finish 28 mm ceramic cartridge with GROHE SilkMove mousseur swivel tubular spout adjustable swivel area 0° / 150° / 360° flexible connection hoses rapid installation system integrated temperature limiter professional edition | | |


GROHE EUROCUBE

Ref. No. Colour EAN



31 395 000 Chrome 4005176304774
31 395 DC0 supersteel 4005176304767

Eurocube
Single-lever sink mixer 1/2"
monobloc installation
GROHE Long-Life Shine finish
28 mm ceramic cartridge
with **GROHE SilkMove**
diverter: mousseur/shower jet
automatic return to laminar spray
swivel spout
swivel area 140°
360° maneuverable spring arm
protected against backflow
flexible connection hoses
rapid installation system











31 255 000 Chrome 4005176901416
31 255 DC0 supersteel 4005176994319

Eurocube
Single-lever sink mixer 1/2"
high spout
monobloc installation
GROHE Long-Life Shine finish
28 mm ceramic cartridge
with **GROHE SilkMove**
mousseur
swivel cast spout
swivel area 90°
flexible connection hoses
rapid installation system

KITCHEN
FITTINGS


GROHE EURODISC COSMOPOLITAN

| | Ref. No. | Colour | EAN |
|---|--|---------------|----------------------|
|   | 32 257 002 | Chrome | 4005176886591 |
| | <p>Eurodisc Cosmopolitan Single-lever sink mixer 1/2" medium spout monobloc installation GROHE Long-Life Shine finish GROHE SilkMove 35 mm ceramic cartridge pull-out dual spray diverter: mousseur/shower jet automatic return to mousseur adjustable flow rate limiter swivel cast spout, swivel area 100° protected against backflow flexible connection hoses rapid installation system</p> | | |
|   | 33 772 002 | Chrome | 4005176890796 |
| | <p>Eurodisc Cosmopolitan Single-lever sink mixer 1/2" wall mounted GROHE Long-Life Shine finish GROHE SilkMove 46 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout selectable swivel area : 0° / 150° projection 271 mm S-unions</p> | | |
|   | 32 259 003 | Chrome | 4005176466908 |
| | <p>Eurodisc Cosmopolitan Single-lever sink mixer 1/2" high spout monobloc installation GROHE Long-Life Shine durable sparkling sheen GROHE SilkMove 35 mm ceramic cartridge Lead and Nickel Free Inner Water Ways adjustable flow rate limiter swivel tubular spout selectable swivel area : 0° / 150° mousseur flexible connection hoses metal fixation set</p> | | |
|   | 33 770 002 | Chrome | 4005176888137 |
| | <p>Eurodisc Cosmopolitan Single-lever sink mixer 1/2" medium spout monobloc installation GROHE Long-Life Shine finish GROHE SilkMove 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel cast spout swivel area 140° flexible connection hoses rapid installation system</p> | | |

GROHE EURODISC


Ref. No. Colour EAN

32 257 001 **Chrome** **4005176834165**



Eurodisc
Single-lever sink mixer 1/2"
low spout
monobloc installation
GROHE Long-Life Shine finish
GROHE SilkMove 35 mm ceramic cartridge
pull-out dual spray
diverter: mousseur/shower jet
adjustable flow rate limiter
swivel cast spout
swivel area 140°
flexible connection hoses
rapid installation system


33 770 001 **Chrome** **4005176828959**



Eurodisc
Single-lever sink mixer 1/2"
low spout
monobloc installation
GROHE Long-Life Shine finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 140°
with stop restriction
flexible connection hoses
rapid installation system


KITCHEN
FITTINGS

GROHE CONCETTO




| Ref. No. | Colour | EAN |
|------------|------------|---------------|
| 31 491 000 | Chrome | 4005176343308 |
| 31 491 DC0 | supersteel | 4005176343315 |

Concetto
Single-lever sink mixer 1/2"
 monobloc installation
GROHE Long-Life Shine durable sparkling sheen
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 flow strainer
 with integrated temperature limiter
 professional spray
 with flexible, hygienic GROHFlexx kitchen santoprene hose
 diverter: laminar spray/SpeedClean shower jet
 automatic return to laminar spray
GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position
 swivel spout
 swivel area 360°
 protected against backflow
 flexible connection hoses
 metal fixation set




| | | |
|------------|------------|---------------|
| 31 483 002 | Chrome | 4005176466809 |
| 31 483 DC2 | supersteel | 4005176466816 |

Concetto
Single-lever sink mixer 1/2"
 high spout
 monobloc installation
GROHE Long-Life Shine durable sparkling sheen
GROHE SilkMove 35 mm ceramic cartridge
GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position
 Lead and Nickel Free Inner Water Ways
 pull-out dual spray
 diverter: laminar spray/SpeedClean shower jet
 adjustable flow rate limiter
 swivel tubular spout
 swivel area 360°
 protected against backflow
 flexible connection hoses
 metal fixation set



| | | |
|------------|------------|---------------|
| 32 663 003 | Chrome | 4005176466854 |
| 32 663 DC3 | supersteel | 4005176466861 |









Concetto
Single-lever sink mixer 1/2"
 high spout
 monobloc installation
GROHE Long-Life Shine durable sparkling sheen
GROHE SilkMove 35 mm ceramic cartridge
GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position
 Lead and Nickel Free Inner Water Ways
 pull-out laminar spray
 adjustable flow rate limiter
 swivel tubular spout
 swivel area 360°
 protected against backflow
 flexible connection hoses
 metal fixation set




| | | |
|------------|--------|---------------|
| 31 212 003 | Chrome | 4005176466762 |
|------------|--------|---------------|

Concetto
Single-lever sink mixer 1/2"
for use with displacement water heater
 high spout
 monobloc installation
GROHE Long-Life Shine durable sparkling sheen
GROHE SilkMove 35 mm ceramic cartridge
 Lead and Nickel Free Inner Water Ways
 pull-out laminar spray
 automatic return
 adjustable flow rate limiter
 swivel tubular spout
 swivel area 360°
 protected against backflow
 flexible connection hoses
 metal fixation set

GROHE CONCETTO


| | | Ref. No. | Colour | EAN |
|---|--|---|------------|---------------|
|  |  | 32 661 003 | Chrome | 4005176466823 |
| | | 32 661 DC3 | supersteel | 4005176466830 |
| <p>Concetto Single-lever sink mixer 1/2" high spout monobloc installation GROHE Long-Life Shine durable sparkling sheen GROHE SilkMove 35 mm ceramic cartridge Lead and Nickel Free Inner Water Ways mousseur adjustable flow rate limiter swivel tubular spout selectable swivel area : 0° / 150° flexible connection hoses metal fixation set</p> | | | | |
|  |  | 30 273 001 | Chrome | 4005176314964 |
| | | 30 273 DC1 | supersteel | 4005176314971 |
| <p>Concetto Single-lever sink mixer 1/2" medium spout monobloc installation GROHE Long-Life Shine finish GROHE SilkMove 35 mm ceramic cartridge flow strainer pull-out dual spray control - switches between regular flow and spray diverter: laminar spray/SpeedClean shower jet automatic return to laminar spray metal spray adjustable flow rate limiter swivel cast spout swivel area 100° protected against backflow integrated non-return valve flexible connection hoses rapid installation system</p> | | | | |
|  |  | 31 129 001 | Chrome | 4005176886744 |
| | | 31 129 DC1 | supersteel | 4005176891021 |
| <p>Concetto Single-lever sink mixer 1/2" medium spout monobloc installation GROHE Long-Life Shine finish GROHE SilkMove 35 mm ceramic cartridge pull out mousseur spout adjustable flow rate limiter swivel cast spout swivel area 100° protected against backflow flexible connection hoses rapid installation system</p> | | | | |
|  |  | 31 214 001 | Chrome | 4005176891090 |
| | | <p>Concetto Single-lever sink mixer 1/2" for use with displacement water heater medium spout monobloc installation GROHE Long-Life Shine finish GROHE SilkMove 35 mm ceramic cartridge pull-out laminar spray adjustable flow rate limiter swivel cast spout swivel area 100° protected against backflow flexible connection hoses rapid installation system</p> | | |

GROHE CONCETTO



| Ref. No. | Colour | EAN |
|------------|------------|---------------|
| 31 128 001 | Chrome | 4005176886737 |
| 31 128 DC1 | supersteel | 4005176891007 |









Concetto
Single-lever sink mixer 1/2"
 medium spout
 monobloc installation
GROHE Long-Life Shine finish
GROHE SilkMove 35 mm ceramic cartridge
 mousseur
 adjustable flow rate limiter
 swivel cast spout
 swivel area 140°
 flexible connection hoses
 rapid installation system









| | | |
|------------|--------|---------------|
| 32 659 001 | Chrome | 4005176886713 |
|------------|--------|---------------|

Concetto
Single-lever sink mixer 1/2"
 low spout
 monobloc installation
GROHE Long-Life Shine finish
GROHE SilkMove 35 mm ceramic cartridge
 mousseur
 adjustable flow rate limiter
 swivel cast spout
 swivel area 140°
 flexible connection hoses
 rapid installation system











GROHE EUROSTYLE COSMOPOLITAN

| | Ref. No. | Colour | EAN |
|---|---|--------|---------------|
|  | 31 482 003 | Chrome | 4005176466984 |
|  | <p>Eurostyle Cosmopolitan Single-lever sink mixer 1/2" high spout monobloc installation GROHE Long-Life Shine durable sparkling sheen GROHE SilkMove 35 mm ceramic cartridge GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position Lead and Nickel Free Inner Water Ways pull-out dual spray diverter: laminar spray/SpeedClean shower jet adjustable flow rate limiter swivel tubular spout swivel area 360° protected against backflow flexible connection hoses metal fixation set available until 31 march 2023</p> | | |
|  | 31 126 004 | Chrome | 4005176466977 |
|  | <p>Eurostyle Cosmopolitan Single-lever sink mixer 1/2" high spout monobloc installation GROHE Long-Life Shine durable sparkling sheen GROHE SilkMove 35 mm ceramic cartridge GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position Lead and Nickel Free Inner Water Ways pull out mousseur spout adjustable flow rate limiter swivel tubular spout swivel area 360° protected against backflow flexible connection hoses metal fixation set available until 31 march 2023</p> | | |
|  | 33 975 004 | Chrome | 4005176467004 |
|  | <p>Eurostyle Cosmopolitan Single-lever sink mixer 1/2" high spout monobloc installation GROHE Long-Life Shine durable sparkling sheen GROHE SilkMove 35 mm ceramic cartridge Lead and Nickel Free Inner Water Ways mousseur adjustable flow rate limiter swivel tubular spout selectable swivel area : 0° / 150° flexible connection hoses metal fixation set available until 31 march 2023</p> | | |
|  | 30 221 002 | Chrome | 4005176984235 |
|  | <p>Eurostyle Cosmopolitan Single-lever sink mixer 1/2" high spout monobloc installation GROHE Long-Life Shine finish GROHE SilkMove 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout adjustable swivel area 0° / 150° / 360° flexible connection hoses rapid installation system integrated temperature limiter</p> | | |











GROHE EUROSTYLE COSMOPOLITAN

| | Ref. No. | Colour | EAN |
|---|---|---------------|----------------------|
|   | 31 127 002 | Chrome | 4005176886669 |
| | Eurostyle Cosmopolitan Single-lever sink mixer 1/2" for use with displacement water heater high spout monobloc installation GROHE SilkMove 35 mm ceramic cartridge GROHE Long-Life Shine finish flow straightener adjustable flow rate limiter swivel tubular spout selectable swivel area : 0° / 150° / 360° flexible connection hoses rapid installation system available until 31 march 2023 | | |
|   | 31 124 002 | Chrome | 4005176886614 |
| | Eurostyle Cosmopolitan Single-lever sink mixer 1/2" medium spout monobloc installation GROHE Long-Life Shine finish GROHE SilkMove 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout swivel area 140° flexible connection hoses rapid installation system available until 31 march 2023 | | |
|   | 31 159 002 | Chrome | 4005176888106 |
| | Eurostyle Cosmopolitan Single-lever sink mixer 1/2" for installation in front of window medium spout monobloc installation GROHE Long-Life Shine finish GROHE SilkMove 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout swivel area 140° non-removable socket height: 30 mm flexible connection hoses available until 31 march 2023 | | |


GROHE EUROSMART COSMOPOLITAN

| | Ref. No. | Colour | EAN |
|---|---|----------------------|--------------------------------|
|  | 31 481 001 | Chrome | 4005176466922 |
|  | <p>Eurosmart Cosmopolitan Single-lever sink mixer 1/2" high spout monobloc installation GROHE Long-Life Shine durable sparkling sheen GROHE SilkMove 35 mm ceramic cartridge GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position Lead and Nickel Free Inner Water Ways pull-out dual spray diverter: laminar spray/SpeedClean shower jet adjustable flow rate limiter swivel tubular spout swivel area 360° protected against backflow flexible connection hoses metal fixation set</p> | | |
|  | 32 843 002 32 843 DC2 | Chrome supersteel | 4005176466939 4005176466953 |
|  | <p>Eurosmart Cosmopolitan Single-lever sink mixer 1/2" high spout monobloc installation GROHE Long-Life Shine durable sparkling sheen GROHE SilkMove 35 mm ceramic cartridge Lead and Nickel Free Inner Water Ways mousseur adjustable flow rate limiter swivel tubular spout selectable swivel area : 0° / 150° flexible connection hoses metal fixation set</p> | | |
|  | 32 843 20E | Chrome | 4005176466946 |
|  | <p>ditto, with GROHE Ecojoy</p> | | |
|  | 31 180 000 | Chrome | 4005176889288 |
|  | <p>Eurosmart Cosmopolitan Single-lever sink mixer 1/2" for use with displacement water heater high spout monobloc installation GROHE Long-Life Shine finish GROHE SilkMove 35 mm ceramic cartridge flow straightener adjustable flow rate limiter swivel tubular spout selectable swivel area : 0° / 150° / 360° flexible connection hoses rapid installation system</p> | | |
|  | 30 193 000 30 193 DC0 | Chrome supersteel | 4005176919459 4005176938559 |
|  | <p>Eurosmart Cosmopolitan Single-lever sink mixer 1/2" medium spout monobloc installation GROHE Long-Life Shine finish GROHE SilkMove 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout swivel area 140° flexible connection hoses rapid installation system</p> | | |

GROHE EUROSMART COSMOPOLITAN

| | Ref. No. | Colour | EAN |
|---|--|--------|---------------|
|  | 30 199 000 | Chrome | 4005176922022 |
|  | <p>Eurosmart Cosmopolitan Single-lever sink mixer 1/2" medium spout monobloc installation GROHE Long-Life Shine finish GROHE SilkMove 35 mm ceramic cartridge with Eco-Override-Stop and cold start function mousseur adjustable flow rate limiter swivel tubular spout swivel area 140° flexible connection hoses rapid installation system Qualitel approval</p> | | |
|  | 30 195 000 | Chrome | 4005176919473 |
|  | <p>Eurosmart Cosmopolitan Single-lever sink mixer 1/2" integrated stop valve medium spout monobloc installation GROHE Long-Life Shine finish GROHE SilkMove 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout swivel area 140° rapid installation system flexible connection hoses</p> | | |
|  | 32 842 000 | Chrome | 4005176874833 |
|  | <p>Eurosmart Cosmopolitan Single-lever sink mixer 1/2" low spout monobloc installation GROHE Long-Life Shine finish GROHE SilkMove 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout swivel area 140° flexible connection hoses rapid installation system</p> | | |
|  | 31 179 000 | Chrome | 4005176889172 |
|  | <p>Eurosmart Cosmopolitan Single-lever sink mixer 1/2" for use with displacement water heater low spout monobloc installation GROHE Long-Life Shine finish GROHE SilkMove 46 mm ceramic cartridge flow straightener adjustable flow rate limiter swivel tubular spout swivel area 140° flexible connection hoses rapid installation system</p> | | |
|  | 31 161 000 | Chrome | 4005176889158 |
|  | <p>Eurosmart Cosmopolitan Single-lever sink mixer 1/2" integrated stop valve low spout monobloc installation GROHE Long-Life Shine finish GROHE SilkMove 46 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout swivel area 140° flexible connection hoses rapid installation system</p> | | |

GROHE EUROSMART COSMOPOLITAN




| Ref. No. | Colour | EAN |
|------------|--------|---------------|
| 31 170 000 | Chrome | 4005176889165 |

Eurosmart Cosmopolitan
Single-lever sink mixer 1/2"
 for installation in front of window
 low spout
 monobloc installation
GROHE Long-Life Shine finish
GROHE SilkMove 46 mm ceramic cartridge
 adjustable flow rate limiter
 mousseur
 swivel tubular spout
 swivel area 140°
 non-removable socket height: 30 mm
 flexible connection hoses


Ref. No. Colour EAN

30 305 001 Chrome 4005176635465
30 305 DC1 supersteel 4005176635472




Eurosmart
Single-lever sink mixer 1/2"
low spout
monobloc installation
GROHE Long-Life Shine durable sparkling sheen
GROHE SilkMove 35 mm ceramic cartridge
flow strainer
with integrated temperature limiter
pull-out dual spray control - switches between regular flow and spray
diverter: laminar spray/SpeedClean shower jet
automatic return to laminar spray
adjustable flow rate limiter
swivel cast spout
swivel area 90°
Lead and Nickel Free Inner Water Ways
flexible connection hoses 3/8"
metal fixation set
protected against backflow
professional edition

31 869 000 Chrome 4005176693120




Eurosmart
Single-lever sink mixer 1/2"
monobloc installation
GROHE Long-Life Shine durable sparkling sheen
GROHE SilkMove 35 mm ceramic cartridge
flow strainer
with integrated temperature limiter
low spout
automatic return to laminar spray
swivel cast spout
Lead and Nickel Free Inner Water Ways
swivel area 90°
adjustable flow rate limiter
diverter: laminar spray/SpeedClean shower jet
pull-out dual spray control - switches between regular flow and spray
metal fixation set
protected against backflow
flexible connection hoses 1/2"
professional edition

33 202 003 Chrome 4005176635588



Eurosmart
Single-lever sink mixer 1/2"
high spout
monobloc installation
GROHE Long-Life Shine durable sparkling sheen
GROHE SilkMove 35 mm ceramic cartridge
integrated temperature limiter
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 150°
Lead and Nickel Free Inner Water Ways
flexible connection hoses 3/8"
metal fixation set
professional edition

30 468 000 Chrome 4005176635755




Eurosmart
Two handle sink mixer
high spout
monobloc installation
GROHE Long-Life Shine durable sparkling sheen
cartridge: ceramic head parts, 90° turn angle
integrated temperature limiter
mousseur
swivel tubular spout
adjustable swivel area 0° / 150° / 360°
Lead and Nickel Free Inner Water Ways
flexible connection hoses 1/2"
rapid installation system
min. recommended pressure 0.2 bar
professional edition

Ref. No. Colour EAN




30 506 000 Chrome 4005176723667



Eurosmart
Single-lever sink mixer 1/2"
low spout
Cradle to Cradle Certified Gold
monobloc installation
GROHE Long-Life Shine durable sparkling sheen
GROHE SilkMove 35 mm ceramic cartridge
GROHE Water Saving 5,7 l/min mousseur with coin slot for tool free replacement
adjustable flow rate limiter
integrated temperature limiter
swivel cast spout
swivel area 140°
Lead and Nickel Free Inner Water Ways
flexible connection hoses 3/8"
GROHE FastFixation Plus installation system
professional edition




33 281 003 Chrome 4005176635366
33 281 DC3 supersteel 4005176635397



Eurosmart
Single-lever sink mixer 1/2"
low spout
monobloc installation
GROHE Long-Life Shine durable sparkling sheen
GROHE SilkMove 35 mm ceramic cartridge
integrated temperature limiter
adjustable flow rate limiter
swivel cast spout
swivel area 140°
Lead and Nickel Free Inner Water Ways
mousseur with coin slot for tool free replacement
flexible connection hoses 3/8"
metal fixation set
professional edition




33 281 30E Chrome 4005176635410



Eurosmart
Single-lever sink mixer 1/2"
low spout
monobloc installation
GROHE Long-Life Shine durable sparkling sheen
GROHE SilkMove 35 mm ceramic cartridge
integrated temperature limiter
adjustable flow rate limiter
swivel cast spout
swivel area 140°
Lead and Nickel Free Inner Water Ways
GROHE Water Saving 5,7 l/min mousseur with coin slot for tool free replacement
flexible connection hoses 3/8"
metal fixation set
professional edition












31 868 000 Chrome 4005176693113









Eurosmart
Single-lever sink mixer 1/2"
low spout
monobloc installation
GROHE Long-Life Shine durable sparkling sheen
Cradle 2 Cradle certified
GROHE SilkMove 35 mm ceramic cartridge
integrated temperature limiter
swivel area 140°
Lead and Nickel Free Inner Water Ways
adjustable flow rate limiter
mousseur with coin slot for tool free replacement
metal fixation set
swivel cast spout
flexible connection hoses 1/2"
professional edition











GROHE EUROSMART

| | Ref. No. | Colour | EAN |
|---|---|--------|---------------|
|  |  30 260 003 | Chrome | 4005176635434 |
|  | Eurosmart Single-lever sink mixer 1/2" low spout monobloc installation GROHE Long-Life Shine durable sparkling sheen GROHE SilkMove Energy Saving 35 mm ceramic cartridge with energy saving function via cold start adjustable flow rate limiter swivel cast spout swivel area 90° Lead and Nickel Free Inner Water Ways mousseur with coin slot for tool free replacement flexible connection hoses 3/8" metal fixation set professional edition | | |
|  |  32 224 003 | Chrome | 4005176635786 |
|  | Eurosmart Single-lever sink mixer 1/2" wall mounted GROHE Long-Life Shine durable sparkling sheen GROHE SilkMove 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout swivel area 360° projection 276 mm integrated temperature limiter S-unions professional edition | | |
|  |  31 391 003 | Chrome | 4005176635762 |
|  | Eurosmart Single-lever sink mixer 1/2" wall mounted GROHE Long-Life Shine durable sparkling sheen GROHE SilkMove 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout swivel area 360° projection 216 mm integrated temperature limiter S-unions professional edition | | |







GROHE EUROECO / EUROECO SPECIAL

| | | Ref. No. | Colour | EAN |
|---|---|---|---------------|----------------------|
|  |  | 32 752 000 | Chrome | 4005176868252 |
| | | Euroeco Single-lever sink mixer 1/2" monobloc installation GROHE Long-Life Shine finish GROHE SilkMove 46 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout swivel range 0°/150°/360° metal lever flexible connection hoses rapid installation system | | |
|  |  | 32 750 000 | Chrome | 4005176868238 |
| | | Euroeco Single-lever sink mixer 1/2" monobloc installation GROHE Long-Life Shine finish GROHE SilkMove 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout swivel area 140° metal lever flexible connection hoses rapid installation system | | |
|  |  | 32 786 000 | Chrome | 4005176871863 |
| | | Euroeco Special Single-lever sink mixer 1/2" monobloc installation GROHE Long-Life Shine finish GROHE SilkMove 46 mm ceramic cartridge adjustable flow rate limiter adjustable temperature limiter laminar flow straightener 9 l/min swivel tubular spout selectable swivel area : 0° / 150° / 360° metal lever lever length 120 mm flexible connection hoses | | |
|  |  | 32 787 000 | Chrome | 4005176871870 |
| | | Euroeco Special Single-lever sink mixer 1/2" monobloc installation GROHE Long-Life Shine finish GROHE SilkMove 46 mm ceramic cartridge GROHE Water Saving - Less water, perfect flow adjustable flow rate limiter adjustable temperature limiter laminar flow straightener 9 l/min swivel tubular spout lever length 120 mm flexible connection hoses | | |











KITCHEN
FITTINGS

| | | Ref. No. | Colour | EAN |
|---|---|---|---------------|----------------------|
|  |  | 31 819 001 | Chrome | 4005176843471 |
| | | Costa S Sink mixer 1/2" metal handles heat-insulated screwable GROHE Long-Life Shine finish Carborund headparts mousseur swivel tubular spout swivel area 360° flexible connection hoses | | |
|  |  | 31 067 001 | Chrome | 4005176845710 |
| | | Costa S Sink mixer 1/2" metal handles heat-insulated screwable GROHE Long-Life Shine finish ceramic headparts 1/2", 180° mousseur swivel tubular spout swivel area 360° flexible connection hoses NF approval | | |
|  |  | 31 831 001 | Chrome | 4005176843280 |
| | | Costa L Sink mixer 1/2" metal handles heat-insulated GROHE Long-Life Shine finish GROHE Long-Life headparts mousseur swivel tubular spout swivel area 360° flexible connection hoses | | |
|  |  | 31 930 001 | Chrome | 4005176843303 |
| | | Costa L Sink mixer 1/2" for use with displacement water heater metal handles heat-insulated GROHE Long-Life Shine finish GROHE Long-Life headparts flow straightener swivel tubular spout swivel area 360° chain ring copper pipes | | |
|  |  | 31 829 001 | Chrome | 4005176845697 |
| | | Costa L Sink mixer 1/2" metal handles heat-insulated screwable GROHE Long-Life headparts mousseur swivel tubular spout swivel area 360° flexible connection hoses NF approval | | |











GROHE COSTA

| | | Ref. No. | Colour | EAN |
|--|--|--|---------------|----------------------|
|  |  | 31 187 001 | Chrome | 4005176843327 |
| | | <p>Costa L Wall mixer, 1/2" metal handles heat-insulated GROHE Long-Life Shine finish GROHE Long-Life headparts mousseur swivel tubular spout swivel area 360° projection 200 mm S-unions</p> | | |
|  |  | 30 098 001 | Chrome | 4005176843266 |
| | | <p>Costa L Bibtap 1/2" wall mounted metal handle heat-insulated screwable marking: blue (cold) GROHE Long-Life Shine finish mousseur GROHE Long-Life headparts</p> | | |
|  |  | 30 064 001 | Chrome | 4005176843259 |
| | | <p>Costa L Bibtap 1/2" metal handle wall mounted screwable marking: blue (cold) GROHE Long-Life Shine durable sparkling sheen GROHE Long-Life headpart Laminar flow straightener projection 150 mm</p> | | |











GROHE BAU LINES

| | | Ref. No. | Colour | EAN |
|---|---|---|---------------|----------------------|
|  |  | 31 368 001 | Chrome | 4005176478529 |
| | | BauLoop Single-lever sink mixer 1/2" high spout monobloc installation GROHE Long-Life Shine durable sparkling sheen GROHE Long-Life 28 mm ceramic cartridge Lead and Nickel Free Inner Water Ways spout with mousseur swivel tubular spout swivel area 360° flexible connection hoses metal fixation set for installation on a max. 40 mm worktop fixation set 48 384 000 is needed | | |
|  |  | 31 232 001 | Chrome | 4005176478253 |
| | | BauLoop Single-lever sink mixer 1/2" high spout monobloc installation GROHE Long-Life Shine durable sparkling sheen GROHE Long-Life 28 mm ceramic cartridge Lead and Nickel Free Inner Water Ways spout with mousseur swivel tubular spout swivel area 360° flexible connection hoses metal fixation set | | |
|  |  | 31 367 001 | Chrome | 4005176478512 |
| | | BauEdge Single-lever sink mixer 1/2" high spout monobloc installation GROHE Long-Life Shine finish GROHE Long-Life 28 mm ceramic cartridge Lead and Nickel Free Inner Water Ways spout with mousseur swivel tubular spout swivel area 360° flexible connection hoses metal fixation set for installation on a max. 40 mm worktop fixation set 48 384 000 is needed | | |
|  |  | 31 233 001 | Chrome | 4005176478284 |
| | | BauEdge Single-lever sink mixer 1/2" monobloc installation metal lever GROHE Long-Life 28 mm ceramic cartridge GROHE Long-Life Shine durable sparkling sheen Lead and Nickel Free Inner Water Ways swivel tubular spout mousseur flexible connection hoses metal fixation set | | |
|  |  | 31 536 001 | Chrome | 4005176478567 |
| | | BauCurve Single-lever sink mixer 1/2" high spout monobloc installation GROHE Long-Life Shine durable sparkling sheen GROHE Long-Life 28 mm ceramic cartridge Lead and Nickel Free Inner Water Ways spout with mousseur swivel tubular spout swivel area 360° flexible connection hoses metal fixation set for installation on a max. 40 mm worktop fixation set 48 384 000 is needed | | |













GROHE BAU LINES

| | | Ref. No. | Colour | EAN |
|---|---|-------------------|---------------|----------------------|
|  |  | 31 231 001 | Chrome | 4005176478260 |
| <p>BauCurve Single-lever sink mixer 1/2" high spout monobloc installation GROHE Long-Life Shine durable sparkling sheen GROHE Long-Life 28 mm ceramic cartridge Lead and Nickel Free Inner Water Ways spout with mousseur swivel tubular spout swivel area 360° flexible connection hoses metal fixation set</p> | | | | |
|  |  | 31 538 001 | Chrome | 4005176478574 |
| <p>GROHE BauFlow Single-lever sink mixer 1/2" high spout monobloc installation GROHE Long-Life Shine durable sparkling sheen GROHE Long-Life 28 mm ceramic cartridge Lead and Nickel Free Inner Water Ways spout with mousseur swivel tubular spout swivel area 360° flexible connection hoses metal fixation set</p> | | | | |
|  |  | 31 230 001 | Chrome | 4005176478277 |
| <p>GROHE BauFlow Single-lever sink mixer 1/2" monobloc installation metal lever GROHE Long-Life Shine finish GROHE Long-Life 28 mm ceramic cartridge Lead and Nickel Free Inner Water Ways swivel tubular spout mousseur flexible connection hoses metal fixation set</p> | | | | |
|  |  | 31 535 001 | Chrome | 4005176478550 |
| <p>BauClassic Single-lever sink mixer 1/2" high spout monobloc installation GROHE Long-Life Shine durable sparkling sheen GROHE Long-Life 28 mm ceramic cartridge Lead and Nickel Free Inner Water Ways spout with mousseur swivel tubular spout swivel area 360° flexible connection hoses metal fixation set</p> | | | | |
|  |  | 31 234 001 | Chrome | 4005176478499 |
| <p>BauClassic Single-lever sink mixer 1/2" high spout monobloc installation GROHE Long-Life Shine durable sparkling sheen GROHE Long-Life 28 mm ceramic cartridge Lead and Nickel Free Inner Water Ways spout with mousseur swivel tubular spout swivel area 360° flexible connection hoses metal fixation set</p> | | | | |

GROHE BAU LINES

| | Ref. No. | Colour | EAN |
|---|--|--------|---------------|
|  | 31 706 000 | Chrome | 4005176530449 |
|  | BauLoop Single-lever sink mixer 1/2" medium spout monobloc installation GROHE Long-Life Shine durable sparkling sheen GROHE Long-Life 35 mm ceramic cartridge Lead and Nickel Free Inner Water Ways swivel tubular spout swivel area 140° mousseur with coin slot for tool free replacement flexible connection hoses metal fixation set for installation on a max. 40 mm worktop fixation set 48 384 000 is needed | | |
|  | 31 693 000 | Chrome | 4005176530371 |
|  | BauEdge Single-lever sink mixer 1/2" medium spout monobloc installation GROHE Long-Life Shine durable sparkling sheen GROHE Long-Life 35 mm ceramic cartridge Lead and Nickel Free Inner Water Ways swivel tubular spout swivel area 140° mousseur with coin slot for tool free replacement flexible connection hoses metal fixation set for installation on a max. 40 mm worktop fixation set 48 384 000 is needed | | |
|  | 31 688 000 | Chrome | 4005176530333 |
|  | GROHE BauFlow Single-lever sink mixer 1/2" medium spout monobloc installation GROHE Long-Life Shine durable sparkling sheen GROHE Long-Life 35 mm ceramic cartridge Lead and Nickel Free Inner Water Ways swivel tubular spout swivel area 140° mousseur with coin slot for tool free replacement flexible connection hoses metal fixation set | | |
|  | 31 715 000 | Chrome | 4005176564123 |
|  | BauCurve Single-lever sink mixer 1/2" medium spout monobloc installation GROHE Long-Life Shine durable sparkling sheen GROHE Long-Life 35 mm ceramic cartridge Lead and Nickel Free Inner Water Ways swivel tubular spout swivel area 140° mousseur with coin slot for tool free replacement flexible connection hoses metal fixation set | | |
|  | 31 680 000 | Chrome | 4005176530487 |
|  | BauEco Single-lever sink mixer 1/2" low spout monobloc installation GROHE Long-Life Shine durable sparkling sheen GROHE Long-Life 35 mm ceramic cartridge Lead and Nickel Free Inner Water Ways swivel tubular spout swivel area 140° mousseur with coin slot for tool free replacement flexible connection hoses metal fixation set for installation on a max. 40 mm worktop fixation set 48 384 000 is needed | | |

GROHE SOAP DISPENSERS

| | Ref. No. | Colour | EAN |
|---|---|--|---------------|
|  |  | 40 535 000 Chrome | 4005176905490 |
| | | 40 535 DC0 supersteel | 4005176905520 |
| | | 40 535 GL0 cool sunrise | 4005176489419 |
| | | 40 535 GN0 brushed cool sunrise | 4005176489426 |
| | | 40 535 DA0 warm sunset | 4005176489433 |
| | | 40 535 DL0 brushed warm sunset | 4005176489440 |
| | | 40 535 A00 hard graphite | 4005176489396 |
| | | 40 535 AL0 brushed hard graphite | 4005176489402 |
| <p>Cosmopolitan Soap Dispenser for liquid soaps storage bin 500 ml GROHE Long-Life Shine finish colour BE available until 31 March 2023</p> | | | |
|  |  | 40 536 000 Chrome | 4005176905506 |
| | | 40 536 DC0 supersteel | 4005176905537 |
| <p>Contemporary Soap Dispenser for liquid soaps storage bin 500 ml GROHE Long-Life Shine finish</p> | | | |
|  |  | 40 537 000 Chrome | 4005176905513 |
| | | 40 537 DC0 supersteel | 4005176905544 |
| <p>Authentic Soap Dispenser for liquid soaps storage bin 500 ml GROHE Long-Life Shine finish available until 31 march 2023</p> | | | |
|  |  | 36 194 000 Chrome | 4005176140921 |
| | | <p>Soap dispenser pillar tap with push-button, for liquid soaps projection 113 mm for tap hole drillings 22 - 30 mm storage bottle 1 l. GROHE Long-Life Shine finish</p> | |
|  |  | 13 071 000 Chrome | 4005176023132 |
| | | <p>Swivel tube spout swivelling, without stop mousseur coupling nut 3/4" projection 140 mm DR-brass GROHE Long-Life Shine durable sparkling sheen</p> | |
|  |  | 13 034 000 Chrome | 4005176022869 |
| | | <p>Swivel tube spout for kitchen wall mixers, 1/2" tubular spout mousseur projection 300 mm coupling nut 3/4" DR-brass GROHE Long-Life Shine finish</p> | |

GROHE STAINLESS STEEL SINKS

Ref. No. Colour EAN

31 582 SD1 stainless steel 4005176607158

K1000

Stainless Steel Sink with Drainer

model: K1000 80-S 116/52 1.0 rh
mounting type: top mount or flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 1.2 mm

GROHE Long-Life Shine finish
finish: satin finish

GROHE Whisper

min. cabinet size: 800 mm
dimensions: 1160 x 520 mm
1 bowl: 710 x 400 mm

outer radius: R3, inner bowl radius: R10

GROHE FastFixation installation system

sink mountable right

cut-out (top mount): 1145 x 505 mm (R3)

cut-out (flush mount): 1145 x 505 mm (R3) (top step outer size: -1161 x 521 -R8 deep -3.5 mm)


waste: \varnothing 3.5"/90 mm waste strainer with automatic waste fitting

accessories included: automatic waste fitting with rotary handle,

waste kit, basket strainer waste, mounting set

optional push to open excenter (40 986 SD0)

amount of fasteners included (top mount): 10



31 581 SD1 stainless steel 4005176607141

K1000

Stainless Steel Sink with Drainer

model: K1000 80-S 116/52 1.0 lh
mounting type: top mount or flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 1.2 mm

GROHE Long-Life Shine finish
finish: satin finish

GROHE Whisper

min. cabinet size: 800 mm
dimensions: 1160 x 520 mm
1 bowl: 710 x 400 mm

outer radius: R3, inner bowl radius: R10

GROHE FastFixation installation system

sink mountable left

cut-out (top mount): 1145 x 505 mm (R3)

cut-out (flush mount): 1145 x 505 mm (R3) (top step outer size: -1161 x 521 -R8 deep -3.5 mm)


waste: \varnothing 3.5"/90 mm waste strainer with automatic waste fitting

accessories included: automatic waste fitting with rotary handle,

waste kit, basket strainer waste, mounting set

optional push to open excenter (40 986 SD0)

amount of fasteners included (top mount): 10



31 583 SD1 stainless steel 4005176607165

K800

Stainless steel sink

model: K800 60-S 51.8/51 1.0
mounting type: top mount or flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 1 mm

GROHE Long-Life Shine finish
finish: satin finish

GROHE Whisper

min. cabinet size: 600 mm
dimensions: 518 x 510 mm
1 bowl: 462 x 400 x 200 mm

outer radius: R3, inner bowl radius: R10

GROHE FastFixation installation system

cut-out (top mount): 503 x 495 mm (R3)

cut-out (flush mount): 503 x 495 mm (R3) (top step outer size: -519 x 511 -R8 deep -3.5 mm)


waste: \varnothing 3.5"/90 mm waste strainer with automatic waste fitting

accessories included: automatic waste fitting with rotary handle,

waste kit, basket strainer waste, mounting set

optional push to open excenter (40 986 SD0)

amount of fasteners included (top mount): 8



GROHE STAINLESS STEEL SINKS

Ref. No. Colour EAN

31 584 SD1 stainless steel 4005176607172

K800

Stainless steel sink

model: K800 90-S 84.6/51 1.0

mounting type: top mount or flush mount

material: stainless steel AISI 304 (V2A)

material thickness: 1 mm

GROHE Long-Life Shine finish

finish: satin finish

GROHE Whisper

min. cabinet size: 900 mm

dimensions: 846 x 510 mm

1 bowl: 790 x 400 x 200 mm

outer radius: R3, inner bowl radius: R10

GROHE FastFixation installation system

cut-out (top mount): 831 x 495 mm (R3)

cut-out (flush mount): 831 x 495 mm (R3) (top step outer size: -847 x 511 -R8

deep -3.5 mm)


waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting

accessories included: automatic waste fitting with rotary handle,

waste kit, basket strainer waste, mounting set

optional push to open excenter (40 986 SD0)

amount of fasteners included (top mount): 10



31 585 SD1 stainless steel 4005176607189

K800

Stainless steel sink

model: K800 120-S 102.4/51 2.0

mounting type: top mount or flush mount

material: stainless steel AISI 304 (V2A)

material thickness: 1 mm

GROHE Long-Life Shine finish

finish: satin finish

GROHE Whisper

min. cabinet size: 1200 mm

dimensions: 1024 x 510 mm

1 bowl: 462 x 400 x 200 mm

2 bowl: 462 x 400 x 200 mm

outer radius: R3, inner bowl radius: R10

GROHE FastFixation installation system

cut-out (top mount): 1009 x 495 mm (R3)

cut-out (flush mount): 1009 x 495 mm (R3) (top step outer size: -1025 x 511 -R8

deep -3.5 mm)


waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting

accessories included: automatic waste fitting with rotary handle,

waste kit, basket strainer waste, mounting set

optional push to open excenter (40 986 SD0)

amount of fasteners included (top mount): 12



31 586 SD1 stainless steel 4005176607196

K800

Stainless steel sink

model: K800 120-S 102.4/51 1.0

mounting type: top mount or flush mount

material: stainless steel AISI 304 (V2A)

material thickness: 1 mm

GROHE Long-Life Shine finish

finish: satin finish

GROHE Whisper

min. cabinet size: 1200 mm

dimensions: 1024 x 510 mm

1 bowl: 968 x 400 x 200 mm

outer radius: R3, inner bowl radius: R10

GROHE FastFixation installation system

cut-out (top mount): 1009 x 495 mm (R3)

cut-out (flush mount): 1009 x 495 mm (R3) (top step outer size: -1025 x 511 -R8

deep -3.5 mm)


waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting

accessories included: automatic waste fitting with rotary handle,

waste kit, basket strainer waste, mounting set

optional push to open excenter (40 986 SD0)

amount of fasteners included (top mount): 12



GROHE STAINLESS STEEL SINKS

Ref. No. Colour EAN

31 574 SD1 stainless steel 4005176607080

K700U

Stainless steel sink

model: K700U 60-S 54.4/44.4 1.0

mounting type: undermount, top mount or flush mount

material: stainless steel AISI 304 (V2A)

material thickness: 1 mm

GROHE Long-Life Shine finish

finish: satin finish

GROHE Whisper

min. cabinet size: 600 mm

dimensions: 550 x 450 mm

1 bowl: 500 x 400 x 200 mm

outer radius: R16 (undermount)/R3 (topmount), inner bowl radius: R15

GROHE FastFixation installation system

cut-out (undermount): 502 x 402 mm (R16)

cut-out (top mount): 535 x 435 mm

cut-out (flush mount): 535 x 435 mm (R3) (top step outer size: -551 x 451 -R8

deep -3.5 mm)


drainer: Ø 3.5"/90 mm basket strainer waste

accessories included: waste kit, basket strainer waste, mounting set

optional push to open excenter (40 986 SD0)

amount of fasteners included (top mount): 8

amount of fasteners included (undermount): 8



31 575 SD1 stainless steel 4005176607097

K700U

Stainless steel sink

model: K700U 80-S 76/45 1.5 lh

mounting type: undermount, top mount or flush mount

material: stainless steel AISI 304 (V2A)

material thickness: 1 mm

GROHE Long-Life Shine finish

finish: satin finish

GROHE Whisper

min. cabinet size: 800 mm

dimensions: 760 x 450 mm

1 bowl: 500 x 400 x 200 mm

0.5 bowl: 180 x 400 x 140 mm

outer radius: R16 (undermount)/R3 (topmount), inner bowl radius: R15

GROHE FastFixation installation system

sink mountable left

cut-out (undermount): 712 x 402 mm (R16)

cut-out (top mount): 745 x 435 mm (R3)

cut-out (flush mount): 745 x 435 mm (R3) (top step outer size: -761 x 451 -R8

deep -3.5 mm)


drainer: Ø 3.5"/90 mm basket strainer waste

accessories included: waste kit, basket strainer waste, mounting set

optional push to open excenter (40 986 SD0)

amount of fasteners included (top mount): 10

amount of fasteners included (undermount): 10



31 576 SD1 stainless steel 4005176607103

K700U

Stainless steel sink

model: K700U 60-S 59.5/45 1.5 rh

mounting type: undermount, top mount or flush mount

material: stainless steel AISI 304 (V2A)

material thickness: 1 mm

GROHE Long-Life Shine finish

finish: satin finish

GROHE Whisper

min. cabinet size: 600 mm

dimensions: 595 x 450 mm

1 bowl: 340 x 400 x 200 mm

0.5 bowl: 180 x 400 x 140 mm

outer radius: R16 (undermount)/R3 (topmount), inner bowl radius: R15

GROHE FastFixation installation system

sink mountable right

cut-out (undermount): 547 x 402 mm (R16)

cut-out (top mount): 580 x 435 mm (R3)

cut-out (flush mount): 580 x 435 mm (R3) (top step outer size: -596 x 451 -R8

deep -3.5 mm)


drainer: Ø 3.5"/90 mm basket strainer waste

accessories included: waste kit, basket strainer waste, mounting set




optional push to open excenter (40 986 SD0)

amount of fasteners included (top mount): 8




amount of fasteners included (undermount): 8



GROHE STAINLESS STEEL SINKS

| | Ref. No. | Colour | EAN |
|---|---|-----------------|---------------|
|  | 31 577 SD1 | stainless steel | 4005176607110 |
| | <p>K700U Stainless steel sink model: K700U 60-S 59,5/45 1.5 lh mounting type: undermount, top mount or flush mount material: stainless steel AISI 304 (V2A) material thickness: 1 mm GROHE Long-Life Shine finish finish: satin finish GROHE Whisper min. cabinet size: 600 mm dimensions: 595 x 450 mm 1 bowl: 340 x 400 x 200 mm 0.5 bowl: 180 x 400 x 140 mm outer radius: R16 (undermount)/R3 (topmount), inner bowl radius: R15 GROHE FastFixation installation system sink mountable left cut-out (undermount): 547 x 402 mm (R16) cut-out (top mount): 580 x 435 mm (R3) cut-out (flush mount): 580 x 435 mm (R3) (top step outer size: -596 x 451 -R8 deep -3.5 mm) drainer: Ø 3.5"/90 mm basket strainer waste accessories included: waste kit, basket strainer waste, mounting set optional push to open excenter (40 986 SD0) amount of fasteners included (top mount): 8 amount of fasteners included (undermount): 8</p> | | |
|  | 31 578 SD1 | stainless steel | 4005176607127 |
| | <p>K700 Stainless steel sink model: K700 45-S 46.4/46.4 1.0 mounting type: undermount, top mount or flush mount material: stainless steel AISI 304 (V2A) material thickness: 1 mm GROHE Long-Life Shine finish finish: satin finish GROHE Whisper min. cabinet size: 450 mm dimensions: 464 x 464 mm 1 bowl: 400 x 400 x 200 mm outer radius: R11 (undermount)/R3 (topmount), inner bowl radius: R10 GROHE FastFixation installation system cut-out (undermount): 402 x 402 mm (R11) cut-out (top mount): 449 x 449 mm (R3) cut-out (flush mount): 449 x 449 mm (R3) (top step outer size: -465 x 465 -R8 deep -3.5 mm) drainer: Ø 3.5"/90 mm basket strainer waste accessories included: waste kit, basket strainer waste, mounting set optional push to open excenter (40 986 SD0) amount of fasteners included (top mount): 8 amount of fasteners included (undermount): 8</p> | | |
|  | 31 580 SD1 | stainless steel | 4005176607134 |
| | <p>K700 Stainless steel sink model: K700 90-S 86.4/46.4 1.0 mounting type: undermount, top mount or flush mount material: stainless steel AISI 304 (V2A) material thickness: 1 mm GROHE Long-Life Shine finish finish: satin finish GROHE Whisper min. cabinet size: 900 mm dimensions: 864 x 464 mm 1 bowl: 800 x 400 x 200 mm outer radius: R11 (undermount)/R3 (topmount), inner bowl radius: R10 GROHE FastFixation installation system cut-out (undermount): 802 x 402 mm (R11) cut-out (top mount): 849 x 449 mm (R3) cut-out (flush mount): 849 x 449 mm (R3) (top step outer size: -865 x 465 -R8 deep -3.5 mm) drainer: Ø 3.5"/90 mm basket strainer waste accessories included: waste kit, basket strainer waste, mounting set optional push to open excenter (40 986 SD0) amount of fasteners included (top mount): 8 amount of fasteners included (undermount): 8</p> | | |

GROHE STAINLESS STEEL SINKS

| | Ref. No. | Colour | EAN |
|---|--|------------------------|----------------------|
|  | 31 571 SD1 | stainless steel | 4005176626029 |
| | <p>K500 Stainless Steel Sink with Drainer model: K500 45-S 86/50 1.0 rev mounting type: top mount material: stainless steel AISI 304 (V2A) material thickness: 0.7 mm GROHE Long-Life Shine finish finish: satin finish GROHE Whisper min. cabinet size: 450 mm dimensions: 860 x 500 mm 1 bowl: 340 x 420 x 170 mm outer radius: R6 (top mount), inner bowl radius: R65 GROHE FastFixation installation system sink mountable left or right cut-out (top mount): 842 x 482 mm drilling holes: 2 x 35 mm waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set optional push to open excenter (40 986 SD0) amount of fasteners included (top mount): 14</p> | | |
|  | 31 563 SD1 | stainless steel | 4005176623738 |
| | <p>K500 Stainless Steel Sink with Drainer model: K500 60-S 100/50 1.0 rev mounting type: top mount or flush mount material: stainless steel AISI 304 (V2A) material thickness: 0.7 mm GROHE Long-Life Shine finish finish: satin finish GROHE Whisper min. cabinet size: 550 mm dimensions: 1000 x 500 mm 1 bowl: 450 x 400 x 180 mm outer radius: R6 (topmount), inner bowl radius: R75 GROHE FastFixation installation system sink mountable left or right cut-out (top-mount): 990 x 490 mm drilling holes: 2 x 35 mm waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set optional push to open excenter (40 986 SD0) amount of fasteners included (top mount): 16</p> | | |
|  | 31 572 SD1 | stainless steel | 4005176626036 |
| | <p>K500 Stainless Steel Sink with Drainer model: K500 60-S 100/50 1.5 rev mounting type: top mount material: stainless steel AISI 304 (V2A) material thickness: 0.7 mm GROHE Long-Life Shine finish finish: satin finish GROHE Whisper min. cabinet size: 600 mm dimensions: 1000 x 500 mm 1 bowl: 340 x 420 x 185 mm 0.5 bowl: 170 x 320 x 125 mm outer radius: R6 (top mount), inner bowl radius: R65 GROHE FastFixation installation system sink mountable left or right cut-out (top-mount): 990 x 490 mm drilling holes: 2 x 35 mm waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting accessories included: waste kit, basket strainer waste, mounting set optional push to open excenter (40 986 SD0) amount of fasteners included (top mount): 16</p> | | |

GROHE STAINLESS STEEL SINKS

Ref. No. Colour EAN

31 588 SD1 stainless steel 4005176626043

K500

Stainless Steel Sink with Drainer

model: K500 80-S 116/50 2.0 rev
mounting type: top mount
material: stainless steel AISI 304 (V2A)
material thickness: 0.7 mm


GROHE Long-Life Shine finish
finish: satin finish

GROHE Whisper

min. cabinet size: 800 mm
dimensions: 1160 x 500 mm
1 bowl: 340 x 420 x 185 mm
2 bowl: 340 x 420 x 185 mm
outer radius: R6 (topmount), inner bowl radius: R90

GROHE FastFixation

installation system
sink mountable left or right
cut-out (top mount): 1140 x 480 mm
drilling holes: 2 x 35 mm
waste: \varnothing 3.5"/90 mm waste strainer with automatic waste fitting
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 18



31 564 SD1 stainless steel 4005176623745

K200

Stainless Steel Sink with Drainer

model: K200 60-S 96.5/50 1.5 rev
mounting type: top mount
material: stainless steel AISI 304 (V2A)
material thickness: 0.7 mm


GROHE Long-Life Shine finish
finish: satin finish

GROHE Whisper

min. cabinet size: 600 mm
dimensions: 965 x 500 mm
1 bowl: 346 x 396 x 150 mm
1 bowl: 170 x 320 x 80 mm
outer radius: R10 (topmount), inner bowl radius: R100

GROHE FastFixation

installation system
sink mountable left or right
cut-out (top mount): 941 x 476 mm
drilling holes: 2 x 35 mm
waste: \varnothing 3.5"/90 mm waste strainer with automatic waste fitting
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 16



31 565 SD1 stainless steel 4005176623752


Eurosmart

Kitchen sink and tap bundle

Consisting of:
K200 stainless steel sink with drainer (31 552 SD1)
mounting type: top mount
Eurosmart single lever sink mixer (33 281 003)
low spout
monobloc installation


GROHE Long-Life Shine durable sparkling sheen
GROHE SilkMove 35 mm ceramic cartridge
with integrated temperature limiter
adjustable flow rate limiter
swivel cast spout
swivel area 140°

Lead and Nickel Free Inner Water Ways
mousseur with coin slot for tool free replacement
flexible connection hoses
outer radius: R6 (topmount), inner bowl radius: R100
GROHE FastFixation installation system
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 14




GROHE STAINLESS STEEL SINKS

| Ref. No. | Colour | EAN |
|------------|-----------------|---------------|
| 31 562 SD1 | stainless steel | 4005176623721 |



Bau
Kitchen sink and tap bundle
 Consisting of:
 K200 stainless steel sink with drainer (31 552 SD1)
 mounting type: top mount
 Bau Edge single lever sink mixer (31 367 001)
 high spout
 monobloc installation
GROHE Long-Life Shine durable sparkling sheen
 GROHE Long-Life 28 mm ceramic cartridge
 Lead and Nickel Free Inner Water Ways
 mousseur
 swivel tubular spout
 swivel area 360°
 flexible connection hoses
 outer radius: R6 (topmount), inner bowl radius: R100
GROHE FastFixation installation system
 accessories included: automatic waste fitting with rotary handle,
 waste kit, basket strainer waste, mounting set
 optional push to open excenter (40 986 SD0)
 amount of fasteners included (top mount): 14

| | | |
|------------|-----------------|---------------|
| 31 552 SD1 | stainless steel | 4005176623714 |
|------------|-----------------|---------------|




K200
Stainless Steel Sink with Drainer
 model: K200 45-S 86/50 1.0 rev
 mounting type: top mount
 material: stainless steel AISI 304 (V2A)
 material thickness: 0.6 mm
GROHE Long-Life Shine finish
 finish: satin finish
GROHE Whisper
 min. cabinet size: 450 mm
 dimensions: 860 x 500 mm
 1 bowl: 350 x 400 x 160 mm
 outer radius: R6 (topmount), inner bowl radius: R100
GROHE FastFixation installation system
 sink mountable left or right
 cut-out (top mount): 842 x 482 mm
 drilling holes: 2 x 35 mm
 waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting
 accessories included: automatic waste fitting with rotary handle,
 waste kit, basket strainer waste, mounting set
 optional push to open excenter (40 986 SD0)
 amount of fasteners included (top mount): 14

GROHE COMPOSITE SINKS

Ref. No. Colour EAN

31 650 AT0 granite gray 4005176521294
31 650 AP0 granite black 4005176521287



K700

Composite sink

model: K700 50-C 40/50 1.0

mounting type: top mount

material: quartz composite

GROHE Whisper

min. cabinet size: 500 mm

dimensions: 400 x 500 mm

1 bowl: 350 x 375 x 200 mm

outer radius: R6, inner bowl radius: R45

GROHE FastFixation installation system

cut-out: 380 x 480 mm

drainer: automatic waste fitting

accessories included: automatic waste fitting with rotary handle,


waste kit, basket strainer waste, mounting set

optional push to open excenter (40 986 SD0)

amount of fasteners included (top mount): 6

heat resistant up to 180° C

31 651 AT0 granite gray 4005176521317
31 651 AP0 granite black 4005176521300



K700

Composite sink

model: K700 60-C 56/51 1.0

mounting type: top mount

material: quartz composite

GROHE Whisper

min. cabinet size: 600 mm

dimensions: 560 x 510 mm

1 bowl: 500 x 360 x 200 mm

outer radius: R6, inner bowl radius: R10

GROHE FastFixation installation system

cut-out: 545 x 495 mm

drainer: automatic waste fitting

accessories included: automatic waste fitting with rotary handle,


waste kit, basket strainer waste, mounting set

optional push to open excenter (40 986 SD0)

amount of fasteners included (top mount): 8

heat resistant up to 180° C

31 652 AT0 granite gray 4005176521331
31 652 AP0 granite black 4005176521324



K700

Composite sink

model: K700 80-C 78/51 1.0

mounting type: top mount

material: quartz composite

GROHE Whisper

min. cabinet size: 800 mm

dimensions: 780 x 510 mm

1 bowl: 720 x 370 x 220 mm

outer radius: R6, inner bowl radius: R10

GROHE FastFixation installation system

cut-out: 764 x 494 mm

drainer: automatic waste fitting

accessories included: automatic waste fitting with rotary handle,

waste kit, basket strainer waste, mounting set

optional push to open excenter (40 986 SD0)

amount of fasteners included (top mount): 9

heat resistant up to 180° C

GROHE COMPOSITE SINKS

Ref. No. Colour EAN

31 653 AT0 granite gray 4005176521355
31 653 AP0 granite black 4005176521348

K700U

Composite sink


model: K700U 50-C 45.7/40.6 1.0
mounting type: top mount or undermount
material: quartz composite

GROHE Whisper

min. cabinet size: 500 mm
dimensions: 457 x 406 mm
1 bowl: 417 x 366 x 203 mm
outer radius: R6, inner bowl radius: R10

GROHE FastFixation installation system

cut-out (top mount): 442 x 391
cut-out (undermount): 417 x 366 mm
drainer: Ø 3.5"/90 mm basket strainer waste
accessories included: waste kit, basket strainer waste, mounting set
mounting with silicone (top mount)
optional push to open excenter (40 986 SD0)
amount of fasteners included (undermount): 8
heat resistant up to 180° C



31 654 AT0 granite gray 4005176521379
31 654 AP0 granite black 4005176521362

K700U

Composite sink


model: K700U 60-C 53.3/45.7 1.0
mounting type: top mount or undermount
material: quartz composite

GROHE Whisper

min. cabinet size: 600 mm
dimensions: 533 x 457 mm
1 bowl: 469 x 393 x 205 mm
outer radius: R7, inner bowl radius: R10

GROHE FastFixation installation system

cut-out (top mount): 518 x 442 mm
cut-out (undermount): 468 x 390 mm
drainer: Ø 3.5"/90 mm basket strainer waste
accessories included: waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 6
amount of fasteners included (undermount): 6
heat resistant up to 180° C



31 655 AT0 granite gray 4005176521393
31 655 AP0 granite black 4005176521386

K700U

Composite sink


model: K700U 70-C 61/45.7 1.0
mounting type: top mount or undermount
material: quartz composite

GROHE Whisper

min. cabinet size: 700 mm
dimensions: 610 x 460 mm
1 bowl: 544 x 394 x 205 mm
outer radius: R3, inner bowl radius: R10

GROHE FastFixation installation system


cut-out (top mount): 594 x 442 mm
cut-out (undermount): 543 x 393 mm
drainer: Ø 3.5"/90 mm basket strainer waste
accessories included: waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 6
amount of fasteners included (undermount): 6
heat resistant up to 180° C



GROHE COMPOSITE SINKS

Ref. No. Colour EAN

31 644 AT0 granite gray 4005176521171
31 644 AP0 granite black 4005176521164



K500

Composite sink with drainer
model: K500 50-C 86/50 1.0 rev
mounting type: top mount
material: quartz composite


GROHE Whisper

min. cabinet size: 500 mm
dimensions: 860 x 500 mm
1 bowl: 347 x 440 x 200 mm
outer radius: R6, inner bowl radius: R12

GROHE FastFixation installation system

sink mountable left or right
cut-out: 840 x 480 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting with rotary handle,
waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 12
heat resistant up to 180° C

31 645 AT0 granite gray 4005176521195
31 645 AP0 granite black 4005176521188



K500

Composite sink with drainer
model: K500 60-C 100/50 1.0 rev
mounting type: top mount
material: quartz composite


GROHE Whisper

min. cabinet size: 600 mm
dimensions: 1000 x 500 mm
1 bowl: 480 x 440 x 200 mm
outer radius: R6, inner bowl radius: R12

GROHE FastFixation installation system

sink mountable left or right
cut-out: 980 x 480 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting with rotary handle,
waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 12
heat resistant up to 180° C

31 646 AT0 granite gray 4005176521218
31 646 AP0 granite black 4005176521201



K500

Composite sink with drainer
model: K500 60-C 100/50 1.5 rev
mounting type: top mount
material: quartz composite







GROHE Whisper

min. cabinet size: 600 mm
dimensions: 1000 x 500 mm
1 bowl: 345 x 440 x 200 mm
0.5 bowl: 155 x 295 x 146 mm
outer radius: R6, inner bowl radius: big bowl R12, small bowl R10

GROHE FastFixation installation system

sink mountable left or right
cut-out: 980 x 480 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting with rotary handle,
waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 12
heat resistant up to 180° C


GROHE COMPOSITE SINKS

| | Ref. No. | Colour | EAN |
|---|---|--|----------------------|
| | 31 647 AT0 | granite gray | 4005176521232 |
| | 31 647 AP0 | granite black | 4005176521225 |
|  |  | <p>K500 Composite sink with drainer model: K500 80-C 116/50 2.0 rev mounting type: top mount material: quartz composite GROHE Whisper min. cabinet size: 800 mm dimensions: 1160 x 500 mm 1 bowl: 330 x 440 x 200 mm 2 bowl: 330 x 440 x 200 mm outer radius: R6, inner bowl radius: R12 GROHE FastFixation installation system sink mountable left or right cut-out: 1140 x 480 mm drainer: automatic waste fitting accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set optional push to open excenter (40 986 SD0) amount of fasteners included (top mount): 12 heat resistant up to 180° C</p> | |
| | | <p>31 648 AT0 granite gray 4005176521256 31 648 AP0 granite black 4005176521249</p> | |
|  |  | <p>K500 Composite sink model: K500 60-C 55.5/46 1.5 rev mounting type: top mount or undermount material: quartz composite GROHE Whisper min. cabinet size: 600 mm dimensions: 555 x 460 mm 1 bowl: 335 x 400 x 200 mm 0.5 bowl: 155 x 400 x 140 mm outer radius: R6, inner bowl radius: big bowl R12, small bowl R10 GROHE FastFixation installation system sink mountable left or right cut-out (top mount): 545 x 444 mm cut-out (undermount): 525 x 400 mm drainer: Ø 3.5"/90 mm basket strainer waste accessories included: waste kit, basket strainer waste, mounting set mounting with silicone (top mount) optional push to open excenter (40 986 SD0) amount of fasteners included (undermount): 8 heat resistant up to 180° C</p> | |
| | | <p>31 649 AT0 granite gray 4005176521270 31 649 AP0 granite black 4005176521263</p> | |
|  |  | <p>K500 Composite sink model: K500 90-C 86/50 2.0 mounting type: top mount material: quartz composite GROHE Whisper min. cabinet size: 900 mm dimensions: 860 x 500 mm 1 bowl: 390 x 430 x 200 mm 2 bowl: 380 x 365 x 200 mm outer radius: R3, inner bowl radius: R10 GROHE FastFixation installation system sink mountable left cut-out: 840 x 480 mm drainer: automatic waste fitting accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set optional push to open excenter (40 986 SD0) amount of fasteners included (top mount): 10 heat resistant up to 180° C</p> | |

GROHE COMPOSITE SINKS

Ref. No. Colour EAN

31 639 AT0 granite gray 4005176520464
31 639 AP0 granite black 4005176520457



K400

Composite sink with drainer
model: K400 50-C 78/50 1.0 rev
mounting type: top mount
material: quartz composite


GROHE Whisper

min. cabinet size: 500 mm
dimensions: 780 x 500 mm
1 bowl: 347 x 440 x 205 mm
outer radius: R6, inner bowl radius: R10

GROHE FastFixation installation system

sink mountable left or right
cut-out: 765 x 485 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting with rotary handle,
waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 10
heat resistant up to 180° C

31 640 AT0 granite gray 4005176520488
31 640 AP0 granite black 4005176520471



K400

Composite sink with drainer
model: K400 50-C 86/50 1.0 rev
mounting type: top mount
material: quartz composite


GROHE Whisper

min. cabinet size: 500 mm
dimensions: 860 x 500 mm
1 bowl: 337 x 420 x 205 mm
outer radius: R6, inner bowl radius: R10

GROHE FastFixation installation system

sink mountable left or right
cut-out: 840 x 480 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting with rotary handle,
waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 10
heat resistant up to 180° C

31 641 AT0 granite gray 4005176521119
31 641 AP0 granite black 4005176521102



K400

Composite sink with drainer
model: K400 60-C 100/50 1.0 rev
mounting type: top mount
material: quartz composite




GROHE Whisper


min. cabinet size: 600 mm
dimensions: 1000 x 500 mm
1 bowl: 480 x 420 x 205 mm
outer radius: R6, inner bowl radius: R10

GROHE FastFixation installation system


sink mountable left or right
cut-out: 980 x 480 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting with rotary handle,
waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 12
heat resistant up to 180° C

GROHE COMPOSITE SINKS


| | Ref. No. | Colour | EAN |
|---|------------|---------------|---------------|
|  | 31 642 AT0 | granite gray | 4005176521133 |
| | 31 642 AP0 | granite black | 4005176521126 |
|  | 31 643 AT0 | granite gray | 4005176521157 |
| | 31 643 AP0 | granite black | 4005176521140 |
|  | 31 656 AT0 | granite gray | 4005176521416 |
| | 31 656 AP0 | granite black | 4005176521409 |



K400
Composite sink with drainer
 model: K400 60-C 100/50 1.5 rev
 mounting type: top mount
 material: quartz composite
GROHE Whisper
 min. cabinet size: 600 mm
 dimensions: 1000 x 500 mm
 1 bowl: 335 x 420 x 205 mm
 0.5 bowl: 155 x 295 x 146 mm
 outer radius: R6, inner bowl radius: big bowl R10, small bowl R8
GROHE FastFixation installation system
 sink mountable left or right
 cut-out: 980 x 480 mm
 drainer: automatic waste fitting
 accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
 optional push to open excenter (40 986 SD0)
 amount of fasteners included (top mount): 10
 heat resistant up to 180° C



K400
Composite sink with drainer
 model: K400 80-C 116/50 1.5 rev
 mounting type: top mount
 material: quartz composite
GROHE Whisper
 min. cabinet size: 800 mm
 dimensions: 1160 x 500 mm
 1 bowl: 400 x 420 x 205 mm
 2 bowl: 295 x 295 x 205 mm
 outer radius: R6, inner bowl radius: R10
GROHE FastFixation installation system
 sink mountable left or right
 cut-out: 1140 x 480 mm
 drainer: automatic waste fitting
 accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
 optional push to open excenter (40 986 SD0)
 amount of fasteners included (top mount): 10
 heat resistant up to 180° C



K200
Composite sink
 model: K200 50-C 51 1.0
 mounting type: top mount
 material: quartz composite
GROHE Whisper
 min. cabinet size: 500 mm
 dimensions: Ø 510 mm
 1 bowl: Ø 380 x 200 mm
 inner bowl radius: Ø 380
GROHE FastFixation installation system
 cut-out: Ø 490 mm
 drainer: automatic waste fitting
 accessories included: waste kit, basket strainer waste, mounting set
 optional push to open excenter (40 986 SD0)
 amount of fasteners included (top mount): 3
 heat resistant up to 180° C



GROHE
COMMERCIAL FITTINGS





CONTENTS

| | | |
|---------------------|--------------------------------|-----|
| Electronic Fittings | Eurocube E | 594 |
| | Essence E | 597 |
| | Bluetooth monitoring | 600 |
| | Europlus E | 609 |
| | Eurosmart Cosmopolitan E | 611 |
| | Euroeco Cosmopolitan E | 620 |
| | Bau Cosmopolitan E | 624 |
| Special Thermostats | Grohtherm Micro | 627 |
| | Grohtherm Special | 628 |
| | Grohtherm XL | 632 |
| Single-Lever Mixers | Eurosmart Care | 633 |
| | Vertica Eurostyle Cosmopolitan | 638 |
| | Commercial Showers | 639 |
| | Euroeco Special | 642 |
| | Hospita | 646 |
| Self-Closing Taps | Euroeco Single Sequential | 647 |
| | Eurodisc SE | 649 |
| | Eurosmart Cosmopolitan T | 650 |
| | Euroeco Cosmopolitan T | 651 |

SYSTEM REQUIREMENTS FOR ELECTRONIC FAUCETS WITH BLUETOOTH

Apple iOS 8.0 or higher
Android 4.3 or higher

Mobile devices and GROHE IR Remote App*** are not included in delivery and have to be ordered separately via an authorised Apple store / store / iTunes or Google Play store.

* The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.

GROHE FULL BATHROOM ACROSS ALL YOUR FACILITIES

CONSISTENT BATHROOM STYLE – ACROSS ALL PRIVATE & PUBLIC AREAS OF A BUILDING

Our product solutions for private and public areas are perfectly matched. This enables you to offer a consistent bathroom experience across all your facilities.





ROUND AND SQUARE



**BAUEDGE
SINGLE-LEVER MIXER**



BAU CERAMIC



**BAU COSMOPOLITAN E
TOUCHLESS BASIN MIXER**



ROUND AND SQUARE



**EUROSMART COSMOPOLITAN
SINGLE-LEVER MIXER**



EURO CERAMIC



**EUROSMART COSMOPOLITAN E
TOUCHLESS BASIN MIXER**



**EUROECO COSMOPOLITAN E
TOUCHLESS BASIN MIXER**



ROUND FEMININE



**ESSENCE
SINGLE-LEVER MIXER**



ESSENCE



**ESSENCE E
TOUCHLESS BASIN MIXER**



EDGE MASCULINE



**EUROCUBE
SINGLE-LEVER MIXER**



CUBE CERAMIC



**EUROCUBE E
TOUCHLESS BASIN MIXER**

EUROSMART COSMOPOLITAN E

THE COMFORT OF A PUBLIC BATHROOM –
WITHOUT COMPROMISING ON HYGIENE



Our touchless range Eurosmart Cosmopolitan E offers solutions for basins, showers, WC's and urinals. Enjoy the benefits of a public bathroom – completely touchless. Avoiding the spread of germs through touchless use, thermal disinfection and hygienic flushing.



WC / URINAL



COMMERCIAL
FITTINGS

BASIN



BAU COSMOPOLITAN E

DISCOVER TOUCHLESS COMFORT

HYGIENE



TOUCHLESS

Reliable, proven and precise sensor technology for hygienic, touch-free actuation of basin taps, WCs and urinals.



INNER WATER GUIDE

Innovative tap construction allows for significant dead space reduction.

SUSTAINABILITY



GROHE ECOJOY

Save precious resources and enjoy 100 % water comfort. Water and energy saving aerator provides a flow rate of 5.7 l/min. Precise touchless technology prevents you from water loss.



QUALITY

German perfectionism inspires ultimate customer confidence

DESIGN



GROHE STARLIGHT


Made-to-last surfaces ranging from precious matte to shiny like a diamond.

TECHNOLOGY



GROHE SENSOR

The responsive sensor switches the mixer on and off for ultimate comfort and the simple cleaning mode makes maintenance easy.



36 407 001
Remote control for
GROHE Touchless fittings

Basic functionalities can be adjusted without remote control - simply by hand.



GROHE REMOTE CONTROL

Detailed configuration for all functions by remote control

- Automatic flushing
- Thermal disinfection
- Cleaning mode
- Detection range and shut-off delay



LOGLIFE BATTERY

Unique low-energy electronics ensure a long service life.



36 451 000
Touchless basin mixer
(battery operated)



36 452 000
Touchless basin tap
(battery operated)




MAINS OPERATED



36 453 000
Touchless basin mixer
(with plug transformer 100 – 230 V AC)


GROHE EUROCUBE E

| Ref. No. | Colour | EAN |
|------------|--------|---------------|
| 36 440 000 | Chrome | 4005176415623 |




Eurocube E
Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter
 with infrared sensor for bi-directional communication for monitoring, configuration and servicing
without power supply 36 338 000 (required)
GROHE Long-Life Shine durable sparkling sheen
 laminar spray regulator 5.7 l/min
 flexible connection hoses
 non-return valve
 dirt strainers
 with integrated solenoid valve
 rapid installation system
 7 pre-set programs
 auto flush
 thermal disinfection
 cleaning mode
 additional functions and precise settings
 by remote control 36 407
 CE approved
 noise classification 1 in accordance with DIN4109
 type of protection faucet IP 59K

| | | |
|------------|-----------------------|---------------|
| 36 441 000 | Chrome | 4005176415630 |
| 36 441 DC0 | supersteel | 4005176686818 |
| 36 441 AL0 | brushed hard graphite | 4005176686825 |



Eurocube E
Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter
 with infrared sensor for bi-directional communication for monitoring, configuration and servicing
 6V lithium battery, type CR-P2
 battery lifetime approx. 7 years (150 actuations a day)
GROHE Long-Life Shine durable sparkling sheen
 laminar spray regulator 5.7 l/min
 flexible connection hoses
 non-return valve
 dirt strainers
 with integrated solenoid valve
 external battery
 rapid installation system
 multistage battery status display
 7 pre-set programs
 auto flush
 thermal disinfection
 cleaning mode
 additional functions and precise settings
 by remote control 36 407
 CE approved
 noise classification 1 in accordance with DIN4109
 type of protection faucet IP 59K

| | | |
|------------|--------|---------------|
| 36 442 000 | Chrome | 4005176415647 |
|------------|--------|---------------|




Eurocube E
Infra-red electronic wall basin tap without mixing device
 with infrared sensor for bi-directional communication for monitoring, configuration and servicing
 for cold or premixed water
 with transformer 100-230 V AC, 50-60 Hz, 6 V DC
 laminar spray regulator 5.7 l/min
 7 pre-set programs
 auto flush
 thermal disinfection
 cleaning mode
 additional functions and precise settings
 by remote control 36 407
 set for final installation
 for use with Rapid SL 38 748 002 or roughing-in set 36 264 001
 CE approved
 noise classification 1 in accordance with DIN4109

GROHE EUROCUBE E


Ref. No. Colour EAN

36 264 001 4005176416279



Concealed mounting box
wall installation
for installation with pre-mixed or cold water
suitable for IR-sets for final installation
connection housing for power supply
suitable for 36 447 000, 36 442 000

38 748 002 Chrome 4005176416323




Rapid SL
Element for wash basin with rough-in set for infra-red electronic
for wall mounted fittings
suitable for trim sets Europlus E 36 042 SD0, Essence E 36 447 000
and Eurocube E 36 442 000

1.13 m finished installation height
for on-the-wall installations or studded walls

Includes
wash basin fixing bolts with
fixing device for ceramic
variable distance of fixing bolts
HT-outlet bend Ø 50 mm
seal Ø 32 mm
pre-mounted roughing-in set
with protecting block
fire-proof pipe for laying electronic cables
installation box with water group, stop valve and flush elbow
connection with noise protected fitting holder 1/2"
connecting box for mains supply 230 V
CE approved
for installation with pre-mixed or cold water
for on-the-wall installation please order wall brackets 38 558 00M (sold
separately)

36 407 001 4005176368974



Remote control
for all GROHE one eye infra-red products
as of 06/2015 and GROHE Blue Home until 12/2018

monitoring
consumption and usage data
thermal disinfection cycles (infrared mixers)
auto flush cycles (infrared mixers)
cleaning mode cycles (GROHE Blue Home)
filter and CO₂ capacity (GROHE Blue Home)

configuration
cleaning mode activation
thermal disinfection (infrared mixers)
detection range (infrared mixers)
shut off delay (infrared mixers)
auto flush (infrared mixers)
filter capacity (GROHE Blue Home)

service
send and save profile
reset to factory or user settings
service details
demo mode
error codes (GROHE Blue Home)
3 x 1.5 V DC (AAA) battery supply

36 340 000 4005176911385



Power extension cable
length 3.00 m

36 341 000 4005176911392
ditto, length 10 m

COMMERCIAL
FITTINGS

GROHE EUROCUBE E


Ref. No.

Colour

EAN

36 338 000

4005176896743



Switch mode power supply

for one eye infra-red wash basin mixer

switch mode power supply with operating voltage

100-230 V AC, 50 - 60 Hz


for concealed socket with cover and strain relief

suitable for the following products: 36 444 000, 36 440 000,

36 411 000, 36 413 000, 36 409 000, 36 325 001, 36 269 000,

36 015 001, 36 016 001, 36 421 000, 36 453 000


GROHE ESSENCE E



| Ref. No. | Colour | EAN |
|------------|--------|---------------|
| 36 444 000 | Chrome | 4005176415661 |

Essence E
Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter
 with infrared sensor for bi-directional communication for monitoring, configuration and servicing
without power supply 36 338 000 (required)
GROHE Long-Life Shine durable sparkling sheen
 adjustable swivel area 0° / 150° / 360°
 laminar spray regulator 5.0 l/min
 flexible connection hoses
 non-return valve
 dirt strainers
 with integrated solenoid valve
 rapid installation system
 7 pre-set programs
 auto flush
 thermal disinfection
 cleaning mode
 additional functions and precise settings
 by remote control 36 407
 CE approved
 noise classification 1 in accordance with DIN4109
 type of protection faucet IP 59K

| | | |
|------------|-----------------------|---------------|
| 36 445 000 | Chrome | 4005176415678 |
| 36 445 DC0 | supersteel | 4005176686542 |
| 36 445 GL0 | cool sunrise | 4005176686559 |
| 36 445 GN0 | brushed cool sunrise | 4005176686566 |
| 36 445 DA0 | warm sunset | 4005176686573 |
| 36 445 DL0 | brushed warm sunset | 4005176686788 |
| 36 445 A00 | hard graphite | 4005176686795 |
| 36 445 AL0 | brushed hard graphite | 4005176686801 |



Essence E
Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter
 with infrared sensor for bi-directional communication for monitoring, configuration and servicing
 6V lithium battery, type CR-P2
 battery lifetime approx. 7 years (150 actuations a day)
GROHE Long-Life Shine durable sparkling sheen
 adjustable swivel area 0° / 150° / 360°
 laminar spray regulator 5.0 l/min
 flexible connection hoses
 non-return valve
 dirt strainers
 with integrated solenoid valve
 external battery
 rapid installation system
 multistage battery status display
 7 pre-set programs
 auto flush
 thermal disinfection
 cleaning mode
 additional functions and precise settings
 by remote control 36 407
 CE approved
 noise classification 1 in accordance with DIN4109
 type of protection faucet IP 59K

COMMERCIAL
FITTINGS

GROHE ESSENCE E

Ref. No. Colour EAN

36 446 000 Chrome 4005176415685

Essence E

Infra-red electronic basin tap 1/2"

with infrared sensor for bi-directional communication for monitoring, configuration and servicing for cold or premixed water

6V lithium battery, type CR-P2

battery lifetime approx. 7 years (150 actuations a day)

GROHE Long-Life Shine durable sparkling sheen adjustable swivel area 0° / 150° / 360°

laminar spray regulator 5.0 l/min

flexible connection hose

dirt strainer

with integrated solenoid valve

external battery

rapid installation system

multistage battery status display

7 pre-set programs

auto flush

thermal disinfection

cleaning mode

additional functions and precise settings


by remote control 36 407

CE approved

noise classification 1 in accordance

with DIN4109

type of protection faucet IP 59K



36 447 000 Chrome

4005176416293

Essence E

Infra-red electronic wall basin tap without mixing device

with infrared sensor for bi-directional communication for monitoring, configuration and servicing for cold or premixed water

with transformer 100-230 V AC, 50-60 Hz, 6 V DC

laminar spray regulator 5.0 l/min

7 pre-set programs

auto flush

thermal disinfection

cleaning mode

additional functions and precise settings

by remote control 36 407


set for final installation

for use with Rapid SL 38 748 002 or roughing-in set 36 264 001

CE approved

noise classification 1 in accordance

with DIN4109



36 264 001

4005176416279

Concealed mounting box


wall installation

for installation with pre-mixed or cold water

suitable for IR-sets for final installation

connection housing for power supply

suitable for 36 447 000, 36 442 000



GROHE ESSENCE E

Ref. No. Colour EAN

38 748 002 Chrome 4005176416323


Rapid SL

Element for wash basin with roughin-in set for infra-red electronic
for wall mounted fittings
suitable for trim sets Europlus E 36 042 SD0, Essence E 36 447 000
and Eurocube E 36 442 000

1.13 m finished installation height
for on-the-wall installations or studed walls

Includes

wash basin fixing bolts with
fixing device for ceramic
variable distance of fixing bolts
HT-outlet bend Ø 50 mm
seal Ø 32 mm
pre-mounted roughing-in set
with protecting block
fire-proof pipe for laying electronic cables
installation box with water group, stop valve and flush elbow
connection with noise protected fitting holder 1/2"
connecting box for mains supply 230 V
CE approved
for installation with pre-mixed or cold water
for on-the-wall installation please order wall brackets 38 558 00M (sold
separately)



36 407 001 4005176368974

Remote control

for all GROHE one eye infra-red products
as of 06/2015 and GROHE Blue Home until 12/2018

monitoring


consumption and usage data
thermal disinfection cycles (infrared mixers)
auto flush cycles (infrared mixers)
cleaning mode cycles (GROHE Blue Home)
filter and CO₂ capacity (GROHE Blue Home)

configuration

cleaning mode activation
thermal disinfection (infrared mixers)
detection range (infrared mixers)
shut off delay (infrared mixers)
auto flush (infrared mixers)
filter capacity (GROHE Blue Home)

service

send and save profile
reset to factory or user settings
service details
demo mode
error codes (GROHE Blue Home)
3 x 1.5 V DC (AAA) battery supply



36 340 000 4005176911385

Power extension cable

length 3.00 m

36 341 000 4005176911392

ditto, length 10 m




36 338 000 4005176896743

Switch mode power supply

for one eye infra-red wash basin mixer
switch mode power supply with operating voltage
100-230 V AC, 50 - 60 Hz

for concealed socket with cover and strain relief
suitable for the following products: 36 444 000, 36 440 000,
36 411 000, 36 413 000, 36 409 000, 36 325 001, 36 269 000,
36 015 001, 36 016 001, 36 421 000, 36 453 000



COMMERCIAL
FITTINGS

GROHE BLUETOOTH MONITORING

| Ref. No. | Colour | EAN |
|------------|--------|---------------|
| 36 413 000 | Chrome | 4005176320576 |

Eurosmart Cosmopolitan E Bluetooth

Infra-red electronic basin tap 1/2" with mixing device

with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose

without power supply 36 338 000 (required)

rapid installation system

mixing device with adjustable hot water limiter

GROHE Long-Life Shine finish

GROHE Water Saving mousseur 5.7 l/min

with integrated solenoid valve

integrated non-return valves

and dirt strainers

with Bluetooth 4.0* for wireless data communication

for Apple** and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls

between transmitter and receiver

monitoring

password protected products

app detects all Bluetooth products in range

auto flush cycles and timing last auto flush

usage per day over 30 days

thermal disinfection cycles and timings last disinfection

configuration

detection range and shut off delay

auto flush

thermal disinfection

cleaning mode

2 on/off timers

identification by name

service

send and save 3 profiles

reset to factory or user settings


hard and software version

CE approved

noise classification 1 in accordance

with DIN4109

type of protection faucet IP 59K



Mobile devices and GROHE IR Remote App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

*** Available for free via iTunes app or Google Play store.

GROHE BLUETOOTH MONITORING

Ref. No. Colour EAN

36 409 000 Chrome 4005176320538

**Euroeco Cosmopolitan E Bluetooth
Infra-red electronic basin tap 1/2"**

with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose

without power supply 36 338 000 (required)

rapid installation system

GROHE Long-Life Shine finish

GROHE Water Saving mousseur 5.7 l/min

solenoid valve

dirt strainer

with Bluetooth 4.0* for wireless data communication

for Apple** and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver

monitoring

password protected products

app detects all Bluetooth products in range

auto flush cycles and timing last auto flush

usage per day over 30 days

thermal disinfection cycles and timings last disinfection

configuration

detection range and shut off delay

thermal disinfection

auto flush

cleaning mode

2 on/off timers

identification by name

service

send and save 3 profiles

reset to factory or user settings


hard and software version

CE approved

noise classification 1 in accordance

with DIN4109

type of protection faucet IP 59K



Mobile devices and GROHE IR Remote App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

*** Available for free via iTunes app or Google Play store.

COMMERCIAL
FITTINGS

GROHE BLUETOOTH MONITORING

| Ref. No. | Colour | EAN |
|------------|--------|---------------|
| 36 414 000 | Chrome | 4005176320583 |

Eurosmart Cosmopolitan E Bluetooth
Infra-red electronic thermostatic basin mixer, wall mounted
 with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose
 with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
GROHE Long-Life Shine finish
GROHE CoolTouch
GROHE Water Saving - Less water, perfect flow
GROHE SafeStop safety button at 38°C
(calibration required)
 swivel cast spout 219 mm
 with swivel stop at 130° or fixed
 projection 287 mm
 laminar mousseur 9 l/min
 S-unions
 escutcheon covers for S-unions
 non-return valve
 dirt strainers
 power connection cable 3.0 m
 for use with connection set
 39 383 000

with Bluetooth 4.0* for wireless data communication
 for Apple** and Android devices
 Bluetooth range (max. 10 m) varies depending on materials used and walls
 between transmitter and receiver

monitoring
 password protected products
 app detects all Bluetooth products in range
 auto flush cycles and timing last auto flush
 usage per day over 30 days
 thermal disinfection cycles and timings last disinfection

configuration
 detection range and shut off delay
 auto flush
 thermal disinfection
 cleaning mode
 2 on/off timers
 identification by name


service
 send and save 3 profiles
 reset to factory or user settings
 hard and software version
 CE approved
 noise classification 1 in accordance
 with DIN4109
 type of protection faucet IP 59K

Mobile devices and GROHE IR Remote App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.


** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

*** Available for free via iTunes app or Google Play store.



| | |
|------------|---------------|
| 39 383 000 | 4005176356926 |
|------------|---------------|

Eurosmart Cosmopolitan E
Thermostatic 230 V connection set
 fitting support
 2 fitting connections DN 15
 power supply connector
 wall installation
 for use with Eurosmart Cosmopolitan E thermostat 230 V



GROHE BLUETOOTH MONITORING

Ref. No. Colour EAN

36 410 000 Chrome 4005176320545

**Euroeco Cosmopolitan E Bluetooth
Infra-red electronic basin tap**

with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
set for final installation for concealed fitting box
36 336 001/36 337 001

GROHE Long-Life Shine finish

GROHE Water Saving - Less water, perfect flow

laminar flow straightener 9 l/min
chrome escutcheon and spout
projection 172 mm
with Bluetooth 4.0* for wireless data communication

for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on materials used and walls
between transmitter and receiver

monitoring

password protected products
app detects all Bluetooth products in range
auto flush cycles and timing last auto flush
usage per day over 30 days
thermal disinfection cycles and timings last disinfection

configuration


detection range and shut off delay

auto flush
thermal disinfection
cleaning mode

2 on/off timers
identification by name

service

send and save 3 profiles
reset to factory or user settings
hard and software version
CE approved
noise classification 1 in accordance
with DIN4109



Mobile devices and GROHE IR Remote App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

*** Available for free via iTunes app or Google Play store.

COMMERCIAL
FITTINGS

36 337 001 4005176595417


**Euroeco Cosmopolitan E
Concealed mounting box**

wall installation
for installation with pre-mixed or cold water

suitable for IR-sets for final installation
stop valve
connection housing for power supply

suitable for
36 410 000, 36 334 SD0, 36 335 SD0, 36 273 000

allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve



36 336 001 4005176991769


**Eurosmart Cosmopolitan E
Concealed mounting box**

with integrated pre-adjustable
thermostatic mixer
wall installation

suitable for IR-sets for final installation
2 stop valves
non-return valve

suitable for
36 410 000, 36 334 SD0, 36 335 SD0, 36 273 000

allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve



GROHE BLUETOOTH MONITORING

Ref. No. Colour EAN

36 412 000 Chrome 4005176320569

Eurosmart Cosmopolitan E Bluetooth

Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter

with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
set for final installation for concealed fitting box
36 339 001

GROHE Long-Life Shine finish

GROHE Water Saving - Less water, perfect flow

laminar flow straightener 9 l/min
chrome escutcheon and spout
projection 172 mm
with Bluetooth 4.0* for wireless data communication

for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on materials used and walls
between transmitter and receiver

monitoring


password protected products
app detects all Bluetooth products in range
auto flush cycles and timing last auto flush
usage per day over 30 days
thermal disinfection cycles and timings last disinfection

configuration

detection range and shut off delay
auto flush
thermal disinfection
cleaning mode
2 on/off timers
identification by name

service

send and save 3 profiles
reset to factory or user settings
hard and software version
CE approved
noise classification 1 in accordance
with DIN4109



Mobile devices and GROHE IR Remote App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

*** Available for free via iTunes app or Google Play store.

36 339 001

4005176595424

Eurosmart Cosmopolitan E

Concealed mounting box

with mixture

wall installation

suitable for IR-sets for final installation

2 stop valves

housing with mixing device


non-return valve

connection housing for power supply

suitable for


36 315 000, 36 412 000, 36 376 000

allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve



GROHE BLUETOOTH MONITORING

| Ref. No. | Colour | EAN |
|------------|--------|---------------|
| 36 415 000 | Chrome | 4005176320590 |



Eurosmart Cosmopolitan E Bluetooth Infra-red electronic for concealed thermostatic shower
with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose
for concealed installation box
36 416 001

GROHE Long-Life Shine durable sparkling sheen chrome escutcheon
with Bluetooth 4.0* for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver

monitoring
password protected products
app detects all Bluetooth products in range
auto flush cycles and timing last auto flush usage per day over 30 days
thermal disinfection cycles and timings last disinfection

configuration
shut off delay
auto flush
thermal disinfection
cleaning mode
2 on/off timers
identification by name

service
send and save 3 profiles
reset to factory or user settings
hard and software version
CE approved


Mobile devices and GROHE IR Remote App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

*** Available for free via iTunes app or Google Play store.

| | |
|------------|---------------|
| 36 416 001 | 4005176595394 |
|------------|---------------|




Eurosmart Cosmopolitan E Concealed control unit
for shower
with integrated pre-adjustable thermostatic mixer
suitable for infra-red set 36 415 000 and 36 463 000
2 stop valves
non-return valves with filters
connection housing for power supply
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve

GROHE BLUETOOTH MONITORING

Ref. No. Colour EAN

37 503 000 Chrome 4005176320507



**Tectron Skate Bluetooth
Infra-red electronic for Urinal
for Rapido U 37 338 000**

with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
with infrared sensor and Bluetooth module for bi-directional communication for
monitoring, configuration and service purpose

GROHE Long-Life Shine finish

flow pressure min 0.5 bar
operating pressure max 10 bar
with Bluetooth 4.0* for wireless data communication

Bluetooth transmitter frequency: 2.4 GHz

for Apple** and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls
between transmitter and receiver

monitoring

password protected products

app detects all Bluetooth products in range

auto flush cycles and timing last auto flush

usage per day over 30 days

configuration

detection range and shut off delay

auto flush

cleaning mode

2 on/off timers

identification by name

service

send and save 3 profiles

reset to factory or user settings

CE approved

hard and software version

Mobile devices and GROHE IR Remote App*** are not included in delivery and
have to be ordered separately via an authorised Apple store/store/iTunes or Google
Play store.


* The Bluetooth word mark and logos are registered trademarks owned by
Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license.
Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of
Apple Inc., registered in the U.S. and other countries. Apple is not responsible for
the function of this device or its compliance with safety and regulatory standards

*** Available for free via iTunes app or Google Play store.

37 338 000

4005176837920



GROHE Rapido U

roughing-in set for urinal

**for manual actuation or Tectron
infra-red electronic 6 V or 230 V**

water group with stop valve

flow pressure min 0.5 bar

operating pressure max 10 bar

flush aid

functional unit checked ex factory

water supply connections 1/2" outer thread




connecting box for mains supply

installation box with gasket

fixing points for dry cladding and masonry-in

inspection shaft incl. protection

GROHE BLUETOOTH MONITORING

| | Ref. No. | Colour | EAN |
|---|--|---|--|
|  | 37 504 000 | Chrome | 4005176320521 Tectron Skate Bluetooth Infra-red electronic for WC for flushing cistern GD 2 / Rapid SL 1.13 m only with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose with additional manual actuation GROHE Long-Life Shine finish front plate 156 x 197 mm servo motor for use with Rapid SLX please order shaft 66 791 000 (sold separately) with Bluetooth 4.0* for wireless data communication for Apple** and Android devices Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver monitoring password protected products app detects all Bluetooth products in range auto flush cycles and timing last auto flush usage per day over 30 days configuration detection range and shut off delay auto flush cleaning mode 2 on/off timers identification by name service send and save 3 profiles reset to factory or user settings hard and software version CE approved Mobile devices and GROHE IR Remote App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store. * The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners. ** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards *** Available for free via iTunes app or Google Play store. |
|  | 36 340 000 36 341 000 | Power extension cable length 3.00 m ditto, length 10 m | 4005176911385 4005176911392 |
|  | 36 338 000 | Switch mode power supply for one eye infra-red wash basin mixer switch mode power supply with operating voltage 100-230 V AC, 50 - 60 Hz for concealed socket with cover and strain relief suitable for the following products: 36 444 000, 36 440 000, 36 411 000, 36 413 000, 36 409 000, 36 325 001, 36 269 000, 36 015 001, 36 016 001, 36 421 000, 36 453 000 | 4005176896743 |

COMMERCIAL FITTINGS

GROHE BLUETOOTH MONITORING


Ref. No.

Colour

EAN

36 407 001

4005176368974



Remote control

for all GROHE one eye infra-red products
as of 06/2015 and GROHE Blue Home until 12/2018

monitoring

consumption and usage data
thermal disinfection cycles (infrared mixers)
auto flush cycles (infrared mixers)
cleaning mode cycles (GROHE Blue Home)
filter and CO₂ capacity (GROHE Blue Home)

configuration

cleaning mode activation
thermal disinfection (infrared mixers)
detection range (infrared mixers)
shut off delay (infrared mixers)
auto flush (infrared mixers)
filter capacity (GROHE Blue Home)


service

send and save profile
reset to factory or user settings
service details
demo mode
error codes (GROHE Blue Home)
3 x 1.5 V DC (AAA) battery supply

GROHE EUROPLUS E

Ref. No. Colour EAN

36 207 001 Chrome 4005176929373



Europlus E

Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter

with infrared sensor for bi-directional communication for monitoring, configuration and servicing
6V lithium battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)

GROHE Water Saving mousseur 5.7 l/min
flexible connection hoses

non-return valve
dirt strainers
solenoid valve
rapid installation system
multistage battery status display
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
noise classification 1 in accordance with DIN4109
type of protection faucet IP 59K

36 208 001 Chrome 4005176929380
ditto, without mixing device

36 015 001 Chrome 4005176929359


Europlus E

Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter

with infrared sensor for bi-directional communication for monitoring, configuration and servicing
without power supply 36 338 000 (required)

GROHE Water Saving mousseur 5.7 l/min
flexible connection hoses








non-return valve
dirt strainers
solenoid valve
rapid installation system
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
noise classification 1 in accordance with DIN4109
type of protection faucet IP 59K



36 016 001 Chrome 4005176929366
ditto, without mixing device

COMMERCIAL
FITTINGS

GROHE EUROPLUS E

| | Ref. No. | Colour | EAN |
|---|---|---------------|----------------------|
|   | 36 407 001 | | 4005176368974 |
| | <p>Remote control for all GROHE one eye infra-red products as of 06/2015 and GROHE Blue Home until 12/2018</p> <p>monitoring consumption and usage data thermal disinfection cycles (infrared mixers) auto flush cycles (infrared mixers) cleaning mode cycles (GROHE Blue Home) filter and CO₂ capacity (GROHE Blue Home)</p> <p>configuration cleaning mode activation thermal disinfection (infrared mixers) detection range (infrared mixers) shut off delay (infrared mixers) auto flush (infrared mixers) filter capacity (GROHE Blue Home)</p> <p>service send and save profile reset to factory or user settings service details demo mode error codes (GROHE Blue Home) 3 x 1.5 V DC (AAA) battery supply</p> | | |
|   | 36 340 000 | | 4005176911385 |
| | <p>Power extension cable length 3.00 m</p> | | |
| | 36 341 000 | | 4005176911392 |
| | <p>ditto, length 10 m</p> | | |
|   | 36 338 000 | | 4005176896743 |
| | <p>Switch mode power supply for one eye infra-red wash basin mixer switch mode power supply with operating voltage 100-230 V AC, 50 - 60 Hz for concealed socket with cover and strain relief suitable for the following products: 36 444 000, 36 440 000, 36 411 000, 36 413 000, 36 409 000, 36 325 001, 36 269 000, 36 015 001, 36 016 001, 36 421 000, 36 453 000</p> | | |
|  | 36 209 000 | Chrome | 4005176207105 |
| | <p>Security cover cap vandal-proof, covered and pre-adjustable suitable for single hole mixers Europlus E and Eurodisc SE Consisting of: special mixing device for actuation by screwdriver metallic cap GROHE Long-Life Shine durable sparkling sheen</p> | | |

GROHE EUROSMART COSMOPOLITAN E

Ref. No. Colour EAN

36 327 002 Chrome 4005176695599

Eurosmart Cosmopolitan E


Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter

with infrared sensor for bi-directional communication for monitoring, configuration and servicing
6V lithium battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)

GROHE Water Saving mousseur 5.7 l/min
flexible connection hoses

non-return valve
dirt strainers
with integrated solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs

auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
noise classification 1 in accordance
with DIN4109
type of protection faucet IP 59
replaces 36 327 001



36 331 001 Chrome 4005176305795
ditto, with pop-up waste set 1 1/4"

36 422 001 Chrome 4005176695636

Eurosmart Cosmopolitan E


Infra-red electronic basin mixer 1/2" L-Size with mixing device and adjustable temperature limiter

with infrared sensor for bi-directional communication for monitoring, configuration and servicing
6V lithium battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)

GROHE Long-Life Shine finish
GROHE Water Saving mousseur 5.7 l/min
flexible connection hoses

non-return valve
dirt strainers
with integrated solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs

auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
noise classification 1 in accordance
with DIN4109
type of protection faucet IP 59
replaces 36 422 000




COMMERCIAL
FITTINGS

GROHE EUROSMART COSMOPOLITAN E


Ref. No. Colour EAN

36 325 002 Chrome 4005176318771



Eurosmart Cosmopolitan E
Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter
 with infrared sensor for bi-directional communication for monitoring, configuration and servicing
without power supply 36 338 000 (required)
GROHE Water Saving mousseur 5.7 l/min
 flexible connection hoses
 non-return valve
 dirt strainers
 with integrated solenoid valve
 rapid installation system
 7 pre-set programs
 auto flush
 thermal disinfection
 cleaning mode
 additional functions and precise settings
 by remote control 36 407
 CE approved
 noise classification 1 in accordance with DIN4109
 type of protection faucet IP 59
 replaces 36 325 001

36 421 001 Chrome 4005176695612




Eurosmart Cosmopolitan E
Infra-red electronic basin mixer 1/2" L-Size with mixing device and adjustable temperature limiter
 with infrared sensor for bi-directional communication for monitoring, configuration and servicing
without power supply 36 338 000 (required)
GROHE Long-Life Shine finish
GROHE Water Saving mousseur 5.7 l/min
 flexible connection hoses
 non-return valve
 dirt strainers
 with integrated solenoid valve
 rapid installation system
 7 pre-set programs
 auto flush
 thermal disinfection
 cleaning mode
 additional functions and precise settings
 by remote control 36 407
 CE approved
 noise classification 1 in accordance with DIN4109
 type of protection faucet IP 59
 replaces 36 421 000

GROHE EUROSMART COSMOPOLITAN E


Ref. No. Colour EAN

36 439 001 Chrome 4005176695605




Eurosmart Cosmopolitan E
Infra-red electronic basin tap 1/2"
with infrared sensor for bi-directional communication for monitoring, configuration and servicing for cold or premixed water
6V lithium battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
flexible connection hose
dirt strainer
with integrated solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407
CE approved
noise classification 1 in accordance with DIN4109
type of protection faucet IP 59
replaces 36 439 000

36 330 002 Chrome 4005176695667



Eurosmart Cosmopolitan E
Infra-red electronic basin mixer 1/2"
with hidden mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication for monitoring, configuration and servicing
6V lithium battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)
GROHE Water Saving mousseur 5.7 l/min
flexible connection hoses
non-return valve
dirt strainers
with integrated solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs
CE approved
noise classification 1 in accordance with DIN4109
type of protection faucet IP 59
replaces 36 330 001


36 324 001 Chrome 4005176305757





Eurosmart Cosmopolitan E
Infra-red electronic basin mixer with mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication for monitoring, configuration and servicing
without power supply 36 338 000 (required)
for use with displacement water heater
fixed build in static flow limiter 5 l/min on the hose connection
non-return valve
dirt strainers
flexible connection hoses
with integrated solenoid valve
rapid installation system
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407
CE approved
type of protection faucet IP 59K
min. recommended pressure 1.0 bar




COMMERCIAL
FITTINGS

GROHE EUROSMART COSMOPOLITAN E

| | Ref. No. | Colour | EAN |
|---|---|--------|---------------|
|  | 36 386 001 | Chrome | 4005176311673 |
| | <p>Eurosmart Cosmopolitan E Powerbox infra-red electronic basin mixer with mixing device and adjustable temperature limiter with infrared sensor for bi-directional communication for monitoring, configuration and servicing including Powerbox self-generating power system GROHE Water Saving 6.0 l/min mousseur including all flexible connection hoses non-return valve dirt strainer rapid installation system Powerbox power generator with water turbine internal energy saving unit with use of 60 s/24 h stand-by, 260 s/100 h stand-by with additional backup power 7 pre-set programs auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407</p> | | |
|  | 36 454 000 | Chrome | 4005176487774 |
| | <p>Eurosmart Cosmopolitan E Special Infra-red electronic wall basin mixer with thermostatic temperature control with infrared sensor for bi-directional communication for monitoring, configuration and servicing 6V lithium battery, type CR-P2 battery lifetime approx. 7 years (150 actuations a day) activation by hand, deactivation automatically when leaving detection zone (hand-body detection mode) two additional detection modes adjustable (hand-hand or body-body) GROHE Long-Life Shine durable sparkling sheen GROHE CoolTouch laminar mousseur 9 l/min non-return valve dirt strainers GROHE SafetyPlus fixed temperature stop temperature scale handle with pre-adjustable safety stop between 35°C and 41°C (calibration required) metal temperature safety stop full unmixed hot or cold water in extreme handle position for legionella sampling swivel cast spout 219 mm projection 287 mm swivel range stop at 130°, lockable with S-unions, chrome nuts and covers self-sealing escutcheons multistage battery status display 7 pre-set programs auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407 CE approved noise classification 1 in accordance with DIN4109</p> | | |
| | 36 455 000 | Chrome | 4005176487781 |
| | ditto, projection 255 mm | | |




GROHE EUROSMART COSMOPOLITAN E

| | Ref. No. | Colour | EAN |
|---|---|---|----------------------|
|  | 36 332 000 | Chrome | 4005176896682 |
| | <p>Eurosmart Cosmopolitan E Infra-red electronic wall basin mixer with thermostatic temperature control with infrared sensor for bi-directional communication for monitoring, configuration and servicing 6V lithium battery, type CR-P2 battery lifetime approx. 7 years (150 actuations a day) activation by hand, deactivation automatically when leaving detection zone (hand-body detection mode) two additional detection modes adjustable (hand-hand or body-body) GROHE Long-Life Shine durable sparkling sheen laminar mousseur 9 l/min non-return valve dirt strainers temperature scale handle with GROHE SafeStop safety stop at 38°C (calibration required) swivel cast spout 219 mm projection 287 mm swivel range stop at 130°, lockable self-sealing escutcheons multistage battery status display 7 pre-set programs auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407 CE approved noise classification 1 in accordance with DIN4109</p> | | |
| | 36 333 000 | Chrome ditto, projection 255 mm | 4005176896699 |
|  | 36 334 SD0 | stainless steel | 4005176896705 |
| | <p>Eurosmart Cosmopolitan E Infra-red electronic wall basin tap without mixing device with infrared sensor for bi-directional communication for monitoring, configuration and servicing for cold or premixed water with transformer 100-230 V AC, 50-60 Hz, 6 V DC laminar mousseur 9 l/min stainless steel escutcheon SuperSteel spout projection 232 mm 7 pre-set programs auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407 set for final installation for concealed fitting box 36 336 001/36 337 001 CE approved noise classification 1 in accordance with DIN4109 min. recommended pressure 1.0 bar</p> | | |
| | 36 335 SD0 | stainless steel ditto, projection 172 mm | 4005176896712 |
|  | 36 337 001 | | 4005176595417 |
| | <p>Euroeco Cosmopolitan E Concealed mounting box wall installation for installation with pre-mixed or cold water suitable for IR-sets for final installation stop valve connection housing for power supply suitable for 36 410 000, 36 334 SD0, 36 335 SD0, 36 273 000 allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve</p> | | |

COMMERCIAL
FITTINGS


GROHE EUROSMART COSMOPOLITAN E

Ref. No. Colour EAN



36 336 001 4005176991769


**Eurosmart Cosmopolitan E
Concealed mounting box**
with integrated pre-adjustable
thermostatic mixer
wall installation
suitable for IR-sets for final installation
2 stop valves
non-return valve
suitable for
36 410 000, 36 334 SD0, 36 335 SD0, 36 273 000
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve



36 376 000 Chrome 4005176932243

**Eurosmart Cosmopolitan E
Infra-red electronic basin mixer with mixing device and adjustable
temperature limiter**
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
with transformer 100-230 V AC, 50-60 Hz, 6 V DC
laminar flow straightener 9 l/min
chrome escutcheon
chrome spout
projection 232 mm
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
set for final installation for concealed fitting box
36 339 001
CE approved
noise classification 1 in accordance
with DIN4109

36 315 000 Chrome 4005176896590
ditto, projection 172 mm




36 339 001 4005176595424

**Eurosmart Cosmopolitan E
Concealed mounting box
with mixture**
wall installation
suitable for IR-sets for final installation
2 stop valves
housing with mixing device
non-return valve
connection housing for power supply
suitable for
36 315 000, 36 412 000, 36 376 000
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve

GROHE EUROSMART COSMOPOLITAN E


Ref. No. Colour EAN

36 457 000 Chrome 4005176494765




Eurosmart Cosmopolitan E Special
Infra-red electronic shower mixer with thermostatic temperature control
 with infrared sensor for bi-directional communication
 for monitoring, configuration and servicing
 6V lithium battery, type CR-P2
 battery lifetime approx. 7 years (150 actuations a day)
 ergonomic metal handle
GROHE Long-Life Shine durable sparkling sheen
GROHE CoolTouch
 non-return valve
 dirt strainers
GROHE SafetyPlus fixed temperature stop
 temperature scale handle with pre-adjustable
 safety stop between 35°C and 41°C (calibration required)
 metal temperature safety stop
 full unmixed hot or cold water in extreme handle position for legionella sampling
 shower bottom outlet 1/2" with
 integrated non return-valve
 with S-unions, chrome nuts and covers
 self-sealing escutcheons
 multistage battery status display
 7 pre-set programs
 auto flush
 thermal disinfection
 cleaning mode
 additional functions and precise settings
 by remote control 36 407
 CE approved
 noise classification 1 in accordance
 with DIN4109

36 456 000 Chrome 4005176494758



Eurosmart Cosmopolitan E Special
Infra-red electronic for concealed thermostatic shower
 with infrared sensor for bi-directional communication
 for monitoring, configuration and servicing
 for concealed installation box 36 458 000 and 36 459 000
 ergonomic metal handle
GROHE Long-Life Shine durable sparkling sheen
GROHE SafetyPlus fixed temperature stop
 temperature scale handle with pre-adjustable
 safety stop between 35°C and 41°C (calibration required)
 metal temperature safety stop
 full unmixed hot or cold water in extreme handle position for legionella sampling
 7 pre-set programs
 auto flush
 thermal disinfection
 cleaning mode
 additional functions and precise settings
 by remote control 36 407
 CE approved
 noise classification 1 in accordance
 with DIN4109

36 458 000 4005176494772




Eurosmart Cosmopolitan E
Concealed control unit
 for shower
 with integrated thermostatic mixer
 suitable for infra-red set 36 456 000
 2 stop valves
 non-return valves with filters
 6V lithium battery, type CR-P2
 battery lifetime approx. 7 years (150 actuations a day)
 allows for waterproofing of wall construction surrounding the concealed body
 with sealing sleeve

COMMERCIAL
FITTINGS

GROHE EUROSMART COSMOPOLITAN E


Ref. No. Colour EAN



36 459 000 4005176576188

Eurosmart Cosmopolitan E Concealed control unit


for shower
with integrated thermostatic mixer
suitable for infra-red set 36 456 000
2 stop valves
non-return valves with filters
connection housing for power supply
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve



47 780 000 4005176836541

Extension set 27.5 mm

for Rapido T 35 500 000/35 050 000
for concealed installation box 36 458 000 and 36 459 000
for use with central and shower-thermostats with shut-off valve




36 463 000 Chrome 4005176576690

Eurosmart Cosmopolitan E

Infra-red electronic for concealed thermostatic shower


with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
for concealed installation box 36 416 000 and 36 464 000
for hidden thermostatic mixer
GROHE Long-Life Shine durable sparkling sheen
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
noise classification 1 in accordance
with DIN4109



36 464 000 4005176576706

Eurosmart Cosmopolitan E Concealed control unit

for shower
with integrated pre-adjustable
thermostatic mixer
suitable for infra-red set 36 463 000
2 stop valves
non-return valves with filters
6V lithium battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve



36 416 001 4005176595394


Eurosmart Cosmopolitan E Concealed control unit

for shower
with integrated pre-adjustable
thermostatic mixer
suitable for infra-red set 36 415 000 and 36 463 000
2 stop valves
non-return valves with filters
connection housing for power supply
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve

GROHE EUROSMART COSMOPOLITAN E

Ref. No. Colour EAN

36 407 001 4005176368974



Remote control

for all GROHE one eye infra-red products
as of 06/2015 and GROHE Blue Home until 12/2018

monitoring

consumption and usage data
thermal disinfection cycles (infrared mixers)
auto flush cycles (infrared mixers)
cleaning mode cycles (GROHE Blue Home)
filter and CO₂ capacity (GROHE Blue Home)

configuration

cleaning mode activation
thermal disinfection (infrared mixers)
detection range (infrared mixers)
shut off delay (infrared mixers)
auto flush (infrared mixers)
filter capacity (GROHE Blue Home)

service

send and save profile
reset to factory or user settings
service details
demo mode
error codes (GROHE Blue Home)
3 x 1.5 V DC (AAA) battery supply


36 340 000 4005176911385



Power extension cable
length 3.00 m

36 341 000 4005176911392
ditto, length 10 m

36 338 000 4005176896743



Switch mode power supply

for one eye infra-red wash basin mixer
switch mode power supply with operating voltage
100-230 V AC, 50 - 60 Hz


for concealed socket with cover and strain relief
suitable for the following products: 36 444 000, 36 440 000,
36 411 000, 36 413 000, 36 409 000, 36 325 001, 36 269 000,
36 015 001, 36 016 001, 36 421 000, 36 453 000

COMMERCIAL
FITTINGS

GROHE EUROECO COSMOPOLITAN E


Ref. No. Colour EAN

36 271 000 Chrome 4005176893193




Euroeco Cosmopolitan E
Infra-red electronic basin tap
with infrared sensor for bi-directional communication for monitoring, configuration and servicing for cold or premixed water
6V lithium battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)
GROHE Water Saving mousseur 5.7 l/min
flexible connection hoses
dirt strainers
solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
noise classification 1 in accordance with DIN4109
type of protection faucet IP 59K

36 269 000 Chrome 4005176893179



Euroeco Cosmopolitan E
Infra-red electronic basin tap 1/2"
with infrared sensor for bi-directional communication for monitoring, configuration and servicing for cold or premixed water
without power supply 36 338 000 (required)
GROHE Water Saving mousseur 5.7 l/min
flexible connection hoses
dirt strainers
solenoid valve
rapid installation system
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
noise classification 1 in accordance with DIN4109
type of protection faucet IP 59K

36 272 000 Chrome 4005176893209



Euroeco Cosmopolitan E
Infra-red electronic basin tap 1/2"
with infrared sensor for bi-directional communication for monitoring, configuration and servicing for cold or premixed water
6V lithium battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)
GROHE Water Saving mousseur 5.7 l/min
flexible connection hoses
dirt strainer
solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved


GROHE EUROECO COSMOPOLITAN E

| | Ref. No. | Colour | EAN |
|---|--|---------------|----------------------|
|   | 36 384 000 | Chrome | 4005176982774 |
| | <p>Euroeco Cosmopolitan E Powerbox infra-red electronic basin tap 1/2" without mixing device with infrared sensor for bi-directional communication for monitoring, configuration and servicing including Powerbox self-generating power system GROHE Water Saving 6.0 l/min mousseur flexible connection hose dirt strainer rapid installation system Powerbox power generator with water turbine internal energy saving unit with use of 60 s/24 h stand-by, 260 s/100 h stand-by with additional backup power 7 pre-set programs auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407</p> | | |
|   | 36 274 000 | Chrome | 4005176893223 |
| | <p>Euroeco Cosmopolitan E Infra-red electronic wall basin tap without mixing device with infrared sensor for bi-directional communication for monitoring, configuration and servicing for cold or premixed water 6V lithium battery, type CR-P2 battery lifetime approx. 7 years (150 actuations a day) metal body multistage battery status display 7 pre-set programs auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407 CE approved</p> | | |
|   | 36 273 000 | Chrome | 4005176893216 |
| | <p>Euroeco Cosmopolitan E Infra-red electronic wall basin tap without mixing device with infrared sensor for bi-directional communication for monitoring, configuration and servicing for cold or premixed water with transformer 100-230 V AC, 50-60 Hz, 6 V DC GROHE Water Saving mousseur 5.7 l/min chrome escutcheon chrome spout projection 172 mm 7 pre-set programs auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407 set for final installation for concealed fitting box 36 336 001/36 337 001 CE approved noise classification 1 in accordance with DIN4109</p> | | |

COMMERCIAL
FITTINGS

GROHE EUROECO COSMOPOLITAN E

Ref. No. Colour EAN




36 337 001

4005176595417

**Euroeco Cosmopolitan E
Concealed mounting box**

wall installation
for installation with pre-mixed or cold water
suitable for IR-sets for final installation
stop valve
connection housing for power supply
suitable for
36 410 000, 36 334 SD0, 36 335 SD0, 36 273 000
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve



36 336 001


4005176991769

**Eurosmart Cosmopolitan E
Concealed mounting box**

with integrated pre-adjustable
thermostatic mixer
wall installation
suitable for IR-sets for final installation
2 stop valves
non-return valve
suitable for
36 410 000, 36 334 SD0, 36 335 SD0, 36 273 000
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve

36 407 001

4005176368974



Remote control

for all GROHE one eye infra-red products
as of 06/2015 and GROHE Blue Home until 12/2018

monitoring

consumption and usage data
thermal disinfection cycles (infrared mixers)
auto flush cycles (infrared mixers)
cleaning mode cycles (GROHE Blue Home)
filter and CO₂ capacity (GROHE Blue Home)

configuration

cleaning mode activation
thermal disinfection (infrared mixers)
detection range (infrared mixers)
shut off delay (infrared mixers)
auto flush (infrared mixers)
filter capacity (GROHE Blue Home)

service

send and save profile
reset to factory or user settings
service details
demo mode
error codes (GROHE Blue Home)
3 x 1.5 V DC (AAA) battery supply



36 340 000

4005176911385

Power extension cable

length 3.00 m

36 341 000

4005176911392

ditto, length 10 m

GROHE EUROECO COSMOPOLITAN E


Ref. No.

Colour

EAN

36 338 000

4005176896743



Switch mode power supply

for one eye infra-red wash basin mixer

switch mode power supply with operating voltage

100-230 V AC, 50 - 60 Hz

for concealed socket with cover and strain relief


suitable for the following products: 36 444 000, 36 440 000,

36 411 000, 36 413 000, 36 409 000, 36 325 001, 36 269 000,

36 015 001, 36 016 001, 36 421 000, 36 453 000


GROHE BAU COSMOPOLITAN E

| Ref. No. | Colour | EAN |
|------------|--------|---------------|
| 36 451 000 | Chrome | 4005176473678 |



Bau Cosmopolitan E
Infra-red electronic basin mixer 1/2"
with mixing device and temperature limiter
 with infrared sensor for bi-directional communication for monitoring, configuration and servicing
 6V lithium battery, type CR-P2
 battery lifetime approx. 7 years (150 actuations a day)
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
 Lead and Nickel Free Inner Water Ways
 body made of composite polymer
 flexible connection hoses
 non-return valve
 dirt strainers
 with integrated solenoid valve
 external battery
 rapid installation system
 multistage battery status display
 7 pre-set programs
 auto flush
 thermal disinfection
 cleaning mode
 additional functions and precise settings
 by remote control 36 407
 CE approved
 noise classification 1 in accordance
 with DIN4109
 type of protection faucet IP 59


| | | |
|------------|--------|---------------|
| 36 452 000 | Chrome | 4005176473685 |
|------------|--------|---------------|



Bau Cosmopolitan E
Infra-red electronic basin tap 1/2"
 with infrared sensor for bi-directional communication for monitoring, configuration and servicing
 for cold or premixed water
 6V lithium battery, type CR-P2
 battery lifetime approx. 7 years (150 actuations a day)
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
 Lead and Nickel Free Inner Water Ways
 body made of composite polymer
 flexible connection hose
 dirt strainer
 with integrated solenoid valve
 external battery
 rapid installation system
 multistage battery status display
 7 pre-set programs
 auto flush
 thermal disinfection
 cleaning mode
 additional functions and precise settings
 by remote control 36 407
 CE approved
 noise classification 1 in accordance
 with DIN4109
 type of protection faucet IP 59


GROHE BAU COSMOPOLITAN E

| Ref. No. | Colour | EAN |
|------------|--------|---------------|
| 36 453 000 | Chrome | 4005176473791 |



Bau Cosmopolitan E
Infra-red electronic basin mixer 1/2"
with mixing device and temperature limiter
 with infrared sensor for bi-directional communication for monitoring, configuration and servicing
without power supply 36 338 000 (required)
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving mousseur 5.7 l/min
 Lead and Nickel Free Inner Water Ways
 body made of composite polymer
 flexible connection hoses
 non-return valve
 dirt strainers
 with integrated solenoid valve
 rapid installation system
 7 pre-set programs
 auto flush
 thermal disinfection
 cleaning mode
 additional functions and precise settings
 by remote control 36 407
 CE approved
 noise classification 1 in accordance
 with DIN4109
 type of protection faucet IP 59

| | |
|------------|---------------|
| 36 407 001 | 4005176368974 |
|------------|---------------|



Remote control
 for all GROHE one eye infra-red products
 as of 06/2015 and GROHE Blue Home until 12/2018
monitoring
 consumption and usage data
 thermal disinfection cycles (infrared mixers)
 auto flush cycles (infrared mixers)
 cleaning mode cycles (GROHE Blue Home)
 filter and CO₂ capacity (GROHE Blue Home)
configuration
 cleaning mode activation
 thermal disinfection (infrared mixers)
 detection range (infrared mixers)
 shut off delay (infrared mixers)
 auto flush (infrared mixers)
 filter capacity (GROHE Blue Home)
service
 send and save profile
 reset to factory or user settings
 service details
 demo mode
 error codes (GROHE Blue Home)
 3 x 1.5 V DC (AAA) battery supply

| | |
|------------|---------------|
| 36 340 000 | 4005176911385 |
|------------|---------------|



Power extension cable
 length 3.00 m

| | |
|------------|---------------|
| 36 341 000 | 4005176911392 |
|------------|---------------|

ditto, length 10 m

GROHE BAU COSMOPOLITAN E


Ref. No.

Colour

EAN

36 338 000

4005176896743



Switch mode power supply

for one eye infra-red wash basin mixer

switch mode power supply with operating voltage

100-230 V AC, 50 - 60 Hz

for concealed socket with cover and strain relief

suitable for the following products: 36 444 000, 36 440 000,


36 411 000, 36 413 000, 36 409 000, 36 325 001, 36 269 000,

36 015 001, 36 016 001, 36 421 000, 36 453 000

GROHE GROHTHERM MICRO



Ref. No. Colour EAN

34 487 000 **Chrome** **4005176936234**



Grohtherm Micro
Thermostatic scalding protection
 temperature adjustment 15-43° C (± 2° C)
 thermal disinfection without re-adjustment of temperature
 connection 3/8" below with cap nut
 above 3/8" male thread
GROHE TurboStat thermoelement
GROHE Long-Life Shine durable sparkling sheen
 built-in non return valves
 dirt strainer
 without connection set







47 533 000 **Chrome** **4005176207181**











Grohtherm Micro
Connection set
 for Grohtherm Micro (34 487 000)
 Consisting of:
 union nut 3/8"
 T-unit
 2 outlets 3/8" male thread
 flexible connection hose
GROHE Long-Life Shine durable sparkling sheen

COMMERCIAL
FITTINGS

GROHE GROHTHERM SPECIAL









| | Ref. No. | Colour | EAN |
|---|---|---------------|----------------------|
|   | 34 667 000 | Chrome | 4005176351570 |
| | <p>Grohtherm Special Thermostatic shower mixer 1/2" wall mounted ergonomic metal wing handles ceramic headparts 1/2", 90° GROHE TurboStat compact cartridge with wax thermoelement temperature scale handle with pre-adjustable safety stop between 35°C and 41°C (calibration required) integrated mixed water shut off shower bottom outlet 1/2" with integrated non return-valve metal temperature safety stop dirt strainers GROHE FastFixation for fast exchange of non return valves in connections 100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons GROHE Long-Life Shine durable sparkling sheen</p> | | |
|   | 34 725 000 | Chrome | 4005176457081 |
| | <p>Grohtherm Special Thermostatic shower mixer 1/2" wall mounted ergonomic metal wing handles ceramic headparts 1/2", 90° GROHE TurboStat compact cartridge with wax thermoelement temperature scale handle with pre-adjustable safety stop between 35°C and 41°C (calibration required) Thermostatic cartridge max.temperature 41°C (calibration required) integrated mixed water shut off shower bottom outlet 1/2" with integrated non return-valve metal temperature safety stop dirt strainers with S-unions, chrome nuts and covers GROHE FastFixation for fast exchange of non return valves in connections GROHE CoolTouch safety housing GROHE Long-Life Shine durable sparkling sheen GROHE SafetyPlus fixed temperature stop TMV3 approved product</p> | | |
|   | 34 665 000 | Chrome | 4005176351556 |
| | <p>Grohtherm Special Thermostatic bath/shower mixer 1/2" wall mounted ergonomic metal wing handles Aquadimmer handle with multiple function flow control integrated mixed water shut off diverter bath/shower GROHE TurboStat compact cartridge with wax thermoelement temperature scale handle with pre-adjustable safety stop between 35°C and 41°C (calibration required) shower bottom outlet 1/2" with integrated non return-valve metal temperature safety stop laminar mousseur dirt strainers GROHE FastFixation for fast exchange of non return valves in connections 100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons GROHE Long-Life Shine durable sparkling sheen</p> | | |

GROHE GROHTHERM SPECIAL











| | Ref. No. | Colour | EAN |
|---|--|---------------|----------------------|
|   | 34 681 000 | Chrome | 4005176354090 |
| | <p>Grotherm Special Thermostatic shower mixer 1/2" wall mounted ergonomic metal wing handles ceramic headparts 1/2", 90° GROHE TurboStat compact cartridge with wax thermoelement temperature scale handle with pre-adjustable safety stop between 35°C and 41°C (calibration required) integrated mixed water shut off shower bottom outlet 1/2" with integrated non return-valve metal temperature safety stop dirt strainers without S-unions and covers GROHE FastFixation for fast exchange of non return valves in connections GROHE CoolTouch safety housing GROHE Long-Life Shine durable sparkling sheen</p> | | |
|   | 34 671 000 | Chrome | 4005176351587 |
| | <p>Grotherm Special Thermostatic bath/shower mixer 1/2" wall mounted ergonomic metal wing handles Aquadimmer handle with multiple function flow control integrated mixed water shut off diverter bath/shower GROHE TurboStat compact cartridge with wax thermoelement temperature scale handle with pre-adjustable safety stop between 35°C and 41°C (calibration required) shower bottom outlet 1/2" with integrated non return-valve metal temperature safety stop laminar mousseur dirt strainers without S-unions and covers GROHE FastFixation for fast exchange of non return valves in connections GROHE CoolTouch safety housing GROHE Long-Life Shine durable sparkling sheen</p> | | |
|   | 34 666 000 | Chrome | 4005176351563 |
| | <p>Grotherm Special Thermostat basin mixer 1/2" wall mounted ergonomic metal wing handles ceramic headparts 1/2", 90° GROHE TurboStat compact cartridge with wax thermoelement temperature scale handle with pre-adjustable safety stop between 35°C and 41°C (calibration required) integrated mixed water shut off bottom outlet for spouts 13 378 or 13 380 metal temperature safety stop dirt strainers GROHE FastFixation for fast exchange of non return valves in connections 100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons GROHE Long-Life Shine durable sparkling sheen</p> | | |
|   | 13 378 000 | Chrome | 4005176351532 |
| | <p>Cast swivel spout length 115 mm swivelling (180 or 90°) and lockable laminar flow straightener 9 l/min GROHE Long-Life Shine finish</p> | | |
| | 13 380 000 | Chrome | 4005176351549 |
| | <p>ditto, length 175 mm</p> | | |

COMMERCIAL
FITTINGS

GROHE GROHTHERM SPECIAL

| | Ref. No. | Colour | EAN |
|---|---|--------|---------------|
|   | 29 094 000 | Chrome | 4005176354106 |
| | <p>Grotherm Special Thermostatic shower mixer set for final installation for 35 050 000 without concealed body escutcheon- and shaft-sealing covered connections ergonomic metal wing handles temperature scale handle with pre-adjustable safety stop between 35°C and 41°C (calibration required) integrated mixed water shut off metal temperature safety stop GROHE Long-Life Shine durable sparkling sheen TMV2 compliant when used with 35 050 000</p> | | |
| | 35 500 000 | | 4005176831522 |
| <p>GROHE Rapido T thermostatic mixer for concealed installation</p> | | | |
|   | 29 095 000 | Chrome | 4005176354113 |
| | <p>Grotherm Special Thermostatic bath/shower mixer trim set for final installation for 35 050 000 without concealed body escutcheon- and shaft-sealing covered connections ergonomic metal wing handles Aquadimmer handle with multiple function flow control integrated mixed water shut off diverter bath/shower temperature scale handle with pre-adjustable safety stop between 35°C and 41°C (calibration required) integrated mixed water shut off metal temperature safety stop GROHE Long-Life Shine durable sparkling sheen TMV2 compliant when used with 35 050 000</p> | | |
| | 35 500 000 | | 4005176831522 |
| <p>GROHE Rapido T thermostatic mixer for concealed installation</p> | | | |
|   | 29 096 000 | Chrome | 4005176354120 |
| | <p>Grotherm Special Trim for thermostatic shower valve set for final installation for 35 050 000 without concealed body escutcheon- and shaft-sealing covered connections ergonomic metal wing handle temperature scale handle with pre-adjustable safety stop between 35°C and 41°C (calibration required) metal temperature safety stop GROHE Long-Life Shine durable sparkling sheen TMV2 compliant when used with 35 050 000</p> | | |
| | 35 500 000 | | 4005176831522 |
| <p>GROHE Rapido T thermostatic mixer for concealed installation</p> | | | |
|   | 35 500 000 | | 4005176831522 |
| | <p>GROHE Rapido T Thermostatic mixer for concealed installation for use with Grotherm Special and Grotherm F without finishing trim set flat installation depth 70 mm - 95 mm GROHE TurboStat compact cartridge with wax thermoelement two top outlets 1/2", lockable bottom outlet 1/2" - can only be used with separate stopvalve body of DR brass built-in non return valve and dirt strainers min. recommended pressure 1.0 bar</p> | | |

GROHE GROHTHERM SPECIAL


| | Ref. No. | Colour | EAN |
|---|---|--------|---------------|
|  | 47 994 000 | | 4005176364723 |
| | Grohtherm Special Temperature unlocking handle unlocking of temperature handle for thermal disinfection | | |
|  | 12 051 000 | Chrome | 4005176213588 |
|  | S-union 1/2" x 3/4" screw socket to cover the union nut and the rosette sealing towards wall adjustment range 12.5 mm lockable for service suitable for 1/2" connections GROHE Long-Life Shine durable sparkling sheen | | |
|  | 47 780 000 | | 4005176836541 |
|  | Extension set 27.5 mm for Rapido T 35 500 000/35 050 000 for concealed installation box 36 458 000 and 36 459 000 for use with central and shower-thermostats with shut-off valve | | |
| | 47 781 000 | | 4005176836558 |
| | ditto, for use with bath thermostats with Aquadimmer | | |
|  | 29 007 000 | | 4005176837678 |
| | Safety combination (EN 1717) for Rapido T 35 500 000/35 050 000 Re-fitting set for backflow protection for use with inlet pop-up and waste sets e.g. Talentofil 28 990 000 or 28 991 000 | | |
|  | 28 874 000 | Chrome | 4005176042348 |
|  | Tee Connection for connection to shower and bath/shower-mixer union nut 1/2" 2 connections 1/2" for the shower hose or drain valves GROHE Long-Life Shine durable sparkling sheen | | |
|  | 28 988 000 | Chrome | 4005176042805 |
|  | Drain Down Valve for fitting between shut-off valve and shower acc. to hospital guide rules female thread 1/2" GROHE Long-Life Shine durable sparkling sheen | | |

COMMERCIAL
FITTINGS

GROHE GROHTHERM XL


Ref. No. Colour EAN

35 085 000 Chrome 4005176207068



Grotherm XL
Thermostat mixer 1"
wall mounted
range of use 9l/min to 140l/min
wax thermoelement
temperature scale handles with pre-adjustable
safety stop between 33°C and 43°C
arrangement to make the thermal
disinfection easier
built-in non return valves and dirt strainers as compact service units
connecting thread 1 1/4"
outlet thread 1 1/2"
changeable top/bottom outlet
without connection unions for wall mounting
GROHE Long-Life Shine durable sparkling sheen

35 087 000 Chrome 4005176207082




Grotherm XL
Thermostat mixer 1 1/4"
wall mounted
range of use 9l/min to 140l/min
wax thermoelement
temperature scale handles with pre-adjustable
safety stop between 33°C and 43°C
arrangement to make the thermal
disinfection easier
built-in non return valves and dirt strainers as compact service units
connecting thread 1 1/2"
outlet thread 2"
changeable top/bottom outlet
without connection unions for wall mounting
GROHE Long-Life Shine durable sparkling sheen

GROHE EUROSMART CARE

Ref. No. Colour EAN




23 988 003 Chrome 4005176644351



Eurosmart Basin mixer 1/2" S-Size
 thermostatic scalding protection
 maximum temperature adjustable
 thermal disinfection not possible
 monobloc installation
 metal lever
 lever length 89 mm
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 adjustable flow rate limiter
GROHE Long-Life Shine durable sparkling sheen
 Lead and Nickel Free Inner Water Ways
 built-in non return valves
 dirt strainers
GROHE Water Saving mousseur 4.2 l/min
GROHE FastFixation installation system
 smooth body with push-open pop-up waste set 1 1/4"
 flexible connection hoses
 max. pressure differential 5:1
 professional edition




23 989 003 Chrome 4005176644368



Eurosmart Basin mixer 1/2" M-Size
 thermostatic scalding protection
 maximum temperature adjustable
 thermal disinfection not possible
 monobloc installation
 metal lever
 lever length 89 mm
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 adjustable flow rate limiter
 Lead and Nickel Free Inner Water Ways
 built-in non return valves
 dirt strainers
GROHE Water Saving mousseur 4.2 l/min
GROHE FastFixation installation system
 smooth body with push-open pop-up waste set 1 1/4"
 flexible connection hoses
 max. pressure differential 5:1
 professional edition











23 986 003 Chrome 4005176643859



Eurosmart Basin mixer 1/2" S-Size
 thermostatic scalding protection
 maximum temperature adjustable
 thermal disinfection without re-adjustment of temperature
 tool for thermal disinfection included
 monobloc installation
 loop metal lever
 lever length 130 mm
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 adjustable flow rate limiter
 built-in non return valves
 dirt strainers
 Lead and Nickel Free Inner Water Ways
GROHE Water Saving 4.2 l/min laminar flow straightener
GROHE FastFixation installation system
 smooth body
 flexible connection hoses
 max. pressure differential 5:1
 professional edition

COMMERCIAL
FITTINGS

GROHE EUROSMART CARE

| | Ref. No. | Colour | EAN |
|---|---|--------|---------------|
|  | 23 987 003 | Chrome | 4005176644344 |
|  | Eurosmart Basin mixer 1/2" M-Size thermostatic scalding protection maximum temperature adjustable thermal disinfection without re-adjustment of temperature tool for thermal disinfection included monobloc installation loop metal lever lever length 130 mm 28 mm ceramic cartridge with GROHE SilkMove adjustable flow rate limiter built-in non return valves dirt strainers Lead and Nickel Free Inner Water Ways GROHE Water Saving 4.2 l/min laminar flow straightener GROHE FastFixation installation system smooth body flexible connection hoses max. pressure differential 5:1 professional edition | | |
|  | 23 980 003 | Chrome | 4005176644207 |
|  | Eurosmart Basin mixer 1/2" S-Size monobloc installation loop metal lever lever length 130 mm GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter laminar flow straightener 9 l/min GROHE FastFixation installation system smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses professional edition | | |
|  | 23 981 003 | Chrome | 4005176644214 |
|  | Eurosmart Basin mixer 1/2" M-Size monobloc installation loop metal lever lever length 130 mm GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter laminar flow straightener 9 l/min GROHE FastFixation installation system smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses professional edition | | |
|  | 25 241 003 | Chrome | 4005176644221 |
|  | Eurosmart Single-lever bath/shower mixer 1/2" wall mounted loop metal lever lever length 123 mm GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" S-unions metal wall escutcheons protected against backflow professional edition | | |

GROHE EUROSMART CARE

Ref. No.


Colour

EAN

25 242 003

Chrome

4005176644238



Eurosmart

Single-lever shower mixer 1/2"

wall mounted

loop metal lever

lever length 115 mm

GROHE SilkMove 35 mm ceramic cartridge

adjustable flow rate limiter

with temperature limiter

shower bottom outlet 1/2" with

integrated non return-valve

S-unions

metal wall escutcheons

protected against backflow


professional edition

GROHE EUROSMART CARE

Ref. No. Colour EAN




23 984 003 Chrome 4005176643835



**Eurosmart
Basin mixer 1/2"**
S-Size
thermostatic scalding protection
maximum temperature adjustable
thermal disinfection without re-adjustment of temperature
tool for thermal disinfection included
monobloc installation
long metal lever
lever length 147 mm
28 mm ceramic cartridge
with **GROHE SilkMove**
adjustable flow rate limiter
Lead and Nickel Free Inner Water Ways
built-in non return valves
dirt strainers
GROHE Water Saving 4.2 l/min laminar flow straightener
GROHE FastFixation installation system
smooth body
flexible connection hoses
max. pressure differential 5:1
professional edition




23 985 003 Chrome 4005176643842



**Eurosmart
Basin mixer 1/2"**
M-Size
thermostatic scalding protection
maximum temperature adjustable
thermal disinfection without re-adjustment of temperature
tool for thermal disinfection included
monobloc installation
long metal lever
lever length 147 mm
28 mm ceramic cartridge
with **GROHE SilkMove**
adjustable flow rate limiter
Lead and Nickel Free Inner Water Ways
built-in non return valves
dirt strainers
GROHE Water Saving 4.2 l/min laminar flow straightener
GROHE FastFixation installation system
smooth body
flexible connection hoses
max. pressure differential 5:1
professional edition




23 982 003 Chrome 4005176644245



**Eurosmart
Basin mixer 1/2"**
S-Size
monobloc installation
long metal lever
lever length 156 mm
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
laminar flow straightener 9 l/min
GROHE FastFixation installation system
smooth body with push-open pop-up waste set 1 1/4"
flexible connection hoses
professional edition









23 983 003 Chrome 4005176644313



**Eurosmart
Basin mixer 1/2"**
M-Size
monobloc installation
long metal lever
lever length 156 mm
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
laminar flow straightener 9 l/min
GROHE FastFixation installation system
smooth body with push-open pop-up waste set 1 1/4"
flexible connection hoses
professional edition


GROHE EUROSMART CARE

| | Ref. No. | Colour | EAN |
|---|------------|--------|---------------|
|   | 25 243 003 | Chrome | 4005176644320 |
| <p>Eurosmart Single-lever bath/shower mixer 1/2" wall mounted long metal lever lever length 124 mm GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" S-unions metal wall escutcheons protected against backflow professional edition</p> | | | |
|   | 25 244 003 | Chrome | 4005176644337 |
| <p>Eurosmart Single-lever shower mixer 1/2" wall mounted long metal lever lever length 120 mm GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter shower bottom outlet 1/2" with integrated non return-valve S-unions metal wall escutcheons protected against backflow professional edition</p> | | | |
|   | 34 667 000 | Chrome | 4005176351570 |
| <p>Grotherm Special Thermostatic shower mixer 1/2" wall mounted ergonomic metal wing handles ceramic headparts 1/2", 90° GROHE TurboStat compact cartridge with wax thermoelement temperature scale handle with pre-adjustable safety stop between 35°C and 41°C (calibration required) integrated mixed water shut off shower bottom outlet 1/2" with integrated non return-valve metal temperature safety stop dirt strainers GROHE FastFixation for fast exchange of non return valves in connections 100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons GROHE Long-Life Shine durable sparkling sheen</p> | | | |

GROHE VERTICA EUROSTYLE COSMOPOLITAN

| Ref. No. | Colour | EAN |
|----------|--------|-----|
|----------|--------|-----|

| | | |
|------------|--------|---------------|
| 23 302 000 | Chrome | 4005176923876 |
|------------|--------|---------------|



**Eurostyle Cosmopolitan
Vertica-OHM-Bath Mixer, 1/2"**

wall mounted
metal lever

GROHE SilkMove 46 mm ceramic cartridge
GROHE Long-Life Shine durable sparkling sheen






adjustable flow rate limiter
lockable automatic diverter: bath/shower
lockable spout

integrated non-return valve
in the shower outlet 1/2"











elbow union 45°
metal wall escutcheons

optional temperature limiter (46 375 000)
protected against backflow
noise classification 1 in accordance
with DIN4109







GROHE COMMERCIAL SHOWERS

| | Ref. No. | Colour | EAN |
|---|---|--------|---------------|
|  | 28 587 000 | Chrome | 4005176282966 |
| | Relexa Shower rail, 900 mm with handle handle can be mounted right or left handed with wall brackets (3 pieces) gliding element with metal sleeve angle of inclination adjustable by click stop device height adjustment via locking nut GROHE Long-Life Shine durable sparkling sheen | | |
|  | 28 671 000 | Chrome | 4005176103070 |
| | Relexa Shower outlet elbow, 1/2" male thread GROHE Long-Life Shine durable sparkling sheen | | |
|  | 28 405 000 | Chrome | 4005176264559 |
| | Movario Shower outlet elbow, 1/2" protected against backflow GROHE Long-Life Shine durable sparkling sheen | | |
|  | 28 406 000 | Chrome | 4005176264566 |
| | Movario Shower outlet elbow, 1/2" with shower holder protected against backflow GROHE Long-Life Shine durable sparkling sheen | | |
|  | 28 161 001 | Chrome | 4005176935107 |
| | Silverflex Shower hose TwistStop 1500 for low pressure 1500 mm smooth surface for easy cleaning tensile strength 350 N pressure resistance up to 5 bar heat resistance 70°C AntiFold bendproof universal connection G 1/2" x 1/2" Rotation cone for TwistStop function GROHE Long-Life Shine durable sparkling sheen | | |

GROHE COMMERCIAL SHOWERS









| | Ref. No. | Colour | EAN |
|---|---|---------------------|----------------------|
|   | 28 142 000 | Chrome | 4005176601330 |
| | Relexaflex Metal Long-Life Metal shower hose 1250 1250 mm material: metal GROHE Long-Life strengthened model tensile strength 750 N pressure resistance up to 16 bar heat resistance 75°C AntiFold bendproof universal connection G 1/2" x 1/2" GROHE Long-Life Shine durable sparkling sheen | | |
| | 28 143 KS0 | velvet black | 4005176842252 |
| | 28 143 LS0 | moon white | 4005176842269 |
| | 28 143 000 | Chrome | 4005176601347 |
| | ditto, 1500 mm hose | | |
|   | 28 145 000 | Chrome | 4005176601354 |
| | Relexaflex Metal Long-Life Metal shower hose 2000 2000 mm material: metal GROHE Long-Life strengthened model tensile strength 750 N pressure resistance up to 16 bar heat resistance 75°C AntiFold bendproof universal connection G 1/2" x 1/2" GROHE Long-Life Shine durable sparkling sheen | | |
|   | 28 002 000 | Chrome | 4005176858796 |
| | Relexa 70 Sports head shower 1 spray low aerosol emission heavy, cast model theft proof connection thread 1/2" projection 57 mm flow limiter 9 l/min. and 12 l/min. GROHE DreamSpray perfect spray pattern GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system Inner WaterGuide for a longer life suicide resistant design pipe union plug-in for wall connection | | |
|   | 28 948 000 | Chrome | 4005176209871 |
| | Relexa Plus 60 Sports head shower 1 spray heavy, cast model connection thread 1/2" projection 148 mm GROHE Long-Life Shine durable sparkling sheen SpeedClean anti-limescale system | | |
|   | 28 094 000 | Chrome | 4005176601132 |
| | Relexa Plus 50 Head shower 1 spray with ball joint 1/2" connection GROHE Long-Life Shine durable sparkling sheen adjustable flow rate without shower arm | | |

GROHE COMMERCIAL SHOWERS

| | Ref. No. | Colour | EAN |
|--|------------|--------|---------------|
|   | 28 988 000 | Chrome | 4005176042805 |
| <p>Drain Down Valve for fitting between shut-off valve and shower acc. to hospital guide rules female thread 1/2" GROHE Long-Life Shine durable sparkling sheen</p> | | | |
|   | 28 874 000 | Chrome | 4005176042348 |
| <p>Tee Connection for connection to shower and bath/shower-mixer union nut 1/2" 2 connections 1/2" for the shower hose or drain valves GROHE Long-Life Shine durable sparkling sheen</p> | | | |
|   | 28 429 000 | Chrome | 4005176601910 |
| <p>Relaxa Shower arm 55 mm connection thread 1/2" GROHE Long-Life Shine durable sparkling sheen</p> | | | |
|   | 28 541 000 | Chrome | 4005176040528 |
| <p>Relaxa Shower arm 147 mm connection thread 1/2" escutcheon GROHE Long-Life Shine durable sparkling sheen</p> | | | |

COMMERCIAL
FITTINGS


GROHE EUROECO SPECIAL

| | Ref. No. | Colour | EAN |
|---|--|--|---------------|
|  | 32 763 000 | Chrome | 4005176871030 |
|  | Euroeco Special Basin mixer 1/2" monobloc installation pop-up waste set 1 1/4" GROHE Long-Life Shine durable sparkling sheen GROHE SilkMove 35 mm ceramic cartridge GROHE Water Saving - Less water, perfect flow adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 2.5 l/min laminar flow straightener 9 l/min metal lever lever length 120 mm rapid installation system flexible connection hoses | | |
| | 32 762 000 | Chrome | 4005176871023 |
| | ditto, smooth body | | |
|  | 32 766 000 | Chrome | 4005176871061 |
|  | Euroeco Special Basin mixer 1/2" monobloc installation pop-up waste set 1 1/4" GROHE Long-Life Shine durable sparkling sheen GROHE SilkMove 46 mm ceramic cartridge adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 2.5 l/min laminar flow straightener 9 l/min metal lever lever length 120 mm rapid installation system flexible connection hoses | | |
| | 32 765 000 | Chrome | 4005176871054 |
| | ditto, smooth body | | |
|  | 30 208 000 | Chrome | 4005176927836 |
|  | Euroeco Special Basin mixer 1/2" monobloc installation high spout 302 mm 302 mm smooth body GROHE Long-Life Shine durable sparkling sheen GROHE SilkMove 35 mm ceramic cartridge GROHE Water Saving - Less water, perfect flow adjustable flow rate limiter adjustable temperature limiter laminar flow straightener 5.7 l/min. swivel tubular spout swivel area 140° metal lever lever length 170 mm rapid installation system flexible connection hoses | | |
| | 32 776 000 | Chrome | 4005176871764 |
|  |  | Euroeco Special Basin mixer 1/2" wall mounted GROHE Long-Life Shine durable sparkling sheen GROHE SilkMove 46 mm ceramic cartridge GROHE Water Saving - Less water, perfect flow adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 2.5 l/min laminar flow straightener 9 l/min cast spout projection 157 mm metal lever lever length 120 mm S-unions | |

GROHE EUROECO SPECIAL

Ref. No. Colour EAN


32 778 000 Chrome 4005176871788



Euroeco Special
Basin mixer 1/2"
wall mounted
GROHE Long-Life Shine durable sparkling sheen
GROHE SilkMove 46 mm ceramic cartridge
GROHE Water Saving - Less water, perfect flow
adjustable flow rate limiter
adjustable temperature limiter
adjustable minimum flow rate 2.5 l/min
laminar flow straightener 9 l/min
cast spout
projection 205 mm
metal lever
lever length 170 mm
S-unions

32 779 000 Chrome 4005176871795
ditto, with lockable S unions, projection 221 mm


32 770 000 Chrome 4005176871702



Euroeco Special
Basin mixer 1/2"
wall mounted
GROHE Long-Life Shine durable sparkling sheen
GROHE SilkMove 46 mm ceramic cartridge
GROHE Water Saving - Less water, perfect flow
adjustable flow rate limiter
adjustable temperature limiter
adjustable minimum flow rate 2.5 l/min
laminar flow straightener 9 l/min
cast swivel spout, lockable
projection 157 mm
metal lever
lever length 120 mm
S-unions

32 768 000 Chrome 4005176871689
ditto, with lockable S unions, projection 174 mm


32 767 000 Chrome 4005176871078



Euroeco Special
Basin mixer 1/2"
wall mounted
GROHE Long-Life Shine durable sparkling sheen
GROHE SilkMove 46 mm ceramic cartridge
GROHE Water Saving - Less water, perfect flow
adjustable flow rate limiter
adjustable temperature limiter
adjustable minimum flow rate 2.5 l/min
laminar flow straightener 9 l/min
cast swivel spout, lockable
projection 197 mm
metal lever
lever length 120 mm
S-unions

32 771 000 Chrome 4005176871719
ditto, with lockable S unions, projection 214 mm

32 773 000 Chrome 4005176871733










Euroeco Special
Basin mixer 1/2"
wall mounted
GROHE Long-Life Shine durable sparkling sheen
GROHE SilkMove 46 mm ceramic cartridge
GROHE Water Saving - Less water, perfect flow
adjustable flow rate limiter
adjustable temperature limiter
adjustable minimum flow rate 2.5 l/min
cast swivel spout, lockable
laminar flow straightener 9 l/min
projection 257 mm
metal lever
lever length 170 mm
S-unions







32 774 000 Chrome 4005176871740
ditto, with lockable S unions, projection 274 mm

COMMERCIAL
FITTINGS

GROHE EUROECO SPECIAL


| | Ref. No. | Colour | EAN |
|---|---|--------|---------------|
|  | 32 775 000 | Chrome | 4005176871757 |
|  | <p>Euroeco Special Basin mixer 1/2" wall mounted GROHE Long-Life Shine durable sparkling sheen GROHE SilkMove 46 mm ceramic cartridge GROHE Water Saving - Less water, perfect flow adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 2.5 l/min Laminar flow straightener cast swivel spout, lockable projection 342 mm metal lever lever length 170 mm with lockable S-unions</p> | | |
|  | 32 772 000 | Chrome | 4005176871726 |
|  | <p>Euroeco Special Single-lever basin mixer wall mounted GROHE Long-Life Shine durable sparkling sheen GROHE SilkMove 46 mm ceramic cartridge GROHE Water Saving - Less water, perfect flow adjustable minimum flow rate 2.5 l/min adjustable temperature limiter adjustable flow rate limiter laminar flow straightener 9 l/min cast swivel spout, lockable projection 222 mm metal lever lever length 170 mm without connection unions water saving</p> | | |
|  | 32 786 000 | Chrome | 4005176871833 |
|  | <p>Euroeco Special Single-lever sink mixer 1/2" monobloc installation GROHE Long-Life Shine finish GROHE SilkMove 46 mm ceramic cartridge adjustable flow rate limiter adjustable temperature limiter laminar flow straightener 9 l/min swivel tubular spout selectable swivel area : 0° / 150° / 360° metal lever lever length 120 mm flexible connection hoses</p> | | |
|  | 32 787 000 | Chrome | 4005176871870 |
|  | <p>Euroeco Special Single-lever sink mixer 1/2" monobloc installation GROHE Long-Life Shine finish GROHE SilkMove 46 mm ceramic cartridge GROHE Water Saving - Less water, perfect flow adjustable flow rate limiter adjustable temperature limiter laminar flow straightener 9 l/min swivel tubular spout lever length 120 mm flexible connection hoses</p> | | |

GROHE EUROECO SPECIAL

| | Ref. No. | Colour | EAN |
|---|---|--------|---------------|
|   | 12 051 000 | Chrome | 4005176213588 |
| | <p>S-union 1/2" x 3/4" screw socket to cover the union nut and the rosette sealing towards wall adjustment range 12.5 mm lockable for service suitable for 1/2" connections GROHE Long-Life Shine durable sparkling sheen</p> | | |
|   | 34 487 000 | Chrome | 4005176936234 |
| | <p>Grotherm Micro Thermostatic scalding protection temperature adjustment 15-43° C (± 2° C) thermal disinfection without re-adjustment of temperature connection 3/8" below with cap nut above 3/8" male thread GROHE TurboStat thermoelement GROHE Long-Life Shine durable sparkling sheen built-in non return valves dirt strainer without connection set</p> | | |
|   | 47 533 000 | Chrome | 4005176207181 |
| | <p>Grotherm Micro Connection set for Grotherm Micro (34 487 000) Consisting of: union nut 3/8" T-unit 2 outlets 3/8" male thread flexible connection hose GROHE Long-Life Shine durable sparkling sheen</p> | | |


GROHE HOSPITA

| Ref. No. | Colour | EAN |
|------------|--------|---------------|
| 30 978 000 | Chrome | 4005176098918 |











Hospita
Sink pillar tap, 1/2"
red/blue markers
GROHE Long-Life Shine durable sparkling sheen

| | | |
|------------|--------|---------------|
| 45 314 000 | Chrome | 4005176099250 |
|------------|--------|---------------|



Lever
projection 150 mm
marking: blue/red
for use with ceramic headparts
GROHE Long-Life Shine durable sparkling sheen

GROHE EUROECO SINGLE SEQUENTIAL

| | Ref. No. | Colour | EAN |
|---|---|---|----------------------|
|  |  | 32 788 000 Chrome | 4005176871887 |
| | | <p>Euroeco Special Single-lever safety basin mixer 1/2" monobloc installation pop-up waste set 1 1/4" GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving - Less water, perfect flow ceramic cartridge adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 6 l/min. laminar flow straightener 9 l/min metal lever lever length 120 mm rapid installation system flexible connection hoses</p> | |
| | | 32 789 000 Chrome ditto, smooth body | 4005176871894 |
|  |  | 32 790 000 Chrome | 4005176871900 |
| | | <p>Euroeco Single Sequential Single-lever safety basin mixer 1/2" monobloc installation smooth body high version GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving - Less water, perfect flow ceramic cartridge adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 6 l/min. laminar flow straightener 9 l/min metal lever lever length 120 mm rapid installation system flexible connection hoses</p> | |
|  |  | 32 823 000 Chrome | 4005176877995 |
| | | <p>Euroeco Special Single-lever safety basin mixer 1/2" ceramic cartridge GROHE Long-Life Shine durable sparkling sheen adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 6 l/min. cast spout with flow straightener 9 l/min. projection 170 mm metal lever lever length 170 mm without connection unions for wall mounting</p> | |
|  |  | 32 795 000 Chrome | 4005176871955 |
| | | <p>Euroeco Single Sequential Single-lever safety basin mixer 1/2" wall mounted GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving - Less water, perfect flow ceramic cartridge adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 6 l/min. cast spout with flow straightener 9 l/min. projection 204 mm metal lever lever length 170 mm S-unions</p> | |

COMMERCIAL
FITTINGS


GROHE EUROECO SINGLE SEQUENTIAL

| | Ref. No. | Colour | EAN |
|--|---|--|----------------------|
|  |  | 32 792 000 Chrome | 4005176871924 |
| | | Euroeco Single Sequential Single-lever safety basin mixer 1/2" wall mounted GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving - Less water, perfect flow ceramic cartridge adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 6 l/min. cast swivel spout, lockable with flow straightener 9 l/min. projection 197 mm metal lever lever length 120 mm S-unions | |
| | 32 793 000 Chrome ditto, projection 256 mm | 4005176871931 | |
|  | 46 278 000 | | 4005176131868 |
| Ceramic cartridge for Euroeco special mixer | | | |
|  |  | 28 874 000 Chrome | 4005176042348 |
| | | Tee Connection for connection to shower and bath/shower- mixer union nut 1/2" 2 connections 1/2" for the shower hose or drain valves GROHE Long-Life Shine durable sparkling sheen | |
|  |  | 28 988 000 Chrome | 4005176042805 |
| Drain Down Valve for fitting between shut-off valve and shower acc. to hospital guide rules female thread 1/2" GROHE Long-Life Shine durable sparkling sheen | | | |

GROHE EURODISC SE


Ref. No. Colour EAN

36 233 000 Chrome 4005176283338



Eurodisc SE
Self-closing basin mixer with mixing device and adjustable temperature limiter
 6V lithium battery, type CR-P2
GROHE Long-Life Shine durable sparkling sheen
 flexible connection hoses
 start-stop function
 self-closing electronic
 safety stop after 180 sec.
 Flow time infinitely adjustable from 2-180 sec.
 Automatic flushing: 5 min after 3 days
 without use
 thermal desinfection for 3,5 or 11 min
 CE approved
 type of protection faucet IP 59K

36 249 000 Chrome 4005176283345



Eurodisc SE
Self-closing basin tap 1/2"
 6V lithium battery, type CR-P2
 for cold or premixed water
 marking: blue (cold)
GROHE Long-Life Shine durable sparkling sheen
 flexible connection hose
 dirt strainer
 rapid installation system
 start-stop function
 self-closing electronic
 safety stop after 180 sec.
 external access to flow time adjustment
 Flow time infinitely adjustable from 2-180 sec.
 Automatic flushing: 5 min after 3 days
 without use
 CE approved
 type of protection faucet IP 59K

36 209 000 Chrome 4005176207105



Security cover cap
 vandal-proof, covered and pre-adjustable
 suitable for single hole mixers
 Europlus E and Eurodisc SE
 Consisting of:
 special mixing device for actuation by
 screwdriver
 metallic cap
GROHE Long-Life Shine durable sparkling sheen









42 886 000 4005176200670













Battery
 6V lithium battery, type CR-P2

COMMERCIAL
FITTINGS

GROHE EUROSMART COSMOPOLITAN T

| | Ref. No. | Colour | EAN | |
|---|---|--|--------|---------------|
|  |  | 36 318 000 | Chrome | 4005176896521 |
| | | <p>Eurosmart Cosmopolitan T Self-closing basin mixer with mixing device and adjustable temperature limiter GROHE Long-Life Shine durable sparkling sheen pop-up waste set 1 1/4" 3 adjustable flow times: short - medium - long (factory setting: short), approx. 7, 15, 30 sec (pressure dependent) 2 flexible hoses non-return valve dirt strainers min. recommended pressure 1.0 bar</p> | | |
| | | 36 317 000 | Chrome | 4005176896514 |
| <p>ditto, without pop-up waste set</p> | | | | |
|  |  | 36 320 000 | Chrome | 4005176896545 |
| | | <p>Eurosmart Cosmopolitan T Self-closing shower mixer 1/2" with mixing device and adjustable temperature limiter wall mounted GROHE Long-Life Shine durable sparkling sheen mixing device with hot water stop-valve hose connection G 1/2" 3 adjustable flow times: short - medium - long (factory setting: medium), approx. 7, 15, 30 sec (pressure dependent) S-unions non-return valve dirt strainers</p> | | |
|  |  | 36 321 000 | Chrome | 4005176896552 |
| | | <p>Eurosmart Cosmopolitan T Self-closing shower mixer 1/2" with mixing device and adjustable temperature limiter GROHE Long-Life Shine durable sparkling sheen 3 adjustable flow times: short - medium - long (factory setting: medium), approx. 7, 15, 30 sec (pressure dependent) dirt strainers set for final installation for concealed fitting box 36 322 001 without concealed body</p> | | |
|  |  | 36 322 001 | | 4005176595400 |
| | | <p>Eurosmart Cosmopolitan T Concealed mounting box with mixture wall installation with adhesive flange for sealing the wall 2 stop valves non-return valve for use with 36 321 000 allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve</p> | | |

GROHE EUROECO COSMOPOLITAN T

| | Ref. No. | Colour | EAN |
|--|------------|--------|---------------|
|   | 36 265 000 | Chrome | 4005176893131 |
| <p>Euroeco Cosmopolitan T Self-closing pillar tap 1/2" marking: blue/red GROHE Long-Life Shine durable sparkling sheen 3 adjustable flow times: short - medium - long (factory setting: short), approx. 7, 15, 30 sec (pressure dependent)</p> | | | |
|   | 36 266 000 | Chrome | 4005176893148 |
| <p>Euroeco Cosmopolitan T Self-closing pillar tap 1/2" wall mounted marking: blue/red GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving - Less water, perfect flow 5.7 l/min flow rate 3 adjustable flow times: short - medium - long (factory setting: short), approx. 7, 15, 30 sec (pressure dependent) escutcheon</p> | | | |
|   | 36 316 000 | Chrome | 4005176896279 |
| <p>Euroeco Cosmopolitan T Extension, 42 mm for self-closing pillar tap 1/2" (36 266 000) GROHE Long-Life Shine durable sparkling sheen</p> | | | |
|   | 36 268 000 | Chrome | 4005176893162 |
| <p>Euroeco Cosmopolitan T Self-closing shower valve 1/2" for concealed installation marking: blue/red GROHE Long-Life Shine durable sparkling sheen 3 adjustable flow times: short - medium - long (factory setting: medium), approx. 7, 15, 30 sec (pressure dependent)</p> | | | |
|   | 36 267 000 | Chrome | 4005176893155 |
| <p>Euroeco Cosmopolitan T Self-closing shower valve 1/2" exposed body and trim set marking: blue/red GROHE Long-Life Shine durable sparkling sheen 3 adjustable flow times: short - medium - long (factory setting: medium), approx. 7, 15, 30 sec (pressure dependent) escutcheon</p> | | | |

COMMERCIAL
FITTINGS

GROHE SENSIA SHOWER TOILETS





CONTENTS

| | |
|--------------------|-----|
| GROHE Sensia Arena | 658 |
| Manual bidet seat | 661 |



GROHE SENSIA ARENA

The GROHE Sensia Arena Toilet is the next level of personal care in the 21st century bathroom, offering a broad range of intelligent features. Prompted by a sensor, the lid opens and closes automatically while a gentle nightlight guides your way in the dark. The absorption of odours supports the transformation of a simple bathroom to a relaxing and hygienic zone. Every design detail has been carefully considered to offer new levels of cleanliness at every stage. Special hygienic coatings and powerful flushing keep the toilet clean while the self-cleaning, anti-bacterial spray arms give you total peace of mind when using the spray function. Discover the Sensia Arena and increase your personal well-being and comfort.



SHOWER TOILET

Enjoy a wealth of benefits that will fit you like a glove

01 Perfect skin care

With a selection of fully adjustable sprays, anti-bacterial twin shower arms and unlimited warm water for comfortable cleaning we offer perfect skin care: GROHE SkinClean.

02 Ultimate hygiene clean

Leading-edge AquaCeramic technology, germ-resistant HyperClean coating and self-cleaning, anti-bacterial spray arms provide you the greatest possible convenience and hygiene: GROHE HygieneClean.

03 Personal comfort

With features like odour absorption, air dryer, nightlight and the smartphone app we offer the smartest comfort: Personal Comfort.

GROHE MANUAL BIDET SEAT PERFECTLY HYGIENIC WITH TWIN SHOWER

COMFORTABLE CLEANING WITH PURE WATER – NO ELECTRICITY NEEDED

The GROHE Manual Bidet Seat transforms a simple toilet into a comfortable, hygienic place where personal care and cleaning are second nature. Attached to a WC ceramic, the seat doesn't require electricity – instead, the spray is operated by a side lever powered only by water pressure, putting the control at your fingertips for an effective but gentle cleaning experience. No mess, no splashes and no stress. Made from hardwearing Duroplast, the seat itself creates an elegant visual addition to the bathroom.



REAR SPRAY

Thorough yet gentle, the targeted rear spray promises precise personal cleaning.



LADY SHOWER

The refreshing lady shower uses a completely separate spray arm for complete hygiene. The softer, wider spray pattern is more gentle, ideal for intimate feminine areas.



SOFT CLOSE SEAT

Both seat and lid have a quiet soft close mechanism meaning no danger of trapped fingers or of damaging the material.



RETRACTABLE NOZZLES

The two retractable spray arms are protected for extra hygiene.



SPRAY ARM CLEANING FUNCTION

Have confidence that the two spray arms remain germ-free, thanks to the cleaning function. Made from antibacterial material, the spray heads can be rinsed before and after every use controlled by the seat control lever.

GROHE SENSIA ARENA

Ref. No. Colour EAN

39 354 SH1 alpine white 4005176470448

GROHE Sensia Arena

Shower toilet complete system for concealed flushing cisterns, wall-hung

GROHE Hygiene GROHE antibacterial glazing (SIAA Kokin Japanese standard compliant) and non-stick coating ceramic appliance with Aquaceramics technology

GROHE power flush: rimless wash down jet WC with GROHE Triple Vortex flushing technology

GROHE Skin Clean:

2 dedicated adjustable spray arms (1 for anal area, 1 for lady spray)

separate water way for lady spray

oscillating spray (automatic forward and reverse motion of the spray)

pulsating spray for massage

adjustable spray intensity

automatic pre- and post-rinsing of spray nozzle with fresh water

integrated instant heater provides unlimited warm water

adjustable temperature

Additional functions

warm air dryer with adjustable temperature

odor extraction with filter

PlasmaCluster function - ion technology

descaling function

Duroplast WC seat and lid with automatic opening/close function

soft close

infra-red user detection

seat control operation

power switch

inside bowl night light

hidden water supply and power supply connection

remote control

smart phone app for iOS and Android

includes:

manual remote controller with wall-mounted holder

active carbon filter for odour absorption

water supply connection set for concealed cistern

nozzle guard

pressure 0.05 - 1 MPa (0.5 - 10 bar)


nominal voltage 220-240 V AC

main frequency 50-60 Hz





type of protection IPX4

complies with EN 1717

CE approved



GROHE SENSIA ARENA

| | Ref. No. | Colour | EAN |
|---|------------|--------|---------------|
|  | 46 944 001 | | 4005176479977 |
|  | 40 899 000 | | 4005176413896 |
|   | 14 926 002 | | 4005176572128 |

GROHE Sensia Arena

Installation kit for automatic flush and pre-flush

Suitable for Sensia Arena shower toilet on a 1.13 m Rapid SL frame for Rapid SL and Rapid SLX with flushing cistern GD2 in combination with Sensia Arena shower toilet

Consisting of:

- servo motor for GD 2
- actuation rod for flushing valve
- cable and blind cap
- flexible hose
- WC actuation plate not included
- CE approved

Retrofit kit for shower toilets Sensia Arena and IGS

retrofit of existing Rapid SL installations to shower toilets Sensia Arena or IGS

including:

- conduit pipe with locking ring and flat seal
- cable ties
- WC connecting pipe Ø 45 mm
- waste sleeve Ø 90 mm

GROHE Sensia Arena


Remote control

for 39 354 SH0 and 39 354 SH1 for Sensia Arena shower toilet system, wall hung including wall holder

GROHE MANUAL BIDET SEAT


Ref. No. Colour EAN

39 648 SH0 alpine white 4005176575310




Bau Ceramic
Manual bidet seat
WC seat with lid
2 dedicated spray arms (1 for anal area, 1 for lady spray)
pre- and post-rinsing of spray nozzle with fresh water
manually operated side handle requires no electricity
Duroplast WC seat and lid with soft close function
flexible water connection 3/8"
includes:
mounting plate
filter
pressure 0.1 - 1 MPa (1 - 10 bar)
complies with EN 1717

39 651 SH0 alpine white 4005176575327





Bau Ceramic
Manual bidet seat 2-in-1 set wall hung
Consisting of:
Bau manual bidet seat soft close (39 648 SH0)
WC seat with lid
2 dedicated spray arms (1 for anal area, 1 for lady spray)
pre- and post-rinsing of spray nozzle with fresh water
manually operated side handle requires no electricity
adjustable spray intensity
Duroplast WC seat and lid with soft close function
flexible water connection 3/8"
Bau Ceramic wall hung WC (39 427 000)
for concealed cistern
wash down
rimless
horizontal outlet
flush volume 6/3 l
sanitary ware

39 652 SH0 alpine white 4005176575334



Bau Ceramic
Manual bidet seat 3-in-1 set, wall hung
Consisting of:
Bau manual bidet seat soft close (39 648 SH0)
WC seat with lid
2 dedicated spray arms (1 for anal area, 1 for lady spray)
pre- and post-rinsing of spray nozzle with fresh water
manually operated side handle requires no electricity
adjustable spray intensity
Duroplast WC seat and lid with soft close function
flexible water connection 3/8"
Bau Ceramic wall hung WC (39 427 000)
for concealed cistern
wash down
rimless
horizontal outlet
flush volume 6/3 l
sanitary ware
Grotherm Micro 34 487 000
small under-basin thermostat
thermostatic scalding protection
temperature adjustment 15-43° C (± 2° C)

14 074 000 4005176575365



Accessory set shower hose and T piece
for manual bidet seat
Consisting of:
T unit 3/8"
flexible connection hose
795 mm
3/8" x 3/8"

SHOWER TOILET

GROHE
CERAMICS





CONTENTS

| | |
|----------------------|-----|
| Essence | 670 |
| Cube Ceramic | 675 |
| Euro Ceramic | 678 |
| BauEdge Ceramic | 684 |
| Bau Ceramic | 686 |
| Acrylic shower trays | 695 |

FOUR UNIQUE CERAMIC DESIGN LINES

Create pure unison in your bathroom: with GROHE Ceramics. If you choose one of our perfect matches, you can be sure that you are composing a coherent and perfectly designed style.

Whatever your lifestyle, whatever your taste, you'll find the perfect combination of products within GROHE's four ceramic ranges. Each has its own distinctive qualities and they make creating a visually unified bathroom simple and fun.



ESSENCE
BEAUTY IN ITS PUREST FORM



CUBE CERAMIC
A CLEAR STYLE STATEMENT



EURO CERAMIC
IN TUNE WITH MY LIFESTYLE



BAU CERAMIC
VERSATILITY FOR A MODERN LIFE

FIVE COMPELLING TECHNOLOGIES

You may not see it at first sight – but our ceramics are equipped with the most advanced technology. At GROHE it is our aspiration to make your time in the bathroom as comfortable as possible without any restrictions. Discover our innovative GROHE technologies.

OUR KEY TECHNOLOGIES



TRIPLE VORTEX FLUSH
THE POWER OF THREE: CLEAN AND SILENT



RIMLESS TECHNOLOGY
LEAVES BACTERIA NOWHERE TO HIDE



PUREGUARD

STAYS SPARKLING WHITE – NO CHANCE FOR BACTERIA AND DIRT



QUICK RELEASE SEAT

EASY REMOVAL FOR EASY CLEANING



SEAT & COVER SOFT CLOSE

GENTLE AND QUIET

WITH OUR PERFECT MATCHES YOU CAN BE SURE **THAT EVERYTHING FITS**

A consistent design language and ergonomic use are essential for making your bathroom a place of true relaxation. With our perfect matches, we created four coordinated collections for a complete bathroom solution.

Each of our matches was tested to be perfect in design and function. Choose for yourself the line that complements your personal style.

BAU CERAMIC



EURO CERAMIC



ESSENCE



CUBE CERAMIC





BAUEDGE



BAULoop



EUROSTYLE
COSMOPOLITAN



EUROSTYLE



EUROSMArt
COSMOPOLITAN



EUROSMArt



ESSENCE



LINEARE



GROHE PLUS



ATRIO



EUROCuBE



LINEARE















ALLURE













ALLURE
BRILLIANT













GROHE ESSENCE

| | Ref. No. | Colour | EAN | |
|---|---|---|---------------------------------------|----------------------|
|  |  | 39 564 00H alpine white | 4005176485602 | |
| Essence Wash basin 70 wall hung 1 hole punched, 2 holes pre-punched with overflow on opposite site to faucet 700 x 485 mm suitable for half and full pedestal sanitary ware With GROHE PureGuard anti-scale coating and anti-bacterial glazing |  |  | 39 565 00H alpine white | 4005176485619 |
| Essence Wash basin 60 wall fixings not included wall hung 1 hole punched, 2 holes pre-punched with overflow on opposite site to faucet 600 x 485 mm suitable for half and full pedestal sanitary ware With GROHE PureGuard anti-scale coating and anti-bacterial glazing |  |  | 39 566 00H alpine white | 4005176485626 |
| Essence Vanity basin 100 wall hung 1 hole punched, 2 holes pre-punched with overflow on opposite site to faucet suitable for vanity units 1000 x 460 mm sanitary ware With GROHE PureGuard anti-scale coating and anti-bacterial glazing |  |  | 39 567 00H alpine white | 4005176485633 |
| Essence Vanity basin 80 wall hung 1 hole punched, 2 holes pre-punched with overflow on opposite site to faucet 800 x 460 mm sanitary ware With GROHE PureGuard anti-scale coating and anti-bacterial glazing |  |  | 39 568 00H alpine white | 4005176485640 |
| Essence Vanity basin 60 wall hung 1 hole punched, 2 holes pre-punched with overflow on opposite site to faucet suitable for vanity units 600 x 460 mm sanitary ware With GROHE PureGuard anti-scale coating and anti-bacterial glazing |  |  | 39 608 00H alpine white | 4005176566493 |
| Essence Vessel basin 60 without overflow 600 x 400 mm including fixation set including ceramic waste, removable cover non-closable sanitary ware With GROHE PureGuard anti-scale coating and anti-bacterial glazing | | | | |









GROHE ESSENCE

| | Ref. No. | Colour | EAN |
|---|---|--|----------------------|
|  |  | 39 609 00H alpine white | 4005176566509 |
|  |  | 39 570 000 alpine white | 4005176484865 |
|  |  | 39 571 00H alpine white | 4005176485671 |
|  |  | 39 572 00H alpine white | 4005176485688 |
|  |  | 39 573 00H alpine white | 4005176485794 |










GROHE ESSENCE

| | Ref. No. | Colour | EAN |
|---|-------------------|---------------------|----------------------|
|   | 39 578 000 | alpine white | 4005176485145 |
| <p>Essence Exposed flushing cistern for close coupled combination connection from the left/right hand side including flushing set GROHE AV1 dual flush 4,5/3 l including fixation set sanitary ware</p> | | | |
|   | 39 579 000 | alpine white | 4005176485152 |
| <p>Essence Exposed flushing cistern for close coupled combination bottom inlet inlet and outlet concealed including flushing set GROHE AV1 dual flush 4,5/3 l including fixation set sanitary ware</p> | | | |
|   | 39 577 000 | alpine white | 4005176485138 |
| <p>Essence WC seat soft close with lid quick release function detachable material: Duroplast including fixation set stainless steel hinges easy fixation from above weight bearing capacity 150 kg compatible with all Essence bowls</p> | | | |
|   | 39 574 00H | alpine white | 4005176485800 |
| <p>Essence Wall hung bidet 1 hole punched with overflow including fixation set sanitary ware fully skirted with invisible fixation With GROHE PureGuard anti-scale coating and anti-bacterial glazing</p> | | | |
|   | 39 575 00H | alpine white | 4005176485817 |
| <p>Essence Floor standing bidet 1 hole punched with overflow including fixation set sanitary ware fully skirted with invisible fixation With GROHE PureGuard anti-scale coating and anti-bacterial glazing</p> | | | |
|   | 39 611 000 | alpine white | 4005176571275 |
| <p>Essence Bathtub free standing 180 x 80 cm height 57,5 cm water volume 240 l usable volume 170 l without overflow sanitary titan steel mandatory waste set 49 113 000/SH0 (sold separately) mains supply necessary for installation of waste set 49 113 000/SH0 includes noise suppression mats</p> | | | |













GROHE ESSENCE

| | Ref. No. | Colour | EAN |
|---|--|---------------------|----------------------|
|  | 39 729 000 | alpine white | 4005176594991 |
|  | Essence Bathtub free standing 180 x 80 cm height 57.5 cm water volume 240 l usable volume 170 l with overflow sanitary titan steel suitable for Talento waste sets (28 943 000 + 19 025 000) suitable for waste set Viega Multiplex Trio (functional unit 6161.62/727970 + chrome parts Visign MT3 6161.13/725792) includes noise suppression mats | | |
|  | 39 617 000 | alpine white | 4005176571312 |
|  | Essence Bathtub built-in 180 x 80 cm height 45 cm water volume 240 l usable volume 170 l with overflow sanitary titan steel suitable for Talento (28 943 000 + 19 025 000) and Talentofill (28 991 000 + 19 952 000) waste sets recommended Poresta installation set # 17156511 recommended Schedel installation set SW 80026 includes noise suppression mats requires bathtub feet 49 115 000 and sealing system 49 114 000, sold separately | | |
|  | 39 620 00H | alpine white | 4005176571336 |
|  | Essence Bathtub built-in 180 x 80 cm height 45 cm water volume 240 l usable volume 170 l with EasyClean with overflow sanitary titan steel suitable for Talento (28 943 000 + 19 025 000) and Talentofill (28 991 000 + 19 952 000) waste sets recommended Poresta installation set # 17156511 recommended Schedel installation set SW 80026 includes noise suppression mats requires bathtub feet 49 115 000 and sealing system 49 114 000, sold separately | | |
|  | 39 622 000 | alpine white | 4005176571350 |
|  | Essence Bathtub back-to-wall 180 x 85 cm height 57.5 cm water volume 240 l usable volume 170 l with overflow sanitary titan steel suitable for Talento waste sets (28 943 000 + 19 025 000) suitable for waste set Viega Multiplex Trio (functional unit 6161.62/727970 + chrome parts Visign MT3 6161.13/725792) includes noise suppression mats | | |













GROHE ESSENCE

| | Ref. No. | Colour | EAN |
|--|--------------------------|------------------------|--------------------------------|
|   | 49 113 000 49 113 SH0 | Chrome alpine white | 4005176571398 4005176571404 |
| Essence Waste set for free standing bathtubs dual function of overflow and waste water drainage concealed overflow electric pressure sensor unlocks the overflow drainage mains supply necessary for installation | | | |
|   | 19 025 000 | Chrome | 4005176209154 |
| Talento Waste and overflow set for baths set for final installation escutcheon waste plug fixing set in combination with Talento 28 939 000/28 943 000 GROHE Long-Life Shine durable sparkling sheen | | | |
|   | 19 952 000 | ★ Chrome | 4005176174230 |
| Talentofill Inlet-, pop-up and waste-system set for final installation escutcheon supply part waste plug fixing set in combination with Talentofill 28 990 000/28 991 000 | | | |
|   | 28 943 000 | | 4005176209178 |
| Talento Pop-up bath waste and overflow with bowden cable without finishing trim set bottle trap 45° waste elbow | | | |
|   | 28 991 000 | | 4005176174032 |
| Talentofill Inlet-, pop-up and waste-system for baths with waste up to 370 mm reach without finishing trim set | | | |
|  | 49 115 000 | Chrome | 4005176571411 |
| Essence Feet for built-in bathtubs individual height adjustment of each foot GROHE FastFixation installation system | | | |

GROHE CUBE CERAMIC


| | Ref. No. | Colour | EAN | |
|---|---|---|---------------------------------------|----------------------|
|  |  | 39 386 00H alpine white | 4005176438356 | |
| Cube Ceramic Wash basin 100 wall hung 1 hole punched, 2 holes pre-punched with overflow 1000 x 490 mm sanitary ware With GROHE PureGuard anti-scale coating and anti-bacterial glazing |  |  | 39 469 00H alpine white | 4005176438363 |
| Cube Ceramic Wash basin 80 wall hung 1 hole punched, 2 holes pre-punched with overflow 800 x 490 mm wall fixings not included sanitary ware With GROHE PureGuard anti-scale coating and anti-bacterial glazing |  |  | 39 473 00H alpine white | 4005176438370 |
| Cube Ceramic Wash basin 60 wall fixings not included wall hung 1 hole punched, 2 holes pre-punched with overflow 600 x 490 mm sanitary ware With GROHE PureGuard anti-scale coating and anti-bacterial glazing |  |  | 39 474 00H alpine white | 4005176438387 |
| Cube Ceramic Wash basin 50 wall fixings not included wall hung 1 hole punched, 2 holes pre-punched with overflow 500 x 490 mm sanitary ware With GROHE PureGuard anti-scale coating and anti-bacterial glazing |  |  | 39 475 00H alpine white | 4005176442599 |
| Cube Ceramic Counter top basin 100 flat back side glazed 1 hole punched, 2 holes pre-punched with overflow 1000 x 490 mm including fixation set sanitary ware With GROHE PureGuard anti-scale coating and anti-bacterial glazing |  |  | 39 476 00H alpine white | 4005176442605 |
| Cube Ceramic Counter top basin 80 flat back side glazed 1 hole punched, 2 holes pre-punched with overflow 800 x 490 mm wall fixings not included including fixation set sanitary ware With GROHE PureGuard anti-scale coating and anti-bacterial glazing | | | | |

GROHE CUBE CERAMIC


| | Ref. No. | Colour | EAN |
|---|---|---------------------|----------------------|
|   | 39 477 00H | alpine white | 4005176442612 |
| | Cube Ceramic Counter top basin 60 flat back side glazed 1 hole punched, 2 holes pre-punched with overflow 600 x 490 mm including fixation set sanitary ware With GROHE PureGuard anti-scale coating and anti-bacterial glazing | | |
|   | 39 478 00H | alpine white | 4005176442629 |
| | Cube Ceramic Counter top basin 50 flat back side glazed 1 hole punched, 2 holes pre-punched with overflow 500 x 490 mm including fixation set sanitary ware With GROHE PureGuard anti-scale coating and anti-bacterial glazing | | |
|   | 39 481 00H | alpine white | 4005176442650 |
| | Cube Ceramic Vessel basin 50 without overflow 500 x 470 mm including fixation set sanitary ware With GROHE PureGuard anti-scale coating and anti-bacterial glazing | | |
|   | 39 482 00H | alpine white | 4005176442667 |
| | Cube Ceramic Vessel basin 40 without overflow 410 x 410 mm including fixation set sanitary ware With GROHE PureGuard anti-scale coating and anti-bacterial glazing | | |
|   | 39 480 00H | alpine white | 4005176442643 |
| | Cube Ceramic Under-counter wash basin 50 installation from below with overflow 492 x 370 mm including fixation set sanitary ware With GROHE PureGuard anti-scale coating and anti-bacterial glazing | | |
|   | 39 479 00H | alpine white | 4005176442636 |
| | Cube Ceramic Counter basin 60 flat back side glazed built-in 1 hole punched, 2 holes pre-punched with overflow 600 x 490 mm including fixation set sanitary ware With GROHE PureGuard anti-scale coating and anti-bacterial glazing | | |

GROHE CUBE CERAMIC


Ref. No. Colour EAN




39 483 00H alpine white **4005176442674**
Cube Ceramic
Hand rinse basin 45
 wall hung
 1 hole punched
 with overflow
 455 x 350 mm
 sanitary ware
 With **GROHE PureGuard** anti-scale coating and anti-bacterial glazing




39 245 00H alpine white **4005176524479**
Cube Ceramic
Wall hung WC
 horizontal outlet
 rimless
 flush volume 4.5/3 l
 including fixation set
 sanitary ware
 fully skirted with invisible fixation
 With **GROHE PureGuard** anti-scale coating and anti-bacterial glazing
 compatible with seat and cover 39 488 000 (soft close)



39 484 00H alpine white **4005176442698**
Cube Ceramic
Floor standing WC for close coupled combination
 close coupled
 universal trap for horizontal and vertical outlet
 rimless
 flush volume 4.5/3 l
 including fixation set
 cistern to be ordered separately
 sanitary ware
 fully skirted with invisible fixation
 With **GROHE PureGuard** anti-scale coating and anti-bacterial glazing
 compatible with seat and cover 39 488 000 (soft close)













39 490 000 alpine white **4005176442759**
Cube Ceramic
Exposed flushing cistern for close coupled combination
 bottom inlet
 inlet and outlet concealed
 including flushing set GROHE AV1
 including fixation set
 sanitary ware













39 488 000 alpine white **4005176442735**
Cube Ceramic
WC seat soft close
 with lid
 quick release function
 detachable
 material: Duroplast
 including fixation set
 stainless steel hinges
 easy fixation from above
 weight bearing capacity 150 kg
 compatible with all Cube Ceramic bowls

CERAMICS











GROHE EURO CERAMIC

| | Ref. No. | Colour | EAN |
|---|--|--|--|
|   | 39 585 00H | alpine white | 4005176519178 |
| Euro Ceramic Vanity basin 100 wall hung 1 hole punched, 2 holes pre-punched with overflow 1000 x 460 mm suitable for vanity units sanitary ware With GROHE PureGuard anti-scale coating and anti-bacterial glazing | | | |
|   | 39 584 00H | alpine white | 4005176519161 |
| Euro Ceramic Vanity basin 80 wall hung 1 hole punched, 2 holes pre-punched with overflow 800 x 460 mm suitable for vanity units sanitary ware With GROHE PureGuard anti-scale coating and anti-bacterial glazing | | | |
|   | 39 323 000 39 323 00H | alpine white alpine white | 4005176407116 4005176417344 |
| Euro Ceramic Wash basin 65 wall hung 1 hole punched with overflow 650 x 514 mm wall fixings not included sanitary ware optional: GROHE PureGuard anti-scale coating and anti-bacterial glazing (00H) | | | |
|   | 39 335 000 39 335 00H | alpine white alpine white | 4005176407239 4005176417351 |
| Euro Ceramic Wash basin 60 wall fixings not included wall hung 1 hole punched with overflow 595 x 482 mm sanitary ware optional: GROHE PureGuard anti-scale coating and anti-bacterial glazing (00H) | | | |
|   | 39 337 000 39 337 00H | alpine white alpine white | 4005176407253 4005176418334 |
| Euro Ceramic Counter top basin 60 1 hole punched with overflow 596 x 483 mm wall fixings not included sanitary ware optional: GROHE PureGuard anti-scale coating and anti-bacterial glazing (00H) | | | |









GROHE EURO CERAMIC

| | Ref. No. | Colour | EAN |
|--|---|--|--|
|  |  | 39 336 000 alpine white 39 336 00H alpine white | 4005176407246 4005176417368 |
| Euro Ceramic Wash basin 55 wall hung 1 hole punched with overflow 550 x 450 mm wall fixings not included sanitary ware optional: GROHE PureGuard anti-scale coating and anti-bacterial glazing (00H) | | | |
|  |  | 39 423 000 alpine white | 4005176406201 |
| Bau Ceramic Undercounter wash basin 55 installation from below with overflow 560 x 420 mm fixings included sanitary ware | | | |
|  |  | 39 324 000 alpine white 39 324 00H alpine white | 4005176407123 4005176417375 |
| Euro Ceramic Hand rinse basin 45 wall hung 1 hole punched with overflow 450 x 396 mm wall fixings not included sanitary ware distance between installation holes: 160 mm optional: GROHE PureGuard anti-scale coating and anti-bacterial glazing (00H) | | | |
|  |  | 39 327 000 alpine white 39 327 00H alpine white | 4005176390104 4005176418341 |
| Euro Ceramic Compact handrinse basin wall hung 1 hole punched 370 x 180 mm wall fixings not included sanitary ware no pedestals recommended optional: GROHE PureGuard anti-scale coating and anti-bacterial glazing (00H) | | | |
|  |  | 39 201 000 alpine white | 4005176344947 |
| Euro Ceramic Semi pedestal for wash basin 39 230, 39 335 and 39 336 invisible fixation set included sanitary ware suitable for all GROHE wash basins except 39 324 000, 39 324 00H, 39 327000, 39 327 00H | | | |









GROHE EURO CERAMIC

| | Ref. No. | Colour | EAN |
|---|---|--|--|
|   | 39 325 000 | alpine white | 4005176407130 |
| | Euro Ceramic Semi pedestal for hand rinse basin 39 324 000 invisible fixation set included sanitary ware suitable for hand rinse basins 39 324 000/39 324 00H | | |
|   | 39 202 000 | alpine white | 4005176344954 |
| | Euro Ceramic Full pedestal for wash basin 39230,39335,39336 and 39324 invisible fixation set included sanitary ware suitable for all GROHE wash basins except 39 324 000, 39 324 00H, 39 327000, 39 327 00H | | |
|   | 39 328 000 39 328 00H | alpine white alpine white | 4005176407161 4005176417382 |
| | Euro Ceramic Wall hung WC for concealed cistern horizontal outlet Triple Vortex rimless flush volume 3/5 l including fixation set sanitary ware fully skirted with invisible fixation optional: GROHE PureGuard anti-scale coating and anti-bacterial glazing (00H) compatible with seat and cover 39 330 001 (soft close) and 39 331 001 (without soft close) | | |
|   | 39 554 000 | alpine white | 4005176484452 |
| | Euro Ceramic Wall hung WC set Consisting of: Euro Ceramic wall hung WC with Triple Vortex (39 328 000) for concealed cistern horizontal outlet wash down rimless flush volume 3/5 l sanitary ware Euro Ceramic WC seat with lid (39 330 001) soft close quick release function detachable material: Duroplast including fixation set 4 pieces per pallet | | |
|   | 39 206 000 39 206 00H | alpine white alpine white | 4005176344992 4005176418495 |
| | Euro Ceramic Wall hung compact WC horizontal outlet Triple Vortex rimless flush volume 3/5 l 49 cm width including fixation set sanitary ware fully skirted with invisible fixation optional: GROHE PureGuard anti-scale coating and anti-bacterial glazing (00H) compatible with seat and cover 39 330 001 (soft close) and 39 331 001 (without soft close) | | |









GROHE EURO CERAMIC

| | Ref. No. | Colour | EAN |
|---|--|------------------------------|--------------------------------|
|  | 39 693 000 | alpine white | 4005176581281 |
|  | <p>Euro Ceramic Wall hung WC set Consisting of: Euro Ceramic wall hung compact WC with Triple Vortex (39 206 000) horizontal outlet Triple Vortex rimless flush volume 3/5 l sanitary ware fully skirted with invisible fixation Euro Ceramic WC seat with lid (39 330 001) soft close quick release function detachable material: Duroplast including fixation set</p> | | |
|  | 39 538 000 | alpine white | 4005176468292 |
|  | <p>Euro Ceramic Wall hung WC, basic for concealed cistern horizontal outlet wash down rimless flush volume 3/5 l sanitary ware compatible with seat and cover 39 330 001 (soft close) and 39 331 001 (without soft close)</p> | | |
|  | 39 703 000 | alpine white | 4005176583896 |
|  | <p>Euro Ceramic Wall hung WC set Consisting of: Euro Ceramic wall hung WC, 3/5 l (39 538 000) for concealed cistern horizontal outlet wash down rimless flush volume 3/5 l sanitary ware Euro Ceramic WC seat with lid (39 330 001) soft close quick release function detachable material: Duroplast including fixation set</p> | | |
|  | 39 338 000 39 338 00H | alpine white alpine white | 4005176407260 4005176418501 |
|  | <p>Euro Ceramic Floor standing WC for close coupled combination close coupled universal trap for horizontal and vertical outlet Triple Vortex rimless flush volume 3/5 l including fixation set cistern to be ordered separately sanitary ware fully skirted with invisible fixation optional: GROHE PureGuard anti-scale coating and anti-bacterial glazing (00H) compatible with seat and cover 39 330 001 (soft close) and 39 331 001 (without soft close)</p> | | |













GROHE EURO CERAMIC

| | Ref. No. | Colour | EAN |
|---|--|--|--|
|   | 39 332 000 | alpine white | 4005176407208 |
| <p>Euro Ceramic Exposed flushing cistern bottom inlet inlet and outlet concealed including flushing set with dual flush including fixation set sanitary ware</p> | | | |
|   | 39 333 000 | alpine white | 4005176407215 |
| <p>Euro Ceramic Exposed flushing cistern side or back inlet for back inlet please order mounting set 49 522 000 (sold separately) including flushing set with dual flush including fixation set sanitary ware</p> | | | |
|   | 39 462 000 39 462 00H | alpine white alpine white | 4005176454608 4005176454615 |
| <p>Euro Ceramic Bundle close coupled WC Consisting of: Euro Ceramic WC (39 338 000) wash down rimless horizontal outlet flush volume 6/3 l including fixation set sanitary ware Euro Ceramic cistern (39 332 000) bottom inlet including flushing set & button sanitary ware Euro Ceramic WC seat with lid (39 330 001) soft close quick release function detachable including fixation set material: Duroplast 4 pieces per pallet</p> | | | |
|   | 39 339 000 39 339 00H | alpine white alpine white | 4005176407277 4005176418525 |
| <p>Euro Ceramic Floor standing back to wall WC horizontal outlet back to wall Triple Vortex rimless flush volume 3/5 l including fixation set sanitary ware fully skirted with invisible fixation optional: GROHE PureGuard anti-scale coating and anti-bacterial glazing (00H) compatible with seat and cover 39 330 001 (soft close) and 39 331 001 (without soft close)</p> | | | |

GROHE EURO CERAMIC


| | Ref. No. | Colour | EAN |
|---|--|--|--|
|   | 39 330 001 | alpine white | 4005176468834 |
| <p>Euro Ceramic WC seat soft close with lid quick release function detachable material: Duroplast including fixation set stainless steel hinges easy fixation from above weight bearing capacity 150 kg compatible with all Euro Ceramic bowls</p> | | | |
|   | 39 331 001 | alpine white | 4005176468827 |
| <p>Euro Ceramic WC seat with lid quick release function detachable material: Duroplast including fixation set stainless steel hinges easy fixation from above weight bearing capacity 150 kg suitable for all GROHE Euro Ceramic WCs</p> | | | |
|   | 39 208 000 39 208 00H | alpine white alpine white | 4005176345029 4005176418532 |
| <p>Euro Ceramic Wall hung bidet 1 hole punched with overflow including fixation set sanitary ware fully skirted with invisible fixation optional: GROHE PureGuard anti-scale coating and anti-bacterial glazing (00H)</p> | | | |
|   | 39 340 000 39 340 00H | alpine white alpine white | 4005176423697 4005176423703 |
| <p>Euro Ceramic Floor standing bidet 1 hole punched with overflow including fixation set sanitary ware fully skirted with invisible fixation optional: GROHE PureGuard anti-scale coating and anti-bacterial glazing (00H)</p> | | | |

GROHE BAUEDGE CERAMIC

| | Ref. No. | Colour | EAN |
|---|---|---------------------|----------------------|
|   | 39 808 000 | alpine white | 4005176637087 |
| | BauEdge Ceramic Wash basin 60 wall fixings not included wall hung 1 hole punched with overflow 600 x 448 mm sanitary ware | | |
|   | 39 807 000 | alpine white | 4005176636479 |
| | BauEdge Ceramic Wash basin 55 wall hung 1 hole punched with overflow 550 x 400 mm sanitary ware | | |
|   | 39 806 000 | alpine white | 4005176636462 |
| | BauEdge Ceramic Hand rinse basin 45 wall hung 1 hole punched with overflow 450 x 350 mm sanitary ware | | |
|   | 39 809 000 | alpine white | 4005176637094 |
| | BauEdge Ceramic Wall hung WC for concealed cistern wash down rimless horizontal outlet flush volume 3/5 l sanitary ware compatible with seat and cover 39 813 000 | | |
|   | 39 810 000 | alpine white | 4005176637100 |
| | BauEdge Ceramic Floor standing WC back to wall for concealed cistern wash down rimless horizontal outlet flush volume 3/5 l including fixation set sanitary ware compatible with seat and cover 39 813 000 | | |
|   | 39 811 000 | alpine white | 4005176637117 |
| | BauEdge Ceramic Floor standing WC for close coupled combination wash down rimless horizontal outlet flush volume 4.5/3 l including fixation set cistern to be ordered separately sanitary ware compatible with seat and cover 39 813 000 | | |


GROHE BAUEDGE CERAMIC

Ref. No. Colour EAN



39 861 000 **alpine white** **4005176653889**













BauEdge Ceramic
Exposed flushing cistern
bottom inlet
inlet and outlet concealed
including flushing set & button
sanitary ware













39 813 000 **alpine white** **4005176637131**

BauEdge Ceramic
WC seat soft close
with lid
quick release function
detachable
material: Duroplast
including fixation set
stainless steel hinges
easy fixation from above
weight bearing capacity 150 kg
compatible with all BauEdge ceramic bowls











GROHE BAU CERAMIC

| | Ref. No. | Colour | EAN |
|---|---|--|---|
|  |  | 39 420 000 Bau Ceramic Wash basin 65 wall hung 1 hole punched with overflow 646 x 468 mm wall fixings not included sanitary ware | alpine white 4005176405983 |
|  |  | 39 421 000 Bau Ceramic Wash basin 60 wall fixings not included wall hung 1 hole punched with overflow 609 x 442 mm wall fixings not included sanitary ware | alpine white 4005176428906 |
|  |  | 39 440 000 Bau Ceramic Wash basin 55 wall hung 1 hole punched with overflow 553 x 386 mm wall fixings not included sanitary ware | alpine white 4005176405976 |
|  |  | 39 422 000 Bau Ceramic Counter Drop-in basin 55 built-in 1 hole punched with overflow 560 x 400 mm fixings included sanitary ware | alpine white 4005176406195 |
|  |  | 39 423 000 Bau Ceramic Undercounter wash basin 55 installation from below with overflow 560 x 420 mm fixings included sanitary ware | alpine white 4005176406201 |
|  |  | 39 424 000 Bau Ceramic Hand rinse basin 45 wall hung 1 hole punched with overflow 453 x 354 mm wall fixings not included sanitary ware distance between installation holes: 205 mm | alpine white 4005176406218 |











GROHE BAU CERAMIC

| | | Ref. No. | Colour | EAN |
|---|---|--|--------------|---------------|
|  |  | 39 426 000 | alpine white | 4005176406232 |
| | | Bau Ceramic Half pedestal including fixation set sanitary ware suitable to all Bau and BauEdge Ceramic wash basins except 39 424 000 and 39 806 000 | | |
|  |  | 39 425 000 | alpine white | 4005176406225 |
| | | Bau Ceramic Full pedestal including fixation set sanitary ware | | |
|  |  | 39 910 000 | alpine white | 4005176720444 |
| | | Bau Ceramic Floor standing WC for close coupled combination wash down rimless universal outlet flush volume 3/6 l including fixation set cistern to be ordered separately sanitary ware fully skirted with visible fixation compatible with seat and cover 39 913 000 (soft close) compatible with Bau Ceramic cisterns 39 911 000 and 39 912 000 professional edition | | |
|  |  | 39 912 000 | alpine white | 4005176720468 |
| | | Bau Ceramic Exposed flushing cistern bottom inlet inlet and outlet concealed including flushing set & button sanitary ware compatible with Bau Ceramic bowl 39 910 000 professional edition | | |
|  |  | 39 913 000 | alpine white | 4005176720475 |
| | | Bau Ceramic WC seat soft close slim with lid slim design quick release function detachable material: Duroplast including fixation set stainless steel hinges easy fixation from above weight bearing capacity 150 kg compatible with Bau Ceramic bowl 39 910 000 professional edition | | |











GROHE BAU CERAMIC

| | Ref. No. | Colour | EAN |
|---|-------------------|---------------------|----------------------|
|   | 39 427 000 | alpine white | 4005176406249 |
| <p>Bau Ceramic Wall hung WC for concealed cistern wash down rimless horizontal outlet flush volume 6/3 l sanitary ware compatible with seat and cover 39 492 000 (standard), 39 493 000 (soft close) and 39 898 000 (slim seat soft close)</p> | | | |
|   | 39 491 000 | alpine white | 4005176449994 |
| <p>Bau Ceramic Wall hung WC for concealed cistern wash down boxed rim horizontal outlet flush volume 6/3 l sanitary ware compatible with seat and cover 39 492 000 (standard) or 39 493 000 (soft close)</p> | | | |
|   | 39 428 000 | alpine white | 4005176406256 |
| <p>Bau Ceramic Floor standing WC for close coupled combination wash down boxed rim horizontal outlet flush volume 6/3 l including fixation set cistern to be ordered separately sanitary ware compatible with seat and cover 39 492 000 (standard) or 39 493 000 (soft close)</p> | | | |
|   | 39 349 000 | alpine white | 4005176449659 |
| <p>Bau Ceramic Floor standing WC for close coupled combination wash down rimless horizontal outlet flush volume 6/3 l including fixation set cistern to be ordered separately sanitary ware compatible with seat and cover 39 492 000 (standard), 39 493 000 (soft close) and 39 923 000 (slim seat soft close)</p> | | | |
|   | 39 429 000 | alpine white | 4005176406263 |
| <p>Bau Ceramic Floor standing WC for close coupled combination wash down rimless vertical outlet, concealed flush volume 6/3 l including fixation set cistern to be ordered separately sanitary ware compatible with seat and cover 39 492 000 (standard), 39 493 000 (soft close) and 39 923 000 (slim seat soft close)</p> | | | |









GROHE BAU CERAMIC

| | | Ref. No. | Colour | EAN |
|---|---|-------------------|---------------------|----------------------|
|  |  | 39 436 000 | alpine white | 4005176406331 |
| Bau Ceramic Exposed flushing cistern bottom inlet inlet and outlet concealed including flushing set & button sanitary ware | | | | |
|  |  | 39 437 000 | alpine white | 4005176406348 |
| Bau Ceramic Exposed flushing cistern connection from the left/right hand side including flushing set & button sanitary ware | | | | |
|  |  | 39 430 000 | alpine white | 4005176406270 |
| Bau Ceramic Floor standing WC wash down rimless horizontal outlet flush volume 6/3 l including fixation set sanitary ware compatible with seat and cover 39 492 000 (standard), 39 493 000 (soft close) and 39 898 000 (slim seat soft close) | | | | |
|  |  | 39 431 000 | alpine white | 4005176406287 |
| Bau Ceramic Floor standing WC wash down rimless vertical outlet flush volume 6/3 l including fixation set sanitary ware compatible with seat and cover 39 492 000 (standard), 39 493 000 (soft close) and 39 898 000 (slim seat soft close) | | | | |
|  |  | 39 898 000 | alpine white | 4005176713972 |
| Bau Ceramic WC seat soft close slim with lid slim design quick release function detachable material: Duroplast including fixation set stainless steel hinges easy fixation from above weight bearing capacity 150 kg compatible with Bau Ceramic bowls 39 427 000, 39 430 000 and 39 431 000 | | | | |

GROHE BAU CERAMIC

| | Ref. No. | Colour | EAN |
|--|-------------------|---------------------|----------------------|
|   | 39 923 000 | alpine white | 4005176724008 |
| <p>Bau Ceramic WC seat soft close slim with lid slim design quick release function detachable material: Duroplast including fixation set stainless steel hinges easy fixation from above weight bearing capacity 150 kg compatible with Bau Ceramic bowls 39 349 000 and 39 429 000</p> | | | |
|   | 39 492 000 | alpine white | 4005176450013 |
| <p>Bau Ceramic WC seat with lid quick release function detachable material: Duroplast including fixation set stainless steel hinges easy fixation from above weight bearing capacity 150 kg compatible with all Bau Ceramic bowls except 39 910 000</p> | | | |
|   | 39 493 000 | alpine white | 4005176450020 |
| <p>Bau Ceramic WC seat soft close with lid quick release function detachable material: Duroplast including fixation set stainless steel hinges easy fixation from above compatible with all Bau Ceramic bowls except 39 910 000</p> | | | |
|   | 39 433 000 | alpine white | 4005176406300 |
| <p>Bau Ceramic Wall hung bidet 1 hole punched with overflow sanitary ware</p> | | | |
|   | 39 432 000 | alpine white | 4005176406294 |
| <p>Bau Ceramic Floor standing bidet 1 hole punched with overflow including fixation set sanitary ware</p> | | | |


GROHE BAU CERAMIC

| | Ref. No. | Colour | EAN |
|---|--|---------------------|----------------------|
|   | 39 438 000 | alpine white | 4005176406355 |
| | Bau Ceramic Urinal concealed inlet wall fixings Included flush volume 1 l including fixation set sanitary ware for installation please order urinal trap 39 732 000 (horizontal outlet) or 39 733 000 (vertical outlet), sold separately not compatible with temperature sensor 39 367 000 | | |
|   | 39 439 000 | alpine white | 4005176406362 |
| | Bau Ceramic Urinal top inlet wall fixings Included flush volume 1 l including fixation set sanitary ware for installation please order urinal trap 39 732 000 (horizontal outlet) or 39 733 000 (vertical outlet), sold separately | | |
|   | 39 351 000 | alpine white | 4005176450006 |
| | Bau Ceramic Wall hung WC set Consisting of: Bau Ceramic wall hung WC (39 427 000) for concealed cistern horizontal outlet wash down rimless flush volume 3/6 l sanitary ware Bau Ceramic WC seat (39 493 000) soft close quick release function detachable material: Duroplast including fixation set | | |
|   | 39 497 000 | alpine white | 4005176450068 |
| | Bau Ceramic Wall hung WC set Consisting of: Bau Ceramic wall hung WC (39 491 000) for concealed cistern horizontal outlet wash down boxed rim flush volume 3/5 l sanitary ware Bau Ceramic WC seat (39 492 000) quick release function detachable material: Duroplast including fixation set | | |

GROHE BAU CERAMIC


Ref. No. Colour EAN

39 347 000 alpine white 4005176449680




Bau Ceramic
Bundle close coupled WC
Consisting of:
Bau Ceramic floor standing toilet with horizontal outlet (39 428 000)
wash down
boxed rim
horizontal outlet, concealed
flush volume 6/3 l
including fixation set
sanitary ware
Bau Ceramic exposed flushing cistern (39 437 000)
connection from the left/right hand side
including flushing set & button
sanitary ware
Bau Ceramic WC seat (39 493 000)
with lid
soft close
quick release function
detachable
material: Duroplast
including fixation set

39 346 000 alpine white 4005176449673



Bau Ceramic
Bundle close coupled WC
Bau Ceramic floor standing toilet with vertical outlet (39 429 000)
wash down
rimless
vertical outlet
flush volume 6/3 l
including fixation set
sanitary ware
Bau Ceramic exposed flushing cistern (39 437 000)
connection from the left/right hand side
including flushing set & button
sanitary ware
Bau Ceramic WC seat (39 493 000)
with lid
soft close
quick release function
detachable
material: Duroplast
including fixation set

39 496 000 alpine white 4005176450051




Bau Ceramic
Bundle close coupled WC
Consisting of:
Bau Ceramic floor standing toilet with horizontal outlet (39 349 000)
wash down
rimless
horizontal outlet
flush volume 6/3 l
including fixation set
sanitary ware
Bau Ceramic exposed flushing cistern (39 494 000)
connection from the left/right hand side
including flushing set & button
sanitary ware
Bau Ceramic WC seat (39 493 000)
with lid
soft close
quick release function
detachable
material: Duroplast
including fixation set

GROHE BAU CERAMIC


Ref. No. Colour EAN

39 604 000 alpine white 4005176524486




Bau Ceramic
Bundle close coupled WC
Consisting of:
Bau Ceramic floor standing toilet with horizontal outlet (39 349 000)
wash down
rimless
horizontal outlet
flush volume 6/3 l
including fixation set
sanitary ware
Bau Ceramic exposed flushing cistern (39 436 000)
bottom inlet
inlet and outlet concealed
including flushing set & button
sanitary ware
Bau Ceramic WC seat (39 493 000)
with lid
quick release function
detachable
material: Duroplast
including fixation set
4 pieces per pallet

39 648 SH0 alpine white 4005176575310




Bau Ceramic
Manual bidet seat
WC seat with lid
2 dedicated spray arms (1 for anal area, 1 for lady spray)
pre- and post-rinsing of spray nozzle with fresh water
manually operated side handle requires no electricity
Duroplast WC seat and lid with soft close function
flexible water connection 3/8"
includes:
mounting plate
filter
pressure 0.1 - 1 MPa (1 - 10 bar)
complies with EN 1717


39 651 SH0 alpine white 4005176575327











Bau Ceramic
Manual bidet seat 2-in-1 set wall hung
Consisting of:
Bau manual bidet seat soft close (39 648 SH0)
WC seat with lid
2 dedicated spray arms (1 for anal area, 1 for lady spray)
pre- and post-rinsing of spray nozzle with fresh water
manually operated side handle requires no electricity
adjustable spray intensity
Duroplast WC seat and lid with soft close function
flexible water connection 3/8"
Bau Ceramic wall hung WC (39 427 000)
for concealed cistern
wash down
rimless
horizontal outlet
flush volume 6/3 l
sanitary ware

CERAMICS

| | Ref. No. | Colour | EAN |
|---|---|---------------------|----------------------|
|  | 39 652 SH0 | alpine white | 4005176575334 |
| | <p>Bau Ceramic Manual bidet seat 3-in-1 set, wall hung Consisting of: Bau manual bidet seat soft close (39 648 SH0) WC seat with lid 2 dedicated spray arms (1 for anal area, 1 for lady spray) pre- and post-rinsing of spray nozzle with fresh water manually operated side handle requires no electricity adjustable spray intensity Duroplast WC seat and lid with soft close function flexible water connection 3/8"</p> <p>Bau Ceramic wall hung WC (39 427 000) for concealed cistern wash down rimless horizontal outlet flush volume 6/3 l sanitary ware Grotherm Micro 34 487 000 small under-basin thermostat thermostatic scalding protection temperature adjustment 15-43° C (± 2° C)</p> | | |

| | | | |
|--|-------------------|----------------------|--|
|  | 14 074 000 | 4005176575365 | <p>Accessory set shower hose and T piece for manual bidet seat Consisting of: T unit 3/8" flexible connection hose 795 mm 3/8" x 3/8"</p> |
|--|-------------------|----------------------|--|

GROHE ACRYLIC SHOWER TRAYS


| | Ref. No. | Colour | EAN |
|---|---|---------------------|----------------------|
|  | 39 300 000 | alpine white | 4005176346026 |
|  | <p>Acrylic shower tray 1000 x 1000 dimensions: 1000 x 1000 mm depth: 30 mm material: acrylic diameter of waste outlet: 90 mm recommended GROHE waste sets: 49 533 000 (vertical) and 49 534 000 (horizontal), sold separately recommended installation material: MEPA universal shower tray base unit BW 5 (# 150130) and wall rails for shower trays (# 190032) or MEPA mounting frame SF (# 150183) rim sealing (# 180040) recommended Poresta installation set # 17014416 recommended Schedel installation set SD 90083</p> | | |
|  | 39 301 000 | alpine white | 4005176346033 |
|  | <p>Acrylic shower tray 900 x 900 dimensions: 900 x 900 mm depth: 30 mm material: acrylic diameter of waste outlet: 90 mm recommended GROHE waste sets: 49 533 000 (vertical) and 49 534 000 (horizontal), sold separately recommended installation material: MEPA universal shower tray base unit BW 5 (# 150130) and wall rails for shower trays (# 190032) or MEPA mounting frame SF (# 150183) rim sealing (# 180040) recommended Poresta installation set # 17014408 recommended Schedel installation set SD 90081</p> | | |
|  | 39 302 000 | alpine white | 4005176346040 |
|  | <p>Acrylic shower tray 800 x 800 dimensions: 800 x 800 mm depth: 30 mm material: acrylic diameter of waste outlet: 90 mm recommended GROHE waste sets: 49 533 000 (vertical) and 49 534 000 (horizontal), sold separately recommended installation material: MEPA universal shower tray base unit BW 5 (# 150130) and wall rails for shower trays (# 190032) or MEPA mounting frame SF (# 150183) rim sealing (# 180040) recommended Poresta installation set # 17014411 recommended Schedel installation set SD 90080</p> | | |
|  | 39 306 000 | alpine white | 4005176346088 |
|  | <p>Acrylic shower tray 800 x 1000 dimensions: 800 x 1000 mm depth: 30 mm material: acrylic diameter of waste outlet: 90 mm recommended GROHE waste sets: 49 533 000 (vertical) and 49 534 000 (horizontal), sold separately recommended installation material: MEPA universal shower tray base unit BW 5 (# 150130) and wall rails for shower trays (# 190032) or MEPA mounting frame SF (# 150183) rim sealing (# 180040) recommended Poresta installation set # 17014412 recommended Schedel installation set SD 90082</p> | | |

CERAMICS

GROHE ACRYLIC SHOWER TRAYS


| Ref. No. | Colour | EAN |
|----------|--------|-----|
|----------|--------|-----|

| | | |
|------------|--------------|---------------|
| 49 533 000 | Chrome | 4005176478475 |
| 49 533 SH0 | alpine white | 4005176560033 |



Waste set for universal shower tray
 Ø 112 mm
 vertical outlet
GROHE Long-Life Shine durable sparkling sheen
 flow rate 1.1 l/s according to DIN EN 274

| | | |
|------------|--------------|---------------|
| 49 534 000 | Chrome | 4005176478482 |
| 49 534 SH0 | alpine white | 4005176560040 |




Waste set for universal shower tray
 Ø 112 mm
 horizontal outlet
GROHE Long-Life Shine durable sparkling sheen
 flow rate 0.7 l/s (42 l/min) according to DIN EN 274



GROHE
INSTALLATION SYSTEMS





CONTENTS

| | | |
|-----------|-----------------------------------|-----|
| Rapid SLX | Rapid SLX | 700 |
| Rapid SL | Rapid SL for WC | 702 |
| | Rapid SL for Urinal | 713 |
| | Rapid SL for Wash Basin and Bidet | 715 |
| | Rapid SL for the Disabled | 718 |
| | Rapid SL Fitting Supports | 720 |
| | Rapid SL Accessories | 721 |

GROHE RAPID SLX

Ref. No. Colour EAN

39 596 000 4005176527494

Rapid SLX


Element for WC, 1.13 m installation height with integrated socket and shower toilet connection

flushing cistern GDX, 6 l
with integrated power socket
ready for shower toilets (water)
small revision shaft for small flush plates
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TUV approved
2 WC fixing bolts
fixing device for ceramic
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern GDX, 6 l, containing following features:

factory set 6 l and 3 l
pneumatic discharge valve offering 2 modes of operation: dual flush or single flush
water supply from right, back or top
low noise (group I acc. to German Noise Specification)
fully insulated against condensation
1/2" water supply connection including integrated angle valve and push fit flexible hose union
no tools required for the installation
of the inspection shaft incl. protection during construction phase
for vertical use

including flow manager
reduces flow of the flush
prevents overspill in rimless toilets
easy flow regulation via inspection shaft without removing the valves
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)
for mounting of flush plates 156 x 197 mm please order revision shaft 66 791 000 (sold separately)




39 603 000 Chrome 4005176527562

Rapid SLX

3-in-1 set for WC, 1.13 m installation height

flushing cistern GDX, 6 l
Consisting of:
Rapid SLX element for WC (39 596 000) with integrated power socket
Skate Cosmopolitan S flush plate, chrome (37 535 000)
front wall brackets (38 558 00M)
including flow manager





GROHE RAPID SLX

Ref. No. Colour EAN

39 598 000

4005176527517



Rapid SLX

3-in-1 set for WC, 1.13 m installation height

flushing cistern GDX, 6 l


Consisting of:

Rapid SLX element for WC (39 596 000) with integrated power socket
front wall brackets (38 558 00M)

WC set for noise protection (37 131 000)
including flow manager


GROHE RAPID SL FOR WC

| Ref. No. | Colour | EAN |
|------------|--------------|---------------|
| 39 374 KS0 | velvet black | 4005176344770 |



Glass Cover Skate Cosmopolitan
for Rapid SL 1.13 m
with flushing cistern GD 2
for connecting shower toilet Sensia Arena or common wall-hung WCs
for tiled/plastered walls
two-piece glass cover made of tempered safety glass (8 mm)
upper part removable for maintenance
flush plate Skate Cosmopolitan, chrome, flush plate is kept flush with glass cover
HPL mounting plate with hole pattern for all connections
mounting plate with concealed water connection for shower toilet Sensia Arena
mounting plate with with quality edges in silver finish
Set for noise protection
including accessory for mounting glass plate and WC ceramic

| | | |
|------------|------------|---------------|
| 39 374 LS0 | moon white | 4005176344787 |
|------------|------------|---------------|




Glass Cover Skate Cosmopolitan
for Rapid SL 1.13 m
with flushing cistern GD 2
for connecting shower toilet Sensia Arena or common wall-hung WCs
for tiled/plastered walls
two-piece glass cover made of tempered safety glass (8 mm)
upper part removable for maintenance
flush plate Skate Cosmopolitan, chrome, flush plate is kept flush with glass cover
HPL mounting plate with hole pattern for all connections
mounting plate with concealed water connection for shower toilet Sensia Arena
mounting plate with with quality edges in silver finish
Set for noise protection
including accessory for mounting glass plate and WC ceramic

GROHE RAPID SL FOR WC

Ref. No. Colour EAN

38 528 001 4005176863943



Rapid SL

Element for WC, 1.13 m installation height with flushing cistern GD 2, 6 l - 9 l

for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
TUV approved
2 WC fixing bolts
fixing device for ceramic
WC ceramics with small bearing area (< 205 mm) require additional accessory 38 779 000
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern GD 2, 6 - 9 l, containing following features:


water supply from left/right or back
Insulated against condensation
1/2" water supply connection including integrated angle valve and push fit flexible hose union

for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

for mounting of small flush plates please order revision shaft 40 911 000 (sold separately)

39 002 000

4005176936920



Rapid SL

Element for WC, 1.13 m installation height, for external odour extraction with flushing cistern GD 2, 6 l - 9 l

with flush pipe for external odour extraction

for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled with fixed connections
quick adjustment, lockable
fixing material
TUV approved
2 WC fixing bolts
fixing device for ceramic
WC ceramics with small bearing area (< 205 mm) require additional accessory 38 779 000
distance of fixing bolts 180/230 mm
PP outlet bend Ø 90 mm
depth adjustable
PP reducer Ø 90/110 mm
inlet and outlet connecting set









flushing cistern GD 2, 6 - 9 l, containing following features:

factory set 6 l and 3 l
flush pipe with connection for odor extraction 50 mm
pneumatic discharge valve offering 2 modes of operation: dual flush or single flush
water supply from left/right or back
low noise (group I acc. to German Noise Specification)
Insulated against condensation
1/2" water supply connection including integrated angle valve and push fit flexible hose union
no tools required for the installation
of the inspection shaft incl. protection during construction phase
inspection shaft for vertical or horizontal use
allows for flush plate to be installed vertically or horizontally.

for on-the-wall installation please order wall brackets 38 558 00M (sold separately)


for mounting of small flush plates please order revision shaft 40 911 000 (sold separately)

GROHE RAPID SL FOR WC

| | Ref. No. | Colour | EAN |
|---|---|--------|---------------|
|   | 39 500 000 | Chrome | 4005176453861 |
| | Rapid SL 5-in-1 set for WC, 1.13 m installation height with flushing cistern GD 2 , 6 I - 9 I Consisting of: Rapid SL element for WC (38 528 001) Skate Cosmopolitan S flush plate, chrome (37 535 000) GROHE Fresh retro-fit set (38 796 000) front wall brackets (38 558 00M) WC set for noise protection (37 131 000) | | |
|   | 38 827 000 | Chrome | 4005176870477 |
| | Rapid SL 5-in-1 set for WC, 1.13 m installation height with flushing cistern GD 2 , 6 I - 9 I Consisting of: Rapid SL element for WC (38 528 001) Skate Cosmopolitan flush plate, chrome (38 732 000) GROHE Fresh retro-fit set (38 796 000) front wall brackets (38 558 00M) including WC set for noise protection (37 131 000) | | |
|   | 38 750 001 | Chrome | 4005176863363 |
| | Rapid SL 4-in-1 set for WC, 1.13 m installation height with flushing cistern GD 2 , 6 I - 9 I Consisting of: Rapid SL element for WC (38 528 001) Skate Air flush plate, chrome, vertical installation (38 505 000) front wall brackets (38 558 00M) including WC set for noise protection (37 131 000) | | |
|   | 38 860 000 | Chrome | 4005176878084 |
| | Rapid SL 3-in-1 set for WC, 1.13 m installation height with flushing cistern GD 2 , 6 I - 9 I Consisting of: Rapid SL element for WC (38 528 001) Nova Cosmopolitan flush plate, chrome (38 765 000) front wall brackets (38 558 00M) | | |

GROHE RAPID SL FOR WC


| Ref. No. | Colour | EAN |
|------------|--------|---------------|
| 38 888 000 | Chrome | 4005176879630 |



Rapid SL
4-in-1 set for WC, 1.00 m installation height
with flushing cistern 6 - 3 l

Consisting of:
Rapid SL element for WC (38 525 001)
Skate Cosmopolitan flush plate, chrome (38 732 000)
GROHE Fresh retro-fit set (38 796 000)
front wall brackets (38 558 00M)


| | | |
|------------|--------|---------------|
| 38 885 000 | Chrome | 4005176879609 |
|------------|--------|---------------|



Rapid SL
4-in-1 set for WC, 0.82 m installation height
with flushing cistern 6 - 3 l

Consisting of:
Rapid SL element for WC (38 526 000)
Skate Cosmopolitan flush plate, chrome (38 732 000)
GROHE Fresh retro-fit set (38 796 000)
front wall brackets (38 558 00M)


| | | |
|------------|--------|---------------|
| 39 501 000 | Chrome | 4005176453878 |
|------------|--------|---------------|



Rapid SL
3-in-1 set for WC, 1.13 m installation height
with flushing cistern GD 2 , 6 l - 9 l

Consisting of:
Rapid SL element for WC (38 528 001)
Skate Cosmopolitan S flush plate, chrome (37 535 000)
front wall brackets (38 558 00M)
including revision shaft 40 911 000 for mounting of small flush plates

| | | |
|------------|--------|---------------|
| 39 503 000 | Chrome | 4005176454097 |
|------------|--------|---------------|




Rapid SL
3-in-1 set for WC, 1.13 m installation height
with flushing cistern GD 2 , 6 l - 9 l

Consisting of:
Rapid SL element for WC (38 528 001)
Skate Air S flush plate, chrome, vertical installation (37 965 000)
front wall brackets (38 558 00M)


GROHE RAPID SL FOR WC

| Ref. No. | Colour | EAN |
|------------|--------|---------------|
| 39 504 000 | Chrome | 4005176454103 |




Rapid SL
3-in-1 set for WC, 1.13 m installation height
 flushing cistern GD 2, 6 - 3 l
 Consisting of:
 Rapid SL element for WC (38 528 001)
 Arena Cosmopolitan S flush plate, chrome (37 624 000)
 front wall brackets (38 558 00M)
 including revision shaft 40 911 000 for mounting of small flush plates

| | | |
|------------|--------|---------------|
| 39 581 000 | Chrome | 4005176496011 |
|------------|--------|---------------|




Rapid SL
3-in-1 set for WC, 1.13 m installation height
with flushing cistern GD 2, 6 l - 9 l
 Consisting of:
 Rapid SL element for WC (38 528 001)
 Nova Cosmopolitan S flush plate, chrome (37 601 000)
 front wall brackets (38 558 00M)

| | | |
|------------|--------|---------------|
| 38 721 001 | Chrome | 4005176863431 |
|------------|--------|---------------|



Rapid SL
3-in-1 set for WC, 1.13 m installation height
with flushing cistern GD 2, 6 l - 9 l
 Consisting of:
 Rapid SL element for WC (38 528 001)
 Skate Air flush plate, chrome, vertical installation (38 505 000)
 front wall brackets (38 558 00M)

| | | |
|------------|--------------|---------------|
| 38 722 001 | alpine white | 4005176863424 |
|------------|--------------|---------------|




Rapid SL
3-in-1 set for WC, 1.13 m installation height
with flushing cistern GD 2, 6 l - 9 l
 Consisting of:
 Rapid SL element for WC (38 528 001)
 Skate Air flush plate, alpine white, vertical installation (38 505 SH0)
 front wall brackets (38 558 00M)

GROHE RAPID SL FOR WC


Ref. No. Colour EAN

38 772 001 Chrome 4005176863288




Rapid SL
3-in-1 set for WC, 1.13 m installation height
with flushing cistern GD 2 , 6 l - 9 l
 Consisting of:
 Rapid SL element for WC (38 528 001)
 Skate Cosmopolitan flush plate, chrome (38 732 000)
 front wall brackets (38 558 00M)

38 772 20A 4005176771613




Rapid SL
3-in-1 set for WC, 1.13 m installation height
with flushing cistern GD 2 , 6 l - 9 l
 including WRAS approved filling valve
 Consisting of:
 Rapid SL element for WC (38 528 001)
 Skate Cosmopolitan flush plate, chrome (38 732 000)
 front wall brackets (38 558 00M)

38 761 000 Chrome 4005176841620



Rapid SL
3-in-1 set for WC, 0.82 m installation height
with flushing cistern 6 - 3 l
 Consisting of:
 Rapid SL element for WC (38 526 000)
 Skate Air flush plate, chrome, horizontal installation (38 506 000)
 front wall brackets (38 558 00M)

38 773 000 Chrome 4005176850288




Rapid SL
3-in-1 set for WC, 0.82 m installation height
with flushing cistern 6 - 3 l
 Consisting of:
 Rapid SL element for WC (38 526 000)
 Skate Cosmopolitan flush plate, chrome (38 732 000)
 front wall brackets (38 558 00M)

INSTALLATION
SYSTEMS

GROHE RAPID SL FOR WC


Ref. No. Colour EAN

38 773 20A **4005176771606**




Rapid SL
3-in-1 set for WC, 0.82 m installation height
with flushing cistern 6 - 3 l
including WRAS approved filling valve
Consisting of:
Rapid SL element for WC (38 526 000)
Skate Cosmopolitan flush plate, chrome (38 732 000)
front wall brackets (38 558 00M)

38 868 000 **Chrome** **4005176878091**




Rapid SL
3-in-1 set for WC, 0.82 m installation height
with flushing cistern 6 - 3 l
Consisting of:
Rapid SL element for WC (38 526 000)
Nova Cosmopolitan flush plate, chrome (38 765 000)
front wall brackets (38 558 00M)

38 764 001 **alpine white** **4005176863301**



Rapid SL
2-in-1 set for WC, 1.13 m installation height
with flushing cistern GD 2 , 6 l - 9 l
Consisting of:
Rapid SL element for WC (38 528 001)
Skate Air flush plate, alpine white, vertical installation (38 505 SH0)

38 947 000 **4005176911217**




Rapid SL
2-in-1 set for WC, 1.00 m installation height
with flushing cistern 6 - 3 l
Consisting of:
Rapid SL element for WC (38 525 001)
front wall brackets (38 558 00M)

GROHE RAPID SL FOR WC

Ref. No. Colour EAN

38 948 000

4005176911224



Rapid SL

2-in-1 set for WC, 0.82 m installation height
with flushing cistern 6 - 3 l


Consisting of:

Rapid SL element for WC (38 526 000)
front wall brackets (38 558 00M)

GROHE RAPID SL FOR WC

Ref. No. Colour EAN

38 536 001 **4005176863929**



Rapid SL

Element for WC, 1.13 m installation height with flushing cistern GD 2 , 6 l - 9 l

for on-the-wall installations or studded walls powder coated steel frame, self-supporting with fixed connections

TÜV approved

2 WC fixing bolts

fixing device for ceramic

WC ceramics with small bearing area (< 205 mm) require

additional accessory 38 779 000

distance of fixing bolts 180/230 mm

outlet bend Ø 90 mm

depth adjustable

reducer Ø 90/110 mm

inlet and outlet connecting set

flushing cistern GD 2, 6 - 9 l, containing following features:


water supply from left/right or back

1/2" water supply connection including integrated angle valve and push fit flexible hose union

including wall brackets 38 558 00M for on-the-wall installation for mounting of small flush plates please order revision shaft 40 911 000 (sold separately)

38 539 001

4005176863912



Rapid SL

Element for WC, 1.13 m installation height with flushing cistern GD 2 , 6 l - 9 l

for on-the-wall installations or studded walls powder coated steel frame, self-supporting

for dry-cladding, completely pre-assembled

with fixed connections

quick adjustment, lockable

fixing material

TÜV approved

2 WC fixing bolts

fixing device for ceramic

WC ceramics with small bearing area (< 205 mm) require

additional accessory 38 779 000

distance of fixing bolts 180/230 mm

outlet bend Ø 90 mm

depth adjustable

reducer Ø 90/110 mm

inlet and outlet connecting set

flushing cistern GD 2, 6 - 9 l, containing following features:

factory set 6 l and 3 l

pneumatic discharge valve offering 2 modes of

operation: dual flush or single flush

water supply from left/right or back

low noise (group I acc. to

German Noise Specification)

Insulated against condensation

1/2" water supply connection including integrated

angle valve and push fit flexible hose union

no tools required for the installation

of the inspection shaft incl. protection

during construction phase

inspection shaft for vertical or horizontal use


allows for flush plate to be installed vertically or horizontally.

including wall brackets 38 558 00M for on-the-wall installation including WC set for noise protection (37 131 000) for mounting of small flush plates please order revision shaft 40 911 000 (sold separately)

GROHE RAPID SL FOR WC

Ref. No. Colour EAN

38 675 001 4005176863516



Rapid SL

Element for WC, 1.13 m installation height, 0.42 m width
with flush cistern 6 - 3 l

for WC bowls 70 cm projection


for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
TUV approved

2 WC fixing bolts
fixing device for ceramic
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set
Insulated against condensation
1/2" water supply connection including integrated
angle valve and push fit flexible hose union
for on-the-wall installation please order wall brackets 38 558 00M (sold
separately)

for the mounting of support rails for the disabled please order fixing element 38 559 001 (sold separately)

38 994 000

4005176932335



Rapid SL

Element for WC with flushing cistern 80 mm, 1.13 m installation height

element width 0.62 m

for small, narrow bathrooms
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
with fixed connections


TUV approved
2 WC fixing bolts
fixing device for ceramic
distance of fixing bolts 180/230 mm
PP outlet bend Ø 90 mm
depth adjustable
PP reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern 80 mm, 6 - 9 l, containing following features:
water supply from top or back
water supply 1/2" and push fit flexible hose union

including wall brackets 38 558 00M for on-the-wall installation
for mounting of small flush plates please order
revision shaft 40 949 000 (sold separately)

38 525 001

4005176863967



Rapid SL

Element for WC, 1.00 m installation height
with flushing cistern 6 - 3 l



for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
TUV approved

2 WC fixing bolts
fixing device for ceramic
WC ceramics with small bearing area (< 205 mm) require
additional accessory 38 779 000
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern 6 - 9 l containing the following features:
water supply from left/right or back
Insulated against condensation
1/2" water supply connection including integrated
angle valve and push fit flexible hose union

for on-the-wall installation please order wall brackets 38 558 00M (sold
separately)
for mounting of small flush plates please order revision shaft 40 950 000 (sold
separately)

GROHE RAPID SL FOR WC

| | Ref. No. | Colour | EAN |
|---|--|----------------------|-----|
|  | <p>38 526 000</p> <p>Rapid SL Element for WC, 0.82 m installation height with flushing cistern 6 - 3 l for on-the-wall installations or studded walls powder coated steel frame, self-supporting TUV approved 2 WC fixing bolts fixing device for ceramic distance of fixing bolts 180/230 mm PP outlet bend Ø 90 mm depth adjustable reducer Ø 90/110 mm inlet and outlet connecting set</p> <p>flushing cistern 6 - 9 l containing the following features: water supply from left/right or back Insulated against condensation 1/2" water supply connection including integrated angle valve and push fit flexible hose union</p> <p>for on-the-wall installation please order wall brackets 38 558 00M (sold separately) for mounting of small flush plates please order revision shaft 40 950 000 (sold separately)</p> | <p>4005176291050</p> | |
|  | <p>40 899 000</p> <p>Retrofit kit for shower toilets Sensia Arena and IGS retrofit of existing Rapid SL installations to shower toilets Sensia Arena or IGS including: conduit pipe with locking ring and flat seal cable ties WC connecting pipe Ø 45 mm waste sleeve Ø 90 mm</p> | <p>4005176413896</p> | |
|  | <p>38 558 00M</p> <p>Rapid SL Front wall brackets for against-the-wall installations for fixing the elements at the brick-wall or in front of the studded wall adjustment from 130 - 230 mm 2 pieces</p> | <p>4005176291418</p> | |
|  | <p>42 333 000</p> <p>4.5 l adapter for GD2 to reduce the maximum flush volume to 3.8 l (big flush) and 1.8 l (small flush)</p>  | <p>4005176845888</p> | |
|  | <p>42 327 000</p> <p>PP-outlet bend Ø 90 mm variable depth adjustment</p> | <p>4005176838705</p> | |

GROHE RAPID SL FOR URINAL


Ref. No.

Colour

EAN

38 558 00M

4005176291418



Rapid SL

Front wall brackets

for against-the-wall installations
for fixing the elements at the brick-wall
or in front of the studded wall
adjustment from 130 - 230 mm

2 pieces

GROHE RAPID SL FOR WASH BASIN AND BIDET

Ref. No. Colour EAN




38 554 001 **4005176863806**

Rapid SL
Element for wash basin, single hole installation with noise protection

1.13 m finished installation height
for on-the-wall installations or studded walls

Includes

wash basin fixing bolts with
fixing device for ceramic
variable distance of fixing bolts
HT-outlet bend Ø 50 mm
seal Ø 32 mm
2 noise protected fitting connections 1/2"
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)



39 052 000 **4005176935961**


Rapid SL
Element for wash basin, single hole installation, height adjustable with noise protection

1.13 m finished installation height
for on-the-wall installations or studded walls

powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TÜV approved

Includes

wash basin fixing bolts with
fixing device for ceramic
variable distance of fixing bolts
HT-outlet bend Ø 50 mm
seal Ø 32 mm
2 noise protected fitting connections 1/2"
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)



38 557 001 **4005176863783**


Rapid SL
Element for wash basin, single hole installation

1.13 m finished installation height
for on-the-wall installations or studded walls

powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TÜV approved

Includes

wash basin fixing bolts with
fixing device for ceramic
variable distance of fixing bolts
HT-outlet bend Ø 50 mm
seal Ø 32 mm
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)



GROHE RAPID SL FOR WASH BASIN AND BIDET

Ref. No. Colour EAN

38 748 002 Chrome 4005176416323


Rapid SL

Element for wash basin with roughin-in set for infra-red electronic
suitable for trim sets Europlus E 36 042 SD0, Essence E 36 447 000
and Eurocube E 36 442 000

1.13 m finished installation height
for on-the-wall installations or studded walls

Includes

wash basin fixing bolts with
fixing device for ceramic
variable distance of fixing bolts
HT-outlet bend Ø 50 mm
seal Ø 32 mm
pre-mounted roughing-in set
with protecting block
fire-proof pipe for laying electronic cables
installation box with water group, stop valve and flush elbow
connection with noise protected fitting holder 1/2"
connecting box for mains supply 230 V
CE approved
for installation with pre-mixed or cold water
for on-the-wall installation please order wall brackets 38 558 00M (sold
separately)



38 546 000

4005176291289

Rapid SL


Element for wash basin, for wall mounted fittings

1.30 m installation height

for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TÜV approved

Includes

wash basin fixing bolts with
fixing device for ceramic
variable distance of fixing bolts
HT-outlet bend Ø 50 mm
seal Ø 32 mm
2 noise protected fitting connections 1/2"
for on-the-wall installation please order wall brackets 38 558 00M (sold
separately)



38 541 000

4005176291234

Rapid SL


Element for wash basin, single hole installation

1.0 m finished installation height

for on-the-wall installations or studded walls

Includes

wash basin fixing bolts with
fixing device for ceramic
HT-outlet bend Ø 50 mm
seal Ø 32 mm
for on-the-wall installation please order wall brackets 38 558 00M (sold
separately)



38 553 001

4005176863813

Rapid SL

Element for bidet, 1.13 m installation height



vertical support for ceramics with small bearing area (< 205 mm)

for on-the-wall installations or studded walls

height adjustable fitting connections



Includes:

bidet fixing bolts
HT-outlet bend Ø 50 mm, seal Ø 32 mm
2 fitting connections DN 15
fixing material for bidet
for on-the-wall installation please order wall brackets 38 558 00M (sold
separately)



GROHE RAPID SL FOR WASH BASIN AND BIDET



Ref. No. Colour EAN



38 545 000 **4005176291272**

Rapid SL
Element for bidet, 1.00 m installation height
for on-the-wall installations or studded walls
height adjustable fitting connections


Includes:
bidet fixing bolts
HT-outlet bend Ø 50 mm
seal Ø 32 mm
2 fitting connections DN 15
fixing material for bidet
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)



38 543 000 **4005176291258**

Rapid SL
Element for bidet, 0.82 m installation height
for on-the-wall installations or studded walls
height adjustable fitting connections

Includes:
bidet fixing bolts
HT-outlet bend Ø 50 mm
seal Ø 32 mm
2 fitting connections DN 15
fixing material for bidet
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)




38 558 00M **4005176291418**

Rapid SL
Front wall brackets
for against-the-wall installations
for fixing the elements at the brick-wall
or in front of the studded wall
adjustment from 130 - 230 mm
2 pieces

GROHE RAPID SL FOR THE DISABLED


Ref. No. Colour EAN

38 675 001 4005176863516



Rapid SL
Element for WC, 1.13 m installation height, 0.42 m width
 with flush cistern 6 - 3 l
for WC bowls 70 cm projection
 for on-the-wall installations or studded walls
 powder coated steel frame, self-supporting
 TÜV approved
 2 WC fixing bolts
 fixing device for ceramic
 distance of fixing bolts 180/230 mm
 outlet bend Ø 90 mm
 depth adjustable
 reducer Ø 90/110 mm
 inlet and outlet connecting set
 Insulated against condensation
 1/2" water supply connection including integrated
 angle valve and push fit flexible hose union
 for on-the-wall installation please order wall brackets 38 558 00M (sold
 separately)
 for the mounting of support rails for the disabled please order
 fixing element 38 559 001 (sold separately)

39 140 000 4005176315268




Rapid SL
Element for WC, 1.13 m installation height
with fixing element for back support and support rails
with flushing cistern GD 2 , 6 l - 9 l
 for the disabled
for WC bowls 70 cm projection
 for on-the-wall installations or studded walls
 powder coated steel frame, self-supporting
 with fixed connections
 TÜV approved
 2 WC fixing bolts
 4 wall brackets
 fixing device for ceramic
 distance of fixing bolts 180/230 mm
 PP outlet bend Ø 90 mm
 depth adjustable
 PP reducer Ø 90/110 mm
 inlet and outlet connecting set

flushing cistern GD 2, 6 - 9 l, containing following features:
 water supply from left/right or back
 Insulated against condensation
 1/2" water supply connection including integrated
 angle valve and push fit flexible hose union


including wall brackets 38 558 00M for on-the-wall installation
 for mounting of small flush plates please order
 revision shaft 40 911 000 (sold separately)

38 541 000 4005176291234



Rapid SL
Element for wash basin, single hole installation
1.0 m finished installation height
 for on-the-wall installations or studded walls
Includes
 wash basin fixing bolts with
 fixing device for ceramic
 HT-outlet bend Ø 50 mm
 seal Ø 32 mm
 for on-the-wall installation please order wall brackets 38 558 00M (sold
 separately)

GROHE RAPID SL FOR THE DISABLED



Ref. No.

Colour

EAN

38 559 001

4005176863776

Rapid SL

Fixing element, 1.13 m installation height

to fix **support** for the disabled



0.31 m wide

powder coated steel frame













waterproof plywood

for on-the-wall installation please order wall brackets 38 558 00M (sold separately)











GROHE RAPID SL FITTING SUPPORTS

| | Ref. No. | Colour | EAN |
|---|--|--------|---------------|
|  | 37 998 000 | | 4005176262586 |
|  | | | |
| | Rapid SL Fitting support for exposed fittings for studded walls for empty elements 2 noise protected fitting connections 1/2" | | |



GROHE RAPID SL ACCESSORIES

| | Ref. No. | Colour | EAN |
|---|--|--------|----------------------|
|   | 38 558 00M | | 4005176291418 |
| | Rapid SL Front wall brackets for against-the-wall installations for fixing the elements at the brick-wall or in front of the studded wall adjustment from 130 - 230 mm 2 pieces | | |
|   | 38 629 000 | | 4005176293191 |
| | Rapid SL Flush pipe extension for floor constructions from 200 up to 350 mm fixing material not suitable for project elements | | |
|   | 38 733 000 | | 4005176837289 |
| | Rapid SL Xtra wall brackets, flexible placing for additional fixation of WC elements or installation without floor fixing mounting angles including wall bracket and fixing material 2 pieces | | |
|   | 38 562 001 | | 4005176863752 |
| | Rapid SL Set for corner installation for WC, bidet, wash basin and urinal single installation or fitting to a rail fitting maximum 625 mm from the corner fixing material for corner installation 2 wall brackets 1.13 m 135° | | |
|   | 38 779 000 | | 4005176855306 |
| | Rapid SL Accessory for WC bowls with a bearing area of less than 20 cm vertical support for ceramics with small bearing area (< 205 mm) | | |
|   | 37 131 000 | | 4005176144585 |
| | Set for noise protection for WC sound insulation 2 rubber pipes | | |

GROHE RAPID SL ACCESSORIES

| | Ref. No. | Colour | EAN |
|---|------------|--|---------------|
|  | 42 766 000 | | 4005176222115 |
| | | Distance pipe 3" | |
|   | 38 338 000 | | 4005176286179 |
| | | Water supply pipe connector Scandinavian adapter | |
|   | 40 911 000 | | 4005176416132 |
| | | Inspection shaft for small flush plates for combination with Rapid SL 1.13 m with GD 2 cistern | |
|   | 40 950 000 | Chrome | 4005176478994 |
| | | Inspection shaft for small flush plates for combination with Rapid SL and Uniset with 0.82 m/1.00 m installation height | |
|   | 40 949 000 | Chrome | 4005176477881 |
| | | Inspection shaft for small flush plates for combination with 80 mm cistern | |
|  | 66 791 000 | | 4005176866562 |
| | | Inspection shaft for combination with Rapid SLX cisterns (for 156 x 197mm flush plates) | |

GROHE RAPID SL ACCESSORIES



Ref. No.

Colour

EAN

43 617 000

4005176841163

Motor support device
for Rapid SL 38 675
for the disabled
as of mid 2008
or installation of infra-red electronic

GROHE
FLUSHING SYSTEMS























CONTENTS

| | | |
|--------|-----------------------------------|-----|
| WC | Flushing Cisterns | 726 |
| | Accessories for Flushing Cisterns | 729 |
| | WC Flush Valves | 735 |
| | Electronic Actuators for WC | 737 |
| Urinal | Electronic Actuators for Urinal | 742 |
| | Urinal Flush Valves | 747 |

GROHE FLUSHING CISTERNS

| | Ref. No. | Colour | EAN |
|---|--|--------------|---------------|
|  | 37 762 SH0 | alpine white | 4005176213250 |
|  | <p>Flushing cistern for WC for concealed bath furniture installation non-interruptible flush cycle flush button not included min. recommended pressure 0.2 bar ABS flush pipe 180 mm x 320 mm connection from the left/right hand side</p> | | |
|  | 37 945 SH0 | alpine white | 4005176256387 |
|  | <p>Flushing cistern for WC 6L for concealed bath furniture installation non-interruptible flush cycle flush button not included ABS flush pipe 180 mm x 320 mm min. recommended pressure 0.2 bar connection from bottom left or right</p> | | |
|  | 37 791 SH0 | alpine white | 4005176217241 |
|  | <p>Flushing cistern for WC 6 l / 3 l exposed installation interruptible flush cycle hidden flush pipe connection servo actuation low level made of PS low noise (group I acc. to German Noise Specification) fully insulated against condensation with isolation valve 1/2" copper pipe mounting template flush pipe bend WC inlet connector</p> | | |
|  | 38 661 000 | | 4005176294907 |
|  | <p>WC concealed cistern factory set 6 l and 3 l pneumatic discharge valve offering 2 modes of operation: dual flush or single flush connection from left/right/back or top Insulated against condensation 1/2" water supply connection including integrated angle valve and push fit flexible hose union inspection shaft for vertical or horizontal use allows for flush plate to be installed vertically or horizontally. flush pipe insulated against condensation fixing brackets for mounting of small flush plates please order revision shaft 40 911 000 (sold separately)</p> | | |
|  | 38 987 000 | | 4005176924798 |
|  | <p>WC concealed cistern factory set 6 l and 3 l pneumatic discharge valve offering 2 modes of operation: dual flush or single flush connection from left/right/back or top Insulated against condensation 1/2" water supply connection including integrated angle valve and push fit flexible hose union inspection shaft for vertical or horizontal use allows for flush plate to be installed vertically or horizontally. flush pipe insulated against condensation fixing brackets flush pipe and connector for mounting of small flush plates please order revision shaft 40 911 000 (sold separately)</p> | | |


GROHE FLUSHING CISTERNS

| | Ref. No. | Colour | EAN |
|---|--|--------|---------------|
|  | 38 863 000 | | 4005176832345 |
|  | Flushing cistern for WC 80 mm 6 l / 3 l pneumatic discharge valve offering 2 modes of operation: dual flush or single flush water supply connection from top with push fit flexible hose union with isolation valve 1/2" Inspection shaft incl. protection during construction phase, for vertical flush plates only fixing brackets for mounting of small flush plates please order revision shaft 40 949 000 (sold separately) | | |
|  | 38 422 000 | | 4005176275203 |
|  | Flushing cistern for WC 6 l / 3 l 0.82 m finished installation height front/top actuation water supply from left/right or back Insulated against condensation 415 x 140 x 360 mm fixing brackets without wall plate/actuation GROHE Water Saving - Less water, perfect flow | | |
|  | 38 422 20A | | 4005176771590 |
|  | Flushing cistern for WC 6 l flush 0.82 m finished installation height including WRAS approved filling valve front/top actuation water supply from left/right or back Insulated against condensation 415 x 140 x 360 mm fixing brackets without wall plate/actuation GROHE Water Saving - Less water, perfect flow | | |
|  | 38 691 000 | | 4005176815454 |
|  | Eau2 WC Flushing cistern 0.82 m 6 l / 3 l, Dual Flush water supply from left/right or back with angle stop valve 1/2" and flush pipe fixing brackets min. recommended pressure 0.2 bar air button front/top actuation extended hose length for flexibility when positioning the actuation sleek and minimal styling allows the button to be fitted in any 360° orientation GROHE Water Saving - Less water, perfect flow | | |

GROHE FLUSHING CISTERNS


Ref. No. Colour EAN

39 053 000 4005176935978




Concealed flushing cistern
6 l / 3 l
Dual Flush
water supply from bottom
 min. recommended pressure 0.2 bar
 mechanical round push button actuation Ø 50 mm with Eco button
 mechanical actuation from front, top, left or right
 for walls 18 -24 mm thickness
 bowden cable 0.5 m length
 for more flexibility in push button position
 fixing brackets
 flush pipe
 WC inlet connector
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving - Less water, perfect flow

39 054 000 4005176936289













Concealed flushing cistern
6 l / 3 l
Dual Flush
 min. recommended pressure 0.2 bar
 mechanical round push button actuation Ø 50 mm with Eco button
 mechanical actuation from front, top, left or right
 for walls 18 -24 mm thickness
 bowden cable 0.5 m length
 for more flexibility in push button position
 fixing brackets
 flush pipe
 WC inlet connector
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving - Less water, perfect flow

39 056 000 Chrome 4005176936302












Round push button actuation Ø 50 mm with Eco button
 in combination with bath furniture
 for combination with flushing cistern 39 053 000 & 39 054 000
 for walls 18 -24 mm thickness
GROHE Long-Life Shine durable sparkling sheen













GROHE ACCESSORIES FOR FLUSHING CISTERNS

| | Ref. No. | Colour | EAN |
|---|--|--------------------|---------------|
|   | 37 095 000 | | 4005176145124 |
| | Filling valve 3/8" universal application | | |
| | 37 093 000 | | 4005176145070 |
| | ditto, but with stand pipe for bottom inlet | | |
| | 37 092 000 | | 4005176145049 |
| | ditto, with adaptor | | |
|   | 43 537 000 | | 4005176157653 |
| | Filling valve for concealed flushing cisterns 6 l | | |
|   | 42 181 000 | | 4005176286872 |
| | Filling valve 1/2" made of ABS for use with cistern 37 762 SH0 | | |
|   | 42 297 PI0 | matt chrome/chrome | 4005176832048 |
| | Eco-discharge valve dual flush discharge valve AV1 push button actuation Ø 40 mm with Eco-knob with fixing device for lid GROHE Water Saving - Less water, perfect flow fixing set with 100 mm screws and cellular rubber joint 100 mm dia. | | |
|  | 42 253 000 | | 4005176814532 |
| | Dual Flush discharge valve AV1 pneumatic discharge valve offering 2 modes of operation: dual flush or start/stop including plug seat | | |
|  | 43 907 PI0 | matt chrome/chrome | 4005176177545 |
| | Replace kit set for close-coupled ceramic cisterns with filling valve, servo discharge valve interruptible flush cycle fixing set with 100 mm screws and cellular rubber joint 100 mm dia. centring for filling and discharge valve when having larger bore holes GROHE Long-Life Shine durable sparkling sheen **) max. shortening 100 mm | | |











GROHE ACCESSORIES FOR FLUSHING CISTERNS

| | Ref. No. | Colour | EAN |
|---|------------|--------------------|---------------|
|   | 37 078 PI0 | matt chrome/chrome | 4005176160783 |
| <p>Servo-set retrofit unit for close-coupled flushing cisterns connection from the side with filling valve, servo discharge valve interruptible flush cycle fixing set with 100 mm screws and cellular rubber joint 100 mm dia. centring for filling and discharge valve when having larger bore holes GROHE Long-Life Shine durable sparkling sheen **) max. shortening 100 mm</p> | | | |
|   | 37 088 PI0 | matt chrome/chrome | 4005176149672 |
| <p>Servo discharge valve interruptible flush cycle with short discharge valve housing decide for maintenance opening and complete before installation escutcheon push button for lid holes \varnothing 16 - 35 mm fixing material GROHE Long-Life Shine durable sparkling sheen</p> | | | |
|   | 37 100 SH0 | alpine white | 4005176142093 |
| <p>Flush pipe 390 x 350 mm</p> | | | |
|  | 43 733 000 | | 4005176158926 |
| <p>Membrane filling valve</p> | | | |
|  | 43 758 00M | | 4005176159121 |
| <p>ditto, 10 pieces per set</p> | | | |
|   | 38 735 000 | | 4005176837500 |
| <p>Dual flush valve set dual flush discharge valve AV1 consisting of valve seat 6l/3l adjustable GROHE Water Saving - Less water, perfect flow</p> | | | |

GROHE ACCESSORIES FOR FLUSHING CISTERNS

| | | Ref. No. | Colour | EAN |
|---|---|--|--------|---------------|
|  |  | 38 736 000 | | 4005176837517 |
| | | Dual flush valve set for flushing cistern GD 2 / Rapid SL 1.13 m only 6 l / 3 l dual flush discharge valve AV1 consisting of valve seat without wall plate/actuation | | |
|  |  | 42 320 000 | | 4005176837487 |
| | | Dual Flush discharge valve AV1 AV1 complete with pipe extension 6 l / 3 l without valve seat without actuation | | |
|  |  | 42 314 000 | | 4005176835636 |
| | | Discharge valve AV1 complete pneumatic discharge valve offering 2 modes of operation: dual flush or start/stop including plug seat | | |
|  |  | 42 137 000 | | 4005176259524 |
| | | Servo discharge valve | | |
|  |  | 43 486 000 | | 4005176157158 |
| | | Servo discharge valve interruptible flush cycle without valve seat | | |
|  |  | 42 774 000 | | 4005176221590 |
| | | Dual Flush discharge valve for pneumatic actuation | | |






GROHE ACCESSORIES FOR FLUSHING CISTERNS

| | Ref. No. | Colour | EAN |
|---|--|--------|---------------|
|  | 42 233 000 | Chrome | 4005176300653 |
| | Connecting hose | | |
|   | 43 908 000 | | 4005176160257 |
| | Flush pipe, concealed complete for concealed cisterns with polystyrene insulation and protective cover length 280 mm | | |
|   | 37 311 K00 | black | 4005176160851 |
| | WC inlet and outlet connecting set for wall hung WC connecting pipe 45 mm dia waste sleeve Ø 90 mm 150 mm long 2 chrome finished caps for WC fixing bolts | | |
|   | 37 489 000 | | 4005176167386 |
| | Flush pipe extension length 200 mm | | |
| | 43 352 000 | | 4005176832413 |
| | Ditto, length 300 mm without connector 37 119 000 | | |
|   | 37 104 K00 | black | 4005176160844 |
| | WC inlet and outlet connecting set for wall hung WC connecting pipe 45 mm dia length 200 mm connector 150 mm long | | |
|   | 37 105 K00 | black | 4005176141904 |
| | Flush pipe extension length 300 mm | | |











GROHE ACCESSORIES FOR FLUSHING CISTERNS

| | Ref. No. | Colour | EAN |
|---|------------|--------|---------------|
|   | 37 119 000 | | 4005176144370 |
|   | 42 327 000 | | 4005176838705 |
|   | 42 333 000 | | 4005176845888 |
|   | 37 131 000 | | 4005176144585 |
|  | 43 544 000 | | 4005176157738 |
|  | 42 242 000 | | 4005176804977 |

GROHE ACCESSORIES FOR FLUSHING CISTERNS

| | Ref. No. | Colour | EAN |
|---|---|--------|---------------|
|   | 38 714 000 | | 4005176828454 |
|  | 42 593 000 | | 4005176566417 |
|   | 40 911 000 | | 4005176416132 |
| | 40 950 000 | Chrome | 4005176478994 |
| | ditto, for Rapid SL and Uniset with 0.82 m/1.00 m installation height | | |
| | 40 949 000 | Chrome | 4005176477881 |
| | ditto, for combination with 80 mm cistern | | |

GROHE WC FLUSH VALVES

| | Ref. No. | Colour | EAN |
|--|------------|--------|---------------|
|   | 37 347 000 | Chrome | 4005176837999 |
| <p>Rondo A.S. Flush valve for WC 3/4" brass GROHE Long-Life Shine durable sparkling sheen for wash-down and wash-out bowls control cap and connection to plastic flush pipe with flow rate adjustment 6 l / 3 l with escutcheon flow pressure min 1.2 bar operating pressure max 5 bar low noise (group I acc. to German Noise Specification)</p> | | | |
|   | 37 141 000 | Chrome | 4005176143113 |
| <p>DAL-Full-automatic flush valve for WC 3/4" brass GROHE Long-Life Shine durable sparkling sheen for wash-down and wash-out bowls with automatic flow rate flow pressure range from 1.2 - 5.0 bar low noise (group II according to German noise specification)</p> | | | |
|   | 37 139 000 | Chrome | 4005176143083 |
| <p>DAL-Automatic flush valve for WC 3/4" brass GROHE Long-Life Shine durable sparkling sheen for wash-down and wash-out bowls with flow rate adjustment</p> | | | |
|   | 37 132 000 | Chrome | 4005176144608 |
| <p>Fixing device hidden fixing screws for flush pipes Ø 28 mm for distance to the wall from 15 - 85 mm</p> | | | |
|   | 37 133 000 | | 4005176144622 |
| <p>Inlet adaptor for corner installation 3/4"</p> | | | |


GROHE WC FLUSH VALVES

| | Ref. No. | Colour | EAN |
|--|-------------------|---------------|----------------------|
|   | 37 107 000 | Chrome | 4005176141713 |
| <p>Flush pipe for WC flush valve Ø 28 x 26 mm 600 x 200 mm brass flush pipe fixing device for distance to the wall from 15 - 85 mm connector</p> | | | |
|   | 37 112 000 | | 4005176141911 |
| <p>Flush pipe for flush valves Ø 28 x 26 mm adjustable, 500 - 750 mm brass</p> | | | |
|   | 37 108 000 | Chrome | 4005176141720 |
| <p>Flush pipe for WC flush valve Ø 28 x 26 mm 1000 x 200 mm straight brass without flush pipe fixing device for distance to the wall from 15 - 85 mm connector</p> | | | |
|   | 37 114 000 | Chrome | 4005176141935 |
| <p>Flush pipe extension Ø 28 x 26 mm 260 mm brass</p> | | | |
|   | 37 135 000 | | 4005176144653 |
| <p>Connector Ø 55 mm for flush valve to pedestal WC</p> | | | |
|   | 37 131 000 | | 4005176144585 |
| <p>Set for noise protection for WC sound insulation 2 rubber pipes</p> | | | |

GROHE ELECTRONIC ACTUATIONS FOR WC

Ref. No. Colour EAN

38 698 SD1 stainless steel 4005176929571



Tectron Skate


Infra-red electronic for WC flushing cistern

with infrared sensor for bi-directional communication for monitoring, configuration and servicing with transformer 100-230 V AC, 50-60 Hz, 6 V DC **for flushing cistern GD 2 / Rapid SL 1.13 m only**

servo motor
concealed installation
front plate 156 x 197 mm
infra-red control
7 pre-set programs
auto flush
cleaning mode
pre-flush on/off
additional functions and precise settings
by remote control 36 407
CE approved

for use with Rapid SLX please order shaft 66 791 000 (sold separately)

38 699 001 Chrome 4005176929588



Tectron Surf

Infra-red electronic for WC flushing cistern


with infrared sensor for bi-directional communication for monitoring, configuration and servicing **GROHE Long-Life Shine** durable sparkling sheen with transformer 100-230 V AC, 50-60 Hz, 6 V DC **for flushing cistern GD 2 / Rapid SL 1.13 m only**

servo motor
concealed installation
front plate 156 x 197 mm
infra-red control
7 pre-set programs
auto flush
cleaning mode
pre-flush on/off
additional functions and precise settings
by remote control 36 407
adjustable flush (3 - 9 l) by hand or remote
CE approved

for use with Rapid SLX please order shaft 66 791 000 (sold separately)

37 419 000 Chrome 4005176933806

37 419 SD0 stainless steel 4005176933813



Tectron Skate

Infra-red electronic for WC flushing cistern

with additional manual actuation with infrared sensor for bi-directional communication for monitoring, configuration and servicing with transformer 100-230 V AC, 50-60 Hz, 6 V DC **for flushing cistern GD 2 / Rapid SL 1.13 m only**

servo motor
concealed installation
front plate 156 x 197 mm
7 pre-set programs
auto flush
cleaning mode
pre-flush on/off
additional functions and precise settings
by remote control 36 407
adjustable flush (3 - 9 l) by hand or remote
CE approved

for use with Rapid SLX please order shaft 66 791 000 (sold separately)

GROHE ELECTRONIC ACTUATIONS FOR WC

Ref. No. Colour EAN

37 504 000 Chrome 4005176320521

Tectron Skate Bluetooth
Infra-red electronic for WC
for flushing cistern GD 2 / Rapid SL 1.13 m only
 with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
 with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose
 with additional manual actuation

GROHE Long-Life Shine finish
 front plate 156 x 197 mm
 servo motor

for use with Rapid SLX please order shaft 66 791 000 (sold separately)
 with Bluetooth 4.0* for wireless data communication

for Apple** and Android devices
 Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver

monitoring

password protected products
 app detects all Bluetooth products in range
 auto flush cycles and timing last auto flush
 usage per day over 30 days

configuration

detection range and shut off delay
 auto flush

cleaning mode

2 on/off timers

identification by name

service

send and save 3 profiles

reset to factory or user settings

hard and software version


CE approved

Mobile devices and GROHE IR Remote App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

*** Available for free via iTunes app or Google Play store.



39 881 000 Chrome 4005176706790
 39 881 SH0 alpine white 4005176706806

Tectron Bau E
Infra-red electronic for WC flushing cistern

with infrared sensor for bi-directional communication for monitoring, configuration and servicing

GROHE Long-Life Shine durable sparkling sheen
 with transformer 42 470 000 100-230 V AC 50-60 Hz, 6.75 V 4 W DC
 for new installations and retrofit to all GD2 cisterns

servo motor

concealed installation

front plate 156 x 197 mm

hidden anti-theft device

infra-red control

7 pre-set programs

auto flush

cleaning mode


pre-flush on/off

additional functions and precise settings










by remote control 36 407

adjustable flush (3 - 9 l) by hand or remote





CE approved



GROHE ELECTRONIC ACTUATIONS FOR WC

| | Ref. No. | Colour | EAN |
|---|---|--------------------------------------|--|
|  |  39 881 KF0 | phantom black | 4005176715099 |
| | Tectron Bau E Infra-red electronic for WC flushing cistern with infrared sensor for bi-directional communication for monitoring, configuration and servicing GROHE Long-Life Shine finish with transformer 42 470 000 100-230 V AC 50-60 Hz, 6.75 V 4 W DC for new installations and retrofit to all GD2 cisterns servo motor concealed installation front plate 156 x 197 mm hidden anti-theft device infra-red control 7 pre-set programs auto flush cleaning mode pre-flush on/off additional functions and precise settings by remote control 36 407 adjustable flush (3 - 9 l) by hand or remote CE approved | | |
| |  | | |
|  |  39 882 000 39 882 SH0 | Chrome alpine white | 4005176706813 4005176706820 |
| | Tectron Bau E Infra-red electronic for WC flushing cistern with infrared sensor for bi-directional communication for monitoring, configuration and servicing GROHE Long-Life Shine durable sparkling sheen 6V lithium battery, type CR-P2 for new installations and retrofit to all GD2 cisterns servo motor concealed installation front plate 156 x 197 mm hidden anti-theft device infra-red control 7 pre-set programs auto flush cleaning mode pre-flush on/off additional functions and precise settings by remote control 36 407 adjustable flush (3 - 9 l) by hand or remote CE approved | | |
| |  | | |
|  |  39 882 KF0 | phantom black | 4005176715105 |
| | Tectron Bau E Infra-red electronic for WC flushing cistern with infrared sensor for bi-directional communication for monitoring, configuration and servicing GROHE Long-Life Shine finish 6V lithium battery, type CR-P2 for new installations and retrofit to all GD2 cisterns servo motor concealed installation front plate 156 x 197 mm hidden anti-theft device infra-red control 7 pre-set programs auto flush cleaning mode additional functions and precise settings by remote control 36 407 pre-flush on/off adjustable flush (3 - 9 l) by hand or remote CE approved | | |
| |  | | |

GROHE ELECTRONIC ACTUATIONS FOR WC

| | Ref. No. | Colour | EAN |
|---|---|--------|---------------|
|  | 43 617 000 | | 4005176841163 |
| | <p>Motor support device for Rapid SL 38 675 for the disabled as of mid 2008 or installation of infra-red electronic</p> | | |
|  | 38 778 000 | | 4005176855269 |
| | <p>Radio transmitter for an additional flush plate for manual actuation for WC receiver modul 868,4 MHz for support rails for the disabled with radio transmitter of Hewi, Keuco, Lehnert, Normbau, Pressalit, AMS, Deubad, Erlau, FRELU, FSB for flushing cistern GD 2 / Rapid SL 1.13 m only for flushing cistern 6 l concealed installation servo motor with transformer 100-230 V AC, 50-60 Hz, 6 V DC adjustable flush volume adjustable flow time 72 h flushing can be activated with extension cable, 3.00 m length, for connecting transformer and electronic</p> | | |
|  | 36 340 000 | | 4005176911385 |
| | <p>Power extension cable length 3.00 m</p> | | |
|  | 36 341 000 | | 4005176911392 |
| | <p>Power extension cable length 10.00 m</p> | | |

GROHE ELECTRONIC ACTUATIONS FOR WC


Ref. No.

Colour

EAN

36 407 001

4005176368974



Remote control

for all GROHE one eye infra-red products
as of 06/2015 and GROHE Blue Home until 12/2018

monitoring

consumption and usage data
thermal disinfection cycles (infrared mixers)
auto flush cycles (infrared mixers)
cleaning mode cycles (GROHE Blue Home)
filter and CO₂ capacity (GROHE Blue Home)

configuration


cleaning mode activation
thermal disinfection (infrared mixers)
detection range (infrared mixers)
shut off delay (infrared mixers)
auto flush (infrared mixers)
filter capacity (GROHE Blue Home)

service

send and save profile
reset to factory or user settings
service details
demo mode
error codes (GROHE Blue Home)
3 x 1.5 V DC (AAA) battery supply

GROHE ELECTRONIC ACTUATIONS FOR URINAL

| Ref. No. | Colour | EAN |
|------------|--------|---------------|
| 37 421 000 | Chrome | 4005176935572 |






Tectron Rondo



Infra-red electronic for Urinal



with infrared sensor for bi-directional communication for monitoring, configuration and servicing
6V lithium battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)
metal housing
exposed installation
flow pressure min 0.5 bar
operating pressure max 10 bar
G 1/2
with **integrated stop valve**
flush pipe with rubber connector
multistage battery status display
7 pre-set programs
auto flush
cleaning mode
pre-flush on/off
additional functions and precise settings
by remote control 36 407
adjustable flow time by hand or remote
CE approved

GROHE ELECTRONIC ACTUATIONS FOR URINAL

| | Ref. No. | Colour | EAN |
|--|---|-----------------|---------------|
|  | 37 336 001 | Chrome | 4005176929540 |
| | <p>Tectron Surf Infra-red electronic for Urinal with infrared sensor for bi-directional communication for monitoring, configuration and servicing with transformer 100-230 V AC, 50-60 Hz, 6 V DC cartridge with solenoid valve and dirt strainer front plate 116 x 144 mm flow pressure min 0.5 bar operating pressure max 10 bar infra-red control 7 pre-set programs auto flush cleaning mode pre-flush on/off additional functions and precise settings by remote control 36 407 adjustable flow time by hand or remote compatible with for Rapido U CE approved</p> | | |
|  | 37 337 001 | Chrome | 4005176929557 |
| | <p>Tectron Surf Infra-red electronic for Urinal with infrared sensor for bi-directional communication for monitoring, configuration and servicing 6V lithium battery, type CR-P2 battery lifetime approx. 7 years (150 actuations a day) cartridge with solenoid valve and dirt strainer front plate 116 x 144 mm flow pressure min 0.5 bar operating pressure max 10 bar infra-red control multistage battery status display 7 pre-set programs auto flush cleaning mode pre-flush on/off additional functions and precise settings by remote control 36 407 adjustable flow time by hand or remote compatible with Rapido U or Rapido UMB CE approved</p> | | |
|  | 37 321 001 | Chrome | 4005176929496 |
| | 37 321 SD1 | stainless steel | 4005176929502 |
| <p>Tectron Skate Infra-red electronic for Urinal with infrared sensor for bi-directional communication for monitoring, configuration and servicing with transformer 100-230 V AC, 50-60 Hz, 6 V DC cartridge with solenoid valve and dirt strainer front plate 116 x 144 mm flow pressure min 0.5 bar operating pressure max 10 bar 7 pre-set programs auto flush cleaning mode pre-flush on/off additional functions and precise settings by remote control 36 407 adjustable flow time by hand or remote compatible with for Rapido U CE approved</p> | | | |

GROHE ELECTRONIC ACTUATIONS FOR URINAL


| | Ref. No. | Colour | EAN |
|---|--|-----------------|---------------|
|  | 37 324 001 | Chrome | 4005176929526 |
| | 37 324 SD1 | stainless steel | 4005176929533 |
|  | <p>Tectron Skate Infra-red electronic for Urinal with infrared sensor for bi-directional communication for monitoring, configuration and servicing 6V lithium battery, type CR-P2 battery lifetime approx. 7 years (150 actuations a day) cartridge with solenoid valve and dirt strainer front plate 116 x 144 mm flow pressure min 0.5 bar operating pressure max 10 bar multistage battery status display 7 pre-set programs auto flush cleaning mode pre-flush on/off additional functions and precise settings by remote control 36 407 adjustable flow time by hand or remote compatible with Rapido U or Rapido UMB CE approved</p> | | |

| | | | |
|---|---|--|---------------|
|  | 37 503 000 | Chrome | 4005176320507 |
| |  | <p>Tectron Skate Bluetooth Infra-red electronic for Urinal for Rapido U 37 338 000 with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose GROHE Long-Life Shine finish flow pressure min 0.5 bar operating pressure max 10 bar with Bluetooth 4.0* for wireless data communication Bluetooth transmitter frequency: 2.4 GHz for Apple** and Android devices Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver monitoring password protected products app detects all Bluetooth products in range auto flush cycles and timing last auto flush usage per day over 30 days configuration detection range and shut off delay auto flush cleaning mode 2 on/off timers identification by name service send and save 3 profiles reset to factory or user settings CE approved hard and software version</p> <p>Mobile devices and GROHE IR Remote App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store. * The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners. ** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards *** Available for free via iTunes app or Google Play store.</p> | |

GROHE ELECTRONIC ACTUATIONS FOR URINAL


Ref. No. Colour EAN

37 338 000 4005176837920




GROHE Rapido U
roughing-in set for urinal
for manual actuation or Tectron infra-red electronic 6 V or 230 V
water group with stop valve
flow pressure min 0.5 bar
operating pressure max 10 bar
flush aid
functional unit checked ex factory
water supply connections 1/2" outer thread
connecting box for mains supply
installation box with gasket
fixing points for dry cladding and masonry-in
inspection shaft incl. protection

38 787 000 4005176855689




GROHE Rapido UMB
roughing-in set for urinal
for manual actuation or Tectron infra-red electronic 6 V
water group with stop valve
flow pressure min 0.5 bar
operating pressure max 10 bar
flush aid
functional unit checked ex factory
water supply connections 1/2" outer thread
installation box with gasket
fixing points for dry cladding and masonry-in
inspection shaft incl. protection during construction phase

36 407 001 4005176368974



Remote control
for all GROHE one eye infra-red products
as of 06/2015 and GROHE Blue Home until 12/2018
monitoring
consumption and usage data
thermal disinfection cycles (infrared mixers)
auto flush cycles (infrared mixers)
cleaning mode cycles (GROHE Blue Home)
filter and CO₂ capacity (GROHE Blue Home)
configuration
cleaning mode activation
thermal disinfection (infrared mixers)
detection range (infrared mixers)
shut off delay (infrared mixers)
auto flush (infrared mixers)
filter capacity (GROHE Blue Home)
service
send and save profile
reset to factory or user settings
service details
demo mode
error codes (GROHE Blue Home)
3 x 1.5 V DC (AAA) battery supply

39 368 000 4005176341540




Temperature sensor for urinal
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
39 376 000 Rapid SL required
Waste trap with temperature sensor
cartridge with solenoid valve and dirt strainer
flow pressure min 0.5 bar
operating pressure max 10 bar
7 pre-set programs
auto flush
cleaning mode
pre-flush on/off
CE approved

GROHE ELECTRONIC ACTUATIONS FOR URINAL

Ref. No. Colour EAN


39 367 000 4005176341533



Temperature sensor for urinal
6V lithium battery, type CR-P2
with water connection set and stop valve
Waste trap with temperature sensor
cartridge with solenoid valve and dirt strainer
flow pressure min 0.5 bar
operating pressure max 10 bar
7 pre-set programs
auto flush
cleaning mode
pre-flush on/off
CE approved
only for certain urinal ceramics, check online TPI

39 369 000 4005176341557

Temperature sensor with Bluetooth for urinal
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
39 376 000 Rapid SL required
Waste trap with temperature sensor
cartridge with solenoid valve and dirt strainer
flow pressure min 0.5 bar
operating pressure max 10 bar
with Bluetooth module for bi-directional communication for monitoring,
configuration and service purpose
with Bluetooth 4.0* for wireless data communication
Bluetooth transmitter frequency: 2.4 GHz
Bluetooth range (max. 10 m) varies depending on materials used and walls
between transmitter and receiver
for Apple** and Android devices



monitoring
password protected products
app detects all Bluetooth products in range
auto flush cycles and timing last auto flush
usage per day over 30 days
configuration
shut-off delay
auto flush
cleaning mode
2 on/off timers
identification by name
service
send and save 3 profiles
reset to factory or user settings
hard and software version
CE approved













Mobile devices and GROHE IR Remote App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.







** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

*** Available for free via iTunes app or Google Play store.

GROHE URINAL FLUSH VALVES

| | Ref. No. | Colour | EAN |
|--|------------|--------|---------------|
|   | 37 339 000 | Chrome | 4005176837937 |
| <p>Rondo Flush valve for urinal 1/2" brass integrated stop valve GROHE Long-Life Shine durable sparkling sheen with control cap and flush pipe connection flow rate adjustment flush volume adjustable 1.0 - 4.0 l with wall escutcheon flush pipe 200 mm rubber connector with escutcheon flow pressure min 0.5 bar operating pressure max 5 bar</p> | | | |
|   | 37 396 000 | Chrome | 4005176907968 |
| <p>Press urinal flush valve 1/2" brass GROHE Long-Life Shine durable sparkling sheen with wall escutcheon</p> | | | |
|   | 37 044 000 | | 4005176160776 |
| <p>Urinal inlet connector, 1/2"</p> | | | |
|   | 37 035 000 | Chrome | 4005176143731 |
| <p>Urinal flush pipe Ø 18 mm 200 mm brass chrome plated straight</p> | | | |
|   | 37 037 000 | Chrome | 4005176143762 |
| <p>Urinal flush pipe Ø 18 mm 200 mm brass chrome plated offset 20 mm</p> | | | |
|   | 37 038 000 | Chrome | 4005176143786 |
| <p>ditto, offset 30 mm</p> | | | |

GROHE URINAL FLUSH VALVES

| | Ref. No. | Colour | EAN |
|---|--|--------|---------------|
|   | 37 039 000 | Chrome | 4005176143793 |
| | Urinal flush pipe Ø 18 mm 200 mm brass chrome plated offset 40 mm | | |
| | 37 040 000 | Chrome | 4005176143861 |
| | ditto, offset 50 mm | | |
|   | 37 043 000 | Chrome | 4005176143922 |
| | Urinal flush pipe Ø 18 mm 400 mm brass straight | | |
|   | 37 042 000 | Chrome | 4005176143908 |
| | Flush pipe extension Ø 16 mm 200 mm brass | | |



GROHE
ACTUATIONS






CONTENTS

| | | |
|--------|----------------------------------|-----|
| WC | Flush Plates for WC | 752 |
| | GROHE Fresh | 760 |
| | Flush Plates for WC Flush Valves | 761 |
| Urinal | Flush Plates for Urinal | 762 |

GROHE FLUSH PLATES FOR WC



| Ref. No. | Colour | EAN |
|------------|-----------------------|---------------|
| 37 535 000 | Chrome | 4005176416019 |
| 37 535 P00 | matt chrome | 4005176416026 |
| 37 535 SH0 | alpine white | 4005176416033 |
| 37 535 DC0 | supersteel | 4005176416040 |
| 37 535 BE0 | polished nickel | 4005176431340 |
| 37 535 EN0 | brushed nickel | 4005176431319 |
| 37 535 GL0 | cool sunrise | 4005176431302 |
| 37 535 GN0 | brushed cool sunrise | 4005176431296 |
| 37 535 DA0 | warm sunset | 4005176431333 |
| 37 535 DL0 | brushed warm sunset | 4005176431326 |
| 37 535 A00 | hard graphite | 4005176431364 |
| 37 535 AL0 | brushed hard graphite | 4005176431357 |

Skate Cosmopolitan S

Flush plate

for dual flush or start & stop actuation
for pneumatic drop valve AV1
compatible with Rapid SL/GD2 1.13 m


for vertical installation

130 x 172 mm
made of ABS

GROHE Long-Life Shine durable sparkling sheen

GROHE Water Saving - Less water, perfect flow
flush plate with magnetic holder and fixing brackets included
compatible with Rapid SLX

for use with Rapid SL and Uniset with GD 2 cistern please order shaft 40 911 000 (sold separately)



| | | |
|------------|-----------------------|---------------|
| 37 601 000 | Chrome | 4005176416057 |
| 37 601 P00 | matt chrome | 4005176416064 |
| 37 601 SH0 | alpine white | 4005176416071 |
| 37 601 DC0 | supersteel | 4005176416088 |
| 37 601 BE0 | polished nickel | 4005176529009 |
| 37 601 EN0 | brushed nickel | 4005176529047 |
| 37 601 GL0 | cool sunrise | 4005176524271 |
| 37 601 GN0 | brushed cool sunrise | 4005176529016 |
| 37 601 DA0 | warm sunset | 4005176524288 |
| 37 601 DL0 | brushed warm sunset | 4005176529023 |
| 37 601 A00 | hard graphite | 4005176528996 |
| 37 601 AL0 | brushed hard graphite | 4005176529030 |

Nova Cosmopolitan S

Flush plate

for dual flush or start & stop actuation
for pneumatic drop valve AV1
compatible with Rapid SL/GD2 1.13 m

for vertical installation









130 x 172 mm
made of ABS

GROHE Long-Life Shine durable sparkling sheen









GROHE Water Saving - Less water, perfect flow
flush plate with magnetic holder and fixing brackets included
compatible with Rapid SLX

for use with Rapid SL and Uniset with GD 2 cistern please order shaft 40 911 000 (sold separately)









GROHE FLUSH PLATES FOR WC

| | Ref. No. | Colour | EAN | |
|--|--|----------------------|---------------|--|
|   | 37 624 000 | Chrome | 4005176416095 | |
| | 37 624 P00 | matt chrome | 4005176416101 | |
| | 37 624 SH0 | alpine white | 4005176416118 | |
| | 37 624 DC0 | supersteel | 4005176416125 | |
| | 37 624 BE0 | polished nickel | 4005176529085 | |
| | 37 624 EN0 | brushed nickel | 4005176529122 | |
| | 37 624 GL0 | cool sunrise | 4005176529054 | |
| | 37 624 GN0 | brushed cool sunrise | 4005176529092 | |
| | 37 624 DA0 | warm sunset | 4005176529061 | |
| | 37 624 DL0 | brushed warm sunset | 4005176529108 | |
| | 37 624 A00 | hard graphite | 4005176529078 | |
| 37 624 AL0 | brushed hard graphite | 4005176529115 | | |
| Arena Cosmopolitan S Flush plate for dual flush or start & stop actuation for pneumatic drop valve AV1 compatible with Rapid SL/GD2 1.13 m for vertical installation 130 x 172 mm made of ABS GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving - Less water, perfect flow flush plate with magnetic holder and fixing brackets included compatible with Rapid SLX for use with Rapid SL and Uniset with GD 2 cistern please order shaft 40 911 000 (sold separately) colours BE and EN available until 31 March 2023 | | | | |
|   | 37 973 000 | Chrome | 4005176479021 | |
| | 37 973 DC0 | supersteel | 4005176479052 | |
| | 37 973 SH0 | alpine white | 4005176479038 | |
| | 37 973 P00 | matt chrome | 4005176479045 | |
| | Arena Cosmopolitan S Flush plate for dual flush or start & stop actuation for pneumatic drop valve AV1 compatible with Rapid SL/GD2 1.13 m for horizontal installation 130 x 172 mm made of ABS GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving - Less water, perfect flow flush plate with magnetic holder and fixing brackets included for use with Rapid SL and Uniset 0.82 m installation height please order shaft 40 950 000 (sold separately) | | | |
|   | 37 965 000 | Chrome | 4005176442506 | |
| | Skate Air S Flush plate for dual flush or start & stop actuation for pneumatic drop valve AV1 compatible with Rapid SL/GD2 1.13 m for vertical installation 130 x 172 mm made of ABS GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving - Less water, perfect flow flush plate with magnetic holder and fixing brackets included compatible with Rapid SLX for use with Rapid SL and Uniset with GD 2 cistern please order shaft 40 911 000 (sold separately) | | | |
| | | | | |
|   | 40 911 000 | | 4005176416132 | |
| | Inspection shaft for small flush plates for combination with Rapid SL 1.13 m with GD 2 cistern | | | |
| | 40 950 000 | Chrome | 4005176478994 | |
| ditto, for Rapid SL and Uniset with 0.82 m/1.00 m installation height | | | | |
| | 40 949 000 | Chrome | 4005176477881 | |
| ditto, for combination with 80 mm cistern | | | | |









GROHE FLUSH PLATES FOR WC

| | Ref. No. | Colour | EAN |
|---|--|---|---------------|
|  | 38 915 KS0 | velvet black | 4005176897108 |
| | 38 915 LS0 | moon white | 4005176897115 |
|  | <p>Veris Light Flush plate for dual flush or start & stop actuation for SoftTouch flushing activation external highlighted outline with LEDs in blue, red, yellow, green colour gradient adjustable on/off timer for individual regulation of illuminating period 3 m connecting cable transformer for external installation servo motor 110 V to 240 V 50/60 Hz broad range power supply 9 VA CE approved with function check lamps for GD 2 cisterns with pneumatic discharge valve AV1 200 x 200 mm made of security glass GROHE Water Saving - Less water, perfect flow not suitable for GROHE Fresh</p> | | |
|  | 38 809 000 | Chrome | 4005176864681 |
| |  | <p>Nova Cosmopolitan Light Flush plate for dual flush or start & stop actuation external highlighted outline with LEDs in blue, red, yellow, green colour gradient adjustable, on/off button timer for individual regulation of illuminating period 3 m connecting cable transformer for external installation supply voltage 230 V AC, 50/60 Hz, 2.0 VA this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A+ CE approved for pneumatic drop valve AV1 for vertical and horizontal installation GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving - Less water, perfect flow for combination with Rapid SL 1.13 m with GD 2 cistern for use with Rapid SLX please order shaft 66 791 000 (sold separately)</p> | |
|  | 38 765 000 | Chrome | 4005176846830 |
| | 38 765 SH0 | alpine white | 4005176846854 |
| | 38 765 P00 | matt chrome | 4005176846847 |
|  | <p>Nova Cosmopolitan Flush plate for dual flush or start & stop actuation for pneumatic drop valve AV1 for vertical and horizontal installation GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving - Less water, perfect flow for combination with Rapid SL 1.13 m with GD 2 cistern for use with Rapid SLX please order shaft 66 791 000 (sold separately)</p> | | |
|  | 38 845 LS0 | moon white | 4005176878336 |
| | 38 845 KS0 | velvet black | 4005176878343 |
| | 38 845 MF0 | chrome/ daVinci satin | 4005176878619 |
|  | <p>Skate Cosmopolitan Flush plate for dual flush or start & stop actuation for pneumatic drop valve AV1 for vertical and horizontal installation 156 x 197 mm made of security glass mounting-set GROHE Water Saving - Less water, perfect flow for combination with Rapid SL 1.13 m with GD 2 cistern for use with Rapid SLX please order shaft 66 791 000 (sold separately)</p> | | |

GROHE FLUSH PLATES FOR WC

| | Ref. No. | Colour | EAN |
|---|---|------------------------|----------------------|
|   | 38 916 0A0 | mirror glass | 4005176896941 |
| | Skate Cosmopolitan Flush plate for dual flush or start & stop actuation for pneumatic drop valve AV1 for vertical and horizontal installation 156 x 197 mm made of security glass mounting-set GROHE Water Saving - Less water, perfect flow for combination with Rapid SL 1.13 m with GD 2 cistern for use with Rapid SLX please order shaft 66 791 000 (sold separately) | | |
|   | 38 957 000 | Chrome | 4005176914409 |
| | Mounting set for wall-aligned installation of Skate Cosmopolitan with glass surface for GD 2 and flushing cistern 80 mm plastic mounting frame, chrome plated minimum 8 mm tile thickness protection plate dismantling tool for wall plate | | |
|   | 38 821 000 | Chrome | 4005176868986 |
| | Skate Cosmopolitan Flush plate for dual flush or start & stop actuation vandal-proof for pneumatic drop valve AV1 for vertical installation made of metal GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving - Less water, perfect flow for combination with Rapid SL 1.13 m with GD 2 cistern for use with Rapid SLX please order shaft 66 791 000 (sold separately) | | |
|   | 38 732 SD0 | stainless steel | 4005176847691 |
| | Skate Cosmopolitan Wall plate, stainless steel for dual flush or start & stop actuation for pneumatic drop valve AV1 for vertical installation plastic fixing frame hidden fixing screws not suitable for GROHE Fresh GROHE Long-Life Shine finish GROHE Water Saving - Less water, perfect flow for combination with Rapid SL 1.13 m with GD 2 cistern for use with Rapid SLX please order shaft 66 791 000 (sold separately) | | |
| | 38 776 SD0 | stainless steel | 4005176853555 |
| | ditto, horizontal installation | | |













GROHE FLUSH PLATES FOR WC

| | Ref. No. | Colour | EAN | | | |
|---|--|---|--|---------------|---------------|--|
|   | 38 732 000 | Chrome | 4005176836114 | | | |
| | 38 732 DC0 | supersteel | 4005176431371 | | | |
| | 38 732 SH0 | alpine white | 4005176836138 | | | |
| | 38 732 P00 | matt chrome | 4005176836121 | | | |
| | 38 732 BE0 | polished nickel | 4005176427749 | | | |
| | 38 732 EN0 | brushed nickel | 4005176427756 | | | |
| | 38 732 GL0 | cool sunrise | 4005176339103 | | | |
| | 38 732 GN0 | brushed cool sunrise | 4005176427725 | | | |
| | 38 732 DA0 | warm sunset | 4005176339097 | | | |
| | 38 732 DL0 | brushed warm sunset | 4005176427732 | | | |
| | 38 732 A00 | hard graphite | 4005176339110 | | | |
| | 38 732 AL0 | brushed hard graphite | 4005176339127 | | | |
| | Skate Cosmopolitan Flush plate for dual flush or start & stop actuation for pneumatic drop valve AV1 for vertical and horizontal installation GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving - Less water, perfect flow for combination with Rapid SL 1.13 m with GD 2 cistern for use with Rapid SLX please order shaft 66 791 000 (sold separately) | | | | | |
| | 38 732 BR0 | titanium | 4005176873676 | | | |
| ditto, with anti-fingerprint surface | | | | | | |
|   | 38 732 KF0 | phantom black | 4005176784125 | | | |
| | Skate Cosmopolitan Flush plate for dual flush or start & stop actuation for pneumatic drop valve AV1 for vertical and horizontal installation GROHE Long-Life Shine finish GROHE Water Saving - Less water, perfect flow for combination with Rapid SL 1.13 m with GD 2 cistern for use with Rapid SLX please order shaft 66 791 000 (sold separately) | | | | | |
| | 38 844 000 Chrome 4005176874963 38 844 SH0 alpine white 4005176874970 38 844 P00 matt chrome 4005176875687 | | | | | |
| |   | Arena Cosmopolitan Flush plate for dual flush or start & stop actuation for pneumatic drop valve AV1 for vertical installation GROHE Water Saving - Less water, perfect flow GROHE Long-Life Shine durable sparkling sheen for combination with Rapid SL 1.13 m with GD 2 cistern for use with Rapid SLX please order shaft 66 791 000 (sold separately) | | | | |
| | | 38 858 000 | Chrome | 4005176876714 | | |
| | | 38 858 P00 | matt chrome | 4005176876721 | | |
| | | 38 858 SH0 | alpine white | 4005176876738 | | |
| | | ditto, horizontal installation | | | | |
| | |   | 38 505 000 | Chrome | 4005176290053 | |
| | | | 38 505 SH0 | alpine white | 4005176290046 | |
| | | | 38 505 P00 | matt chrome | 4005176290060 | |
| | | | Skate Air Flush plate for dual flush or start & stop actuation for pneumatic drop valve AV1 for vertical installation GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving - Less water, perfect flow for combination with Rapid SL 1.13 m with GD 2 cistern for use with Rapid SLX please order shaft 66 791 000 (sold separately) | | | |
| | | | 38 506 000 | Chrome | 4005176290121 | |
| 38 506 SH0 | | | alpine white | 4005176290114 | | |
| 38 506 P00 | | | matt chrome | 4005176290138 | | |
| ditto, horizontal installation | | | | | | |










GROHE FLUSH PLATES FOR WC

| | | Ref. No. | Colour | EAN |
|---|---|---|--|--|
|  |  | 38 505 KF0 | phantom black | 4005176784132 |
| | | Skate Air Flush plate for dual flush or start & stop actuation for pneumatic drop valve for vertical installation 156 x 197 mm made of ABS GROHE Long-Life Shine finish GROHE Water Saving - Less water, perfect flow for combination with Rapid SL 1.13 m with GD 2 cistern for use with Rapid SLX please order shaft 66 791 000 (sold separately) | | |
|  |  | 38 862 000 38 862 SH0 38 862 P00 | Chrome alpine white matt chrome | 4005176832314 4005176832338 4005176832321 |
| | | Skate Flush plate for dual flush or start & stop actuation for pneumatic drop valve AV1 for vertical and horizontal installation GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving - Less water, perfect flow for combination with Rapid SL 1.13 m with GD 2 cistern for use with Rapid SLX please order shaft 66 791 000 (sold separately) | | |
|  |  | 38 862 SD0 | stainless steel | 4005176834721 |
| | | Skate Flush plate for dual flush or start & stop actuation for pneumatic drop valve AV1 for vertical installation 156 x 197 mm material: stainless steel GROHE Water Saving - Less water, perfect flow for combination with Rapid SL 1.13 m with GD 2 cistern for use with Rapid SLX please order shaft 66 791 000 (sold separately) | | |
|  |  | 38 861 000 | Chrome | 4005176832284 |
| | | Surf Flush plate for dual flush or start & stop actuation for pneumatic drop valve AV1 for vertical and horizontal installation GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving - Less water, perfect flow for combination with Rapid SL 1.13 m with GD 2 cistern for use with Rapid SLX please order shaft 66 791 000 (sold separately) | | |

GROHE FLUSH PLATES FOR WC


| | Ref. No. | Colour | EAN |
|---|--|-----------------|---------------|
|  | 38 564 000 | Chrome | 4005176291784 |
| | 38 564 SH0 | alpine white | 4005176291777 |
|  | Skate Air Flush plate for single flush actuation for pneumatic drop valve for vertical installation GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving - Less water, perfect flow | | |
| | 38 565 000 | Chrome | 4005176291845 |
| | ditto, horizontal installation | | |
|  | 38 573 000 | Chrome | 4005176292316 |
| | 38 573 SH0 | alpine white | 4005176292309 |
|  | Skate Flush plate for single flush actuation for pneumatic drop valve for vertical and horizontal installation GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving - Less water, perfect flow | | |
|  | 38 672 SD0 | stainless steel | 4005176296468 |
| | | | |
|  | Skate Wall plate, stainless steel for single flush actuation vandal-proof for pneumatic drop valve for vertical installation 156 x 197 mm GROHE Water Saving - Less water, perfect flow | | |
|  | 38 574 000 | Chrome | 4005176292385 |
| | | | |
|  | Surf Flush plate for single flush actuation for pneumatic drop valve for vertical and horizontal installation GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving - Less water, perfect flow | | |
|  | 37 059 000 | Chrome | 4005176142857 |
| | | | |
|  | Surf Air button GROHE Long-Life Shine durable sparkling sheen made of ABS escutcheon 100 mm dia wall plate Surf 156 x 197 mm | | |
|  | 37 060 000 | Chrome | 4005176142901 |
| | | | |
|  | Air button GROHE Long-Life Shine durable sparkling sheen made of ABS escutcheon 100 mm dia pneumatic hose 1500 mm long for use with Adagio cistern 37 762 SH / 37 945 SH comes with nipple adaptor 42267 | | |

GROHE FLUSH PLATES FOR WC

| | Ref. No. | Colour | EAN |
|---|---|--------|---------------|
|  | 38 488 000 | Chrome | 4005176289866 |
| | <p>Air button with 750 mm air hose for panel thickness up to 30 mm for use with Adagio cistern 37 762 SH / 37 945 SH GROHE Long-Life Shine finish</p> | | |
|  | 38 496 000 | Chrome | 4005176289958 |
|  | <p>Air button air button 63 mm dia. with 750 mm air hose for panel thickness up to 30 mm only for use with a removable shelf / panel chrome plated brass for use with Adagio cistern 37 762 SH / 37 945 SH GROHE Long-Life Shine finish</p> | | |
|  | 38 771 000 | Chrome | 4005176848551 |
|  | <p>Pneumatic push button actuation for dual flush or start & stop actuation Ø 48 mm in combination with bath furniture for material thickness from 18 -24 mm with 600 mm air hose GROHE Long-Life Shine durable sparkling sheen</p> | | |
|  | 37 761 000 | Chrome | 4005176213243 |
|  | <p>Air button GROHE Long-Life Shine durable sparkling sheen for use with Adagio cistern 37 762 SH / 37 945 SH</p> | | |
|  | 38 714 000 | | 4005176828454 |
|  | <p>WC wall plate extension set 70 mm with pneumatic discharge valve</p> | | |



GROHE FRESH

Ref. No. Colour EAN



38 805 000 **Chrome** **4005176865596**

Skate Cosmopolitan Set Fresh
Flush plate
 for dual flush or start & stop actuation
 with **GROHE Fresh**
 fixing frame with opening function
 for chlorine-free tablets only
 for pneumatic drop valve AV1
for vertical and horizontal installation
GROHE Long-Life Shine durable sparkling sheen
GROHE Water Saving - Less water, perfect flow
 for combination with Rapid SL 1.13 m with GD 2 cistern
 for use with Rapid SLX please order shaft 66 791 000 (sold separately)



38 796 000 **4005176857034**

GROHE Fresh
Dual flush valve set
 for GROHE flushing cistern GD 2 with pneumatic
 discharge valve and regular inspection shaft
not suitable for flush plates with
wood or glass or metal surface or new small flush plates
 fixing frame with opening function
 for chlorine-free tablets only
 for all GROHE wall plates
 156 x 197 mm











38 882 000 **4005176879197**

GROHE Fresh
Tabs
 2 x 50 g WC-Tablets
 every flush creates foam which cleans the toilet
 fragrance ensures long-lasting freshness
 protects against re-pollution and maintains long term cleanliness
 reduces limescale and ensures radiant purity in the toilet
 true feeling of freshness
 This product is a hazardous substance. Find more information in the safety data
 sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/





GROHE FLUSH PLATES FOR WC FLUSH VALVES

| | | Ref. No. | Colour | EAN |
|--|---|--|---------------------------------------|---|
|  |  | 37 547 000 37 547 P00 37 547 SH0 | Chrome matt chrome alpine white | 4005176189425 4005176189449 4005176189418 |
| <p>Skate Flush plate for vertical installation 156 x 197 mm manual activation push button actuation made of ABS GROHE Long-Life Shine durable sparkling sheen</p> | | | | |
|  |  | 38 445 SD0 | stainless steel | 4005176282850 |
| <p>Skate Wall plate, stainless steel for vertical installation 156 x 197 mm push button actuation plastic fixing frame hidden fixing screws</p> | | | | |
|  |  | 37 063 000 37 063 SH0 | Chrome alpine white | 4005176142185 4005176142307 |
| <p>Surf Flush plate 156 x 197 mm manual activation push button actuation made of ABS GROHE Long-Life Shine durable sparkling sheen</p> | | | | |
|  |  | 37 069 000 | Chrome | 4005176142352 |
| <p>Surf Flush plate for vertical installation 156 x 197 mm for concealed flush valve 6 - 9 l brass push button actuation fixing frame hidden fixing screws GROHE Long-Life Shine durable sparkling sheen</p> | | | | |

GROHE FLUSH PLATES FOR URINAL

| | Ref. No. | Colour | EAN |
|---|---|-----------------|---------------|
|  | 38 846 LS0 | moon white | 4005176878367 |
| | 38 846 KS0 | velvet black | 4005176878268 |
|  | <p>Skate Cosmopolitan Actuation plate with glass surface made of security glass manual activation for urinal plastic actuation button, chrome plated compatible with Rapido U or Rapido UMB fixing frame with mounting-set 116 x 144 mm mechanical functional cartridge flow pressure min 0.5 bar operating pressure max 6 bar 1.0 - 6.0 adjustable</p> | | |
|  | 38 784 000 | Chrome | 4005176855535 |
| | 38 784 SH0 | alpine white | 4005176855559 |
| | 38 784 P00 | matt chrome | 4005176855542 |
|  | <p>Skate Cosmopolitan Actuation plate manual activation for urinal compatible with Rapido U or Rapido UMB 116 x 144 mm mechanical functional cartridge flow pressure min 0.5 bar operating pressure max 6 bar 1.0 - 6.0 adjustable GROHE Long-Life Shine durable sparkling sheen</p> | | |
|  | 38 784 SD0 | stainless steel | 4005176877407 |
| | <p>Skate Cosmopolitan Wall plate, stainless steel manual activation for urinal compatible with Rapido U or Rapido UMB 116 x 144 mm mechanical functional cartridge flow pressure min 0.5 bar operating pressure max 6 bar 1.0 - 6.0 adjustable low noise (group II according to German noise specification) plastic fixing frame hidden fixing screws</p> | | |
|  | | | |
|  | 38 804 000 | Chrome | 4005176861512 |
| | 38 804 SH0 | alpine white | 4005176861529 |
| | 38 804 P00 | matt chrome | 4005176861536 |
|  | <p>Nova Cosmopolitan Actuation plate manual activation for urinal compatible with Rapido U or Rapido UMB 116 x 144 mm mechanical functional cartridge flow pressure min 0.5 bar operating pressure max 6 bar 1.0 - 6.0 adjustable GROHE Long-Life Shine durable sparkling sheen</p> | | |

GROHE FLUSH PLATES FOR URINAL

| | Ref. No. | Colour | EAN |
|---|--|--------------|---------------|
|  | 38 857 000 | Chrome | 4005176875694 |
| | 38 857 SH0 | alpine white | 4005176875793 |
| | 38 857 P00 | matt chrome | 4005176875663 |
|  | <p>Arena Cosmopolitan Actuation plate manual activation for urinal compatible with Rapido U or Rapido UMB 116 x 144 mm mechanical functional cartridge flow pressure min 0.5 bar operating pressure max 6 bar 1.0 - 6.0 adjustable GROHE Long-Life Shine durable sparkling sheen</p> | | |
|  | 38 808 000 | Chrome | 4005176864056 |
| | 38 808 SH0 | alpine white | 4005176864070 |
| | 38 808 P00 | matt chrome | 4005176864063 |
|  | <p>Surf Actuation plate manual activation for urinal compatible with Rapido U or Rapido UMB 116 x 144 mm mechanical functional cartridge flow pressure min 0.5 bar operating pressure max 6 bar 1.0 - 6.0 adjustable GROHE Long-Life Shine durable sparkling sheen</p> | | |

GROHE
CONNECTION AND SECURITY TECHNOLOGY





CONTENTS

Angle Valves

766

WAS valves

770











Safety Systems

771













GROHE ANGLE VALVES

| | Ref. No. | Colour | EAN |
|--|------------|---------------|---------------|
|   | 22 043 000 | Chrome | 4005176305597 |
| <p>Angle valve 1/2" self-sealing connection thread wall connection 1/2" outlet 1/2" water protected spindle shutoff, brass, with grease chamber and double o-ring sealing long connecting shaft ergonomic metal handle marking: neutral metal push-on escutcheon Ø 55 mm GROHE Long-Life Shine finish</p> | | | |
|   | 22 037 000 | Chrome | 4005176305535 |
| <p>Angle valve 1/2" pre-roughened connection thread for easy sealing wall connection 1/2" outlet thread 3/8" with length compensation with compression nut Ø 10 mm water protected spindle shutoff, brass, with grease chamber and double o-ring sealing long connecting shaft ergonomic metal handle marking: neutral metal push-on escutcheon Ø 55 mm GROHE Long-Life Shine finish</p> | | | |
|   | 22 074 KF0 | phantom black | 4005176782640 |
| <p>Angle valve 1/2" pre-roughened connection thread for easy sealing wall connection 1/2" outlet thread 3/8" with length compensation with compression nut Ø 10 mm water protected spindle shutoff, brass, with grease chamber and double o-ring sealing long connecting shaft ergonomic metal handle marking: neutral metal push-on escutcheon Ø 55 mm GROHE Long-Life Shine finish</p> | | | |
|   | 22 046 000 | Chrome | 4005176305627 |
| <p>Angle valve 1/2" pre-roughened connection thread for easy sealing wall connection 1/2" outlet 1/2" water protected spindle shutoff, brass, with grease chamber and double o-ring sealing long connecting shaft ergonomic metal handle marking: neutral metal push-on escutcheon Ø 55 mm blister packaging GROHE Long-Life Shine finish</p> | | | |
|   | 22 023 000 | Chrome | 4005176305405 |
| <p>Angle valve 1/2" self-sealing connection thread wall connection 1/2" outlet thread 3/8" with length compensation with compression nut Ø 10 mm water protected spindle shutoff, brass, with grease chamber and double o-ring sealing ergonomic handle marking: neutral metal push-on escutcheon Ø 55 mm GROHE Long-Life Shine finish</p> | | | |



GROHE ANGLE VALVES

| | Ref. No. | Colour | EAN |
|---|---|--------|---------------|
|   | 22 018 000 | Chrome | 4005176305382 |
| | <p>Angle valve 1/2" pre-roughened connection thread for easy sealing wall connection 1/2" outlet thread 3/8" with length compensation with compression nut Ø 10 mm water protected spindle shutoff, brass, with grease chamber and double o-ring sealing ergonomic handle marking: neutral metal push-on escutcheon Ø 55 mm GROHE Long-Life Shine finish</p> | | |
|   | 22 029 000 | Chrome | 4005176305467 |
| | <p>Angle valve 1/2" pre-roughened connection thread for easy sealing wall connection 1/2" outlet thread 3/8" with length compensation with compression nut Ø 10 mm water protected spindle shutoff, brass, with grease chamber and double o-ring sealing ergonomic handle marking: neutral metal push-on escutcheon Ø 55 mm blister packaging GROHE Long-Life Shine finish</p> | | |
|   | 22 032 000 | Chrome | 4005176305481 |
| | <p>Angle valve 1/2" pre-roughened connection thread for easy sealing wall connection 1/2" outlet 1/2" water protected spindle shutoff, brass, with grease chamber and double o-ring sealing ergonomic handle marking: neutral metal push-on escutcheon Ø 55 mm blister packaging GROHE Long-Life Shine finish</p> | | |
|   | 22 053 000 | Chrome | 4005176349027 |
| | <p>Angle valve 3/8" pre-roughened connection thread for easy sealing wall connection 3/8" outlet thread 3/8" with length compensation with compression nut Ø 10 mm water protected spindle shutoff, brass, with grease chamber and double o-ring sealing long connecting shaft ergonomic handle marking: neutral metal push-on escutcheon Ø 55 mm</p> | | |
|   | 22 017 00M | Chrome | 4005176940613 |
| | <p>Universal angle valve 1/2" with compression coupling 3/8" for copper pipe Ø 10 mm plastic handle marking: neutral screw escutcheon metal GROHE Long-Life Shine finish sales unit 10 pieces</p> | | |

GROHE ANGLE VALVES

| | Ref. No. | Colour | EAN |
|---|--|---|---|
|   | 22 016 00M | Chrome | 4005176940606 |
|   | 22 939 000 | Chrome | 4005176829369 |
|   | 22 940 000 | Chrome | 4005176829376 |
|   | 22 958 00M | Chrome | 4005176034237 |
|   | 22 917 000 | Chrome | 4005176501388 |
|   | 22 012 000 22 012 DC0 22 012 AL0 | Chrome supersteel brushed hard graphite | 4005176906343 4005176525742 4005176585944 |


GROHE ANGLE VALVES

| | Ref. No. | Colour | EAN |
|---|-------------------|---------------|----------------------|
|  | 22 013 000 | Chrome | 4005176909689 |
|  | | | |

Eurocube
Angle valve 1/2"
wall connection 1/2"
outlet 1/2"
cartridge headpart
metal handle
marking: neutral
metal push-on escutcheon


GROHE WAS VALVES

| Ref. No. | Colour | EAN |
|------------|--------|---------------|
| 22 035 000 | Chrome | 4005176305511 |




Original WAS combination service valve 1/2"
 pre-roughened connection thread for easy sealing
 wall connection 1/2"
 outlet thread 3/8"
 with length compensation
 with compression nut Ø 10 mm
 outlet 3/4"
 with hose connection
 grease chamber headpart
 non-return valve type EB
 long connecting shaft
 ergonomic handle
 marking: neutral
 metal push-on escutcheon Ø 55 mm
 for combination with pipe ventilating valve type HB 41 239 000

| | | |
|------------|--------|---------------|
| 22 033 000 | Chrome | 4005176305498 |
|------------|--------|---------------|




Original WAS combination service valve 3/8"
 wall connection 3/8"
 outlet thread 3/8"
 with length compensation
 with compression nut Ø 10 mm
 outlet 3/4"
 with hose connection
 grease chamber headpart
 non-return valve type EB
 long connecting shaft
 ergonomic handles
 marking: neutral
 metal push-on escutcheon Ø 55 mm
 for combination with pipe ventilating valve type HB 41 239 000

| | | |
|------------|--------|---------------|
| 41 007 000 | Chrome | 4005176281815 |
|------------|--------|---------------|



Eggemann
Original WAS T-piece 3/8"
 for service valve
 with compression nut
GROHE Long-Life Shine durable sparkling sheen

GROHE SAFETY SYSTEMS



| Ref. No. | Colour | EAN |
|------------|--------|---------------|
| 41 275 000 | Chrome | 4005176280481 |

Original WAS inclined filter 3/4"
suitable for cold and warm water up to + 80 C
transparent cap
mesh width 315 µm
stainless steel filter insert
GROHE Long-Life Shine durable sparkling sheen

GROHE
SPARE PARTS






CONTENTS

| | |
|---|-----|
| Cartridges | 774 |
| Thermo elements and thermostatic cartridges | 776 |
| Aquadimmer | 779 |
| Head parts | 780 |
| Spare parts for two-handle taps | 783 |
| Extension sets | 784 |
| Unions | 785 |
| Outlets and spouts | 786 |
| Flow straighteners | 787 |
| Waste sets and traps | 789 |
| Connections and non-return valves | 792 |
| Spare parts for electronics | 793 |
| Diverter | 794 |
| Hoses | 795 |
| Spare parts for kitchen taps | 796 |
| Spare parts for showers | 797 |
| Miscellaneous | 799 |
| Special tools | 800 |
| Cleaning and care | 801 |
| Spare parts for sanitary systems | 802 |
| Spare parts for shower toilet | 804 |
| Spare parts for Ceramics | 805 |




GROHE CARTRIDGES

| | Ref. No. | Colour | EAN |
|---|--|--------|---------------|
|  | 46 580 000 | | 4005176831867 |
| | <p>Cartridge 28 mm GROHE SilkMove with ceramic sealing system with temperature limiter for all single lever mixers</p> | | |
|  | 46 374 000 | | 4005176169076 |
| | <p>Cartridge 35 mm GROHE SilkMove with ceramic sealing system with temperature limiter adjustable flow rate limiter for all single lever mixers</p> | | |
|  | 46 048 000 | | 4005176008283 |
| | <p>Cartridge GROHE SilkMove adjustable flow rate limiter for all single lever mixers</p> | | |
|  | 46 386 000 | | 4005176169410 |
| | <p>Cartridge GROHE SilkMove</p> | | |
|  | 46 278 000 | | 4005176131868 |
| | <p>Ceramic cartridge for Euroeco special mixer</p> | | |
|  | 46 308 000 | | 4005176131769 |
| | <p>Temperature limiter for cartridge 46 048 000 please see possible utilisation in current Technical Product Information and spare part documentation in print/online media</p> | | |







GROHE CARTRIDGES

| | Ref. No. | Colour | EAN |
|---|---|--------|---------------|
|  | 46 375 000 | | 4005176169083 |
| | Temperature limiter for 35 mm cartridge 46 374 000 please see possible utilisation in current Technical Product Information and spare part documentation in print/online media | | |
|  | 48 359 000 | | 4005176442810 |
| | Cartridge for SmartControl concealed push button including fastening nut and fitting template including extension and spindle from extension set 14 048 000 | | |
|  | 07 000 000 | | 4005176016899 |
| | Cartridge from 1974 for Euromix and Ladylux | | |
|  | 42 383 000 | Chrome | 4005176903281 |
| | Cartridge for Euroeco Cosmopolitan T self-closing valves 1/2": pillar tap, wall mounted, exposed shower marking: blue/red GROHE Long-Life Shine durable sparkling sheen 3 adjustable flow times: short - medium - long (factory setting: short), approx. 7, 15, 30 sec (pressure dependent) | | |
|  | 42 384 000 | Chrome | 4005176903298 |
| | Cartridge for Euroeco Cosmopolitan T self-closing gate valve 1/2" marking: blue/red GROHE Long-Life Shine durable sparkling sheen 3 adjustable flow times: short - medium - long (factory setting: medium), approx. 7, 15, 30 sec (pressure dependent) | | |

GROHE THERMO ELEMENTS AND THERMOSTATIC CARTRIDGES

| | Ref. No. | Colour | EAN |
|---|------------|--------|---------------|
|  | 47 450 000 | | 4005176076190 |
| | 47 282 000 | | 4005176061592 |
|  | 47 310 000 | | 4005176079238 |
|  | 47 349 000 | | 4005176141461 |
|  | 47 217 000 | | 4005176241246 |
|  | 47 220 000 | | 4005176241253 |
|  | 47 111 000 | | 4005176009921 |

GROHE THERMO ELEMENTS AND THERMOSTATIC CARTRIDGES

| | Ref. No. | Colour | EAN |
|---|--|--------|---------------|
|  | 47 025 000 | | 4005176009549 |
| | Wax thermo-element-cartridge wax element for Grohmix Thermostat | | |
|  | 47 532 000 | | 4005176206795 |
| | Thermostatic cartridge | | |
|  | 00 798 000 | Chrome | 4005176229008 |
| | Wax thermo-element | | |
|  | 47 598 000 | | 4005176229169 |
| | Control unit | | |
|  | 47 600 000 | | 4005176228995 |
| | Control unit | | |
|  | 47 439 000 | | 4005176811975 |
| | Thermostatic compact cartridge 1/2" GROHE TurboStat compact cartridge with wax thermoelement | | |
| | 47 175 000 | | 4005176803895 |
| | ditto, for reverse waterways, 1/2" | | |







GROHE THERMO ELEMENTS AND THERMOSTATIC CARTRIDGES

| | Ref. No. | Colour | EAN |
|---|--|--------|---------------|
|  | 47 885 000 | | 4005176924729 |
| | Thermostatic compact cartridge 1/2" GROHE Turbostat C3 compact cartridge with wax thermoelement | | |
|  | 47 483 000 | | 4005176815409 |
| | Thermostatic compact cartridge 3/4" GROHE TurboStat compact cartridge with wax thermoelement | | |
| | 47 186 000 | | 4005176803901 |
| | ditto, for reverse waterways, 3/4" | | |
|  | 49 028 000 | | 4005176442827 |
| | Thermostatic compact cartridge 3/4" for Grohtherm SmartControl concealed GROHE TurboStat compact cartridge with wax thermoelement including fastening nut | | |
|  | 47 167 000 | | 4005176010125 |
| | Stop ring and regulating nut | | |







GROHE AQUADIMMER

| | Ref. No. | Colour | EAN |
|--|--|--------|---------------|
|  | 47 364 000 | | 4005176171819 |
| | Aquadimmer for thermostatic mixers | | |
|  | 12 433 000 | | 4005176272752 |
| | Aquadimmer for exposed fittings | | |
|  | 47 262 000 | | 4005176118722 |
| | Aquadimmer for concealed thermostatic shower mixer 3/4" for three and four-hole bath combination 3/4" | | |





GROHE HEAD PARTS

| | Ref. No. | Colour | EAN |
|---|---|--------|---------------|
|  | 07 146 000 | | 4005176017261 |
| | Headpart 1/2" short spindle, 1/2" | | |
|  | 45 346 000 | | 4005176104572 |
| | Ceramic headpart, 1/2" with ceramic sealing disks rotation angle 180° stop: right-hand | | |
|  | 45 342 000 | | 4005176129865 |
| | Ceramic headpart, 1/2" with ceramic sealing disks rotation angle 180° stop: left-hand | | |
|  | 45 885 000 | | 4005176189913 |
| | Ceramic headpart 3/4", 180° with ceramic sealing disks rotation angle 180° stop: right-hand | | |
|  | 45 869 000 | | 4005176189876 |
| | Concealed headpart 1/2" with ceramic sealing disks rotation angle 180° stop: right-hand | | |
|  | 45 882 000 | | 4005176189883 |
| | Ceramic headpart, 1/2" with ceramic sealing disks rotation angle 90° stop: right-hand | | |

GROHE HEAD PARTS

| | Ref. No. | Colour | EAN |
|---|---|--------|---------------|
|  | 45 883 000 | | 4005176189890 |
| | Ceramic headpart, 1/2" with ceramic sealing disks rotation angle 90° stop: left-hand | | |
|  | 45 888 000 | | 4005176189944 |
| | Ceramic headpart 3/4", 180° with ceramic sealing disks rotation angle 90° stop: right-hand | | |
|  | 06 188 000 | | 4005176002519 |
| | Headpart without lever without cap without escutcheon for 3- and 4-way-diverter, 1/2" | | |
|  | 07 025 000 | | 4005176016929 |
| | Screw-down valve, 3/4" short spindle for 1/2" handles for concealed valves, 3/4" | | |
|  | 19 830 000 | Chrome | 4005176030697 |
|  | Atlanta Concealed stop-valve trim set for final installation for 35 028 000 for concealed valves, 1/2", 3/4" installation depth adjustable 20-80 mm escutcheon with screwable wall sealing brilliant handle marking: blue (cold) GROHE Long-Life Shine durable sparkling sheen | | |
| | 19 831 000 | Chrome | 4005176030703 |
| | ditto, marking red | | |

GROHE HEAD PARTS

| | Ref. No. | Colour | EAN |
|---|---|--|----------------------|
|  |  | 19 841 000 Chrome | 4005176030765 |
| | | Atlanta Concealed stop-valve trim set for final installation for 35 028 000 for concealed valves, 1/2", 3/4" installation depth adjustable 20 - 200 mm escutcheon with screwable wall sealing socket spanner GROHE Long-Life Shine durable sparkling sheen | |
|  |  | 19 840 000 Chrome | 4005176030758 |
| | | Grohtherm 3000 Cosmopolitan Concealed stop-valve trim set for final installation for 35 028 000 GROHE Long-Life Shine durable sparkling sheen installation depth adjustable 20-80 mm metal escutcheon with wall sealing shut-off valve | |
| | 19 470 000 | Chrome | 4005176848018 |





GROHE SPARE PARTS FOR TWO-HANDLE TAPS

| Ref. No. | Colour | EAN |
|------------|--------|---------------|
| 10 099 00M | Chrome | 4005176812965 |

Cover Cap
multi-packaging: 2 pieces





GROHE EXTENSION SETS



| | Ref. No. | Colour | EAN |
|---|------------|--------|---------------|
|  | 14 048 000 | | 4005176413483 |
|  | 14 056 000 | | 4005176466298 |
|  | 14 057 000 | | 4005176466304 |
|  | 14 058 000 | | 4005176466311 |

GROHE UNIONS







| | Ref. No. | Colour | EAN |
|---|--|--------|---------------|
|   | 12 400 000 | Chrome | 4005176004582 |
| | S-union 1/2" x 3/4" adjustment range 10 mm GROHE Long-Life Shine durable sparkling sheen | | |
|   | 12 051 000 | Chrome | 4005176213588 |
| | S-union 1/2" x 3/4" screw socket to cover the union nut and the rosette sealing towards wall adjustment range 12.5 mm lockable for service suitable for 1/2" connections GROHE Long-Life Shine durable sparkling sheen | | |
|   | 12 693 000 | Chrome | 4005176829918 |
| | S-union 1/2" x 3/4" adjustment range 7.5 mm with sound absorber screw escutcheon GROHE Long-Life Shine durable sparkling sheen | | |
|   | 18 862 000 | Chrome | 4005176028120 |
| | Wall union | | |
|   | 18 121 000 | Chrome | 4005176815812 |
| | Pillar union, pair GROHE Long-Life Shine durable sparkling sheen | | |

GROHE OUTLETS AND SPOUTS

| | Ref. No. | Colour | EAN |
|---|------------|--------|---------------|
|   | 13 034 000 | Chrome | 4005176022869 |
| <p>Swivel tube spout for kitchen wall mixers, 1/2" tubular spout mousseur projection 300 mm coupling nut 3/4" DR-brass GROHE Long-Life Shine finish</p> | | | |

| | | | |
|---|------------|--------|---------------|
|   | 13 071 000 | Chrome | 4005176023132 |
| <p>Swivel tube spout swivelling, without stop mousseur coupling nut 3/4" projection 140 mm DR-brass GROHE Long-Life Shine durable sparkling sheen</p> | | | |













GROHE FLOW STRAIGHTENERS

| | Ref. No. | Colour | EAN |
|---|--|--------|---------------|
|  | 48 189 000 | Chrome | 4005176928772 |
| | <p>Water saving set includes two supply adapters incl. flow regulator and one mousseur insert for combination with M22/24 mousseurs connection size G 3/8" low flow kit cannot be used on the following collections: Allure, Allure Brilliant, Atrio, Essence</p> | | |
|  | 48 190 000 | Chrome | 4005176928987 |
| | <p>Water saving set includes two supply adapters incl. flow regulator and one mousseur insert for combination with M22/24 mousseurs connection size G 3/8" low flow kit cannot be used on the following collections: Allure, Allure Brilliant, Atrio, Essence</p> | | |
|  | 48 191 000 | Chrome | 4005176928994 |
| | <p>Water saving set includes two supply adapters incl. flow regulator and one mousseur insert for combination with M22/24 mousseurs connection size G 3/8" low flow kit cannot be used on the following collections: Allure, Allure Brilliant, Atrio, Essence</p> | | |
|  | 13 928 000 | Chrome | 4005176025365 |
| | <p>Flow restrictor internal thread M 22 x 1 (LP) 13.5 l/min at 3 bar GROHE Long-Life Shine finish female thread</p> | | |
|  | 13 960 000 | Chrome | 4005176109522 |
| | <p>Flow straightener external thread M 24 x 1 7.5 l/min at 3 bar GROHE Long-Life Shine finish male thread</p> | | |
|  | 13 929 000 | Chrome | 4005176025440 |
| | <p>Flow restrictor external thread M 24 x 1 13.5 l/min at 3 bar GROHE Long-Life Shine finish male thread</p> | | |










GROHE FLOW STRAIGHTENERS

| | Ref. No. | Colour | EAN |
|---|------------|--------|---------------|
|   | 13 952 000 | Chrome | 4005176079818 |
| <p>Flow restrictor external thread M 24 x 1 flow class C 30 l/min. at 3 bar GROHE Long-Life Shine finish male thread</p> | | | |
|   | 13 927 000 | Chrome | 4005176005541 |
| <p>Flow restrictor external thread M 28 x 1 30 l/min. at 3 bar GROHE Long-Life Shine finish male thread</p> | | | |
|   | 13 220 000 | | 4005176855504 |
| <p>Flow restrictor flow class Z 7.5 l/min at 3 bar including disassembly key</p> | | | |


GROHE WASTE SETS AND TRAPS


| | Ref. No. | Colour | EAN |
|--|--|--|--|
|   | 28 910 000 | Chrome | 4005176603846 |
| <p>Pop-up waste set 1 1/4" for wash basins with overflow for basin/bidet fittings</p> | | | |
|   | 40 565 000 40 565 DC0 40 565 AL0 | Chrome supersteel brushed hard graphite | 4005176912757 4005176491702 4005176491696 |
| <p>Waste set with push-open plug for wash basins with overflow for replacement in an existing system GROHE Long-Life Shine durable sparkling sheen</p> | | | |
|   | 65 807 000 ★ 65 807 LS0 65 807 BE0 65 807 GL0 ★ 65 807 DA0 ★ 65 807 A00 | Chrome moon white polished nickel cool sunrise warm sunset hard graphite | 4005176849893 4005176849916 4005176467691 4005176467738 4005176467752 4005176467721 |
| <p>Waste set with push-open plug with push-open cover for wash basins with overflow removable cover closable GROHE Long-Life Shine durable sparkling sheen</p> | | | |
|   | 65 807 DC0 ★ 65 807 EN0 65 807 GN0 ★ 65 807 DL0 ★ 65 807 AL0 ★ | supersteel brushed nickel brushed cool sunrise brushed warm sunset brushed hard graphite | 4005176442797 4005176467707 4005176467745 4005176467769 4005176467714 |
| <p>Waste set with push-open plug with push-open cover for wash basins with overflow removable cover closable GROHE Long-Life Shine finish</p> | | | |
|   | 29 510 KF0 | phantom black | 4005176781704 |
| <p>Waste set with push-open plug with push-open cover for wash basins with overflow removable cover closable GROHE Long-Life Shine finish</p> | | | |
|   | 65 808 000 | Chrome | 4005176860065 |
| <p>Waste 1 1/4" for basins mixers without Pop Up Waste removable cover non-closable GROHE Long-Life Shine durable sparkling sheen</p> | | | |

GROHE WASTE SETS AND TRAPS





| | Ref. No. | Colour | EAN |
|---|------------|-----------------------|---------------|
|   | 40 824 000 | Chrome | 4005176332975 |
| <p>Waste set with push-open plug for wash basins with overflow removable plug closable</p> | | | |
|  | 07 182 000 | Chrome | 4005176017438 |
| <p>Chrome bath plug for waste set 1 1/4" GROHE Long-Life Shine durable sparkling sheen</p> | | | |
|  | 07 052 000 | | 4005176003370 |
| <p>Eccentric rod for waste set 1 1/4" length 180 mm GROHE Long-Life Shine durable sparkling sheen</p> | | | |
|  | 07 341 000 | Chrome | 4005176017728 |
| <p>Eccentric rod for waste set 1 1/4" length 350 mm GROHE Long-Life Shine durable sparkling sheen</p> | | | |
|   | 28 920 000 | Chrome | 4005176603914 |
| <p>Bottle trap, 1 1/4" for basins with fixed dip tube wall connection escutcheon GROHE Long-Life Shine durable sparkling sheen</p> | | | |
|   | 40 564 000 | Chrome | 4005176912740 |
| | 40 564 DC0 | supersteel | 4005176491795 |
| | 40 564 A00 | hard graphite | 4005176491849 |
| | 40 564 AL0 | brushed hard graphite | 4005176491788 |
| <p>Bottle trap for wash basin GROHE Long-Life Shine durable sparkling sheen brass body</p> | | | |

GROHE WASTE SETS AND TRAPS



| | Ref. No. | Colour | EAN |
|---|---|-------------------------|---------------|
|  | 28 912 000 | ★ Chrome | 4005176266751 |
| | 28 912 DC0 | ★ supersteel | 4005176467905 |
| | 28 912 EN0 | brushed nickel | 4005176467837 |
| | 28 912 GN0 | ★ brushed cool sunrise | 4005176467875 |
| | 28 912 DL0 | ★ brushed warm sunset | 4005176467899 |
| | 28 912 AL0 | ★ brushed hard graphite | 4005176467844 |
| | Bottle trap, 1 1/4" for basins brass (screw-top for cleaning) large sliding escutcheon GROHE Long-Life Shine durable sparkling sheen | | |

| | | | |
|---|--|---------------|---------------|
|  | 29 509 KF0 | phantom black | 4005176782657 |
| | Bottle trap, 1 1/4" for basins brass (screw-top for cleaning) large sliding escutcheon GROHE Long-Life Shine finish | | |

GROHE CONNECTIONS AND NON-RETURN VALVES

| | Ref. No. | Colour | EAN |
|---|--|--------|---------------|
|  | 46 914 000 | | 4005176326424 |
| | Compression MI coupling for all basin and kitchen mixers 15 mm x 3/8" including nut & olive | | |
|  | 47 189 000 | Chrome | 4005176010330 |
| | Non-return valve multi-packaging: 2 pieces GROHE Long-Life Shine durable sparkling sheen | | |
|  | 14 116 00M | | 4005176006005 |
| | Non-return valve 1/2" multi-packaging: 2 pieces | | |
|  | 14 117 00M | | 4005176006012 |
| | Backflow preventer multi-packaging: 2 pieces | | |

GROHE SPARE PARTS FOR ELECTRONICS

| | Ref. No. | Colour | EAN |
|---|--|--------|---------------|
|  | 42 229 000 | | 4005176299223 |
| | Solenoid valve for Europlus E | | |
|  | 42 886 000 | | 4005176200670 |
| | Battery 6V lithium battery, type CR-P2 | | |

GROHE DIVERTERS



| Ref. No. | Colour | EAN |
|------------|--------|---------------|
| 08 915 000 | Chrome | 4005176020124 |

Diverter
for single-lever and thermostatic bath mixer 1/2", wall mounted
automatic diverter: bath/shower



| | | |
|------------|--------|---------------|
| 46 058 000 | Chrome | 4005176008467 |
|------------|--------|---------------|

Diverter
for universal single-lever mixer for concealed installation 1/2" bath
including diverter knob
until 2010
GROHE Long-Life Shine durable sparkling sheen

GROHE HOSES



Ref. No.

Colour

EAN

48 293 000

4005176358593

Shower hose




for sink mixer with pull-out dual spray or mousseur
GROHE EasyDock guarantees easy retraction and
smooth docking back to the starting position
including weight and knurled nuts G 1/2

approx. 1425 mm

M15 x 1

GROHE Long-Life Shine finish






GROHE SPARE PARTS FOR KITCHEN TAPS

| | Ref. No. | Colour | EAN |
|--|---|-----------------|---------------|
|  | 42 586 SD0 | stainless steel | 4005176563430 |
| | Turning handle for kitchen sinks with automatic waste fitting including fixation form: square 46 x 46 mm GROHE Long-Life Shine finish | | |
|  | 42 587 SD0 | stainless steel | 4005176563447 |
| | Turning handle for kitchen sinks with automatic waste fitting including fixation form: round Ø 46 mm GROHE Long-Life Shine finish | | |
|  | 46 575 000 | Chrome | 4005176830099 |
| | K4 Hand shower GROHE Long-Life Shine durable sparkling sheen | | |

GROHE SPARE PARTS FOR SHOWERS

| | Ref. No. | Colour | EAN |
|---|---|----------------------------|----------------------|
|   | 28 634 XX0 | dark grey | 4005176041440 |
| | Relexa Quick coupling for combination with average showers without integrated Grohclick with new system only in connection with coupling piece (28 635/28 637) | | |
|   | 28 817 000 | Chrome | 4005176602962 |
| | Adapter 1/2" x 1/4" female thread 3/4" x 1/2" male thread GROHE Long-Life Shine durable sparkling sheen | | |
|  | 06 765 000 | Chrome | 4005176831973 |
| | Sliding piece suitable for shower rails of Relexa, Rainshower and Euphoria range with diameter of 25 mm glider with swivel holder for height adjustability of the hand shower GROHE Long-Life Shine durable sparkling sheen | | |
|   | 07 659 000 | Chrome | 4005176003707 |
| | Sliding piece suitable for shower rails of Tempesta range with diameter of 25 mm glider with swivel holder for height adjustability of the hand shower GROHE Long-Life Shine durable sparkling sheen | | |
|  | 12 140 000 | Chrome | 4005176288319 |
| | Sliding piece suitable for shower rails with diameter of 22 mm glider with swivel holder for height adjustability of the hand shower GROHE Long-Life Shine durable sparkling sheen | | |
|  | 45 650 IPO | chrome/ matt chrome | 4005176137228 |
| | Sliding piece suitable for shower rails Relexa 28 620/28 621 with diameter of 27.8 mm glider with swivel holder for height adjustability of the hand shower GROHE Long-Life Shine durable sparkling sheen | | |

GROHE SPARE PARTS FOR SHOWERS

| | Ref. No. | Colour | EAN |
|---|--|--------|---------------|
|   | 12 435 000 | Chrome | 4005176272141 |
| | Relaxa Plus Gliding element with metal sleeve for shower rail 28 620 / 28 621 Ø 28 mm angle of inclination adjustable by click stop device height adjustment via locking nut GROHE Long-Life Shine durable sparkling sheen | | |
|  | 48 099 000 | Chrome | 4005176908583 |
| | Sliding piece suitable for shower rails of Tempesta range with diameter of 21.8 mm glider with swivel holder for height adjustability of the hand shower GROHE Long-Life Shine durable sparkling sheen | | |
|  | 48 177 000 | Chrome | 4005176924248 |
| | Sliding piece suitable for shower rails range with diameter 24.7 mm glider with swivel holder for height adjustability of the hand shower GROHE Long-Life Shine durable sparkling sheen | | |
|  | 45 363 000 | Chrome | 4005176112324 |
| | Cover plate for shower rail Relaxa and Tempesta ø 25 mm | | |


GROHE MISCELLANEOUS

| Ref. No. | Colour | EAN |
|------------|--------|---------------|
| 07 264 00M | Chrome | 4005176228797 |



Filter
multi-packaging: 2 pieces

| | | |
|------------|--|---------------|
| 49 002 00M | | 4005176372193 |
|------------|--|---------------|



Temperature limiter
GROHE SafeStop Plus at 43°C
contains two types of temperature limiters to be retrofitted in thermostat handles
10 pcs.

| | | |
|------------|--------|---------------|
| 07 587 000 | Chrome | 4005176229015 |
|------------|--------|---------------|



Slider

GROHE SPECIAL TOOLS


Ref. No.

Colour

EAN

19 332 000

4005176823695



Socket Spanner

34 mm for dis-/assembly of central screw coupling and GROHE TurboStat thermostatic compact cartridge

32 mm for disassembly of 35 mm cartridge

GROHE CLEANING AND CARE

| Ref. No. | Colour | EAN |
|----------|--------|-----|
|----------|--------|-----|

45 937 000

4005176279683



Grohe Special grease
25 g
sales unit 15 pieces

| Ref. No. | Colour | EAN |
|----------|--------|-----|
|----------|--------|-----|







48 166 000

4005176923197







Grohclean
Detergent for fittings and bathrooms
500 ml spray bottle
based on citric acid
in display box
sales unit 10 pieces

GROHE SPARE PARTS FOR SANITARY SYSTEMS

| | Ref. No. | Colour | EAN |
|---|--|--------|---------------|
|  | 42 303 000 | Chrome | 4005176835391 |
| | Skate Flush plate for retrofit for pneumatic discharge valve with 2 hoses (42 253 and 42 774) for dual flush or start & stop actuation for vertical and horizontal installation 156 x 197 mm made of ABS GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving - Less water, perfect flow | | |
|  | 42 304 000 | Chrome | 4005176835469 |
| | Skate Air Flush plate for dual flush or start & stop actuation for retrofit for pneumatic drop valve AV1 for pneumatic discharge valve with 2 hoses (42 253 and 42 774) for vertical installation 156 x 197 mm made of ABS GROHE Long-Life Shine durable sparkling sheen GROHE Water Saving - Less water, perfect flow | | |
|  | 42 305 000 | Chrome | 4005176835490 |
| | Skate Air Flush plate for dual flush or start & stop actuation for pneumatic drop valve AV1 for pneumatic discharge valve with 2 hoses (42 253 and 42 774) for horizontal installation 156 x 197 mm made of ABS GROHE Water Saving - Less water, perfect flow GROHE Long-Life Shine durable sparkling sheen | | |
|  | 42 740 000 | | 4005176230653 |
| | Solenoid Valve | | |
|  | 43 544 000 | | 4005176157738 |
| | Outlet piston | | |
|  | 43 506 000 | | 4005176157356 |
| | Bellow | | |

GROHE SPARE PARTS FOR SANITARY SYSTEMS

| | Ref. No. | Colour | EAN |
|---|--|--------|---------------|
|  | 42 593 000 | | 4005176566417 |
| | Valve seat including flow manager reduces flow of the flush prevents overspill in rimless toilets easy flow regulation via inspection shaft without removing the valves suitable for flushing cistern GD 2 | | |
|  | 42 764 00M | | 4005176222092 |
| | Threaded bolt for WC fixation for Rapid SL 1.13 m multi-packaging: 2 pieces | | |
|  | 42 233 000 | Chrome | 4005176300653 |
| | Connecting hose | | |
|  | 43 758 00M | | 4005176159121 |
| | Membrane filling valve multi-packaging: 10 pieces | | |

GROHE SPARE PARTS FOR SHOWER TOILET

Ref. No. Colour EAN

14 917 000


4005176307607



Connecting PIPE
for Sensia IGS shower WC system
flush- and waste pipe

14 926 002

4005176572128



GROHE Sensia Arena
Remote control
for 39 354 SH0 and 39 354 SH1
for Sensia Arena shower toilet system, wall hung
including wall holder

GROHE SPARE PARTS FOR CERAMICS

| | Ref. No. | Colour | EAN |
|---|--|--------|---------------|
|  | 49 516 000 | | 4005176373381 |
| | Mounting set for floor standing bidet/WC 39 428 000, 39 429 000, 39 430 000, 39 431 000, 39 432 000, 39 349 000, 39 329 000, 39 329 00H, 39 340 000, 39 340 00H, 39 339 000, 39 339 00H, 39 484 00H, 39 485 00H, 39 487 00H contains 2 pieces | | |
|  | 49 510 000 | | 4005176373329 |
| | Fixing set for Euro Ceramic wall hung WC 203 mm 39 328 000, 39 328 00H | | |
|  | 49 024 000 | Chrome | 4005176454196 |
| | Fixing set for Euro Ceramic compact wall hung WC 203 mm 39 206 000, 39 206 00H | | |
|   | 37 095 000 | | 4005176145124 |
| | Filling valve 3/8" universal application | | |
|  | 49 526 000 | Chrome | 4005176421129 |
| | Dual flush push button for ceramic cistern 39 436 000 39 437 000 39 333 000 39 332 000 | | |

GROHE SURVEY OF CONTENTS

| Ref. No. | EAN | Page | Ref. No. | EAN | Page | Ref. No. | EAN | Page |
|------------|---------------|----------|------------|---------------|----------|------------|---------------|----------|
| 00 | | | 13 486 ALO | 4005176756641 | 67 | 19 381 000 | 4005176874673 | 221 |
| 00 798 000 | 4005176229008 | 777 | 13 486 DCO | 4005176756658 | 67 | 19 382 000 | 4005176874697 | 226 |
| 06 | | | 13 487 000 | 4005176761683 | 35 | 19 383 000 | 4005176874765 | 225 |
| 06 188 000 | 4005176002519 | 781 | 13 487 ALO | 4005176761706 | 35 | 19 386 002 | 4005176512995 | 48 |
| 06 765 000 | 4005176831973 | 797 | 13 487 DA0 | 4005176761713 | 35 | 19 386 A02 | 4005176512971 | 48 |
| 07 | | | 13 487 DCO | 4005176761720 | 35 | 19 386 DL2 | 4005176512872 | 48 |
| 07 000 000 | 4005176016899 | 775 | 13 487 GLO | 4005176761737 | 35 | 19 386 GN2 | 4005176512810 | 48 |
| 07 025 000 | 4005176016929 | 781 | 13 540 000 | 4005176005411 | 259 | 19 409 001 | 4005176409158 | 128 |
| 07 052 000 | 4005176003370 | 790 | 13 927 000 | 4005176005541 | 788 | 19 409 AL1 | 4005176586170 | 128 |
| 07 146 000 | 4005176017261 | 780 | 13 928 000 | 4005176025365 | 787 | 19 409 DC1 | 4005176412752 | 128 |
| 07 182 000 | 4005176017438 | 790 | 13 929 000 | 4005176025440 | 787 | 19 446 002 | 4005176512797 | 51 |
| 07 264 00M | 4005176228797 | 799 | 13 952 000 | 4005176079818 | 788 | 19 446 A02 | 4005176512773 | 51 |
| 07 341 000 | 4005176017728 | 790 | 13 960 000 | 4005176109522 | 787 | 19 446 DL2 | 4005176512674 | 51 |
| 07 587 000 | 4005176229015 | 799 | 14 | | | 19 446 GN2 | 4005176512612 | 51 |
| 07 659 000 | 4005176003707 | 797 | 14 014 000 | 4005176929274 | 406 | 19 470 000 | 4005176848018 | 782 |
| 08 | | | 14 048 000 | 4005176413483 | 364, 784 | 19 506 002 | 4005176887185 | 204 |
| 08 915 000 | 4005176020124 | 794 | 14 053 00M | 4005176413513 | 364 | 19 506 003 | 4005176334399 | 215 |
| 10 | | | 14 055 000 | 4005176413520 | 263, 364 | 19 506 LS3 | 4005176334542 | 215 |
| 10 099 00M | 4005176812965 | 783 | 14 056 000 | 4005176466298 | 364, 784 | 19 507 002 | 4005176887079 | 204 |
| 12 | | | 14 056 000 | 4005176466298 | 364, 784 | 19 507 003 | 4005176334337 | 214 |
| 12 051 000 | 4005176213588 | 631, 645 | 14 057 000 | 4005176466304 | 365, 784 | 19 507 LS3 | 4005176334528 | 214 |
| 12 140 000 | 4005176288319 | 797 | 14 058 000 | 4005176466311 | 365, 784 | 19 571 002 | 4005176886973 | 201 |
| 12 400 000 | 4005176004582 | 785 | 14 074 000 | 4005176575365 | 661, 694 | 19 571 003 | 4005176334269 | 210 |
| 12 433 000 | 4005176272752 | 779 | 14 116 00M | 4005176006005 | 792 | 19 571 LS3 | 4005176334498 | 210 |
| 12 435 000 | 4005176272141 | 483, 798 | 14 117 00M | 4005176006012 | 792 | 19 573 002 | 4005176887659 | 186 |
| 12 693 000 | 4005176829918 | 785 | 14 917 000 | 4005176307607 | 804 | 19 575 001 | 4005176888366 | 193 |
| 13 | | | 14 926 002 | 4005176572128 | 660, 804 | 19 576 002 | 4005176429088 | 198 |
| 13 034 000 | 4005176022869 | 571, 786 | 18 | | | 19 577 001 | 4005176409233 | 131 |
| 13 071 000 | 4005176023132 | 571, 786 | 18 121 000 | 4005176815812 | 785 | 19 577 AL1 | 4005176586224 | 131 |
| 13 220 000 | 4005176855504 | 788 | 18 608 001 | 4005176985140 | 331 | 19 577 DC1 | 4005176412820 | 131 |
| 13 255 001 | 4005176556722 | 248, 254 | 18 700 000 | 4005176940811 | 335 | 19 577 EN1 | 4005176413018 | 131 |
| 13 261 000 | 4005176877384 | 226 | 18 862 000 | 4005176028120 | 785 | 19 590 001 | 4005176512599 | 53 |
| 13 262 000 | 4005176877391 | 226 | 18 968 001 | 4005176514586 | 49 | 19 590 A01 | 4005176512575 | 53 |
| 13 264 001 | 4005176515149 | 53 | 18 968 A01 | 4005176514562 | 49 | 19 590 DL1 | 4005176512476 | 53 |
| 13 276 002 | 4005176887246 | 205 | 18 968 DL1 | 4005176514463 | 49 | 19 590 GN1 | 4005176512414 | 53 |
| 13 278 002 | 4005176887871 | 189 | 18 968 GN1 | 4005176514401 | 49 | 19 808 001 | 4005176843204 | 259 |
| 13 280 001 | 4005176888687 | 198 | 19 | | | 19 809 001 | 4005176853876 | 259 |
| 13 281 001 | 4005176888694 | 198 | 19 025 000 | 4005176209154 | 133, 162 | 19 830 000 | 4005176030697 | 781 |
| 13 303 000 | 4005176906350 | 149 | 19 309 002 | 4005176499982 | 48 | 19 831 000 | 4005176030703 | 781 |
| 13 303 ALO | 4005176585562 | 149 | 19 309 A02 | 4005176514302 | 48 | 19 840 000 | 4005176030758 | 782 |
| 13 303 DCO | 4005176525100 | 149 | 19 309 DL2 | 4005176514227 | 48 | 19 841 000 | 4005176030765 | 782 |
| 13 304 000 | 4005176906367 | 149 | 19 309 GN2 | 4005176514173 | 48 | 19 895 000 | 4005176901072 | 143 |
| 13 317 001 | 4005176514869 | 53 | 19 315 001 | 4005176514159 | 49 | 19 895 AL0 | 4005176585494 | 143 |
| 13 317 A01 | 4005176514845 | 53 | 19 315 A01 | 4005176514135 | 49 | 19 897 001 | 4005176429101 | 148 |
| 13 317 DL1 | 4005176514746 | 53 | 19 315 DL1 | 4005176514036 | 49 | 19 897 AL1 | 4005176585548 | 148 |
| 13 317 GN1 | 4005176514685 | 53 | 19 315 GN1 | 4005176513978 | 49 | 19 897 DC1 | 4005176525087 | 148 |
| 13 378 000 | 4005176351532 | 629 | 19 316 001 | 4005176513954 | 52 | 19 910 000 | 4005176987014 | 150 |
| 13 380 000 | 4005176351549 | 629 | 19 316 A01 | 4005176513930 | 52 | 19 952 000 | 4005176174230 | 133, 162 |
| 13 383 001 | 4005176418167 | 133 | 19 316 DL1 | 4005176513831 | 52 | 19 952 A00 | 4005176352874 | 262 |
| 13 383 DC1 | 4005176418174 | 133 | 19 316 GN1 | 4005176513770 | 52 | 19 952 AL0 | 4005176353376 | 133, 162 |
| 13 404 003 | 4005176529788 | 160 | 19 317 001 | 4005176513756 | 49 | 19 952 BE0 | 4005176468094 | 262 |
| 13 404 DC3 | 4005176574115 | 160 | 19 317 A01 | 4005176513732 | 49 | 19 952 DA0 | 4005176351945 | 262 |
| 13 448 003 | 4005176613555 | 237 | 19 317 DL1 | 4005176513633 | 49 | 19 952 DCO | 4005176467776 | 133, 162 |
| 13 484 000 | 4005176757716 | 76 | 19 317 GN1 | 4005176513572 | 49 | 19 952 DLO | 4005176468124 | 262 |
| 13 484 DA0 | 4005176757730 | 76 | 19 332 000 | 4005176823695 | 800 | 19 952 EN0 | 4005176468100 | 262 |
| 13 484 IGO | 4005176757747 | 76 | 19 334 001 | 4005176513558 | 53 | 19 952 GLO | 4005176352423 | 262 |
| 13 485 000 | 4005176756603 | 67 | 19 334 A01 | 4005176513534 | 53 | 19 952 GN0 | 4005176468117 | 262 |
| 13 485 AL0 | 4005176756610 | 67 | 19 334 DL1 | 4005176513435 | 53 | 19 954 000 | 4005176175732 | 263 |
| 13 485 DCO | 4005176756627 | 67 | 19 334 GN1 | 4005176513374 | 53 | 19 965 001 | 4005176409240 | 132 |
| 13 486 000 | 4005176756634 | 67 | 19 345 001 | 4005176888953 | 196 | 19 966 000 | 4005176986864 | 148 |
| | | | 19 346 001 | 4005176889080 | 197 | 19 968 000 | 4005176993657 | 180 |
| | | | 19 380 002 | 4005176513190 | 50 | 19 969 000 | 4005176993671 | 180 |
| | | | 19 380 A02 | 4005176513176 | 50 | 19 974 002 | 4005176305948 | 186 |
| | | | 19 380 DL2 | 4005176513077 | 50 | 19 976 001 | 4005176307218 | 177 |
| | | | 19 380 GN2 | 4005176513015 | 50 | 19 997 000 | 4005176342189 | 136 |
| | | | | | | 19 998 000 | 4005176342196 | 136 |

GROHE SURVEY OF CONTENTS

| Ref. No. | EAN | Page | Ref. No. | EAN | Page | Ref. No. | EAN | Page |
|------------|----------------|------|------------|---------------|------|------------|---------------|----------|
| 20 | | | 20 627 AL0 | 4005176760181 | 60 | 21 138 DA0 | 4005176510571 | 39 |
| 20 186 001 | 4005176874437 | 257 | 20 627 DC0 | 4005176760198 | 60 | 21 138 DC0 | 4005176510557 | 39 |
| 20 187 000 | 4005176874680 | 221 | 20 628 000 | 4005176760204 | 61 | 21 138 GL0 | 4005176510496 | 39 |
| 20 188 001 | 4005176499685 | 47 | 20 628 AL0 | 4005176760228 | 61 | 21 140 000 | 4005176510458 | 43 |
| 20 188 A01 | 4005176499753 | 47 | 20 628 DC0 | 4005176760235 | 61 | 21 140 AL0 | 4005176510410 | 43 |
| 20 188 DL1 | 4005176499746 | 47 | 20 629 000 | 4005176760242 | 61 | 21 140 DA0 | 4005176510373 | 43 |
| 20 188 GN1 | 4005176499722 | 47 | 20 629 AL0 | 4005176759611 | 61 | 21 140 DC0 | 4005176510359 | 43 |
| 20 189 002 | 4005176499784 | 47 | 20 629 DC0 | 4005176759628 | 61 | 21 140 GL0 | 4005176510298 | 43 |
| 20 189 A02 | 4005176499852 | 47 | 20 634 SD0 | 4005176759635 | 24 | 21 142 000 | 4005176510052 | 39 |
| 20 189 DL2 | 4005176499845 | 47 | 20 635 SD0 | 4005176759642 | 24 | 21 142 AL0 | 4005176510014 | 39 |
| 20 189 GN2 | 4005176499821 | 47 | 20 643 000 | 4005176762871 | 31 | 21 142 DA0 | 4005176509971 | 39 |
| 20 193 002 | 4005176499883 | 47 | 20 643 AL0 | 4005176762901 | 31 | 21 142 DC0 | 4005176509957 | 39 |
| 20 193 A02 | 4005176499951 | 47 | 20 643 DA0 | 4005176762918 | 31 | 21 142 GL0 | 4005176509896 | 39 |
| 20 193 DL2 | 4005176499944 | 47 | 20 643 DC0 | 4005176762925 | 31 | 21 144 000 | 4005176763267 | 30 |
| 20 193 GN2 | 4005176499920 | 47 | 20 643 GL0 | 4005176762932 | 31 | 21 144 AL0 | 4005176763274 | 30 |
| 20 201 000 | 4005176883354 | 261 | 20 649 000 | 4005176762949 | 31 | 21 144 DA0 | 4005176763281 | 30 |
| 20 203 000 | 4005176883378 | 261 | 20 649 AL0 | 4005176762963 | 31 | 21 144 DC0 | 4005176763298 | 30 |
| 20 205 000 | 40051768833682 | 261 | 20 649 DA0 | 4005176762970 | 31 | 21 144 GL0 | 4005176763304 | 30 |
| 20 208 002 | 4005176886980 | 201 | 20 649 DC0 | 4005176762987 | 31 | 21 145 000 | 4005176763311 | 30 |
| 20 216 001 | 4005176888373 | 193 | 20 649 GL0 | 4005176762994 | 31 | 21 145 AL0 | 4005176763335 | 30 |
| 20 296 001 | 4005176307072 | 170 | 20 658 000 | 4005176763007 | 30 | 21 145 DA0 | 4005176763342 | 30 |
| 20 299 001 | 4005176307096 | 171 | 20 658 AL0 | 4005176763014 | 30 | 21 145 DC0 | 4005176763359 | 30 |
| 20 301 003 | 4005176529757 | 155 | 20 658 DA0 | 4005176763021 | 30 | 21 145 GL0 | 4005176763366 | 30 |
| 20 304 001 | 4005176409141 | 127 | 20 658 DC0 | 4005176763038 | 30 | 21 149 000 | 4005176762017 | 31 |
| 20 351 000 | 4005176901041 | 143 | 20 658 GL0 | 4005176763045 | 30 | 21 149 AL0 | 4005176761225 | 31 |
| 20 351 AL0 | 4005176584688 | 143 | 20 661 000 | 4005176763090 | 32 | 21 149 DA0 | 4005176761232 | 31 |
| 20 351 DC0 | 4005176525001 | 143 | 20 661 AL0 | 4005176763113 | 32 | 21 149 DC0 | 4005176761249 | 31 |
| 20 393 001 | 4005176842993 | 257 | 20 661 DA0 | 4005176763120 | 32 | 21 149 GL0 | 4005176761256 | 31 |
| 20 404 001 | 4005176842986 | 257 | 20 661 DC0 | 4005176763137 | 32 | 21 375 001 | 4005176843037 | 257 |
| 20 421 001 | 4005176556173 | 243 | 20 661 EN0 | 4005176763144 | 32 | 21 390 001 | 4005176843006 | 257 |
| 20 421 10M | 4005176556180 | 243 | 20 661 GL0 | 4005176763151 | 32 | 22 | | |
| 20 422 001 | 4005176529504 | 249 | 20 662 000 | 4005176763168 | 31 | 22 012 000 | 4005176906343 | 151, 768 |
| 20 575 000 | 4005176388422 | 255 | 20 662 AL0 | 4005176763182 | 31 | 22 012 AL0 | 4005176585944 | 151, 768 |
| 20 587 000 | 4005176512070 | 43 | 20 662 DA0 | 4005176763199 | 31 | 22 012 DC0 | 4005176525742 | 151, 768 |
| 20 587 AL0 | 4005176512032 | 43 | 20 662 DC0 | 4005176763205 | 31 | 22 013 000 | 4005176909689 | 151, 769 |
| 20 587 DA0 | 4005176511998 | 43 | 20 662 GL0 | 4005176763212 | 31 | 22 016 00M | 4005176940606 | 768 |
| 20 587 DC0 | 4005176511974 | 43 | 20 664 SD0 | 4005176763243 | 24 | 22 017 00M | 4005176940613 | 767 |
| 20 587 GL0 | 4005176511936 | 43 | 20 665 SD0 | 4005176763250 | 24 | 22 018 000 | 4005176305382 | 767 |
| 20 589 000 | 4005176511691 | 40 | 20 666 000 | 4005176761546 | 72 | 22 023 000 | 4005176305405 | 766 |
| 20 589 AL0 | 4005176511653 | 40 | 20 666 IGO | 4005176761553 | 72 | 22 029 000 | 4005176305467 | 767 |
| 20 589 DA0 | 4005176511615 | 40 | 20 667 000 | 4005176795510 | 60 | 22 032 000 | 4005176305481 | 767 |
| 20 589 DC0 | 4005176511592 | 40 | 20 667 AL0 | 4005176795534 | 60 | 22 033 000 | 4005176305498 | 770 |
| 20 589 GL0 | 4005176503306 | 40 | 20 667 DC0 | 4005176795527 | 60 | 22 035 000 | 4005176305511 | 770 |
| 20 593 000 | 4005176511516 | 43 | 20 668 000 | 4005176795008 | 60 | 22 035 000 | 4005176305511 | 770 |
| 20 593 AL0 | 4005176499272 | 43 | 20 668 AL0 | 4005176795022 | 60 | 22 037 000 | 4005176305535 | 766 |
| 20 593 DA0 | 4005176511479 | 43 | 20 668 DC0 | 4005176795015 | 60 | 22 043 000 | 4005176305597 | 766 |
| 20 593 DC0 | 4005176511455 | 43 | 20 669 000 | 4005176795039 | 60 | 22 046 000 | 4005176305627 | 766 |
| 20 593 GL0 | 4005176511417 | 43 | 20 669 AL0 | 4005176795053 | 60 | 22 053 000 | 4005176349027 | 767 |
| 20 595 000 | 4005176511233 | 40 | 20 669 DC0 | 4005176795046 | 60 | 22 054 001 | 4005176554162 | 249 |
| 20 595 AL0 | 4005176511219 | 40 | 20 670 000 | 4005176791680 | 60 | 22 074 KF0 | 4005176782640 | 766 |
| 20 595 DA0 | 4005176511172 | 40 | 20 670 AL0 | 4005176791703 | 60 | 22 115 000 | 4005176775529 | 470 |
| 20 595 DC0 | 4005176511158 | 40 | 20 670 DC0 | 4005176791697 | 60 | 22 117 KF0 | 4005176782497 | 477 |
| 20 595 GL0 | 4005176511110 | 40 | 20 671 000 | 4005176791710 | 60 | 22 118 KF0 | 4005176782503 | 479 |
| 20 619 000 | 4005176757921 | 73 | 20 671 AL0 | 4005176791734 | 60 | 22 119 KF0 | 4005176782510 | 384 |
| 20 619 DA0 | 4005176757945 | 73 | 20 671 DC0 | 4005176791727 | 60 | 22 120 KF0 | 4005176782527 | 389 |
| 20 619 IGO | 4005176757952 | 73 | 20 672 000 | 4005176791741 | 60 | 22 121 KF0 | 4005176782558 | 411 |
| 20 622 000 | 4005176757976 | 73 | 20 672 AL0 | 4005176791963 | 60 | 22 122 KF0 | 4005176782565 | 412 |
| 20 622 IGO | 4005176757990 | 73 | 20 672 DC0 | 4005176791758 | 60 | 22 123 KF0 | 4005176782572 | 409 |
| 20 623 000 | 4005176758010 | 73 | 21 | | | 22 124 KF0 | 4005176782589 | 409 |
| 20 623 IGO | 4005176758027 | 73 | 21 134 000 | 4005176499067 | 43 | 22 125 KF0 | 4005176782619 | 436, 481 |
| 20 624 000 | 4005176758034 | 72 | 21 134 AL0 | 4005176510977 | 43 | 22 126 KF0 | 4005176782626 | 447 |
| 20 624 IGO | 4005176758058 | 72 | 21 134 DA0 | 4005176510939 | 43 | 22 127 KF0 | 4005176782633 | 430 |
| 20 626 000 | 4005176760136 | 60 | 21 134 DC0 | 4005176510915 | 43 | 22 917 000 | 4005176501388 | 768 |
| 20 626 AL0 | 4005176760143 | 60 | 21 134 GL0 | 4005176510854 | 43 | 22 939 000 | 4005176829369 | 768 |
| 20 626 DC0 | 4005176760150 | 60 | 21 138 000 | 4005176499081 | 39 | 22 940 000 | 4005176829376 | 768 |
| 20 627 000 | 4005176760167 | 60 | 21 138 AL0 | 4005176510618 | 39 | 22 958 00M | 4005176034237 | 768 |

GROHE SURVEY OF CONTENTS

| Ref. No. | EAN | Page | Ref. No. | EAN | Page | Ref. No. | EAN | Page |
|------------|---------------|---------|------------|---------------|----------|------------|---------------|------|
| 23 | | | 23 403 001 | 4005176499487 | 46 | 23 720 LS3 | 4005176365164 | 211 |
| 23 037 002 | 4005176886355 | 199 | 23 403 A01 | 4005176499555 | 46 | 23 722 003 | 4005176365188 | 211 |
| 23 039 002 | 4005176886881 | 199 | 23 403 DL1 | 4005176499548 | 46 | 23 722 LS3 | 4005176365195 | 211 |
| 23 043 003 | 4005176472732 | 201 | 23 403 GN1 | 4005176499524 | 46 | 23 725 003 | 4005176365249 | 215 |
| 23 048 003 | 4005176429132 | 205 | 23 405 001 | 4005176409134 | 127 | 23 726 003 | 4005176365256 | 212 |
| 23 049 002 | 4005176887536 | 183 | 23 405 AL1 | 4005176586163 | 127 | 23 726 LS3 | 4005176365263 | 212 |
| 23 051 002 | 4005176887567 | 183 | 23 405 DC1 | 4005176412745 | 127 | 23 730 003 | 4005176365324 | 215 |
| 23 054 003 | 4005176472596 | 185 | 23 406 000 | 4005176941658 | 142 | 23 739 002 | 4005176472602 | 192 |
| 23 055 002 | 4005176887680 | 186 | 23 406 ALO | 4005176584671 | 142 | 23 741 001 | 4005176371509 | 178 |
| 23 058 003 | 4005176313790 | 399 | 23 406 DC0 | 4005176524998 | 142 | 23 741 DC1 | 4005176371516 | 178 |
| 23 060 001 | 4005176888021 | 190 | 23 425 000 | 4005176993596 | 180 | 23 743 003 | 4005176613401 | 232 |
| 23 106 001 | 4005176409110 | 127 | 23 427 000 | 4005176993619 | 180 | 23 751 000 | 4005176388149 | 255 |
| 23 106 AL1 | 4005176586149 | 127 | 23 428 000 | 4005176993633 | 180 | 23 752 000 | 4005176388156 | 255 |
| 23 106 DC1 | 4005176412721 | 127 | 23 429 000 | 4005176993695 | 26, 48 | 23 753 000 | 4005176388163 | 255 |
| 23 127 00E | 4005176901591 | 141 | 23 430 000 | 4005176993725 | 181 | 23 754 000 | 4005176388170 | 255 |
| 23 132 00E | 4005176906725 | 141 | 23 431 000 | 4005176993749 | 181 | 23 755 000 | 4005176388187 | 256 |
| 23 135 000 | 4005176901027 | 142 | 23 432 000 | 4005176993763 | 185 | 23 756 000 | 4005176388392 | 256 |
| 23 135 00E | 4005176906732 | 142 | 23 444 001 | 4005176411977 | 128 | 23 757 001 | 4005176556340 | 245 |
| 23 137 000 | 4005176901096 | 141 | 23 444 AL1 | 4005176586187 | 128 | 23 760 001 | 4005176556418 | 245 |
| 23 138 000 | 4005176901133 | 144 | 23 444 DC1 | 4005176412769 | 128 | 23 761 001 | 4005176556449 | 246 |
| 23 140 000 | 4005176901157 | 145 | 23 445 000 | 4005176998706 | 141 | 23 762 001 | 4005176555763 | 250 |
| 23 140 AL0 | 4005176585531 | 145 | 23 445 ALO | 4005176584657 | 141 | 23 763 001 | 4005176555800 | 251 |
| 23 140 DC0 | 4005176525056 | 145 | 23 445 DC0 | 4005176524974 | 141 | 23 764 001 | 4005176555848 | 252 |
| 23 141 000 | 4005176901164 | 145 | 23 446 000 | 4005176998720 | 142 | 23 790 001 | 4005176408380 | 126 |
| 23 145 000 | 4005176901270 | 144 | 23 447 000 | 4005176998737 | 143 | 23 791 001 | 4005176409097 | 126 |
| 23 145 AL0 | 4005176585524 | 144 | 23 448 002 | 4005176998744 | 185 | 23 791 AL1 | 4005176586125 | 126 |
| 23 145 DC0 | 4005176525049 | 144 | 23 449 002 | 4005176998768 | 185 | 23 791 DC1 | 4005176412707 | 126 |
| 23 147 001 | 4005176313271 | 399 | 23 450 001 | 4005176998775 | 192 | 23 792 001 | 4005176409257 | 132 |
| 23 200 000 | 4005176908354 | 62, 143 | 23 451 001 | 4005176998799 | 192 | 23 792 AL1 | 4005176586231 | 132 |
| 23 200 002 | 4005176519901 | 62, 144 | 23 456 003 | 4005176613272 | 229 | 23 792 DC1 | 4005176412837 | 132 |
| 23 296 001 | 4005176409127 | 127 | 23 480 001 | 4005176306921 | 167 | 23 792 EN1 | 4005176413001 | 132 |
| 23 296 DC1 | 4005176412738 | 127 | 23 537 003 | 4005176313395 | 231 | 23 843 003 | 4005176496547 | 154 |
| 23 302 000 | 4005176923876 | 638 | 23 559 001 | 4005176556326 | 243 | 23 843 DC3 | 4005176574085 | 154 |
| 23 319 000 | 4005176931192 | 74 | 23 564 003 | 4005176334146 | 206 | 23 844 003 | 4005176496554 | 155 |
| 23 322 003 | 4005176613302 | 230 | 23 567 003 | 4005176334214 | 208 | 23 845 003 | 4005176496677 | 159 |
| 23 323 003 | 4005176613319 | 232 | 23 569 003 | 4005176334238 | 209 | 23 846 003 | 4005176496684 | 160 |
| 23 324 003 | 4005176613326 | 230 | 23 570 003 | 4005176334245 | 209 | 23 846 AL3 | 4005176585722 | 160 |
| 23 325 000 | 4005176933974 | 218 | 23 570 LS3 | 4005176334474 | 209 | 23 846 DC3 | 4005176574177 | 160 |
| 23 327 000 | 4005176934094 | 219 | 23 571 000 | 4005176334276 | 128, 172 | 23 851 003 | 4005176496523 | 154 |
| 23 327 KW0 | 4005176565205 | 219 | 23 602 001 | 4005176556029 | 253 | 23 851 AL3 | 4005176585623 | 154 |
| 23 328 001 | 4005176556241 | 243 | 23 604 001 | 4005176556593 | 247 | 23 851 DC3 | 4005176574078 | 154 |
| 23 330 001 | 4005176556302 | 243 | 23 633 001 | 4005176555923 | 252 | 23 856 001 | 4005176499586 | 47 |
| 23 331 001 | 4005176556494 | 246 | 23 635 001 | 4005176556524 | 246 | 23 856 A01 | 4005176499654 | 47 |
| 23 335 001 | 4005176529566 | 249 | 23 654 000 | 4005176342080 | 135 | 23 856 DL1 | 4005176499647 | 47 |
| 23 337 001 | 4005176555725 | 249 | 23 656 000 | 4005176342103 | 135 | 23 856 GN1 | 4005176499623 | 47 |
| 23 338 001 | 4005176555893 | 252 | 23 657 000 | 4005176342110 | 135 | 23 870 003 | 4005176529719 | 153 |
| 23 372 003 | 4005176613241 | 231 | 23 658 000 | 4005176342127 | 135 | 23 871 003 | 4005176529726 | 153 |
| 23 373 20E | 4005176936661 | 200 | 23 661 000 | 4005176342158 | 135 | 23 871 AL3 | 4005176585616 | 153 |
| 23 374 003 | 4005176334153 | 207 | 23 664 000 | 4005176342202 | 136 | 23 871 DC3 | 4005176574061 | 153 |
| 23 374 20E | 4005176936678 | 200 | 23 665 000 | 4005176342219 | 136 | 23 872 003 | 4005176529733 | 154 |
| 23 374 LS3 | 4005176334450 | 207 | 23 666 000 | 4005176342226 | 137 | 23 873 003 | 4005176529986 | 154 |
| 23 376 00E | 4005176936623 | 218 | 23 667 001 | 4005176429019 | 139 | 23 877 001 | 4005176554025 | 250 |
| 23 377 00E | 4005176936630 | 217 | 23 672 001 | 4005176429002 | 149 | 23 878 001 | 4005176554032 | 249 |
| 23 378 00E | 4005176936647 | 218 | 23 672 AL1 | 4005176585555 | 149 | 23 879 001 | 4005176554049 | 250 |
| 23 380 10E | 4005176938245 | 191 | 23 672 DC1 | 4005176525094 | 149 | 23 883 001 | 4005176554179 | 250 |
| 23 382 20E | 4005176936708 | 184 | 23 707 003 | 4005176364778 | 206 | 23 885 001 | 4005176554216 | 251 |
| 23 384 20E | 4005176936722 | 184 | 23 707 LS3 | 4005176364785 | 206 | 23 886 001 | 4005176554247 | 251 |
| 23 385 10E | 4005176938269 | 191 | 23 708 003 | 4005176364990 | 206 | 23 887 001 | 4005176554254 | 251 |
| 23 387 20E | 4005176938382 | 199 | 23 709 003 | 4005176365003 | 207 | 23 891 001 | 4005176554322 | 252 |
| 23 389 20E | 4005176938412 | 184 | 23 709 LS3 | 4005176365010 | 207 | 23 894 001 | 4005176554896 | 244 |
| 23 390 00E | 4005176938436 | 141 | 23 715 003 | 4005176365065 | 208 | 23 895 001 | 4005176554902 | 243 |
| 23 392 00E | 4005176938450 | 141 | 23 716 003 | 4005176365072 | 208 | 23 896 001 | 4005176554919 | 244 |
| 23 393 30E | 4005176613340 | 231 | 23 718 003 | 4005176365096 | 209 | 23 899 001 | 4005176555022 | 244 |
| 23 394 30E | 4005176613364 | 232 | 23 718 LS3 | 4005176365102 | 209 | 23 911 001 | 4005176555237 | 245 |
| 23 395 30E | 4005176613357 | 231 | 23 719 003 | 4005176365119 | 209 | 23 917 001 | 4005176555787 | 251 |
| 23 396 00E | 4005176938504 | 219 | 23 719 LS3 | 4005176365126 | 209 | 23 920 001 | 4005176583421 | 193 |
| | | | 23 720 003 | 4005176365157 | 211 | 23 921 000 | 4005176583438 | 220 |

GROHE SURVEY OF CONTENTS

| Ref. No. | EAN | Page | Ref. No. | EAN | Page | Ref. No. | EAN | Page |
|------------|---------------|----------|------------|---------------|----------|------------|---------------|------|
| 23 922 003 | 4005176613227 | 228 | 24 063 DC1 | 4005176465727 | 130 | 24 171 A01 | 4005176711428 | 165 |
| 23 923 003 | 4005176613333 | 230 | 24 064 001 | 4005176465710 | 130 | 24 171 AL1 | 4005176711435 | 165 |
| 23 924 003 | 4005176613265 | 230 | 24 064 AL1 | 4005176586255 | 130 | 24 171 DA1 | 4005176711459 | 165 |
| 23 925 000 | 4005176583353 | 216 | 24 064 DC1 | 4005176465734 | 130 | 24 171 DC1 | 4005176711466 | 165 |
| 23 926 000 | 4005176583360 | 219 | 24 075 000 | 4005176465987 | 322 | 24 171 DL1 | 4005176711473 | 165 |
| 23 927 000 | 4005176583377 | 218 | 24 076 000 | 4005176465994 | 322 | 24 171 GL1 | 4005176711497 | 165 |
| 23 928 000 | 4005176583384 | 219 | 24 077 000 | 4005176466007 | 322 | 24 171 GN1 | 4005176712036 | 165 |
| 23 929 003 | 4005176583995 | 206 | 24 078 000 | 4005176466038 | 320 | 24 172 001 | 4005176698316 | 165 |
| 23 930 003 | 4005176584008 | 207 | 24 079 000 | 4005176466045 | 320 | 24 172 A01 | 4005176712043 | 165 |
| 23 931 001 | 4005176584015 | 190 | 24 080 000 | 4005176466052 | 320 | 24 172 AL1 | 4005176712050 | 165 |
| 23 932 001 | 4005176584022 | 192 | 24 093 003 | 4005176530050 | 158 | 24 172 DA1 | 4005176712074 | 165 |
| 23 933 001 | 4005176584039 | 220 | 24 093 AL3 | 4005176585760 | 158 | 24 172 DC1 | 4005176712081 | 165 |
| 23 958 003 | 4005176605642 | 152 | 24 093 DC3 | 4005176574214 | 158 | 24 172 DL1 | 4005176712098 | 165 |
| 23 959 003 | 4005176605659 | 152 | 24 094 000 | 4005176480638 | 138, 146 | 24 172 GL1 | 4005176712111 | 165 |
| 23 965 003 | 4005176611544 | 227 | 24 094 AL0 | 4005176585593 | 146 | 24 172 GN1 | 4005176712128 | 165 |
| 23 967 003 | 4005176611568 | 227 | 24 094 DC0 | 4005176574047 | 146 | 24 172 KF1 | 4005176782398 | 165 |
| 23 968 003 | 4005176611575 | 227 | 24 095 001 | 4005176480645 | 131 | 24 173 001 | 4005176698323 | 167 |
| 23 969 003 | 4005176613180 | 227 | 24 095 AL1 | 4005176586262 | 131 | 24 173 A01 | 4005176712005 | 167 |
| 23 970 003 | 4005176613418 | 231 | 24 095 DC1 | 4005176480652 | 131 | 24 173 AL1 | 4005176712012 | 167 |
| 23 971 003 | 4005176613425 | 232 | 24 153 000 | 4005176481178 | 138, 146 | 24 173 DA1 | 4005176711275 | 167 |
| 23 972 001 | 4005176634451 | 244 | 24 153 AL0 | 4005176585913 | 138, 146 | 24 173 DC1 | 4005176711282 | 167 |
| 23 975 003 | 4005176644153 | 228 | 24 153 DC0 | 4005176574221 | 138, 146 | 24 173 DL1 | 4005176711299 | 167 |
| 23 976 003 | 4005176644160 | 231 | 24 154 000 | 4005176481185 | 64, 138 | 24 173 GL1 | 4005176711312 | 167 |
| 23 980 003 | 4005176644207 | 239, 634 | 24 154 AL0 | 4005176585920 | 64, 138 | 24 173 GN1 | 4005176711329 | 167 |
| 23 981 003 | 4005176644214 | 239, 634 | 24 154 DC0 | 4005176574238 | 64, 138 | 24 174 001 | 4005176698330 | 168 |
| 23 982 003 | 4005176644245 | 240, 636 | 24 155 000 | 4005176481192 | 139, 147 | 24 174 A01 | 4005176711527 | 168 |
| 23 983 003 | 4005176644313 | 241, 636 | 24 155 AL0 | 4005176585937 | 139, 147 | 24 174 AL1 | 4005176711534 | 168 |
| 23 984 003 | 4005176643835 | 240, 636 | 24 155 DC0 | 4005176574245 | 139, 147 | 24 174 DA1 | 4005176711558 | 168 |
| 23 985 003 | 4005176643842 | 240, 636 | 24 160 001 | 4005176596230 | 48 | 24 174 DC1 | 4005176711565 | 168 |
| 23 986 003 | 4005176643859 | 238, 633 | 24 160 A01 | 4005176598708 | 48 | 24 174 DL1 | 4005176711572 | 168 |
| 23 987 003 | 4005176644344 | 239, 634 | 24 160 DL1 | 4005176598692 | 48 | 24 174 GL1 | 4005176711596 | 168 |
| 23 988 003 | 4005176644351 | 238, 633 | 24 160 GN1 | 4005176596278 | 48 | 24 174 GN1 | 4005176711602 | 168 |
| 23 989 003 | 4005176644368 | 238, 633 | 24 167 001 | 4005176698422 | 175 | 24 175 001 | 4005176698347 | 166 |
| 24 | | | 24 167 A01 | 4005176712227 | 175 | 24 176 001 | 4005176698378 | 168 |
| 24 036 000 | 4005176993701 | 181 | 24 167 AL1 | 4005176712234 | 175 | 24 176 KF1 | 4005176782367 | 168 |
| 24 042 003 | 4005176613616 | 236 | 24 167 DA1 | 4005176712258 | 175 | 24 177 001 | 4005176698408 | 169 |
| 24 043 003 | 4005176613548 | 236 | 24 167 DC1 | 4005176712265 | 175 | 24 177 KF1 | 4005176782350 | 169 |
| 24 044 000 | 4005176465185 | 225 | 24 167 DL1 | 4005176712272 | 175 | 24 178 001 | 4005176698415 | 172 |
| 24 045 000 | 4005176465291 | 225 | 24 167 GL1 | 4005176712296 | 175 | 24 178 A01 | 4005176711701 | 172 |
| 24 046 003 | 4005176465307 | 213 | 24 167 GN1 | 4005176712302 | 175 | 24 178 AL1 | 4005176711718 | 172 |
| 24 046 LS3 | 4005176465314 | 213 | 24 167 KF1 | 4005176782343 | 175, 176 | 24 178 DA1 | 4005176712388 | 172 |
| 24 047 003 | 4005176465321 | 214 | 24 168 001 | 4005176698453 | 175 | 24 178 DC1 | 4005176712395 | 172 |
| 24 047 LS3 | 4005176465338 | 214 | 24 168 A01 | 4005176712135 | 175 | 24 178 DL1 | 4005176712401 | 172 |
| 24 048 003 | 4005176465345 | 213 | 24 168 AL1 | 4005176712142 | 175 | 24 178 GL1 | 4005176712425 | 172 |
| 24 048 LS3 | 4005176465352 | 213 | 24 168 DA1 | 4005176712166 | 175 | 24 178 GN1 | 4005176712432 | 172 |
| 24 049 003 | 4005176465369 | 213 | 24 168 DC1 | 4005176712173 | 175 | 24 179 001 | 4005176698439 | 166 |
| 24 049 LS3 | 4005176465376 | 213 | 24 168 DL1 | 4005176712180 | 175 | 24 180 001 | 4005176698446 | 166 |
| 24 051 002 | 4005176465383 | 204 | 24 168 GL1 | 4005176712203 | 175 | 24 183 001 | 4005176698491 | 167 |
| 24 052 002 | 4005176465390 | 204 | 24 168 GN1 | 4005176712210 | 175 | 24 192 003 | 4005176723964 | 230 |
| 24 053 001 | 4005176465406 | 196 | 24 169 001 | 4005176698477 | 176 | 24 193 001 | 4005176723971 | 245 |
| 24 054 001 | 4005176465413 | 196 | 24 169 A01 | 4005176712319 | 176 | 24 259 000 | 4005176758348 | 75 |
| 24 055 002 | 4005176465420 | 181, 188 | 24 169 AL1 | 4005176712326 | 176 | 24 259 IG0 | 4005176758355 | 75 |
| 24 056 002 | 4005176465437 | 182, 189 | 24 169 DA1 | 4005176712340 | 176 | 24 260 000 | 4005176758362 | 75 |
| 24 059 003 | 4005176529832 | 158 | 24 169 DC1 | 4005176712357 | 176 | 24 260 DA0 | 4005176758379 | 75 |
| 24 059 AL3 | 4005176585708 | 158 | 24 169 DL1 | 4005176712364 | 176 | 24 260 IG0 | 4005176758386 | 75 |
| 24 059 DC3 | 4005176574153 | 158 | 24 169 GL1 | 4005176711503 | 176 | 24 277 000 | 4005176759918 | 63 |
| 24 060 003 | 4005176529825 | 158 | 24 169 GN1 | 4005176711510 | 176 | 24 277 AL0 | 4005176759925 | 63 |
| 24 060 AL3 | 4005176585692 | 158 | 24 170 001 | 4005176698293 | 169 | 24 277 DC0 | 4005176759932 | 63 |
| 24 060 DC3 | 4005176574146 | 158 | 24 170 A01 | 4005176711619 | 169 | 24 279 000 | 4005176759949 | 63 |
| 24 061 000 | 4005176465680 | 137, 145 | 24 170 AL1 | 4005176711626 | 169 | 24 279 AL0 | 4005176759956 | 63 |
| 24 061 AL0 | 4005176585586 | 145 | 24 170 DA1 | 4005176711640 | 169 | 24 279 DC0 | 4005176759963 | 63 |
| 24 062 000 | 4005176465697 | 137, 146 | 24 170 DC1 | 4005176711657 | 169 | 24 340 000 | 4005176759970 | 64 |
| 24 062 AL0 | 4005176585579 | 146 | 24 170 DL1 | 4005176711664 | 169 | 24 340 AL0 | 4005176759987 | 64 |
| 24 062 DC0 | 4005176553905 | 146 | 24 170 GL1 | 4005176711688 | 169 | 24 340 DC0 | 4005176759994 | 64 |
| 24 063 001 | 4005176465703 | 130 | 24 170 GN1 | 4005176711695 | 169 | 24 341 000 | 4005176759659 | 58 |
| 24 063 AL1 | 4005176586248 | 130 | 24 170 KF1 | 4005176782374 | 170 | 24 341 AL0 | 4005176759673 | 58 |
| | | | 24 171 001 | 4005176698309 | 165 | 24 341 DC0 | 4005176759680 | 58 |

GROHE SURVEY OF CONTENTS

| Ref. No. | EAN | Page | Ref. No. | EAN | Page | Ref. No. | EAN | Page |
|------------|---------------|------|------------|---------------|------|------------|---------------|------|
| 24 342 000 | 4005176759697 | 58 | 24 364 DC0 | 4005176760952 | 26 | 24 418 DC0 | 4005176794926 | 59 |
| 24 342 AL0 | 4005176759703 | 58 | 24 364 GL0 | 4005176760969 | 26 | 24 419 000 | 4005176795480 | 59 |
| 24 342 DC0 | 4005176759710 | 58 | 24 365 000 | 4005176760976 | 25 | 24 419 AL0 | 4005176795503 | 59 |
| 24 344 000 | 4005176759734 | 58 | 24 365 AL0 | 4005176760983 | 25 | 24 419 DC0 | 4005176795497 | 59 |
| 24 344 AL0 | 4005176759741 | 58 | 24 365 DA0 | 4005176760990 | 25 | 24 422 000 | 4005176795169 | 66 |
| 24 344 DC0 | 4005176759758 | 58 | 24 365 DC0 | 4005176761003 | 25 | 24 422 AL0 | 4005176795183 | 66 |
| 24 345 000 | 4005176759765 | 58 | 24 365 GL0 | 4005176761010 | 25 | 24 422 DC0 | 4005176795176 | 66 |
| 24 345 AL0 | 4005176759772 | 58 | 24 366 000 | 4005176762239 | 26 | 24 423 000 | 4005176795312 | 66 |
| 24 345 DC0 | 4005176759789 | 58 | 24 366 AL0 | 4005176761027 | 26 | 24 423 AL0 | 4005176795336 | 66 |
| 24 346 000 | 4005176759796 | 59 | 24 366 DA0 | 4005176761034 | 26 | 24 423 DC0 | 4005176795329 | 66 |
| 24 346 AL0 | 4005176759819 | 59 | 24 366 DC0 | 4005176761041 | 26 | 24 424 000 | 4005176795190 | 66 |
| 24 346 DC0 | 4005176759826 | 59 | 24 366 GL0 | 4005176761058 | 26 | 24 424 AL0 | 4005176795213 | 66 |
| 24 347 000 | 4005176759833 | 62 | 24 367 000 | 4005176762246 | 27 | 24 424 DC0 | 4005176795206 | 66 |
| 24 347 AL0 | 4005176759857 | 62 | 24 367 AL0 | 4005176761065 | 27 | 24 425 000 | 4005176795220 | 63 |
| 24 347 DC0 | 4005176759864 | 62 | 24 367 DA0 | 4005176761072 | 27 | 24 425 AL0 | 4005176795244 | 63 |
| 24 348 000 | 4005176759871 | 66 | 24 367 DC0 | 4005176761089 | 27 | 24 425 DC0 | 4005176795237 | 63 |
| 24 348 001 | 4005176770616 | 66 | 24 367 GL0 | 4005176761096 | 27 | 24 426 000 | 4005176795251 | 63 |
| 24 348 AL0 | 4005176759895 | 66 | 24 368 000 | 4005176761102 | 30 | 24 426 AL0 | 4005176795275 | 63 |
| 24 348 DC0 | 4005176759901 | 66 | 24 368 AL0 | 4005176761119 | 30 | 24 426 DC0 | 4005176795268 | 63 |
| 24 353 000 | 4005176761300 | 32 | 24 368 DA0 | 4005176761126 | 30 | 24 427 000 | 4005176795282 | 63 |
| 24 353 AL0 | 4005176761317 | 32 | 24 368 DC0 | 4005176761133 | 30 | 24 427 AL0 | 4005176795305 | 63 |
| 24 353 DA0 | 4005176761324 | 32 | 24 368 EN0 | 4005176761140 | 30 | 24 427 DC0 | 4005176795299 | 63 |
| 24 353 DC0 | 4005176761331 | 32 | 24 368 GL0 | 4005176761157 | 30 | 24 428 000 | 4005176795343 | 64 |
| 24 353 GL0 | 4005176761560 | 32 | 24 369 000 | 4005176758089 | 72 | 24 428 AL0 | 4005176795367 | 64 |
| 24 354 000 | 4005176762062 | 27 | 24 369 DA0 | 4005176758102 | 72 | 24 428 DC0 | 4005176795350 | 64 |
| 24 354 AL0 | 4005176761577 | 27 | 24 369 IGO | 4005176758119 | 72 | 24 429 000 | 4005176795374 | 64 |
| 24 354 DA0 | 4005176761584 | 27 | 24 370 000 | 4005176758133 | 72 | 24 429 AL0 | 4005176795398 | 64 |
| 24 354 DC0 | 4005176761591 | 27 | 24 370 IGO | 4005176758157 | 72 | 24 429 DC0 | 4005176795381 | 64 |
| 24 354 GL0 | 4005176761607 | 27 | 24 371 000 | 4005176758164 | 72 | 24 430 000 | 4005176795404 | 64 |
| 24 355 000 | 4005176762079 | 27 | 24 371 IGO | 4005176758171 | 72 | 24 430 AL0 | 4005176794889 | 64 |
| 24 355 AL0 | 4005176761614 | 27 | 24 372 000 | 4005176758195 | 74 | 24 430 DC0 | 4005176795411 | 64 |
| 24 355 DA0 | 4005176761621 | 27 | 24 372 IGO | 4005176758218 | 74 | | | |
| 24 355 DC0 | 4005176761638 | 27 | 24 373 000 | 4005176758232 | 74 | 25 | | |
| 24 355 GL0 | 4005176761645 | 27 | 24 373 IGO | 4005176758256 | 74 | 25 098 003 | 4005176644290 | 235 |
| 24 356 000 | 4005176762086 | 28 | 24 374 000 | 4005176758263 | 74 | 25 102 000 | 4005176881671 | 197 |
| 24 356 AL0 | 4005176761652 | 28 | 24 374 IGO | 4005176758287 | 74 | 25 104 000 | 4005176881794 | 131 |
| 24 356 DA0 | 4005176761669 | 28 | 24 375 000 | 4005176758300 | 76 | 25 105 003 | 4005176644306 | 236 |
| 24 356 DC0 | 4005176761164 | 28 | 24 375 IGO | 4005176758317 | 76 | 25 109 000 | 4005176881848 | 197 |
| 24 356 GL0 | 4005176761171 | 28 | 24 395 KF1 | 4005176782428 | 173 | 25 113 000 | 4005176881862 | 131 |
| 24 357 000 | 4005176762093 | 28 | 24 396 000 | 4005176786204 | 42 | 25 128 000 | 4005176905209 | 224 |
| 24 357 AL0 | 4005176761188 | 28 | 24 396 AL0 | 4005176786242 | 42 | 25 129 000 | 4005176905216 | 224 |
| 24 357 DA0 | 4005176761195 | 28 | 24 396 DA0 | 4005176786235 | 42 | 25 132 003 | 4005176529870 | 159 |
| 24 357 DC0 | 4005176761201 | 28 | 24 396 DC0 | 4005176786211 | 42 | 25 133 003 | 4005176529887 | 159 |
| 24 357 GL0 | 4005176761218 | 28 | 24 396 GL0 | 4005176786228 | 42 | 25 136 000 | 4005176906763 | 148 |
| 24 358 000 | 4005176762109 | 29 | 24 397 000 | 4005176795541 | 58 | 25 137 000 | 4005176906770 | 148 |
| 24 358 AL0 | 4005176761348 | 29 | 24 397 AL0 | 4005176795565 | 58 | 25 216 001 | 4005176556654 | 248 |
| 24 358 DA0 | 4005176761355 | 29 | 24 397 DC0 | 4005176795558 | 58 | 25 217 001 | 4005176556661 | 248 |
| 24 358 DC0 | 4005176761362 | 29 | 24 398 000 | 4005176795572 | 58 | 25 219 001 | 4005176466373 | 225 |
| 24 358 GL0 | 4005176761379 | 29 | 24 398 AL0 | 4005176795596 | 58 | 25 221 001 | 4005176509438 | 51 |
| 24 359 000 | 4005176762116 | 29 | 24 398 DC0 | 4005176795589 | 58 | 25 221 A01 | 4005176509414 | 51 |
| 24 359 AL0 | 4005176761386 | 29 | 24 399 000 | 4005176794933 | 58 | 25 221 DL1 | 4005176509315 | 51 |
| 24 359 DA0 | 4005176761393 | 29 | 24 399 AL0 | 4005176794957 | 58 | 25 221 GN1 | 4005176509254 | 51 |
| 24 359 DC0 | 4005176761409 | 29 | 24 399 DC0 | 4005176794940 | 58 | 25 222 001 | 4005176509230 | 52 |
| 24 359 GL0 | 4005176761416 | 29 | 24 400 000 | 4005176794964 | 58 | 25 222 A01 | 4005176509216 | 52 |
| 24 362 000 | 4005176760846 | 25 | 24 400 AL0 | 4005176795428 | 58 | 25 222 DL1 | 4005176509117 | 52 |
| 24 362 AL0 | 4005176760853 | 25 | 24 400 DC0 | 4005176794971 | 58 | 25 222 GN1 | 4005176509056 | 52 |
| 24 362 DA0 | 4005176760860 | 25 | 24 408 000 | 4005176795435 | 58 | 25 224 000 | 4005176508950 | 45 |
| 24 362 DC0 | 4005176760877 | 25 | 24 408 AL0 | 4005176795459 | 58 | 25 224 AL0 | 4005176508912 | 45 |
| 24 362 GL0 | 4005176760884 | 25 | 24 408 DC0 | 4005176795442 | 58 | 25 224 DA0 | 4005176508875 | 45 |
| 24 363 000 | 4005176762215 | 25 | 24 414 000 | 4005176795466 | 58 | 25 224 DC0 | 4005176508851 | 45 |
| 24 363 AL0 | 4005176760891 | 25 | 24 414 AL0 | 4005176794865 | 58 | 25 224 GL0 | 4005176508790 | 45 |
| 24 363 DA0 | 4005176760907 | 25 | 24 414 DC0 | 4005176794056 | 58 | 25 226 000 | 4005176508554 | 41 |
| 24 363 DC0 | 4005176760914 | 25 | 24 417 000 | 4005176794872 | 59 | 25 226 AL0 | 4005176508516 | 41 |
| 24 363 GL0 | 4005176760921 | 25 | 24 417 AL0 | 4005176794902 | 59 | 25 226 DA0 | 4005176508479 | 41 |
| 24 364 000 | 4005176762222 | 26 | 24 417 DC0 | 4005176794896 | 59 | 25 226 DC0 | 4005176508455 | 41 |
| 24 364 AL0 | 4005176760938 | 26 | 24 418 000 | 4005176794919 | 59 | 25 226 GL0 | 4005176508394 | 41 |
| 24 364 DA0 | 4005176760945 | 26 | 24 418 AL0 | 4005176795473 | 59 | 25 227 000 | 4005176508356 | 44 |

GROHE SURVEY OF CONTENTS

| Ref. No. | EAN | Page | Ref. No. | EAN | Page | Ref. No. | EAN | Page |
|------------|---------------|----------|------------|---------------|----------|------------|---------------|----------|
| 25 227 AL0 | 4005176508318 | 44 | 26 051 001 | 4005176443954 | 424, 454 | 26 335 001 | 4005176775321 | 469 |
| 25 227 DA0 | 4005176508271 | 44 | 26 052 000 | 4005176937064 | 414 | 26 346 000 | 4005176332173 | 473 |
| 25 227 DC0 | 4005176508257 | 44 | 26 056 000 | 4005176937101 | 413 | 26 346 001 | 4005176775314 | 469 |
| 25 227 GL0 | 4005176508196 | 44 | 26 060 000 | 4005176937149 | 413 | 26 352 000 | 4005176333835 | 466 |
| 25 229 000 | 4005176507977 | 41 | 26 062 000 | 4005176937163 | 414 | 26 353 000 | 4005176333866 | 466 |
| 25 229 AL0 | 4005176507939 | 41 | 26 063 000 | 4005176937170 | 414 | 26 354 000 | 4005176333873 | 466 |
| 25 229 DA0 | 4005176507892 | 41 | 26 066 000 | 4005176937200 | 413 | 26 355 ILO | 4005176333880 | 466 |
| 25 229 DC0 | 4005176507878 | 41 | 26 066 A00 | 4005176427237 | 413 | 26 356 ILO | 4005176333903 | 467 |
| 25 229 GL0 | 4005176507816 | 41 | 26 066 AL0 | 4005176427220 | 413 | 26 357 000 | 4005176333927 | 467 |
| 25 231 001 | 4005176554599 | 254 | 26 066 DA0 | 4005176427206 | 413 | 26 358 000 | 4005176333941 | 467 |
| 25 232 001 | 4005176554605 | 254 | 26 066 DC0 | 4005176371172 | 413 | 26 361 000 | 4005176347580 | 379 |
| 25 241 003 | 4005176644221 | 239, 634 | 26 066 DL0 | 4005176427213 | 413 | 26 361 LSO | 4005176409707 | 379 |
| 25 242 003 | 4005176644238 | 240, 635 | 26 066 GL0 | 4005176427183 | 413 | 26 363 000 | 4005176339264 | 396 |
| 25 243 003 | 4005176644320 | 241, 637 | 26 066 GN0 | 4005176427190 | 413 | 26 370 000 | 4005176341380 | 98, 480 |
| 25 244 003 | 4005176644337 | 241, 637 | 26 067 000 | 4005176937217 | 413 | 26 381 001 | 4005176451980 | 405 |
| 25 246 001 | 4005176674228 | 247 | 26 067 A00 | 4005176427312 | 413 | 26 383 000 | 4005176369025 | 397 |
| 25 248 001 | 4005176698255 | 178 | 26 067 AL0 | 4005176427305 | 413 | 26 385 000 | 4005176375057 | 382, 407 |
| 25 248 A01 | 4005176711336 | 178 | 26 067 DA0 | 4005176427282 | 413 | 26 405 000 | 4005176385162 | 449 |
| 25 248 AL1 | 4005176711343 | 178 | 26 067 DC0 | 4005176371189 | 413 | 26 406 001 | 4005176451881 | 459 |
| 25 248 DA1 | 4005176711367 | 178 | 26 067 DL0 | 4005176427299 | 413 | 26 408 000 | 4005176390111 | 423, 462 |
| 25 248 DC1 | 4005176711374 | 178 | 26 067 GL0 | 4005176427268 | 413 | 26 409 000 | 4005176390128 | 423, 462 |
| 25 248 DL1 | 4005176711381 | 178 | 26 067 GN0 | 4005176427275 | 413 | 26 410 000 | 4005176390142 | 423, 462 |
| 25 248 GL1 | 4005176711404 | 178 | 26 070 000 | 4005176937248 | 413 | 26 412 000 | 4005176390173 | 416, 460 |
| 25 248 GN1 | 4005176711411 | 178 | 26 071 000 | 4005176937255 | 414 | 26 413 000 | 4005176390180 | 461 |
| 25 249 001 | 4005176698262 | 174 | 26 073 000 | 4005176937279 | 415, 449 | 26 414 000 | 4005176408090 | 461 |
| 25 250 001 | 4005176698354 | 174 | 26 075 001 | 4005176648014 | 392 | 26 443 000 | 4005176409875 | 380 |
| 25 250 A01 | 4005176712449 | 174 | 26 075 A00 | 4005176425387 | 392 | 26 443 LSO | 4005176409882 | 380 |
| 25 250 AL1 | 4005176712456 | 174 | 26 075 AL0 | 4005176425370 | 392 | 26 446 000 | 4005176409905 | 380 |
| 25 250 DA1 | 4005176712470 | 174 | 26 075 DA0 | 4005176425356 | 392 | 26 446 LSO | 4005176409912 | 380 |
| 25 250 DC1 | 4005176712487 | 174 | 26 075 DC0 | 4005176371219 | 392 | 26 449 000 | 4005176409790 | 318, 382 |
| 25 250 DL1 | 4005176712494 | 174 | 26 075 DL0 | 4005176425363 | 392 | 26 450 000 | 4005176409813 | 381, 408 |
| 25 250 GL1 | 4005176711169 | 174 | 26 075 GL0 | 4005176425332 | 392 | 26 450 LSO | 4005176409820 | 381, 408 |
| 25 250 GN1 | 4005176711176 | 174 | 26 075 GN0 | 4005176425349 | 392 | 26 455 000 | 4005176416903 | 421, 446 |
| 25 250 KF1 | 4005176782404 | 174 | 26 082 002 | 4005176443268 | 450 | 26 457 000 | 4005176416934 | 421, 446 |
| 25 251 001 | 4005176698361 | 177 | 26 083 002 | 4005176451546 | 451 | 26 458 000 | 4005176416958 | 415, 445 |
| 25 251 A01 | 4005176711824 | 177 | 26 084 002 | 4005176451645 | 453 | 26 459 000 | 4005176416965 | 415, 445 |
| 25 251 AL1 | 4005176711831 | 177 | 26 085 001 | 4005176444036 | 464 | 26 460 000 | 4005176416972 | 415, 445 |
| 25 251 DA1 | 4005176711855 | 177 | 26 086 001 | 4005176451904 | 464 | 26 461 000 | 4005176416989 | 415, 445 |
| 25 251 DC1 | 4005176711862 | 177 | 26 087 000 | 4005176940828 | 395 | 26 468 000 | 4005176423963 | 442 |
| 25 251 DL1 | 4005176711114 | 177 | 26 089 001 | 4005176444067 | 417, 464 | 26 472 000 | 4005176424908 | 419 |
| 25 251 GL1 | 4005176711893 | 177 | 26 090 001 | 4005176443992 | 417, 453 | 26 474 EN0 | 4005176424946 | 420 |
| 25 252 001 | 4005176698385 | 173 | 26 130 001 | 4005176443909 | 450 | 26 475 000 | 4005176423758 | 408 |
| 25 252 A01 | 4005176711183 | 173 | 26 145 000 | 4005176986000 | 426 | 26 475 A00 | 4005176557095 | 408 |
| 25 252 AL1 | 4005176711190 | 173 | 26 146 000 | 4005176986017 | 426 | 26 475 AL0 | 4005176557101 | 408 |
| 25 252 DA1 | 4005176711213 | 173 | 26 146 LSO | 4005176997266 | 426 | 26 475 DA0 | 4005176557125 | 408 |
| 25 252 DC1 | 4005176711220 | 173 | 26 161 001 | 4005176444104 | 455 | 26 475 DC0 | 4005176526237 | 408 |
| 25 252 DL1 | 4005176711237 | 173 | 26 162 001 | 4005176451713 | 457 | 26 475 DL0 | 4005176557132 | 408 |
| 25 252 GL1 | 4005176711251 | 173 | 26 164 001 | 4005176451867 | 459 | 26 475 GL0 | 4005176557156 | 408 |
| 25 252 GN1 | 4005176711268 | 173 | 26 171 000 | 4005176997310 | 414 | 26 475 GN0 | 4005176557163 | 408 |
| 25 252 KF1 | 4005176782381 | 173 | 26 187 000 | 4005176310744 | 395 | 26 475 LSO | 4005176425899 | 408 |
| 25 268 000 | 4005176762147 | 33 | 26 223 001 | 4005176408144 | 404 | 26 477 000 | 4005176423772 | 409 |
| 25 268 AL0 | 4005176761447 | 33 | 26 224 001 | 4005176408168 | 404 | 26 477 A00 | 4005176557170 | 409 |
| 25 268 DA0 | 4005176761454 | 33 | 26 243 000 | 4005176316326 | 399 | 26 477 AL0 | 4005176557187 | 409 |
| 25 268 DC0 | 4005176761461 | 33 | 26 250 000 | 4005176316999 | 379 | 26 477 DA0 | 4005176557200 | 409 |
| 25 268 GL0 | 4005176761478 | 33 | 26 250 LSO | 4005176317002 | 379 | 26 477 DC0 | 4005176526244 | 409 |
| 25 272 000 | 4005176762154 | 33 | 26 254 000 | 4005176317026 | 381, 408 | 26 477 DL0 | 4005176557217 | 409 |
| 25 272 AL0 | 4005176761485 | 33 | 26 254 LSO | 4005176409806 | 381, 408 | 26 477 GL0 | 4005176557231 | 409 |
| 25 272 DA0 | 4005176761492 | 33 | 26 256 000 | 4005176318597 | 412 | 26 477 GN0 | 4005176557248 | 409 |
| 25 272 DC0 | 4005176761508 | 33 | 26 257 000 | 4005176317927 | 413 | 26 477 LSO | 4005176425912 | 409 |
| 25 272 EN0 | 4005176761515 | 33 | 26 264 001 | 4005176417108 | 381, 408 | 26 479 000 | 4005176425196 | 409 |
| 25 272 GL0 | 4005176761522 | 33 | 26 267 001 | 4005176444197 | 417, 460 | 26 479 A00 | 4005176557255 | 409 |
| 25 450 001 | 4005176843372 | 258 | 26 302 001 | 4005176408137 | 402 | 26 479 AL0 | 4005176557262 | 409 |
| 25 452 001 | 4005176843075 | 258 | 26 308 001 | 4005176843129 | 258 | 26 479 DC0 | 4005176526251 | 409 |
| 25 460 10A | 4005176456541 | 258 | 26 330 001 | 4005176843112 | 258 | 26 479 DL0 | 4005176557293 | 409 |
| 26 | | | 26 334 000 | 4005176332159 | 473 | 26 479 GN0 | 4005176557323 | 409 |
| 26 050 001 | 4005176444166 | 423, 462 | 26 334 001 | 4005176775338 | 469 | 26 479 LSO | 4005176425936 | 409 |
| | | | 26 335 000 | 4005176332166 | 473 | 26 481 000 | 4005176425219 | 410 |

GROHE SURVEY OF CONTENTS

| Ref. No. | EAN | Page | Ref. No. | EAN | Page | Ref. No. | EAN | Page |
|------------|---------------|----------|------------|---------------|----------|------------|---------------|----------|
| 26 481 A00 | 4005176557330 | 410 | 26 574 DLO | 4005176558498 | 430 | 26 681 000 | 4005176580680 | 423, 462 |
| 26 481 AL0 | 4005176557347 | 410 | 26 574 GLO | 4005176558511 | 430 | 26 682 000 | 4005176580697 | 416, 460 |
| 26 481 DCO | 4005176526268 | 410 | 26 574 GNO | 4005176558528 | 430 | 26 683 000 | 4005176580703 | 416, 461 |
| 26 481 DLO | 4005176557378 | 410 | 26 574 LSO | 4005176485923 | 430 | 26 685 000 | 4005176580727 | 423, 462 |
| 26 481 GNO | 4005176557408 | 410 | 26 575 000 | 4005176485947 | 430 | 26 687 000 | 4005176580741 | 416, 460 |
| 26 481 LSO | 4005176425950 | 410 | 26 578 000 | 4005176485985 | 431 | 26 688 000 | 4005176580758 | 416, 461 |
| 26 483 000 | 4005176425103 | 410 | 26 578 LSO | 4005176486197 | 431 | 26 689 000 | 4005176580765 | 401 |
| 26 484 000 | 4005176425110 | 410 | 26 579 LSO | 4005176486203 | 431 | 26 691 000 | 4005176580789 | 403 |
| 26 507 000 | 4005176457586 | 161, 389 | 26 580 000 | 4005176486210 | 431 | 26 723 000 | 4005176648021 | 393 |
| 26 507 A00 | 4005176557415 | 389 | 26 580 LSO | 4005176486227 | 431 | 26 801 000 | 4005176722769 | 94 |
| 26 507 AL0 | 4005176557422 | 161, 389 | 26 581 000 | 4005176486234 | 431 | 26 801 A00 | 4005176722806 | 94 |
| 26 507 DA0 | 4005176557446 | 389 | 26 581 LSO | 4005176486241 | 431 | 26 801 AL0 | 4005176722844 | 94 |
| 26 507 DCO | 4005176526374 | 161, 389 | 26 582 000 | 4005176486258 | 432 | 26 801 BE0 | 4005176722813 | 94 |
| 26 507 DLO | 4005176557453 | 389 | 26 582 A00 | 4005176558535 | 432 | 26 801 DA0 | 4005176722851 | 94 |
| 26 507 GLO | 4005176557477 | 389 | 26 582 AL0 | 4005176558542 | 432 | 26 801 DCO | 4005176722837 | 94 |
| 26 507 GNO | 4005176557484 | 389 | 26 582 DCO | 4005176526466 | 432 | 26 801 DLO | 4005176722868 | 94 |
| 26 507 LSO | 4005176457609 | 161, 389 | 26 582 DLO | 4005176558573 | 432 | 26 801 EN0 | 4005176722783 | 94 |
| 26 508 000 | 4005176457593 | 161, 390 | 26 582 GNO | 4005176558603 | 432 | 26 801 GLO | 4005176722790 | 94 |
| 26 508 A00 | 4005176557491 | 390 | 26 582 LSO | 4005176486265 | 432 | 26 801 GNO | 4005176722820 | 94 |
| 26 508 AL0 | 4005176557507 | 161, 390 | 26 583 000 | 4005176486289 | 432 | 26 802 000 | 4005176722776 | 68, 94 |
| 26 508 DCO | 4005176526367 | 161, 390 | 26 584 000 | 4005176486296 | 432 | 26 802 A00 | 4005176722875 | 94 |
| 26 508 DLO | 4005176557538 | 390 | 26 584 LSO | 4005176486302 | 433 | 26 802 AL0 | 4005176722905 | 68, 94 |
| 26 508 GNO | 4005176557569 | 390 | 26 585 000 | 4005176486319 | 432 | 26 802 DCO | 4005176722899 | 68, 94 |
| 26 508 LSO | 4005176457616 | 161, 390 | 26 586 000 | 4005176486333 | 433 | 26 802 DLO | 4005176722912 | 94 |
| 26 509 000 | 4005176457623 | 391 | 26 586 LSO | 4005176486357 | 433 | 26 802 GNO | 4005176722882 | 94 |
| 26 510 000 | 4005176457630 | 391 | 26 587 000 | 4005176486340 | 433 | 26 803 000 | 4005176723766 | 457 |
| 26 513 000 | 4005176457722 | 441 | 26 587 LSO | 4005176486364 | 433 | 26 839 000 | 4005176754227 | 97 |
| 26 514 000 | 4005176476099 | 402 | 26 588 000 | 4005176486371 | 434 | 26 840 000 | 4005176754234 | 97 |
| 26 544 000 | 4005176478888 | 430 | 26 588 LSO | 4005176486388 | 434 | 26 841 000 | 4005176754241 | 97 |
| 26 546 000 | 4005176479816 | 430 | 26 589 000 | 4005176486395 | 433 | 26 842 000 | 4005176754258 | 97 |
| 26 550 000 | 4005176479854 | 432 | 26 589 LSO | 4005176486401 | 434 | 26 843 000 | 4005176754265 | 97 |
| 26 552 000 | 4005176486272 | 432 | 26 590 000 | 4005176486418 | 434 | 26 847 000 | 4005176755057 | 69, 96 |
| 26 553 000 | 4005176479885 | 434 | 26 591 000 | 4005176486425 | 435 | 26 847 AL0 | 4005176755064 | 69, 96 |
| 26 557 000 | 4005176481710 | 411 | 26 592 000 | 4005176486449 | 435 | 26 847 DCO | 4005176755071 | 69, 96 |
| 26 558 000 | 4005176481727 | 411 | 26 592 LSO | 4005176486432 | 435 | 26 850 000 | 4005176754456 | 69, 96 |
| 26 559 000 | 4005176481734 | 411 | 26 593 000 | 4005176486456 | 435 | 26 850 AL0 | 4005176754463 | 69, 96 |
| 26 560 000 | 4005176481741 | 411 | 26 594 000 | 4005176486470 | 435 | 26 850 DCO | 4005176754470 | 69, 96 |
| 26 561 000 | 4005176481758 | 418 | 26 594 LSO | 4005176486463 | 436 | 26 852 000 | 4005176758492 | 77 |
| 26 561 LSO | 4005176482137 | 418 | 26 602 000 | 4005176486531 | 436, 481 | 26 852 IG0 | 4005176758515 | 77 |
| 26 562 000 | 4005176481765 | 418 | 26 603 000 | 4005176486548 | 436, 481 | 26 853 000 | 4005176758522 | 78 |
| 26 562 LSO | 4005176482144 | 418 | 26 603 A00 | 4005176558696 | 436, 481 | 26 853 IG0 | 4005176758539 | 78 |
| 26 563 000 | 4005176481772 | 412 | 26 603 AL0 | 4005176558702 | 436, 481 | 26 854 000 | 4005176758546 | 78, 78 |
| 26 564 000 | 4005176481789 | 412 | 26 603 BE0 | 4005176558719 | 436, 481 | 26 854 EN0 | 4005176758553 | 78, 78 |
| 26 564 A00 | 4005176557736 | 412 | 26 603 DA0 | 4005176558726 | 436, 481 | 26 855 000 | 4005176759024 | 91 |
| 26 564 AL0 | 4005176557743 | 412 | 26 603 DLO | 4005176558733 | 436, 481 | 26 856 000 | 4005176759031 | 68, 92 |
| 26 564 DLO | 4005176557774 | 412 | 26 603 EN0 | 4005176558740 | 436, 481 | 26 857 000 | 4005176759055 | 91 |
| 26 564 GNO | 4005176557804 | 412 | 26 603 GLO | 4005176558757 | 436, 481 | 26 858 000 | 4005176759079 | 68, 92 |
| 26 565 000 | 4005176482090 | 412 | 26 603 GNO | 4005176558764 | 436, 481 | 26 859 000 | 4005176758836 | 68, 92 |
| 26 566 000 | 4005176482106 | 412 | 26 608 000 | 4005176518577 | 390 | 26 860 000 | 4005176758843 | 91 |
| 26 566 A00 | 4005176557811 | 412 | 26 640 000 | 4005176530203 | 410 | 26 861 000 | 4005176758850 | 92 |
| 26 566 AL0 | 4005176557828 | 412 | 26 641 000 | 4005176530210 | 417 | 26 862 000 | 4005176758867 | 91 |
| 26 566 DCO | 4005176526282 | 412 | 26 642 000 | 4005176530227 | 411 | 26 863 000 | 4005176758874 | 86 |
| 26 566 DLO | 4005176557859 | 412 | 26 643 000 | 4005176530234 | 418 | 26 864 000 | 4005176758881 | 87 |
| 26 566 GNO | 4005176557880 | 412 | 26 647 000 | 4005176533013 | 383 | 26 865 000 | 4005176758898 | 86 |
| 26 567 000 | 4005176482113 | 419 | 26 647 LSO | 4005176533051 | 383 | 26 866 000 | 4005176758904 | 95 |
| 26 567 LSO | 4005176482151 | 419 | 26 648 000 | 4005176533020 | 383 | 26 866 A00 | 4005176758911 | 95 |
| 26 568 000 | 4005176482120 | 418 | 26 648 LSO | 4005176533068 | 383 | 26 866 AL0 | 4005176758928 | 95 |
| 26 568 LSO | 4005176482168 | 418 | 26 649 000 | 4005176533037 | 384 | 26 866 BE0 | 4005176758935 | 95 |
| 26 569 000 | 4005176482175 | 418 | 26 652 000 | 4005176533044 | 384 | 26 866 DA0 | 4005176758942 | 95 |
| 26 569 EN0 | 4005176482182 | 418 | 26 657 000 | 4005176533075 | 385 | 26 866 DCO | 4005176758959 | 95 |
| 26 570 000 | 4005176482199 | 418 | 26 662 000 | 4005176580499 | 422, 461 | 26 866 DLO | 4005176758966 | 95 |
| 26 570 EN0 | 4005176482205 | 418 | 26 663 000 | 4005176580505 | 415, 460 | 26 866 EN0 | 4005176758973 | 95 |
| 26 574 000 | 4005176485916 | 430 | 26 664 000 | 4005176580512 | 416, 461 | 26 866 GLO | 4005176758980 | 95 |
| 26 574 A00 | 4005176558450 | 430 | 26 666 000 | 4005176580536 | 422, 461 | 26 866 GNO | 4005176758997 | 95 |
| 26 574 AL0 | 4005176558467 | 430 | 26 668 000 | 4005176580550 | 415, 460 | 26 867 000 | 4005176759000 | 96 |
| 26 574 DA0 | 4005176558481 | 430 | 26 669 000 | 4005176580567 | 416, 461 | 26 868 000 | 4005176759116 | 93 |
| 26 574 DCO | 4005176526459 | 430 | 26 670 000 | 4005176580574 | 401 | 26 871 000 | 4005176759147 | 92 |

GROHE SURVEY OF CONTENTS

| Ref. No. | EAN | Page | Ref. No. | EAN | Page | Ref. No. | EAN | Page |
|------------|---------------|----------|------------|---------------|----------|------------|---------------|----------|
| 26 872 000 | 4005176759161 | 92 | 27 074 DCO | 4005176374487 | 98, 477 | 27 519 000 | 4005176886485 | 465, 482 |
| 26 873 000 | 4005176759178 | 90 | 27 074 DLO | 4005176427091 | 98, 477 | 27 521 000 | 4005176886508 | 454, 482 |
| 26 874 000 | 4005176759192 | 90 | 27 074 ENO | 4005176834301 | 477 | 27 522 000 | 4005176886515 | 454, 482 |
| 26 876 000 | 4005176759215 | 93 | 27 074 GLO | 4005176338984 | 98, 477 | 27 523 000 | 4005176886522 | 462, 483 |
| 26 877 000 | 4005176759222 | 93 | 27 074 GNO | 4005176427084 | 98, 477 | 27 524 000 | 4005176886539 | 462, 483 |
| 26 877 00D | 4005176759239 | 92 | 27 074 LSO | 4005176873591 | 98, 477 | 27 530 000 | 4005176889219 | 421, 439 |
| 26 878 000 | 4005176759246 | 100 | 27 075 000 | 4005176833090 | 98, 477 | 27 531 000 | 4005176889486 | 479 |
| 26 879 000 | 4005176759253 | 100 | 27 076 000 | 4005176833106 | 98, 479 | 27 541 001 | 4005176451676 | 424, 454 |
| 26 880 000 | 4005176759260 | 100 | 27 102 000 | 4005176600074 | 485 | 27 569 000 | 4005176894275 | 386 |
| 26 883 000 | 4005176759291 | 90 | 27 134 000 | 4005176836060 | 420, 437 | 27 571 002 | 4005176443893 | 450 |
| 26 884 000 | 4005176759307 | 69, 96 | 27 135 000 | 4005176836077 | 420 | 27 571 20E | 4005176443275 | 450 |
| 26 885 000 | 4005176759314 | 96 | 27 135 ENO | 4005176836084 | 420 | 27 572 002 | 4005176443923 | 450 |
| 26 885 A00 | 4005176759321 | 96 | 27 137 000 | 4005176836237 | 473 | 27 573 002 | 4005176443947 | 450 |
| 26 885 AL0 | 4005176759338 | 96 | 27 137 001 | 4005176933295 | 469 | 27 574 002 | 4005176443916 | 450 |
| 26 885 DCO | 4005176759345 | 96 | 27 151 000 | 4005176837012 | 479 | 27 575 002 | 4005176443930 | 450 |
| 26 885 DLO | 4005176759352 | 96 | 27 174 001 | 4005176877162 | 386 | 27 576 002 | 4005176451560 | 451 |
| 26 886 000 | 4005176759376 | 96 | 27 180 000 | 4005176839306 | 407 | 27 577 002 | 4005176451584 | 451 |
| 26 887 000 | 4005176759383 | 91 | 27 206 000 | 4005176845444 | 484 | 27 578 002 | 4005176451386 | 452 |
| 26 888 000 | 4005176759390 | 90 | 27 220 000 | 4005176854118 | 442 | 27 578 20E | 4005176451362 | 452 |
| 26 889 000 | 4005176759406 | 95 | 27 221 000 | 4005176854125 | 441 | 27 579 002 | 4005176451492 | 452 |
| 26 889 00D | 4005176759413 | 95 | 27 221 001 | 4005176457708 | 441 | 27 580 002 | 4005176451515 | 451 |
| 26 890 000 | 4005176759420 | 91 | 27 222 000 | 4005176854132 | 441 | 27 584 002 | 4005176451621 | 452 |
| 26 892 000 | 4005176759451 | 95 | 27 224 000 | 4005176854156 | 442 | 27 588 002 | 4005176451669 | 453 |
| 26 893 000 | 4005176758645 | 95 | 27 225 001 | 4005176899508 | 444 | 27 591 001 | 4005176443985 | 423, 453 |
| 26 894 000 | 4005176758652 | 95 | 27 226 001 | 4005176899515 | 444 | 27 594 000 | 4005176895920 | 463, 478 |
| 26 895 000 | 4005176762185 | 32 | 27 227 001 | 4005176899522 | 444 | 27 595 000 | 4005176895937 | 476 |
| 26 895 AL0 | 4005176760778 | 32 | 27 230 001 | 4005176899546 | 443 | 27 596 000 | 4005176895944 | 446, 454 |
| 26 895 DA0 | 4005176760785 | 32 | 27 231 001 | 4005176899553 | 443 | 27 597 001 | 4005176985508 | 455 |
| 26 895 DCO | 4005176760792 | 32 | 27 232 001 | 4005176899560 | 442 | 27 597 10E | 4005176985409 | 455 |
| 26 895 GLO | 4005176760808 | 32 | 27 237 000 | 4005176854286 | 422, 446 | 27 598 001 | 4005176985515 | 457 |
| 26 896 000 | 4005176758416 | 79 | 27 238 000 | 4005176854293 | 442 | 27 598 10E | 4005176985416 | 457 |
| 26 896 DA0 | 4005176758423 | 79 | 27 239 000 | 4005176854323 | 441 | 27 600 001 | 4005176451775 | 456 |
| 26 896 IGO | 4005176758430 | 79 | 27 239 001 | 4005176457715 | 441 | 27 601 10E | 4005176985430 | 459 |
| 26 897 000 | 4005176758447 | 79 | 27 242 001 | 4005176899782 | 443 | 27 606 001 | 4005176444180 | 423, 462 |
| 26 897 DA0 | 4005176758454 | 79 | 27 243 001 | 4005176899799 | 443 | 27 608 001 | 4005176444029 | 464 |
| 26 897 IGO | 4005176758461 | 79 | 27 256 001 | 4005176899805 | 443 | 27 609 001 | 4005176451898 | 464 |
| 26 898 000 | 4005176758560 | 78 | 27 265 000 | 4005176856983 | 442 | 27 610 001 | 4005176444050 | 424, 464 |
| 26 898 DA0 | 4005176758577 | 78 | 27 265 00E | 4005176885693 | 442 | 27 615 002 | 4005176647970 | 394 |
| 26 898 IGO | 4005176758584 | 78 | 27 266 001 | 4005176899812 | 443 | 27 641 000 | 4005176901645 | 387 |
| 26 899 000 | 4005176758607 | 78, 99 | 27 266 00E | 4005176890710 | 443 | 27 644 001 | 4005176451720 | 457 |
| 26 900 000 | 4005176758614 | 78, 99 | 27 267 001 | 4005176899829 | 444 | 27 645 001 | 4005176451744 | 456 |
| 26 900 DA0 | 4005176758621 | 78, 99 | 27 274 000 | 4005176861383 | 438 | 27 646 001 | 4005176985522 | 458 |
| 26 900 IGO | 4005176758638 | 78, 99 | 27 296 001 | 4005176896293 | 397 | 27 646 10E | 4005176985423 | 458 |
| 26 901 000 | 4005176757518 | 77 | 27 296 003 | 4005176647963 | 393 | 27 693 000 | 4005176907043 | 477 |
| 26 901 00F | 4005176757525 | 77 | 27 354 000 | 4005176874444 | 445 | 27 696 000 | 4005176907074 | 400 |
| 26 901 IGO | 4005176757501 | 77 | 27 355 000 | 4005176874451 | 445 | 27 698 000 | 4005176907098 | 448 |
| 27 032 001 | 4005176877155 | 387 | 27 367 000 | 4005176875939 | 447 | 27 699 000 | 4005176907104 | 448 |
| 27 055 000 | 4005176830433 | 476 | 27 368 000 | 4005176875946 | 447 | 27 700 000 | 4005176907111 | 448 |
| 27 056 000 | 4005176830440 | 476 | 27 369 000 | 4005176875953 | 447 | 27 702 000 | 4005176907135 | 449 |
| 27 057 000 | 4005176830457 | 98, 479 | 27 400 000 | 4005176877292 | 447 | 27 703 000 | 4005176907142 | 449 |
| 27 057 A00 | 4005176338953 | 98, 479 | 27 406 000 | 4005176600166 | 427, 463 | 27 704 000 | 4005176907159 | 480 |
| 27 057 AL0 | 4005176338960 | 98, 479 | 27 421 002 | 4005176417924 | 400 | 27 705 000 | 4005176907166 | 422, 449 |
| 27 057 DA0 | 4005176338939 | 98, 479 | 27 470 000 | 4005176882531 | 419 | 27 706 000 | 4005176908439 | 477 |
| 27 057 DCO | 4005176371196 | 98, 479 | 27 470 LSO | 4005176997235 | 419 | 27 706 AL0 | 4005176490972 | 477 |
| 27 057 DLO | 4005176426940 | 98, 479 | 27 475 001 | 4005176417863 | 398 | 27 706 DCO | 4005176490989 | 477 |
| 27 057 GLO | 4005176338946 | 98, 479 | 27 475 002 | 4005176647840 | 394 | 27 707 000 | 4005176908446 | 480 |
| 27 057 GNO | 4005176426933 | 98, 479 | 27 477 000 | 4005176883286 | 419 | 27 707 AL0 | 4005176490880 | 480 |
| 27 058 000 | 4005176830464 | 388 | 27 478 000 | 4005176883293 | 419 | 27 707 DCO | 4005176490897 | 480 |
| 27 062 000 | 4005176831669 | 421, 439 | 27 484 000 | 4005176885488 | 427 | 27 709 000 | 4005176909092 | 93, 426 |
| 27 067 000 | 4005176832123 | 421, 429 | 27 485 000 | 4005176885495 | 427 | 27 711 000 | 4005176909115 | 93, 427 |
| 27 074 000 | 4005176833083 | 98, 477 | 27 488 000 | 4005176885525 | 426 | 27 786 002 | 4005176451508 | 452 |
| 27 074 A00 | 4005176338991 | 98, 477 | 27 492 000 | 4005176885556 | 421, 447 | 27 787 002 | 4005176451522 | 451 |
| 27 074 AL0 | 4005176339004 | 98, 477 | 27 499 000 | 4005176886041 | 446, 482 | 27 790 002 | 4005176451614 | 452 |
| 27 074 BE0 | 4005176834325 | 477 | 27 500 000 | 4005176886058 | 446, 482 | 27 794 001 | 4005176451737 | 457 |
| 27 074 DA0 | 4005176338977 | 98, 477 | 27 512 001 | 4005176333804 | 466 | 27 795 001 | 4005176451751 | 456 |
| | | | 27 513 001 | 4005176333842 | 466 | 27 796 001 | 4005176451850 | 458 |
| | | | 27 514 001 | 4005176333910 | 467 | 27 798 10E | 4005176985447 | 459 |

GROHE SURVEY OF CONTENTS

| Ref. No. | EAN | Page | Ref. No. | EAN | Page | Ref. No. | EAN | Page |
|------------|---------------|----------|------------|---------------|----------|------------|---------------|----------|
| 27 799 001 | 4005176985539 | 459 | 28 286 000 | 4005176198526 | 429, 440 | 28 671 000 | 4005176103070 | 480, 639 |
| 27 803 10E | 4005176985454 | 459 | 28 361 000 | 4005176295157 | 426 | 28 679 000 | 4005176116759 | 481 |
| 27 805 001 | 4005176451911 | 464 | 28 362 000 | 4005176295225 | 473 | 28 680 000 | 4005176116780 | 480 |
| 27 812 1L1 | 4005176333897 | 466 | 28 362 001 | 4005176933264 | 469 | 28 690 000 | 4005176256196 | 476 |
| 27 841 000 | 4005176916670 | 449, 482 | 28 362 A00 | 4005176427633 | 473 | 28 724 000 | 4005176812644 | 427 |
| 27 852 001 | 4005176444081 | 455 | 28 362 A01 | 4005176775437 | 469 | 28 778 000 | 4005176820526 | 419 |
| 27 853 001 | 4005176451706 | 458 | 28 362 BE1 | 4005176775444 | 469 | 28 789 002 | 4005176451843 | 458 |
| 27 854 001 | 4005176451829 | 458 | 28 362 DA0 | 4005176427602 | 473 | 28 796 000 | 4005176824296 | 439 |
| 27 869 001 | 4005176444005 | 417, 453 | 28 362 DA1 | 4005176775451 | 469 | 28 799 000 | 4005176602511 | 485 |
| 27 891 000 | 4005176921209 | 448 | 28 362 DC0 | 4005176386435 | 473 | 28 817 000 | 4005176602962 | 797 |
| 27 892 000 | 4005176921216 | 482 | 28 362 DC1 | 4005176775475 | 469 | 28 856 000 | 4005176603495 | 484 |
| 27 922 000 | 4005176923364 | 403 | 28 362 GLO | 4005176427589 | 473 | 28 874 000 | 4005176042348 | 485, 631 |
| 27 923 001 | 4005176444074 | 455 | 28 362 GL1 | 4005176775468 | 469 | 28 910 000 | 4005176603846 | 789 |
| 27 924 001 | 4005176451690 | 458 | 28 362 KF1 | 4005176782596 | 469 | 28 912 000 | 4005176266751 | 80, 134 |
| 27 925 001 | 4005176451812 | 458 | 28 364 000 | 4005176295294 | 473 | 28 912 AL0 | 4005176467844 | 134, 163 |
| 27 926 001 | 4005176451768 | 456 | 28 364 001 | 4005176933271 | 469 | 28 912 DC0 | 4005176467905 | 134, 163 |
| 27 929 002 | 4005176451577 | 451 | 28 368 000 | 4005176267253 | 420 | 28 912 DL0 | 4005176467899 | |
| 27 932 000 | 4005176924231 | 398 | 28 368 00E | 4005176867385 | 420 | 28 912 EN0 | 4005176467837 | |
| 27 936 000 | 4005176927058 | 448 | 28 368 LSO | 4005176997242 | 420 | 28 912 GN0 | 4005176467875 | |
| 27 964 000 | 4005176929595 | 396 | 28 373 000 | 4005176267277 | 420 | 28 920 000 | 4005176603914 | 790 |
| 27 966 000 | 4005176929250 | 386 | 28 388 000 | 4005176295362 | 473 | 28 939 000 | 4005176209161 | 263 |
| 27 966 001 | 4005176532993 | 385 | 28 388 001 | 4005176933288 | 469 | 28 943 000 | 4005176209178 | 263, 674 |
| 27 967 000 | 4005176929670 | 387 | 28 388 A00 | 4005176427701 | 473 | 28 948 000 | 4005176209871 | 425, 440 |
| 27 968 001 | 4005176533006 | 385 | 28 388 A01 | 4005176775383 | 469 | 28 964 001 | 4005176877254 | 439 |
| 28 | | | 28 388 BE1 | 4005176775390 | 469 | 28 982 000 | 4005176829987 | 426 |
| 28 002 000 | 4005176858796 | 425, 440 | 28 388 DA0 | 4005176427671 | 473 | 28 988 000 | 4005176042805 | 485, 631 |
| 28 020 L01 | 4005176333828 | 466 | 28 388 DA1 | 4005176775406 | 469 | 28 990 000 | 4005176174025 | 262 |
| 28 025 000 | 4005176284830 | 472 | 28 388 DC0 | 4005176386428 | 473 | 28 991 000 | 4005176174032 | 262, 674 |
| 28 025 001 | 4005176933387 | 468 | 28 388 DC1 | 4005176775420 | 469 | 28 993 000 | 4005176174056 | 262 |
| 28 094 000 | 4005176601132 | 425, 440 | 28 388 GLO | 4005176427657 | 473 | 28 995 000 | 4005176175725 | 262 |
| 28 105 000 | 4005176601217 | 472 | 28 388 GL1 | 4005176775413 | 469 | 29 | | |
| 28 105 001 | 4005176933301 | 468 | 28 388 KF1 | 4005176782602 | 469 | 29 007 000 | 4005176837678 | 631 |
| 28 139 000 | 4005176601316 | 472 | 28 389 000 | 4005176269837 | 484 | 29 025 002 | 4005176519895 | 32, 40 |
| 28 139 001 | 4005176933318 | 468 | 28 401 000 | 4005176264474 | 476 | 29 032 000 | 4005176845277 | 54, 68 |
| 28 140 000 | 4005176601323 | 472 | 28 403 000 | 4005176264511 | 478 | 29 033 000 | 4005176845338 | 53, 67 |
| 28 140 001 | 4005176933325 | 468 | 28 404 000 | 4005176601736 | 425, 440 | 29 037 000 | 4005176865749 | 65, 76 |
| 28 142 000 | 4005176601330 | 472, 640 | 28 405 000 | 4005176264559 | 480, 639 | 29 037 001 | 4005176455490 | 52 |
| 28 142 002 | 4005176933332 | 468 | 28 406 000 | 4005176264566 | 481, 639 | 29 037 002 | 4005176519918 | 35, 41 |
| 28 143 000 | 4005176601347 | 96, 472 | 28 409 001 | 4005176933233 | 474 | 29 078 001 | 4005176556555 | 247 |
| 28 143 001 | 4005176933349 | 468 | 28 409 002 | 4005176605536 | 470 | 29 079 001 | 4005176556692 | 248 |
| 28 143 KS0 | 4005176842252 | 472, 640 | 28 410 001 | 4005176933240 | 474 | 29 080 001 | 4005176555961 | 253 |
| 28 143 KS1 | 4005176934179 | 468 | 28 410 002 | 4005176605529 | 470 | 29 081 001 | 4005176556081 | 253 |
| 28 143 LSO | 4005176842269 | 472, 640 | 28 413 001 | 4005176933257 | 474 | 29 086 000 | 4005176935497 | 59, 59 |
| 28 143 LS1 | 4005176935084 | 468 | 28 413 002 | 4005176605512 | 470 | 29 094 000 | 4005176354106 | 630 |
| 28 145 000 | 4005176601354 | 472, 640 | 28 417 000 | 4005176264702 | 472 | 29 095 000 | 4005176354113 | 630 |
| 28 145 001 | 4005176933356 | 468 | 28 417 001 | 4005176933363 | 468 | 29 096 000 | 4005176354120 | 630 |
| 28 146 000 | 4005176121753 | 471, 474 | 28 419 002 | 4005176444128 | 455 | 29 097 003 | 4005176365133 | 210 |
| 28 150 001 | 4005176933196 | 474 | 28 421 002 | 4005176444142 | 455 | 29 097 LS3 | 4005176365140 | 210 |
| 28 150 002 | 4005176605598 | 470 | 28 422 002 | 4005176444111 | 455 | 29 098 003 | 4005176365225 | 214 |
| 28 151 001 | 4005176933202 | 474 | 28 429 000 | 4005176601910 | 428, 463 | 29 098 LS3 | 4005176365232 | 214 |
| 28 151 002 | 4005176605581 | 470 | 28 436 002 | 4005176451799 | 456 | 29 099 003 | 4005176365300 | 215 |
| 28 151 L01 | 4005176935091 | 474 | 28 438 001 | 4005176985553 | 457 | 29 099 LS3 | 4005176365317 | 215 |
| 28 151 L02 | 4005176775512 | 470 | 28 497 000 | 4005176270338 | 427 | 29 118 000 | 4005176412240 | 103, 311 |
| 28 154 001 | 4005176933219 | 474 | 28 541 000 | 4005176040528 | 427, 463 | 29 118 A00 | 4005176493010 | 311 |
| 28 154 002 | 4005176605574 | 470 | 28 576 000 | 4005176274022 | 426 | 29 118 AL0 | 4005176455049 | 103, 311 |
| 28 155 001 | 4005176933226 | 474 | 28 578 002 | 4005176444159 | 455 | 29 118 DA0 | 4005176492990 | 103, 311 |
| 28 155 002 | 4005176605567 | 470 | 28 587 000 | 4005176282966 | 482, 639 | 29 118 DC0 | 4005176455032 | 103, 311 |
| 28 158 000 | 4005176601606 | 474 | 28 605 000 | 4005176041105 | 478 | 29 118 DL0 | 4005176493003 | 311 |
| 28 158 001 | 4005176775543 | 470 | 28 620 000 | 4005176041259 | 481 | 29 118 GLO | 4005176492976 | 103, 311 |
| 28 161 001 | 4005176935107 | 473, 639 | 28 621 000 | 4005176041273 | 482 | 29 118 GN0 | 4005176492983 | 311 |
| 28 161 002 | 4005176775482 | 470 | 28 622 000 | 4005176041297 | 478 | 29 119 000 | 4005176412257 | 104, 312 |
| 28 198 000 | 4005176038686 | 429 | 28 623 000 | 4005176031595 | 476 | 29 119 A00 | 4005176493089 | 312 |
| 28 214 003 | 4005176444098 | 455 | 28 626 000 | 4005176041358 | 480 | 29 119 AL0 | 4005176455063 | 104, 312 |
| 28 233 000 | 4005176868016 | 422, 448 | 28 628 000 | 4005176041396 | 481 | 29 119 DA0 | 4005176493065 | 104, 312 |
| 28 261 002 | 4005176444135 | 455 | 28 631 000 | 4005176019142 | 484 | 29 119 DC0 | 4005176455056 | 104, 312 |
| 28 280 004 | 4005176306624 | 458 | 28 634 XX0 | 4005176041440 | 484, 797 | 29 119 DL0 | 4005176493072 | 312 |
| | | | 28 636 000 | 4005176078606 | 480 | | | |

GROHE SURVEY OF CONTENTS

| Ref. No. | EAN | Page | Ref. No. | EAN | Page | Ref. No. | EAN | Page |
|------------|---------------|------|------------|---------------|------|------------|---------------|------|
| 30 274 DC0 | 4005176314995 | 542 | 30 590 DC0 | 4005176745010 | 526 | 31 455 DC1 | 4005176454141 | 515 |
| 30 274 DL0 | 4005176488689 | 542 | 30 590 KF0 | 4005176781728 | 526 | 31 455 DL1 | 4005176488962 | 515 |
| 30 294 A00 | 4005176488054 | 548 | 30 591 000 | 4005176745034 | 527 | 31 456 001 | 4005176454158 | 520 |
| 30 294 AL0 | 4005176488061 | 548 | 30 609 000 | 4005176762208 | 38 | 31 456 DC1 | 4005176454165 | 520 |
| 30 294 DA0 | 4005176488498 | 548 | 30 609 AL0 | 4005176760822 | 38 | 31 481 001 | 4005176466922 | 559 |
| 30 294 DL0 | 4005176488504 | 548 | 30 609 DC0 | 4005176760839 | 38 | 31 482 003 | 4005176466984 | 557 |
| 30 294 GL0 | 4005176488078 | 548 | 30 978 000 | 4005176098918 | 646 | 31 483 002 | 4005176466809 | 554 |
| 30 294 GN0 | 4005176488085 | 548 | | | | 31 483 DC2 | 4005176466816 | 554 |
| 30 305 001 | 4005176635465 | 562 | | | | 31 491 000 | 4005176343308 | 554 |
| 30 305 DC1 | 4005176635472 | 562 | 31 067 001 | 4005176845710 | 566 | 31 491 DC0 | 4005176343315 | 554 |
| 30 309 000 | 4005176351235 | 540 | 31 124 002 | 4005176886614 | 558 | 31 498 001 | 4005176454172 | 522 |
| 30 321 DG0 | 4005176438219 | 549 | 31 126 004 | 4005176466977 | 557 | 31 498 AL1 | 4005176488986 | 522 |
| 30 321 DP0 | 4005176438264 | 549 | 31 127 002 | 4005176886669 | 558 | 31 498 DC1 | 4005176454189 | 522 |
| 30 321 DU0 | 4005176438257 | 549 | 31 128 001 | 4005176886737 | 556 | 31 498 DL1 | 4005176489006 | 522 |
| 30 321 GE0 | 4005176438271 | 549 | 31 128 DC1 | 4005176891007 | 556 | 31 535 001 | 4005176478550 | 569 |
| 30 321 HG0 | 4005176385742 | 549 | 31 129 001 | 4005176886744 | 555 | 31 536 001 | 4005176478567 | 568 |
| 30 321 MW0 | 4005176385728 | 549 | 31 129 DC1 | 4005176891021 | 555 | 31 538 001 | 4005176478574 | 569 |
| 30 321 TY0 | 4005176438240 | 549 | 31 159 002 | 4005176888106 | 558 | 31 539 000 | 4005176437014 | 519 |
| 30 321 XC0 | 4005176385735 | 549 | 31 161 000 | 4005176889158 | 560 | 31 539 DC0 | 4005176437021 | 519 |
| 30 321 YF0 | 4005176438233 | 549 | 31 170 000 | 4005176889165 | 561 | 31 541 000 | 4005176437038 | 517 |
| 30 321 YR0 | 4005176438226 | 549 | 31 179 000 | 4005176889172 | 560 | 31 541 DC0 | 4005176437045 | 517 |
| 30 328 001 | 4005176414107 | 534 | 31 180 000 | 4005176889288 | 559 | 31 543 000 | 4005176437052 | 521 |
| 30 328 DC1 | 4005176414114 | 534 | 31 187 001 | 4005176843327 | 567 | 31 543 DC0 | 4005176437069 | 521 |
| 30 340 001 | 4005176414893 | 534 | 31 212 003 | 4005176466762 | 554 | 31 552 SD1 | 4005176623714 | 578 |
| 30 340 DC1 | 4005176414909 | 534 | 31 214 001 | 4005176891090 | 555 | 31 562 SD1 | 4005176623721 | 578 |
| 30 341 001 | 4005176414916 | 535 | 31 230 001 | 4005176478277 | 569 | 31 563 SD1 | 4005176623738 | 576 |
| 30 341 AL1 | 4005176489303 | 535 | 31 231 001 | 4005176478260 | 569 | 31 564 SD1 | 4005176623745 | 577 |
| 30 341 DC1 | 4005176414923 | 535 | 31 232 001 | 4005176478253 | 568 | 31 565 SD1 | 4005176623752 | 577 |
| 30 341 DL1 | 4005176489327 | 535 | 31 233 001 | 4005176478284 | 568 | 31 571 SD1 | 4005176626029 | 576 |
| 30 348 001 | 4005176464973 | 542 | 31 234 001 | 4005176478499 | 569 | 31 572 SD1 | 4005176626036 | 576 |
| 30 362 000 | 4005176496479 | 38 | 31 255 000 | 4005176901416 | 551 | 31 574 SD1 | 4005176607080 | 574 |
| 30 362 AL0 | 4005176497292 | 38 | 31 255 DC0 | 4005176994319 | 551 | 31 575 SD1 | 4005176607097 | 574 |
| 30 362 DC0 | 4005176496486 | 38 | 31 302 002 | 4005176443343 | 513 | 31 576 SD1 | 4005176607103 | 574 |
| 30 468 000 | 4005176635755 | 562 | 31 302 DC2 | 4005176443350 | 513 | 31 577 SD1 | 4005176607110 | 575 |
| 30 503 000 | 4005176695698 | 548 | 31 323 002 | 4005176989933 | 509 | 31 578 SD1 | 4005176607127 | 575 |
| 30 503 DC0 | 4005176720178 | 548 | 31 323 DC2 | 4005176989940 | 509 | 31 580 SD1 | 4005176607134 | 575 |
| 30 503 KF0 | 4005176782695 | 549 | 31 325 002 | 4005176507274 | 511 | 31 581 SD1 | 4005176607141 | 572 |
| 30 504 000 | 4005176695704 | 549 | 31 325 DC2 | 4005176507250 | 511 | 31 582 SD1 | 4005176607158 | 572 |
| 30 504 A00 | 4005176720109 | 549 | 31 326 002 | 4005176507236 | 512 | 31 583 SD1 | 4005176607165 | 572 |
| 30 504 AL0 | 4005176720116 | 549 | 31 326 DC2 | 4005176507212 | 512 | 31 584 SD1 | 4005176607172 | 573 |
| 30 504 DA0 | 4005176720123 | 549 | 31 347 003 | 4005176443336 | 510 | 31 585 SD1 | 4005176607189 | 573 |
| 30 504 DC0 | 4005176720130 | 549 | 31 347 DC3 | 4005176446559 | 510 | 31 586 SD1 | 4005176607196 | 573 |
| 30 504 DL0 | 4005176720147 | 549 | 31 358 002 | 4005176465000 | 541 | 31 588 SD1 | 4005176626043 | 577 |
| 30 504 GL0 | 4005176720154 | 549 | 31 358 DC2 | 4005176465017 | 541 | 31 593 002 | 4005176521942 | 546 |
| 30 504 GN0 | 4005176720161 | 549 | 31 360 001 | 4005176343025 | 541 | 31 593 DC2 | 4005176521959 | 546 |
| 30 504 KF0 | 4005176782688 | 550 | 31 360 DC1 | 4005176343032 | 541 | 31 613 000 | 4005176521973 | 541 |
| 30 505 000 | 4005176695711 | 550 | 31 367 001 | 4005176478512 | 568 | 31 613 A00 | 4005176523601 | 541 |
| 30 505 A00 | 4005176719738 | 550 | 31 368 001 | 4005176478529 | 568 | 31 613 DC0 | 4005176521980 | 541 |
| 30 505 AL0 | 4005176719745 | 550 | 31 375 000 | 4005176934155 | 544 | 31 615 000 | 4005176523649 | 548 |
| 30 505 DA0 | 4005176719752 | 550 | 31 375 A00 | 4005176488610 | 544 | 31 615 A00 | 4005176523717 | 548 |
| 30 505 DC0 | 4005176720062 | 550 | 31 375 AL0 | 4005176488627 | 544 | 31 615 AL0 | 4005176523724 | 548 |
| 30 505 DL0 | 4005176720079 | 550 | 31 375 DA0 | 4005176488634 | 544 | 31 615 DA0 | 4005176523694 | 548 |
| 30 505 GL0 | 4005176720086 | 550 | 31 375 DC0 | 4005176934162 | 544 | 31 615 DC0 | 4005176523656 | 548 |
| 30 505 GN0 | 4005176720352 | 550 | 31 375 DL0 | 4005176488641 | 544 | 31 615 DL0 | 4005176523700 | 548 |
| 30 505 KF0 | 4005176782671 | 550 | 31 379 000 | 4005176938085 | 539 | 31 615 GL0 | 4005176523670 | 548 |
| 30 506 000 | 4005176723667 | 563 | 31 379 DC0 | 4005176938092 | 539 | 31 615 GN0 | 4005176523687 | 548 |
| 30 580 000 | 4005176744891 | 524 | 31 391 003 | 4005176635762 | 564 | 31 639 AP0 | 4005176520457 | 583 |
| 30 581 000 | 4005176744907 | 524 | 31 395 000 | 4005176304774 | 551 | 31 639 AT0 | 4005176520464 | 583 |
| 30 582 000 | 4005176744914 | 524 | 31 395 DC0 | 4005176304767 | 551 | 31 640 AP0 | 4005176520471 | 583 |
| 30 583 000 | 4005176744921 | 524 | 31 454 001 | 4005176454110 | 518 | 31 640 AT0 | 4005176520488 | 583 |
| 30 583 DC0 | 4005176744938 | 524 | 31 454 AL1 | 4005176488900 | 518 | 31 641 AP0 | 4005176521102 | 583 |
| 30 584 000 | 4005176744945 | 525 | 31 454 DC1 | 4005176454127 | 518 | 31 641 AT0 | 4005176521119 | 583 |
| 30 586 000 | 4005176744969 | 525 | 31 454 DL1 | 4005176488924 | 518 | 31 642 AP0 | 4005176521126 | 584 |
| 30 587 000 | 4005176745263 | 525 | 31 455 000 | 4005176323027 | 516 | 31 642 AT0 | 4005176521133 | 584 |
| 30 588 000 | 4005176744983 | 526 | 31 455 001 | 4005176454134 | 515 | 31 643 AP0 | 4005176521140 | 584 |
| 30 589 000 | 4005176745270 | 526 | 31 455 AL1 | 4005176488948 | 515 | 31 643 AT0 | 4005176521157 | 584 |
| 30 590 000 | 4005176745003 | 526 | 31 455 DC0 | 4005176323034 | 516 | 31 644 AP0 | 4005176521164 | 581 |

31

GROHE SURVEY OF CONTENTS

| Ref. No. | EAN | Page | Ref. No. | EAN | Page | Ref. No. | EAN | Page |
|------------|---------------|------|------------|---------------|------|------------|---------------|----------|
| 31 644 ATO | 4005176521171 | 581 | 32 259 003 | 4005176466908 | 552 | 32 786 000 | 4005176871863 | 565, 644 |
| 31 645 APO | 4005176521188 | 581 | 32 294 002 | 4005176466496 | 546 | 32 787 000 | 4005176871870 | 565, 644 |
| 31 645 ATO | 4005176521195 | 581 | 32 294 DC2 | 4005176466502 | 546 | 32 788 000 | 4005176871887 | 647 |
| 31 646 APO | 4005176521201 | 581 | 32 321 002 | 4005176465109 | 542 | 32 789 000 | 4005176871894 | 647 |
| 31 646 ATO | 4005176521218 | 581 | 32 321 A02 | 4005176488733 | 542 | 32 790 000 | 4005176871900 | 647 |
| 31 647 APO | 4005176521225 | 582 | 32 321 AL2 | 4005176488740 | 542 | 32 792 000 | 4005176871924 | 648 |
| 31 647 ATO | 4005176521232 | 582 | 32 321 DA2 | 4005176488757 | 542 | 32 793 000 | 4005176871931 | 648 |
| 31 648 APO | 4005176521249 | 582 | 32 321 DC2 | 4005176465116 | 542 | 32 795 000 | 4005176871955 | 647 |
| 31 648 ATO | 4005176521256 | 582 | 32 321 DL2 | 4005176488764 | 542 | 32 823 000 | 4005176877995 | 647 |
| 31 649 APO | 4005176521263 | 582 | 32 321 GN2 | 4005176618529 | 542 | 32 824 000 | 4005176874604 | 217 |
| 31 649 ATO | 4005176521270 | 582 | 32 322 002 | 4005176465123 | 543 | 32 824 00L | 4005176917035 | 217 |
| 31 650 APO | 4005176521287 | 579 | 32 322 A02 | 4005176488818 | 543 | 32 825 00E | 4005176874628 | 216 |
| 31 650 ATO | 4005176521294 | 579 | 32 322 AL2 | 4005176488825 | 543 | 32 825 00L | 4005176917028 | 216 |
| 31 651 APO | 4005176521300 | 579 | 32 322 DA2 | 4005176488832 | 543 | 32 826 001 | 4005176507076 | 48 |
| 31 651 ATO | 4005176521317 | 579 | 32 322 DC2 | 4005176465130 | 543 | 32 826 A01 | 4005176507052 | 48 |
| 31 652 APO | 4005176521324 | 579 | 32 322 DL2 | 4005176488849 | 543 | 32 826 DL1 | 4005176506970 | 48 |
| 31 652 ATO | 4005176521331 | 579 | 32 467 003 | 4005176613210 | 228 | 32 826 GN1 | 4005176506918 | 48 |
| 31 653 APO | 4005176521348 | 580 | 32 467 30L | 4005176644276 | 229 | 32 827 00E | 4005176906565 | 217 |
| 31 653 ATO | 4005176521355 | 580 | 32 468 003 | 4005176334207 | 208 | 32 830 001 | 4005176472749 | 220 |
| 31 654 APO | 4005176521362 | 580 | 32 468 20E | 4005176906886 | 200 | 32 831 000 | 4005176874703 | 223 |
| 31 654 ATO | 4005176521379 | 580 | 32 468 20L | 4005176917097 | 200 | 32 832 000 | 4005176874710 | 224 |
| 31 655 APO | 4005176521386 | 580 | 32 469 20E | 4005176908835 | 184 | 32 833 000 | 4005176874727 | 224 |
| 31 655 ATO | 4005176521393 | 580 | 32 469 20L | 4005176917110 | 184 | 32 836 000 | 4005176874758 | 222 |
| 31 656 APO | 4005176521409 | 584 | 32 488 000 | 4005176289552 | 545 | 32 837 000 | 4005176874772 | 222 |
| 31 656 ATO | 4005176521416 | 584 | 32 488 A00 | 4005176488771 | 545 | 32 839 000 | 4005176874802 | 222 |
| 31 680 000 | 4005176530487 | 570 | 32 488 AL0 | 4005176488788 | 545 | 32 840 000 | 4005176874819 | 222 |
| 31 688 000 | 4005176530333 | 570 | 32 488 DA0 | 4005176488795 | 545 | 32 842 000 | 4005176874833 | 560 |
| 31 693 000 | 4005176530371 | 570 | 32 488 DC0 | 4005176804939 | 545 | 32 843 002 | 4005176466939 | 559 |
| 31 706 000 | 4005176530449 | 570 | 32 488 DL0 | 4005176488801 | 545 | 32 843 20E | 4005176466946 | 559 |
| 31 715 000 | 4005176564123 | 570 | 32 511 000 | 4005176295621 | 543 | 32 843 DC2 | 4005176466953 | 559 |
| 31 819 001 | 4005176843471 | 566 | 32 553 002 | 4005176466649 | 547 | 32 846 001 | 4005176506895 | 48 |
| 31 829 001 | 4005176845697 | 566 | 32 553 DC2 | 4005176466656 | 547 | 32 846 A01 | 4005176506871 | 48 |
| 31 831 001 | 4005176843280 | 566 | 32 612 003 | 4005176529696 | 152 | 32 846 DL1 | 4005176506796 | 48 |
| 31 868 000 | 4005176693113 | 563 | 32 612 30L | 4005176529979 | 153 | 32 846 GN1 | 4005176506734 | 48 |
| 31 869 000 | 4005176693120 | 562 | 32 612 AL3 | 4005176585609 | 152 | 32 879 000 | 4005176877353 | 226 |
| 31 928 KF0 | 4005176782701 | 548 | 32 612 DC3 | 4005176574054 | 152 | 32 880 000 | 4005176877360 | 226 |
| 31 930 001 | 4005176843303 | 566 | 32 618 003 | 4005176529740 | 155 | 32 917 000 | 4005176230950 | 544 |
| 32 | | | 32 618 AL3 | 4005176585647 | 155 | 32 917 A00 | 4005176488696 | 544 |
| 32 067 000 | 4005176811142 | 544 | 32 618 DC3 | 4005176574092 | 155 | 32 917 AL0 | 4005176488702 | 544 |
| 32 109 001 | 4005176408373 | 126 | 32 629 002 | 4005176472619 | 193 | 32 917 DA0 | 4005176488719 | 544 |
| 32 109 AL1 | 4005176586118 | 126 | 32 659 001 | 4005176886713 | 556 | 32 917 DC0 | 4005176804946 | 544 |
| 32 109 DC1 | 4005176412691 | 126 | 32 661 003 | 4005176466823 | 555 | 32 917 DL0 | 4005176488726 | 544 |
| 32 114 001 | 4005176409103 | 126 | 32 661 DC3 | 4005176466830 | 555 | 32 917 KS0 | 4005176980640 | 544 |
| 32 114 DC1 | 4005176412714 | 126 | 32 663 003 | 4005176466854 | 554 | 32 918 000 | 4005176230967 | 543 |
| 32 146 001 | 4005176499388 | 46 | 32 663 DC3 | 4005176466861 | 554 | 32 918 00E | 4005176866616 | 543 |
| 32 146 A01 | 4005176499456 | 46 | 32 700 001 | 4005176887994 | 196 | 32 918 DC0 | 4005176804953 | 543 |
| 32 146 DL1 | 4005176499449 | 46 | 32 750 000 | 4005176868238 | 565 | 32 926 003 | 4005176613234 | 230 |
| 32 146 GN1 | 4005176499425 | 46 | 32 752 000 | 4005176868252 | 565 | 32 929 003 | 4005176613623 | 233 |
| 32 154 003 | 4005176613258 | 230 | 32 757 001 | 4005176498589 | 46 | 32 950 000 | 4005176879838 | 539 |
| 32 168 000 | 4005176824425 | 543 | 32 757 A01 | 4005176499357 | 46 | 32 950 DC0 | 4005176879845 | 539 |
| 32 168 DC0 | 4005176824432 | 543 | 32 757 DL1 | 4005176499340 | 46 | 32 955 000 | 4005176880117 | 216 |
| 32 202 10L | 4005176903960 | 191 | 32 757 GN1 | 4005176499326 | 46 | 33 | | |
| 32 204 10E | 4005176887345 | 190 | 32 762 000 | 4005176871023 | 642 | 33 155 002 | 4005176865947 | 164 |
| 32 207 001 | 4005176888878 | 190 | 32 763 000 | 4005176871030 | 642 | 33 163 003 | 4005176529702 | 153 |
| 32 208 001 | 4005176888908 | 194 | 32 765 000 | 4005176871054 | 642 | 33 183 002 | 4005176887499 | 183 |
| 32 210 001 | 4005176888939 | 194 | 32 766 000 | 4005176871061 | 642 | 33 188 003 | 4005176613203 | 229 |
| 32 211 001 | 4005176889028 | 195 | 32 767 000 | 4005176871078 | 643 | 33 190 20E | 4005176887482 | 183 |
| 32 212 001 | 4005176889035 | 195 | 32 768 000 | 4005176871689 | 643 | 33 192 002 | 4005176887864 | 187 |
| 32 213 001 | 4005176888960 | 197 | 32 770 000 | 4005176871702 | 643 | 33 202 003 | 4005176635588 | 562 |
| 32 214 001 | 4005176889097 | 197 | 32 771 000 | 4005176871719 | 643 | 33 241 003 | 4005176529849 | 156 |
| 32 224 003 | 4005176635786 | 564 | 32 772 000 | 4005176871726 | 644 | 33 241 AL3 | 4005176585739 | 156 |
| 32 229 002 | 4005176887055 | 202 | 32 773 000 | 4005176871733 | 643 | 33 241 DC3 | 4005176574184 | 156 |
| 32 240 10E | 4005176906794 | 191 | 32 774 000 | 4005176871740 | 643 | 33 244 002 | 4005176888779 | 186 |
| 32 240 10L | 4005176903977 | 191 | 32 775 000 | 4005176871757 | 644 | 33 265 003 | 4005176613197 | 228 |
| 32 257 001 | 4005176834165 | 553 | 32 776 000 | 4005176871764 | 642 | 33 265 30L | 4005176644269 | 228 |
| 32 257 002 | 4005176886591 | 552 | 32 778 000 | 4005176871788 | 643 | 33 281 003 | 4005176635366 | 563 |
| | | | 32 779 000 | 4005176871795 | 643 | | | |

GROHE SURVEY OF CONTENTS

| Ref. No. | EAN | Page | Ref. No. | EAN | Page | Ref. No. | EAN | Page |
|------------|---------------|------|------------|---------------|----------|------------|---------------|----------|
| 33 281 30E | 4005176635410 | 563 | 34 195 001 | 4005176926631 | 331 | 34 784 000 | 4005176613012 | 345 |
| 33 281 DC3 | 4005176635397 | 563 | 34 256 004 | 4005176456671 | 341 | 34 793 000 | 4005176632433 | 247, 253 |
| 33 300 003 | 4005176613456 | 234 | 34 281 001 | 4005176926501 | 331 | 34 796 000 | 4005176632464 | 352 |
| 33 302 003 | 4005176613470 | 235 | 34 430 000 | 4005176917981 | 337 | 34 804 000 | 4005176686740 | 162, 317 |
| 33 303 003 | 4005176613524 | 235 | 34 437 000 | 4005176918025 | 337 | 34 806 000 | 4005176684432 | 352 |
| 33 305 003 | 4005176613531 | 237 | 34 446 001 | 4005176926402 | 328 | 34 813 001 | 4005176698392 | 166 |
| 33 390 002 | 4005176887796 | 187 | 34 448 000 | 4005176919183 | 337 | 34 814 003 | 4005176695728 | 211, 339 |
| 33 395 002 | 4005176887802 | 188 | 34 463 001 | 4005176926419 | 327 | 34 816 003 | 4005176695742 | 212, 340 |
| 33 547 003 | 4005176529818 | 157 | 34 464 001 | 4005176926433 | 329 | 34 817 003 | 4005176695759 | 340 |
| 33 552 20E | 4005176886300 | 199 | 34 466 001 | 4005176926440 | 330 | 34 818 003 | 4005176695766 | 339 |
| 33 553 003 | 4005176529795 | 157 | 34 469 001 | 4005176926396 | 327 | 34 819 004 | 4005176695773 | 342 |
| 33 553 AL3 | 4005176585678 | 157 | 34 484 001 | 4005176932519 | 330 | 34 820 004 | 4005176698583 | 342 |
| 33 553 DC3 | 4005176574122 | 157 | 34 487 000 | 4005176936234 | 627, 645 | 34 821 003 | 4005176698590 | 341 |
| 33 555 003 | 4005176613562 | 234 | 34 488 000 | 4005176940620 | 136, 144 | 34 823 003 | 4005176698613 | 341 |
| 33 556 003 | 4005176613609 | 236 | 34 491 000 | 4005176940644 | 333 | 34 824 004 | 4005176698620 | 341 |
| 33 557 003 | 4005176334184 | 208 | 34 497 000 | 4005176940675 | 137, 145 | 34 825 001 | 4005176698637 | 342 |
| 33 558 003 | 4005176334139 | 206 | 34 502 000 | 4005176940798 | 334 | 34 827 000 | 4005176698651 | 343 |
| 33 558 LS3 | 4005176335686 | 206 | 34 508 000 | 4005176941795 | 334 | 34 830 000 | 4005176698682 | 343 |
| 33 561 002 | 4005176886379 | 200 | 34 509 000 | 4005176941801 | 333 | 34 831 000 | 4005176698699 | 344 |
| 33 561 003 | 4005176334160 | 207 | 34 519 000 | 4005176998515 | 337 | 34 832 000 | 4005176698705 | 344 |
| 33 565 002 | 4005176887000 | 202 | 34 557 001 | 4005176456688 | 342 | 34 833 000 | 4005176698712 | 345 |
| 33 565 003 | 4005176334283 | 210 | 34 558 000 | 4005176310089 | 234, 350 | 34 834 000 | 4005176698729 | 345 |
| 33 565 LS3 | 4005176334504 | 210 | 34 562 000 | 4005176310102 | 350 | 34 835 000 | 4005176698736 | 345 |
| 33 569 002 | 4005176887734 | 187 | 34 565 001 | 4005176456718 | 351 | 34 838 000 | 4005176698767 | 346 |
| 33 577 003 | 4005176529801 | 156 | 34 566 001 | 4005176456701 | 351 | 35 | | |
| 33 577 AL3 | 4005176585685 | 156 | 34 567 000 | 4005176310157 | 235, 350 | 35 028 000 | 4005176908316 | 34, 54 |
| 33 577 DC3 | 4005176574139 | 156 | 34 569 000 | 4005176310171 | 351 | 35 085 000 | 4005176207068 | 632 |
| 33 590 002 | 4005176887048 | 202 | 34 665 000 | 4005176351556 | 241, 628 | 35 087 000 | 4005176207082 | 632 |
| 33 590 003 | 4005176334306 | 211 | 34 666 000 | 4005176351563 | 629 | 35 107 000 | 4005176758706 | 100 |
| 33 590 LS3 | 4005176334511 | 211 | 34 667 000 | 4005176351570 | 242, 628 | 35 500 000 | 4005176831522 | 630, 630 |
| 33 591 002 | 4005176887123 | 203 | 34 671 000 | 4005176351587 | 629 | 35 604 000 | 4005176698774 | 27, 27 |
| 33 591 003 | 4005176334351 | 212 | 34 681 000 | 4005176354090 | 629 | 36 | | |
| 33 591 LS3 | 4005176334535 | 212 | 34 705 000 | 4005176413285 | 133, 162 | 36 015 001 | 4005176929359 | 609 |
| 33 592 20A | 4005176454288 | 203 | 34 713 000 | 4005176409776 | 318 | 36 016 001 | 4005176929366 | 609 |
| 33 592 30A | 4005176456497 | 213 | 34 714 000 | 4005176409783 | 318 | 36 078 000 | 4005176856532 | 378 |
| 33 614 002 | 4005176887208 | 203 | 34 718 000 | 4005176457647 | 129, 157 | 36 194 000 | 4005176140921 | 571 |
| 33 635 003 | 4005176334344 | 214 | 34 719 000 | 4005176457654 | 129, 157 | 36 207 001 | 4005176929373 | 609 |
| 33 637 003 | 4005176334405 | 215 | 34 720 000 | 4005176457661 | 319 | 36 208 001 | 4005176929380 | 609 |
| 33 770 001 | 4005176828959 | 553 | 34 721 000 | 4005176457678 | 319 | 36 209 000 | 4005176207105 | 610, 649 |
| 33 770 002 | 4005176888137 | 552 | 34 725 000 | 4005176457081 | 628 | 36 233 000 | 4005176283338 | 649 |
| 33 772 002 | 4005176890796 | 552 | 34 726 000 | 4005176466014 | 323 | 36 249 000 | 4005176283345 | 649 |
| 33 848 001 | 4005176409172 | 128 | 34 727 000 | 4005176466021 | 323 | 36 264 001 | 4005176416279 | 595, 598 |
| 33 848 DC1 | 4005176412776 | 128 | 34 728 000 | 4005176466069 | 321 | 36 265 000 | 4005176893131 | 651 |
| 33 849 001 | 4005176409189 | 129 | 34 729 000 | 4005176466076 | 321 | 36 266 000 | 4005176893148 | 651 |
| 33 849 AL1 | 4005176586200 | 129 | 34 730 000 | 4005176466342 | 321 | 36 267 000 | 4005176893155 | 651 |
| 33 849 DC1 | 4005176412783 | 129 | 34 731 000 | 4005176466359 | 323 | 36 268 000 | 4005176893162 | 651 |
| 33 850 001 | 4005176409196 | 130 | 34 732 000 | 4005176466366 | 323 | 36 269 000 | 4005176893179 | 620 |
| 33 865 001 | 4005176409202 | 129 | 34 734 000 | 4005176466403 | 321 | 36 271 000 | 4005176893193 | 620 |
| 33 865 AL1 | 4005176586217 | 129 | 34 735 000 | 4005176466410 | 324 | 36 272 000 | 4005176893209 | 620 |
| 33 865 DC1 | 4005176412790 | 129 | 34 741 000 | 4005176481208 | 139, 147 | 36 273 000 | 4005176893216 | 621 |
| 33 961 000 | 4005176119972 | 366 | 34 742 000 | 4005176484094 | 316 | 36 274 000 | 4005176893223 | 621 |
| 33 962 000 | 4005176119989 | 366 | 34 743 000 | 4005176484100 | 317 | 36 309 000 | 4005176894794 | 378 |
| 33 963 000 | 4005176128387 | 366 | 34 744 000 | 4005176484117 | 317 | 36 315 000 | 4005176896590 | 616 |
| 33 964 000 | 4005176128394 | 366 | 34 765 000 | 4005176612022 | 173, 194 | 36 316 000 | 4005176896279 | 651 |
| 33 975 004 | 4005176467004 | 557 | 34 766 000 | 4005176612039 | 175, 195 | 36 317 000 | 4005176896514 | 650 |
| 34 | | | 34 767 000 | 4005176612046 | 223, 347 | 36 318 000 | 4005176896521 | 650 |
| 34 143 003 | 4005176309618 | 339 | 34 768 000 | 4005176612053 | 349 | 36 320 000 | 4005176896545 | 650 |
| 34 146 003 | 4005176309625 | 340 | 34 769 000 | 4005176612060 | 349 | 36 321 000 | 4005176896552 | 650 |
| 34 151 004 | 4005176456664 | 342 | 34 770 000 | 4005176612077 | 348 | 36 322 001 | 4005176595400 | 650 |
| 34 152 004 | 4005176456664 | 342 | 34 771 000 | 4005176612886 | 347 | 36 324 001 | 4005176305757 | 613 |
| 34 155 003 | 4005176310027 | 340 | 34 772 000 | 4005176612893 | 348 | 36 325 002 | 4005176318771 | 612 |
| 34 156 003 | 4005176310034 | 341 | 34 776 000 | 4005176612930 | 343 | 36 327 001 | 4005176305771 | 221 |
| 34 169 001 | 4005176926518 | 328 | 34 779 000 | 4005176612961 | 343 | 36 327 002 | 4005176695599 | 611 |
| 34 170 001 | 4005176926471 | 328 | 34 780 000 | 4005176612978 | 344 | 36 330 002 | 4005176695667 | 613 |
| 34 174 001 | 4005176926426 | 329 | 34 781 000 | 4005176612985 | 344 | 36 331 001 | 4005176305795 | 611 |
| 34 176 001 | 4005176926488 | 331 | 34 782 000 | 4005176612992 | 345 | | | |
| | | | 34 783 000 | 4005176613005 | 345 | | | |

GROHE SURVEY OF CONTENTS

| Ref. No. | EAN | Page | Ref. No. | EAN | Page | Ref. No. | EAN | Page |
|------------|---------------|----------|------------|---------------|----------|------------|---------------|----------|
| 36 332 000 | 4005176896682 | 615 | 37 060 000 | 4005176142901 | 758 | 37 601 SH0 | 4005176416071 | 752 |
| 36 333 000 | 4005176896699 | 615 | 37 063 000 | 4005176142185 | 761 | 37 624 000 | 4005176416095 | 35, 163 |
| 36 334 SD0 | 4005176896705 | 615 | 37 063 SH0 | 4005176142307 | 761 | 37 624 A00 | 4005176529078 | 753 |
| 36 335 SD0 | 4005176896712 | 615 | 37 069 000 | 4005176142352 | 761 | 37 624 AL0 | 4005176529115 | 35, 163 |
| 36 336 001 | 4005176991769 | 603, 616 | 37 078 PI0 | 4005176160783 | 730 | 37 624 BE0 | 4005176529085 | 753 |
| 36 337 001 | 4005176595417 | 603, 615 | 37 085 PI0 | 4005176149641 | 730 | 37 624 DA0 | 4005176529061 | 35, 753 |
| 36 338 000 | 4005176896743 | 596, 599 | 37 088 PI0 | 4005176149672 | 730 | 37 624 DC0 | 4005176416125 | 35, 163 |
| 36 339 001 | 4005176595424 | 604, 616 | 37 092 000 | 4005176145049 | 729 | 37 624 DL0 | 4005176529108 | 753 |
| 36 340 000 | 4005176911385 | 595, 599 | 37 093 000 | 4005176145070 | 729 | 37 624 EN0 | 4005176529122 | 753 |
| 36 341 000 | 4005176911392 | 595, 599 | 37 095 000 | 4005176145124 | 729, 805 | 37 624 GL0 | 4005176529054 | 35, 753 |
| 36 376 000 | 4005176932243 | 616 | 37 100 SH0 | 4005176142093 | 730 | 37 624 GN0 | 4005176529092 | 753 |
| 36 384 000 | 4005176982774 | 621 | 37 104 K00 | 4005176160844 | 732 | 37 624 P00 | 4005176416101 | 753 |
| 36 386 001 | 4005176311673 | 614 | 37 105 K00 | 4005176141904 | 732 | 37 624 SH0 | 4005176416118 | 753 |
| 36 407 001 | 4005176368974 | 595, 599 | 37 107 000 | 4005176141713 | 736 | 37 761 000 | 4005176213243 | 759 |
| 36 409 000 | 4005176320538 | 601 | 37 108 000 | 4005176141720 | 736 | 37 762 SH0 | 4005176213250 | 726 |
| 36 410 000 | 4005176320545 | 603 | 37 112 000 | 4005176141911 | 736 | 37 791 SH0 | 4005176217241 | 726 |
| 36 412 000 | 4005176320569 | 604 | 37 114 000 | 4005176141935 | 736 | 37 945 SH0 | 4005176256387 | 726 |
| 36 413 000 | 4005176320576 | 600 | 37 119 000 | 4005176144370 | 733 | 37 965 000 | 4005176442506 | 753 |
| 36 414 000 | 4005176320583 | 602 | 37 131 000 | 4005176144585 | 721, 733 | 37 973 000 | 4005176479021 | 753 |
| 36 415 000 | 4005176320590 | 605 | 37 132 000 | 4005176144608 | 735 | 37 973 DC0 | 4005176479052 | 753 |
| 36 416 001 | 4005176595394 | 605, 618 | 37 133 000 | 4005176144622 | 735 | 37 973 P00 | 4005176479045 | 753 |
| 36 421 001 | 4005176695612 | 612 | 37 135 000 | 4005176144653 | 736 | 37 973 SH0 | 4005176479038 | 753 |
| 36 422 001 | 4005176695636 | 611 | 37 139 000 | 4005176143083 | 735 | 37 998 000 | 4005176262586 | 720 |
| 36 439 001 | 4005176695605 | 613 | 37 141 000 | 4005176143113 | 735 | | | |
| 36 440 000 | 4005176415623 | 594 | 37 311 K00 | 4005176160851 | 732 | 38 | | |
| 36 441 000 | 4005176415630 | 143, 594 | 37 321 001 | 4005176929496 | 743 | 38 338 000 | 4005176286179 | 722 |
| 36 441 AL0 | 4005176686825 | 143, 594 | 37 321 SD1 | 4005176929502 | 743 | 38 422 000 | 4005176275203 | 727 |
| 36 441 DC0 | 4005176686818 | 143, 594 | 37 324 001 | 4005176929526 | 744 | 38 422 20A | 4005176771590 | 727 |
| 36 442 000 | 4005176415647 | 594 | 37 324 SD1 | 4005176929533 | 744 | 38 445 SD0 | 4005176282850 | 761 |
| 36 444 000 | 4005176415661 | 597 | 37 336 001 | 4005176929540 | 743 | 38 488 000 | 4005176289866 | 759 |
| 36 445 000 | 4005176415678 | 170, 597 | 37 337 001 | 4005176929557 | 743 | 38 496 000 | 4005176289958 | 759 |
| 36 445 A00 | 4005176686795 | 170, 597 | 37 338 000 | 4005176837920 | 606, 745 | 38 505 000 | 4005176290053 | 756 |
| 36 445 AL0 | 4005176686801 | 170, 597 | 37 339 000 | 4005176837937 | 747 | 38 505 KF0 | 4005176784132 | 757 |
| 36 445 DA0 | 4005176686573 | 170, 597 | 37 347 000 | 4005176837999 | 735 | 38 505 P00 | 4005176290060 | 756 |
| 36 445 DC0 | 4005176686542 | 170, 597 | 37 396 000 | 4005176907968 | 747 | 38 505 SH0 | 4005176290046 | 756 |
| 36 445 DL0 | 4005176686788 | 170, 597 | 37 419 000 | 4005176933806 | 737 | 38 506 000 | 4005176290121 | 756 |
| 36 445 GL0 | 4005176686559 | 170, 597 | 37 419 SD0 | 4005176933813 | 737 | 38 506 P00 | 4005176290138 | 756 |
| 36 445 GN0 | 4005176686566 | 170, 597 | 37 421 000 | 4005176935572 | 742 | 38 506 SH0 | 4005176290114 | 756 |
| 36 446 000 | 4005176415685 | 598 | 37 489 000 | 4005176167386 | 732 | 38 525 001 | 4005176863967 | 711 |
| 36 447 000 | 4005176416293 | 598 | 37 503 000 | 4005176320507 | 606, 744 | 38 526 000 | 4005176291050 | 712 |
| 36 451 000 | 4005176473678 | 246, 624 | 37 504 000 | 4005176320521 | 607, 738 | 38 528 001 | 4005176863943 | 703 |
| 36 452 000 | 4005176473685 | 624 | 37 535 000 | 4005176416019 | 151, 163 | 38 536 001 | 4005176863929 | 710 |
| 36 453 000 | 4005176473791 | 625 | 37 535 A00 | 4005176431364 | 752 | 38 539 001 | 4005176863912 | 710 |
| 36 454 000 | 4005176487774 | 614 | 37 535 AL0 | 4005176431357 | 151, 163 | 38 541 000 | 4005176291234 | 716, 718 |
| 36 455 000 | 4005176487781 | 614 | 37 535 BE0 | 4005176431340 | 752 | 38 543 000 | 4005176291258 | 717 |
| 36 456 000 | 4005176494758 | 617 | 37 535 DA0 | 4005176431333 | 752 | 38 545 000 | 4005176291272 | 717 |
| 36 457 000 | 4005176494765 | 617 | 37 535 DC0 | 4005176416040 | 151, 163 | 38 546 000 | 4005176291289 | 716 |
| 36 458 000 | 4005176494772 | 617 | 37 535 DL0 | 4005176431326 | 752 | 38 553 001 | 4005176863813 | 716 |
| 36 459 000 | 4005176576188 | 618 | 37 535 EN0 | 4005176431319 | 752 | 38 554 001 | 4005176863806 | 715 |
| 36 463 000 | 4005176576690 | 618 | 37 535 GL0 | 4005176431302 | 752 | 38 557 001 | 4005176863783 | 715 |
| 36 464 000 | 4005176576706 | 618 | 37 535 GN0 | 4005176431296 | 752 | 38 558 00M | 4005176291418 | 712, 714 |
| 36 472 000 | 4005176758720 | 88 | 37 535 P00 | 4005176416026 | 752 | 38 559 001 | 4005176863776 | 719 |
| 36 473 000 | 4005176758737 | 88 | 37 535 SH0 | 4005176416033 | 752 | 38 562 001 | 4005176863752 | 721 |
| 36 474 000 | 4005176758744 | 88 | 37 547 000 | 4005176189425 | 761 | 38 564 000 | 4005176291784 | 758 |
| 36 475 000 | 4005176758751 | 87 | 37 547 P00 | 4005176189449 | 761 | 38 564 SH0 | 4005176291777 | 758 |
| 36 476 000 | 4005176758768 | 87 | 37 547 SH0 | 4005176189418 | 761 | 38 565 000 | 4005176291845 | 758 |
| | | | 37 601 000 | 4005176416057 | 134, 179 | 38 573 000 | 4005176292316 | 758 |
| | | | 37 601 A00 | 4005176528996 | 179, 752 | 38 573 SH0 | 4005176292309 | 758 |
| | | | 37 601 AL0 | 4005176529030 | 134, 179 | 38 574 000 | 4005176292385 | 758 |
| | | | 37 601 BE0 | 4005176529009 | 752 | 38 629 000 | 4005176293191 | 721 |
| | | | 37 601 DA0 | 4005176524288 | 179, 752 | 38 661 000 | 4005176294907 | 726 |
| | | | 37 601 DC0 | 4005176416088 | 134, 179 | 38 672 SD0 | 4005176296468 | 758 |
| | | | 37 601 DL0 | 4005176529023 | 179, 752 | 38 675 001 | 4005176863516 | 711, 718 |
| | | | 37 601 EN0 | 4005176529047 | 752 | 38 691 000 | 4005176815454 | 727 |
| | | | 37 601 GL0 | 4005176524271 | 179, 752 | 38 698 SD1 | 4005176929571 | 737 |
| | | | 37 601 GN0 | 4005176529016 | 179, 752 | 38 699 001 | 4005176929588 | 737 |
| | | | 37 601 P00 | 4005176416064 | 752 | 38 714 000 | 4005176828454 | 734, 759 |

37

GROHE SURVEY OF CONTENTS

| Ref. No. | EAN | Page | Ref. No. | EAN | Page | Ref. No. | EAN | Page |
|------------|---------------|----------|------------|---------------|------|------------|---------------|----------|
| 38 721 001 | 4005176863431 | 706 | 38 860 000 | 4005176878084 | 704 | 39 354 SH1 | 4005176470448 | 658 |
| 38 722 001 | 4005176863424 | 706 | 38 861 000 | 4005176832284 | 757 | 39 367 000 | 4005176341533 | 746 |
| 38 732 000 | 4005176836114 | 69, 756 | 38 862 000 | 4005176832314 | 757 | 39 368 000 | 4005176341540 | 745 |
| 38 732 A00 | 4005176339110 | 756 | 38 862 P00 | 4005176832321 | 757 | 39 369 000 | 4005176341557 | 746 |
| 38 732 AL0 | 4005176339127 | 69, 756 | 38 862 SD0 | 4005176834721 | 757 | 39 374 KSO | 4005176344770 | 702 |
| 38 732 BE0 | 4005176427749 | 756 | 38 862 SH0 | 4005176832338 | 757 | 39 374 LSO | 4005176344787 | 702 |
| 38 732 BR0 | 4005176873676 | 756 | 38 863 000 | 4005176832345 | 727 | 39 376 000 | 4005176342998 | 713 |
| 38 732 DA0 | 4005176339097 | 756 | 38 868 000 | 4005176878091 | 708 | 39 383 000 | 4005176356926 | 602 |
| 38 732 DC0 | 4005176431371 | 69, 756 | 38 882 000 | 4005176879197 | 760 | 39 386 00H | 4005176438356 | 675 |
| 38 732 DL0 | 4005176427732 | 756 | 38 885 000 | 4005176879609 | 705 | 39 420 000 | 4005176405983 | 686 |
| 38 732 EN0 | 4005176427756 | 756 | 38 888 000 | 4005176879630 | 705 | 39 421 000 | 4005176428906 | 686 |
| 38 732 GL0 | 4005176339103 | 756 | 38 915 KSO | 4005176897108 | 754 | 39 422 000 | 4005176406195 | 686 |
| 38 732 GN0 | 4005176427725 | 756 | 38 915 LSO | 4005176897115 | 754 | 39 423 000 | 4005176406201 | 679, 686 |
| 38 732 KF0 | 4005176784125 | 756 | 38 916 OA0 | 4005176896941 | 755 | 39 424 000 | 4005176406218 | 686 |
| 38 732 P00 | 4005176836121 | 756 | 38 947 000 | 4005176911217 | 708 | 39 425 000 | 4005176406225 | 687 |
| 38 732 SD0 | 4005176847691 | 755 | 38 948 000 | 4005176911224 | 709 | 39 426 000 | 4005176406232 | 687 |
| 38 732 SH0 | 4005176836138 | 756 | 38 957 000 | 4005176914409 | 755 | 39 427 000 | 4005176406249 | 688 |
| 38 733 000 | 4005176837289 | 721 | 38 987 000 | 4005176924798 | 726 | 39 428 000 | 4005176406256 | 688 |
| 38 735 000 | 4005176837500 | 730 | 38 994 000 | 4005176932335 | 711 | 39 429 000 | 4005176406263 | 688 |
| 38 736 000 | 4005176837517 | 731 | | | | 39 430 000 | 4005176406270 | 689 |
| 38 748 002 | 4005176416323 | 595, 599 | | | | 39 431 000 | 4005176406287 | 689 |
| 38 750 001 | 4005176863363 | 704 | 39 002 000 | 4005176936920 | 703 | 39 432 000 | 4005176406294 | 690 |
| 38 761 000 | 4005176841620 | 707 | 39 052 000 | 4005176935961 | 715 | 39 433 000 | 4005176406300 | 690 |
| 38 764 001 | 4005176863301 | 708 | 39 053 000 | 4005176935978 | 728 | 39 436 000 | 4005176406331 | 689 |
| 38 765 000 | 4005176846830 | 754 | 39 054 000 | 4005176936289 | 728 | 39 437 000 | 4005176406348 | 689 |
| 38 765 P00 | 4005176846847 | 754 | 39 056 000 | 4005176936302 | 728 | 39 438 000 | 4005176406355 | 691 |
| 38 765 SH0 | 4005176846854 | 754 | 39 140 000 | 4005176315268 | 718 | 39 439 000 | 4005176406362 | 691 |
| 38 771 000 | 4005176848551 | 759 | 39 201 000 | 4005176344947 | 679 | 39 440 000 | 4005176405976 | 686 |
| 38 772 001 | 4005176863288 | 707 | 39 202 000 | 4005176344954 | 680 | 39 462 000 | 4005176454608 | 682 |
| 38 772 20A | 4005176771613 | 707 | 39 206 000 | 4005176344992 | 680 | 39 462 00H | 4005176454615 | 682 |
| 38 773 000 | 4005176850288 | 707 | 39 206 00H | 4005176418495 | 680 | 39 469 00H | 4005176438363 | 675 |
| 38 773 20A | 4005176771606 | 708 | 39 208 000 | 4005176345029 | 683 | 39 473 00H | 4005176442643 | 675 |
| 38 776 SD0 | 4005176853555 | 755 | 39 208 00H | 4005176418532 | 683 | 39 474 00H | 4005176438387 | 675 |
| 38 778 000 | 4005176855269 | 740 | 39 245 00H | 4005176524479 | 677 | 39 475 00H | 4005176442599 | 675 |
| 38 779 000 | 4005176855306 | 721 | 39 300 000 | 4005176346026 | 695 | 39 476 00H | 4005176442605 | 675 |
| 38 784 000 | 4005176855535 | 762 | 39 301 000 | 4005176346033 | 695 | 39 477 00H | 4005176442612 | 676 |
| 38 784 P00 | 4005176855542 | 762 | 39 302 000 | 4005176346040 | 695 | 39 478 00H | 4005176442629 | 676 |
| 38 784 SD0 | 4005176877407 | 762 | 39 306 000 | 4005176346088 | 695 | 39 479 00H | 4005176442636 | 676 |
| 38 784 SH0 | 4005176855559 | 762 | 39 323 000 | 4005176407116 | 678 | 39 480 00H | 4005176442643 | 676 |
| 38 786 001 | 4005176864025 | 713 | 39 323 00H | 4005176417344 | 678 | 39 481 00H | 4005176442650 | 676 |
| 38 787 000 | 4005176855689 | 745 | 39 324 000 | 4005176407123 | 679 | 39 482 00H | 4005176442667 | 676 |
| 38 796 000 | 4005176857034 | 760 | 39 324 00H | 4005176417375 | 679 | 39 483 00H | 4005176442674 | 677 |
| 38 803 001 | 4005176864049 | 713 | 39 325 000 | 4005176407130 | 680 | 39 484 00H | 4005176442698 | 677 |
| 38 804 000 | 4005176861512 | 762 | 39 327 000 | 4005176390104 | 679 | 39 488 000 | 4005176442735 | 677 |
| 38 804 P00 | 4005176861536 | 762 | 39 327 00H | 4005176418341 | 679 | 39 490 000 | 4005176442759 | 677 |
| 38 804 SH0 | 4005176861529 | 762 | 39 328 000 | 4005176407161 | 680 | 39 491 000 | 4005176449994 | 688 |
| 38 805 000 | 4005176865596 | 760 | 39 328 00H | 4005176417382 | 680 | 39 492 000 | 4005176450013 | 690 |
| 38 808 000 | 4005176864056 | 763 | 39 330 001 | 4005176468834 | 683 | 39 493 000 | 4005176450020 | 690 |
| 38 808 P00 | 4005176864063 | 763 | 39 331 001 | 4005176468827 | 683 | 39 496 000 | 4005176450051 | 692 |
| 38 808 SH0 | 4005176864070 | 763 | 39 332 000 | 4005176407208 | 682 | 39 497 000 | 4005176450068 | 691 |
| 38 809 000 | 4005176864681 | 754 | 39 333 000 | 4005176407215 | 682 | 39 500 000 | 4005176453861 | 704 |
| 38 821 000 | 4005176868986 | 755 | 39 335 000 | 4005176407239 | 678 | 39 501 000 | 4005176453878 | 705 |
| 38 827 000 | 4005176870477 | 704 | 39 335 00H | 4005176417351 | 678 | 39 503 000 | 4005176454097 | 705 |
| 38 844 000 | 4005176874963 | 756 | 39 336 000 | 4005176407246 | 679 | 39 504 000 | 4005176454103 | 706 |
| 38 844 P00 | 4005176875687 | 756 | 39 336 00H | 4005176417368 | 679 | 39 538 000 | 4005176468292 | 681 |
| 38 844 SH0 | 4005176874970 | 756 | 39 337 000 | 4005176407253 | 678 | 39 554 000 | 4005176484452 | 680 |
| 38 845 KSO | 4005176878343 | 754 | 39 337 00H | 4005176418334 | 678 | 39 564 00H | 4005176485602 | 670 |
| 38 845 LSO | 4005176878336 | 754 | 39 338 000 | 4005176407260 | 681 | 39 565 00H | 4005176485619 | 670 |
| 38 845 MF0 | 4005176878619 | 754 | 39 338 00H | 4005176418501 | 681 | 39 566 00H | 4005176485626 | 670 |
| 38 846 KSO | 4005176878268 | 762 | 39 339 000 | 4005176407277 | 682 | 39 567 00H | 4005176485633 | 670 |
| 38 846 LSO | 4005176878367 | 762 | 39 339 00H | 4005176418525 | 682 | 39 568 00H | 4005176485640 | 670 |
| 38 857 000 | 4005176875694 | 763 | 39 340 000 | 4005176423697 | 683 | 39 570 000 | 4005176484865 | 671 |
| 38 857 P00 | 4005176875663 | 763 | 39 340 00H | 4005176423703 | 683 | 39 571 00H | 4005176485671 | 671 |
| 38 857 SH0 | 4005176875793 | 763 | 39 346 000 | 4005176449673 | 692 | 39 572 00H | 4005176485688 | 671 |
| 38 858 000 | 4005176876714 | 756 | 39 347 000 | 4005176449680 | 692 | 39 573 00H | 4005176485794 | 671 |
| 38 858 P00 | 4005176876721 | 756 | 39 349 000 | 4005176449659 | 688 | 39 574 00H | 4005176485800 | 672 |
| 38 858 SH0 | 4005176876738 | 756 | 39 351 000 | 4005176450006 | 691 | 39 575 00H | 4005176485817 | 672 |

GROHE SURVEY OF CONTENTS

| Ref. No. | EAN | Page | Ref. No. | EAN | Page | Ref. No. | EAN | Page |
|------------|---------------|---------|------------|---------------|----------|------------|----------------|----------|
| 40 447 001 | 4005176328701 | 274 | 40 653 EN1 | 4005176324253 | 288 | 40 794 DC1 | 4005176413247 | 277 |
| 40 447 DC1 | 4005176413162 | 274 | 40 654 001 | 4005176324352 | 289 | 40 797 001 | 4005176327636 | 277 |
| 40 447 EN1 | 4005176335518 | 274 | 40 654 EN1 | 4005176324260 | 289 | 40 799 001 | 4005176327971 | 277 |
| 40 448 001 | 4005176328343 | 274 | 40 655 001 | 4005176324338 | 288 | 40 799 DC1 | 4005176413216 | 277 |
| 40 448 DC1 | 4005176413155 | 274 | 40 655 EN1 | 4005176324246 | 288 | 40 800 001 | 4005176327988 | 276 |
| 40 448 EN1 | 4005176335525 | 274 | 40 656 001 | 4005176324383 | 289 | 40 800 A01 | 4005176429644 | 276 |
| 40 457 001 | 4005176327865 | 286 | 40 656 EN1 | 4005176324291 | 289 | 40 800 AL1 | 4005176429798 | 276 |
| 40 459 001 | 4005176327810 | 285 | 40 657 001 | 4005176324390 | 289 | 40 800 BE1 | 4005176430244 | 276 |
| 40 460 001 | 4005176327803 | 285 | 40 657 EN1 | 4005176324307 | 289 | 40 800 DA1 | 4005176429347 | 276 |
| 40 461 001 | 4005176327858 | 286 | 40 658 001 | 4005176324406 | 289 | 40 800 DC1 | 4005176413223 | 276 |
| 40 462 001 | 4005176327827 | 286 | 40 658 EN1 | 4005176324314 | 289 | 40 800 DL1 | 4005176430091 | 276 |
| 40 463 001 | 4005176327872 | 286 | 40 659 001 | 4005176324376 | 290 | 40 800 EN1 | 4005176430312 | 276 |
| 40 507 001 | 4005176324598 | 283 | 40 659 EN1 | 4005176324284 | 290 | 40 800 GL1 | 40051764299491 | 276 |
| 40 507 AL1 | 4005176636639 | 283 | 40 660 001 | 4005176324369 | 289 | 40 800 GN1 | 4005176429941 | 276 |
| 40 507 DC1 | 4005176636530 | 283 | 40 660 EN1 | 4005176324277 | 289 | 40 802 001 | 4005176328107 | 276 |
| 40 508 001 | 4005176324413 | 281 | 40 663 001 | 4005176327834 | 278, 286 | 40 802 A01 | 4005176429651 | 276 |
| 40 508 AL1 | 4005176636653 | 281 | 40 664 001 | 4005176327841 | 279, 287 | 40 802 AL1 | 4005176429804 | 276 |
| 40 508 DC1 | 4005176636554 | 281 | 40 684 000 | 4005176940088 | 545 | 40 802 BE1 | 4005176430251 | 276 |
| 40 509 001 | 4005176324437 | 282 | 40 684 DC0 | 4005176940095 | 545 | 40 802 DA1 | 4005176429354 | 276 |
| 40 509 DC1 | 4005176636493 | 282 | 40 687 000 | 4005176981838 | 532 | 40 802 DL1 | 4005176430107 | 276 |
| 40 510 001 | 4005176324420 | 282 | 40 688 001 | 4005176326288 | 275 | 40 802 EN1 | 4005176430329 | 276 |
| 40 510 AL1 | 4005176636578 | 282 | 40 688 A01 | 4005176429545 | 275 | 40 802 GL1 | 4005176429507 | 276 |
| 40 510 DC1 | 4005176636172 | 282 | 40 688 AL1 | 4005176429699 | 275 | 40 802 GN1 | 4005176429958 | 276 |
| 40 511 001 | 4005176324475 | 282 | 40 688 BE1 | 4005176430145 | 275 | 40 804 000 | 4005176347917 | 271 |
| 40 511 AL1 | 4005176636615 | 282 | 40 688 DA1 | 4005176428944 | 275 | 40 805 000 | 4005176347924 | 270 |
| 40 511 DC1 | 4005176636516 | 282 | 40 688 DC1 | 4005176413124 | 275 | 40 806 000 | 4005176347931 | 270 |
| 40 512 001 | 4005176324451 | 282 | 40 688 DL1 | 4005176429996 | 275 | 40 807 000 | 4005176347948 | 271 |
| 40 512 AL1 | 4005176636608 | 282 | 40 688 EN1 | 4005176326295 | 275 | 40 808 000 | 4005176347955 | 272 |
| 40 513 001 | 4005176324604 | 283 | 40 688 GL1 | 4005176429392 | 275 | 40 809 000 | 4005176347962 | 272 |
| 40 513 AL1 | 4005176636561 | 283 | 40 688 GN1 | 4005176429842 | 275 | 40 824 000 | 4005176332975 | 790 |
| 40 513 DC1 | 4005176636165 | 283 | 40 689 001 | 4005176326363 | 277 | 40 834 001 | 4005176335280 | 536 |
| 40 514 001 | 4005176324468 | 283 | 40 689 A01 | 4005176429613 | 277 | 40 841 001 | 4005176335358 | 536 |
| 40 514 AL1 | 4005176636622 | 283 | 40 689 AL1 | 4005176429767 | 277 | 40 842 001 | 4005176335365 | 536 |
| 40 514 DC1 | 4005176636523 | 283 | 40 689 BE1 | 4005176430213 | 277 | 40 843 000 | 4005176337109 | 533 |
| 40 535 000 | 4005176905490 | 571 | 40 689 DA1 | 4005176429316 | 277 | 40 846 001 | 4005176344091 | 279 |
| 40 535 A00 | 4005176489396 | 571 | 40 689 DC1 | 4005176413131 | 277 | 40 847 001 | 4005176344107 | 284 |
| 40 535 AL0 | 4005176489402 | 571 | 40 689 DL1 | 4005176430060 | 277 | 40 848 AL0 | 4005176646997 | 529 |
| 40 535 DA0 | 4005176489433 | 571 | 40 689 EN1 | 4005176326370 | 277 | 40 848 DL0 | 4005176647017 | 529 |
| 40 535 DC0 | 4005176905520 | 571 | 40 689 GL1 | 4005176429460 | 277 | 40 848 GN0 | 4005176647000 | 529 |
| 40 535 DL0 | 4005176489440 | 571 | 40 689 GN1 | 4005176429910 | 277 | 40 848 SD0 | 4005176386008 | 529 |
| 40 535 GL0 | 4005176489419 | 571 | 40 691 002 | 4005176674099 | 530 | 40 855 000 | 4005176356452 | 538 |
| 40 535 GN0 | 4005176489426 | 571 | 40 694 000 | 4005176985300 | 532 | 40 857 000 | 4005176378393 | 272 |
| 40 536 000 | 4005176905506 | 571 | 40 711 001 | 4005176454301 | 523 | 40 865 000 | 4005176378140 | 270 |
| 40 536 DC0 | 4005176905537 | 571 | 40 754 001 | 4005176328367 | 282 | 40 875 000 | 4005176745195 | 527, 531 |
| 40 537 000 | 4005176905513 | 571 | 40 755 001 | 4005176328374 | 281 | 40 876 000 | 4005176745201 | 527, 531 |
| 40 537 DC0 | 4005176905544 | 571 | 40 756 001 | 4005176328381 | 281 | 40 877 000 | 4005176745218 | 528, 531 |
| 40 547 001 | 4005176984099 | 529 | 40 757 001 | 4005176328497 | 283 | 40 878 000 | 4005176745225 | 528, 531 |
| 40 554 002 | 4005176458521 | 514 | 40 758 001 | 4005176328503 | 284 | 40 882 000 | 4005176754494 | 36, 55 |
| 40 564 000 | 4005176912740 | 69, 162 | 40 766 000 | 4005176347849 | 270 | 40 883 000 | 4005176755262 | 36, 55 |
| 40 564 A00 | 4005176491849 | 790 | 40 767 000 | 4005176347856 | 271 | 40 884 000 | 4005176754326 | 36 |
| 40 564 AL0 | 4005176491788 | 69, 162 | 40 768 000 | 4005176347863 | 270 | 40 884 AL0 | 4005176752902 | 36 |
| 40 564 DC0 | 4005176491795 | 69, 162 | 40 775 001 | 4005176328626 | 279 | 40 884 DA0 | 4005176752919 | 36 |
| 40 565 000 | 4005176912757 | 69, 789 | 40 775 DC1 | 4005176413186 | 279 | 40 884 DC0 | 4005176752926 | 36 |
| 40 565 AL0 | 4005176491696 | 69, 789 | 40 775 EN1 | 4005176324765 | 279 | 40 884 EN0 | 4005176752933 | 36 |
| 40 565 DC0 | 4005176491702 | 69, 789 | 40 776 001 | 4005176328633 | 279 | 40 884 GL0 | 4005176752940 | 36 |
| 40 575 002 | 4005176674082 | 530 | 40 776 DC1 | 4005176413193 | 279 | 40 885 000 | 4005176752957 | 36 |
| 40 585 001 | 4005176327797 | 285 | 40 777 001 | 4005176328640 | 284 | 40 885 AL0 | 4005176753961 | 36 |
| 40 623 001 | 4005176324482 | 283 | 40 778 001 | 4005176328657 | 284 | 40 885 DA0 | 4005176753978 | 36 |
| 40 623 AL1 | 4005176636646 | 283 | 40 781 000 | 4005176347870 | 271 | 40 885 DC0 | 4005176753985 | 36 |
| 40 623 DC1 | 4005176636547 | 283 | 40 782 000 | 4005176347887 | 271 | 40 885 EN0 | 4005176753992 | 36 |
| 40 624 001 | 4005176324444 | 282 | 40 783 000 | 4005176347894 | 270 | 40 885 GL0 | 4005176754005 | 36 |
| 40 624 AL1 | 4005176636585 | 282 | 40 784 000 | 4005176347900 | 271 | 40 886 000 | 4005176754012 | 36, 55 |
| 40 624 DC1 | 4005176636486 | 282 | 40 791 001 | 4005176323409 | 38, 269 | 40 886 AL0 | 4005176754517 | 36, 55 |
| 40 636 SD0 | 4005176706707 | 529 | 40 791 KS1 | 4005176336379 | 38, 269 | 40 886 DA0 | 4005176754524 | 36, 55 |
| 40 652 001 | 4005176324321 | 288 | 40 793 001 | 4005176327599 | 277 | 40 886 DC0 | 4005176754531 | 36, 55 |
| 40 652 EN1 | 4005176324239 | 288 | 40 793 DC1 | 4005176413230 | 277 | 40 886 EN0 | 4005176754548 | 36, 55 |
| 40 653 001 | 4005176324345 | 288 | 40 794 001 | 4005176327605 | 277 | 40 886 GL0 | 4005176754555 | 36, 55 |

GROHE SURVEY OF CONTENTS

| Ref. No. | EAN | Page | Ref. No. | EAN | Page | Ref. No. | EAN | Page |
|------------|---------------|----------|------------|---------------|----------|------------|---------------|------|
| 40 887 000 | 4005176754562 | 37 | 40 946 IGO | 4005176754982 | 82 | 41 036 000 | 4005176577178 | 265 |
| 40 887 AL0 | 4005176754579 | 37 | 40 949 000 | 4005176477881 | 722, 734 | 41 037 000 | 4005176577185 | 265 |
| 40 887 DA0 | 4005176754586 | 37 | 40 950 000 | 4005176478994 | 722, 734 | 41 038 000 | 4005176577192 | 265 |
| 40 887 DC0 | 4005176754593 | 37 | 40 954 000 | 4005176496844 | 158 | 41 038 A00 | 4005176577277 | 265 |
| 40 887 EN0 | 4005176754609 | 37 | 40 955 001 | 4005176531842 | 56 | 41 038 AL0 | 4005176577284 | 265 |
| 40 887 GL0 | 4005176754616 | 37 | 40 955 A01 | 4005176531910 | 56 | 41 038 BE0 | 4005176577215 | 265 |
| 40 888 000 | 4005176754623 | 37 | 40 955 DL1 | 4005176531903 | 56 | 41 038 DA0 | 4005176577253 | 265 |
| 40 888 AL0 | 4005176754630 | 37 | 40 955 GN1 | 4005176531880 | 56 | 41 038 DC0 | 4005176577208 | 265 |
| 40 888 DA0 | 4005176754647 | 37 | 40 956 001 | 4005176532146 | 57 | 41 038 DL0 | 4005176577260 | 265 |
| 40 888 DC0 | 4005176754654 | 37 | 40 956 A01 | 4005176532214 | 57 | 41 038 EN0 | 4005176577222 | 265 |
| 40 888 EN0 | 4005176754661 | 37 | 40 956 DL1 | 4005176532207 | 57 | 41 038 GL0 | 4005176577239 | 265 |
| 40 888 GL0 | 4005176754678 | 37 | 40 956 GN1 | 4005176532184 | 57 | 41 038 GN0 | 4005176577246 | 265 |
| 40 889 000 | 4005176754685 | 37 | 40 960 000 | 4005176754999 | 82 | 41 039 000 | 4005176577307 | 265 |
| 40 889 AL0 | 4005176754692 | 37 | 40 960 EN0 | 4005176755002 | 82 | 41 039 A00 | 4005176577383 | 265 |
| 40 889 DA0 | 4005176754708 | 37 | 40 960 IGO | 4005176755019 | 82 | 41 039 AL0 | 4005176577390 | 265 |
| 40 889 DC0 | 4005176754715 | 37 | 40 962 000 | 4005176529412 | 533 | 41 039 BE0 | 4005176577321 | 265 |
| 40 889 EN0 | 4005176754722 | 37 | 40 963 001 | 4005176530913 | 55 | 41 039 DA0 | 4005176577369 | 265 |
| 40 889 GL0 | 4005176754739 | 37 | 40 963 A01 | 4005176530982 | 55 | 41 039 DC0 | 4005176577314 | 265 |
| 40 890 000 | 4005176754746 | 37 | 40 963 DL1 | 4005176530975 | 55 | 41 039 DL0 | 4005176577376 | 265 |
| 40 890 AL0 | 4005176754753 | 37 | 40 963 GN1 | 4005176530951 | 55 | 41 039 EN0 | 4005176577338 | 265 |
| 40 890 DA0 | 4005176754760 | 37 | 40 964 001 | 4005176531019 | 36, 55 | 41 039 GL0 | 4005176577345 | 265 |
| 40 890 DC0 | 4005176754777 | 37 | 40 965 001 | 4005176531125 | 57 | 41 039 GN0 | 4005176577352 | 265 |
| 40 890 EN0 | 4005176754784 | 37 | 40 965 A01 | 4005176531194 | 57 | 41 049 000 | 4005176577413 | 266 |
| 40 890 GL0 | 4005176754791 | 37 | 40 965 DL1 | 4005176531187 | 57 | 41 049 A00 | 4005176577499 | 266 |
| 40 891 000 | 4005176754807 | 37 | 40 965 GN1 | 4005176531163 | 57 | 41 049 AL0 | 4005176577505 | 266 |
| 40 891 AL0 | 4005176754814 | 37 | 40 966 001 | 4005176531224 | 57 | 41 049 BE0 | 4005176577437 | 266 |
| 40 891 DA0 | 4005176754821 | 37 | 40 966 A01 | 4005176531293 | 57 | 41 049 DA0 | 4005176577475 | 266 |
| 40 891 DC0 | 4005176754838 | 37 | 40 966 DL1 | 4005176531286 | 57 | 41 049 DC0 | 4005176577420 | 266 |
| 40 891 EN0 | 4005176755088 | 37 | 40 966 GN1 | 4005176531262 | 57 | 41 049 DL0 | 4005176577482 | 266 |
| 40 891 GL0 | 4005176755095 | 37 | 40 967 001 | 4005176531323 | 57 | 41 049 EN0 | 4005176577444 | 266 |
| 40 892 000 | 4005176755101 | 38 | 40 967 A01 | 4005176531392 | 57 | 41 049 GL0 | 4005176577451 | 266 |
| 40 892 AL0 | 4005176755118 | 38 | 40 967 DL1 | 4005176531385 | 57 | 41 049 GN0 | 4005176577468 | 266 |
| 40 892 DA0 | 4005176755125 | 38 | 40 967 GN1 | 4005176531361 | 57 | 41 056 000 | 4005176577529 | 266 |
| 40 892 DC0 | 4005176755132 | 38 | | | | 41 056 A00 | 4005176577604 | 266 |
| 40 892 EN0 | 4005176755149 | 38 | | | | 41 056 AL0 | 4005176577611 | 266 |
| 40 892 GL0 | 4005176755156 | 38 | | | | 41 056 BE0 | 4005176577543 | 266 |
| 40 893 000 | 4005176755163 | 70 | 41 007 000 | 4005176281815 | 770 | 41 056 DA0 | 4005176577581 | 266 |
| 40 894 000 | 4005176755170 | 70 | 41 027 000 | 4005176576836 | 264 | 41 056 DC0 | 4005176577536 | 266 |
| 40 895 000 | 4005176754333 | 70 | 41 027 A00 | 4005176576911 | 264 | 41 056 DL0 | 4005176577598 | 266 |
| 40 896 000 | 4005176754340 | 70 | 41 027 AL0 | 4005176576928 | 264 | 41 056 EN0 | 4005176577550 | 266 |
| 40 897 000 | 4005176754357 | 71 | 41 027 BE0 | 4005176576850 | 264 | 41 056 GL0 | 4005176577567 | 266 |
| 40 898 000 | 4005176754364 | 71 | 41 027 DA0 | 4005176576898 | 264 | 41 056 GN0 | 4005176577574 | 266 |
| 40 899 000 | 4005176413896 | 660, 712 | 41 027 DC0 | 4005176576843 | 264 | 41 057 000 | 4005176577635 | 266 |
| 40 900 000 | 4005176754371 | 71 | 41 027 DL0 | 4005176576904 | 264 | 41 058 000 | 4005176577642 | 266 |
| 40 906 000 | 4005176754388 | 70 | 41 027 EN0 | 4005176576867 | 264 | 41 058 A00 | 4005176577727 | 266 |
| 40 907 000 | 4005176754395 | 70 | 41 027 GL0 | 4005176576874 | 264 | 41 058 AL0 | 4005176577734 | 266 |
| 40 908 000 | 4005176754401 | 82 | 41 027 GN0 | 4005176576881 | 264 | 41 058 BE0 | 4005176577734 | 266 |
| 40 908 EN0 | 4005176754418 | 82 | 41 028 000 | 4005176576942 | 264 | 41 058 DA0 | 4005176577703 | 266 |
| 40 908 IGO | 4005176754425 | 82 | 41 028 A00 | 4005176577024 | 264 | 41 058 DC0 | 4005176577659 | 266 |
| 40 909 000 | 4005176754432 | 81 | 41 028 AL0 | 4005176577031 | 264 | 41 058 DL0 | 4005176577710 | 266 |
| 40 909 IGO | 4005176754449 | 81 | 41 028 BE0 | 4005176576966 | 264 | 41 058 EN0 | 4005176577673 | 266 |
| 40 910 000 | 4005176754845 | 81 | 41 028 DA0 | 4005176577000 | 264 | 41 058 GL0 | 4005176577680 | 266 |
| 40 910 IGO | 4005176754852 | 81 | 41 028 DC0 | 4005176576959 | 264 | 41 058 GN0 | 4005176577697 | 266 |
| 40 911 000 | 4005176416132 | 722, 734 | 41 028 DL0 | 4005176577017 | 264 | 41 059 000 | 4005176577758 | 267 |
| 40 915 000 | 4005176429262 | 280, 287 | 41 028 EN0 | 4005176576973 | 264 | 41 059 A00 | 4005176577833 | 267 |
| 40 920 000 | 4005176470646 | 532 | 41 028 GL0 | 4005176576980 | 264 | 41 059 AL0 | 4005176577840 | 267 |
| 40 923 000 | 4005176754869 | 81 | 41 028 GN0 | 4005176576997 | 264 | 41 059 BE0 | 4005176577772 | 267 |
| 40 923 IGO | 4005176754876 | 81 | 41 029 000 | 4005176577055 | 264 | 41 059 DA0 | 4005176577819 | 267 |
| 40 928 000 | 4005176754883 | 81 | 41 035 000 | 4005176577062 | 265 | 41 059 DC0 | 4005176577765 | 267 |
| 40 928 EN0 | 4005176754890 | 81 | 41 035 A00 | 4005176577147 | 265 | 41 059 DL0 | 4005176577826 | 267 |
| 40 928 IGO | 4005176754906 | 81 | 41 035 AL0 | 4005176577154 | 265 | 41 059 EN0 | 4005176577789 | 267 |
| 40 929 000 | 4005176754913 | 81 | 41 035 BE0 | 4005176577086 | 265 | 41 059 GL0 | 4005176577796 | 267 |
| 40 929 EN0 | 4005176754920 | 81 | 41 035 DC0 | 4005176577123 | 265 | 41 059 GN0 | 4005176577802 | 267 |
| 40 929 IGO | 4005176754937 | 81 | 41 035 DA0 | 4005176577079 | 265 | 41 063 000 | 4005176577864 | 267 |
| 40 930 000 | 4005176754944 | 81 | 41 035 DC0 | 4005176577130 | 265 | 41 063 A00 | 4005176577949 | 267 |
| 40 930 IGO | 4005176754968 | 81 | 41 035 DL0 | 4005176577109 | 265 | 41 063 AL0 | 4005176577956 | 267 |
| 40 946 000 | 4005176754975 | 82 | 41 035 EN0 | 4005176577093 | 265 | 41 063 BE0 | 4005176577888 | 267 |
| | | | 41 035 GL0 | 4005176577109 | 265 | | | |
| | | | 41 035 GN0 | 4005176577116 | 265 | | | |

GROHE SURVEY OF CONTENTS

| Ref. No. | EAN | Page | Ref. No. | EAN | Page | Ref. No. | EAN | Page |
|------------|---------------|------|------------|---------------|----------|------------|---------------|----------|
| 41 063 DA0 | 4005176577925 | 267 | 41 077 A00 | 4005176578700 | 269 | 45 650 IPO | 4005176137228 | 797 |
| 41 063 DC0 | 4005176577871 | 267 | 41 077 AL0 | 4005176578717 | 269 | 45 869 000 | 4005176189876 | 780 |
| 41 063 DL0 | 4005176577932 | 267 | 41 077 BE0 | 4005176578656 | 269 | 45 882 000 | 4005176189883 | 780 |
| 41 063 EN0 | 4005176577895 | 267 | 41 077 DA0 | 4005176575587 | 269 | 45 883 000 | 4005176189890 | 781 |
| 41 063 GL0 | 4005176577901 | 267 | 41 077 DC0 | 4005176578649 | 269 | 45 885 000 | 4005176189913 | 780 |
| 41 063 GN0 | 4005176577918 | 267 | 41 077 DL0 | 4005176578694 | 269 | 45 888 000 | 4005176189944 | 781 |
| 41 064 000 | 4005176577970 | 267 | 41 077 EN0 | 4005176578663 | 269 | 45 914 XE0 | 4005176842054 | 438, 483 |
| 41 064 A00 | 4005176578052 | 267 | 41 077 GL0 | 4005176578670 | 269 | 45 937 000 | 4005176279683 | 801 |
| 41 064 AL0 | 4005176578069 | 267 | 41 077 GN0 | 4005176578687 | 269 | 45 973 001 | 4005176442919 | 471, 475 |
| 41 064 BE0 | 4005176577994 | 267 | 41 136 000 | 4005176774430 | 527, 530 | 45 984 001 | 4005176992056 | 30, 33 |
| 41 064 DA0 | 4005176578038 | 267 | 41 215 KF0 | 4005176782435 | 269 | 46 | | |
| 41 064 DC0 | 4005176577987 | 267 | 41 216 KF0 | 4005176782442 | 266 | 46 048 000 | 4005176008283 | 774 |
| 41 064 DL0 | 4005176578045 | 267 | 41 217 KF0 | 4005176782459 | 264 | 46 058 000 | 4005176008467 | 794 |
| 41 064 EN0 | 4005176578007 | 267 | 41 218 KF0 | 4005176782466 | 264 | 46 278 000 | 4005176131868 | 648, 774 |
| 41 064 GL0 | 4005176578014 | 267 | 41 219 KF0 | 4005176782473 | 267 | 46 308 000 | 4005176131769 | 774 |
| 41 064 GN0 | 4005176578021 | 267 | 41 220 KF0 | 4005176782480 | 268 | 46 374 000 | 4005176169076 | 774 |
| 41 066 000 | 4005176578083 | 268 | 41 275 000 | 4005176280481 | 771 | 46 375 000 | 4005176169083 | 775 |
| 41 066 A00 | 4005176578168 | 268 | 42 | | | 46 386 000 | 4005176169410 | 774 |
| 41 066 AL0 | 4005176578175 | 268 | 42 137 000 | 4005176259524 | 731 | 46 575 000 | 4005176830099 | 796 |
| 41 066 BE0 | 4005176578106 | 268 | 42 181 000 | 4005176286872 | 729 | 46 580 000 | 4005176831867 | 774 |
| 41 066 DA0 | 4005176578144 | 268 | 42 229 000 | 4005176299223 | 793 | 46 914 000 | 4005176326424 | 792 |
| 41 066 DC0 | 4005176578090 | 268 | 42 233 000 | 4005176300653 | 732, 803 | 46 944 001 | 4005176479977 | 660 |
| 41 066 DL0 | 4005176578151 | 268 | 42 242 000 | 4005176804977 | 733 | 47 | | |
| 41 066 EN0 | 4005176578113 | 268 | 42 253 000 | 4005176814532 | 729 | 47 025 000 | 4005176009549 | 777 |
| 41 066 GL0 | 4005176578120 | 268 | 42 297 PI0 | 4005176832048 | 729 | 47 111 000 | 4005176009921 | 776 |
| 41 066 GN0 | 4005176578137 | 268 | 42 303 000 | 4005176835391 | 802 | 47 167 000 | 4005176010125 | 778 |
| 41 067 000 | 4005176578199 | 268 | 42 304 000 | 4005176835469 | 802 | 47 175 000 | 4005176803895 | 332, 335 |
| 41 067 A00 | 4005176578274 | 268 | 42 305 000 | 4005176835490 | 802 | 47 186 000 | 4005176803901 | 778 |
| 41 067 AL0 | 4005176578281 | 268 | 42 314 000 | 4005176835636 | 731 | 47 189 000 | 4005176010330 | 792 |
| 41 067 BE0 | 4005176578212 | 268 | 42 320 000 | 4005176837487 | 731 | 47 217 000 | 4005176241246 | 776 |
| 41 067 DA0 | 4005176578250 | 268 | 42 327 000 | 4005176838705 | 712, 733 | 47 220 000 | 4005176241253 | 776 |
| 41 067 DC0 | 4005176578205 | 268 | 42 333 000 | 4005176845888 | 712, 733 | 47 262 000 | 4005176118722 | 779 |
| 41 067 DL0 | 4005176578267 | 268 | 42 383 000 | 4005176903281 | 775 | 47 282 000 | 4005176061592 | 776 |
| 41 067 EN0 | 4005176578229 | 268 | 42 384 000 | 4005176903298 | 775 | 47 310 000 | 4005176079238 | 776 |
| 41 067 GL0 | 4005176578236 | 268 | 42 586 SD0 | 4005176563430 | 796 | 47 349 000 | 4005176141461 | 776 |
| 41 067 GN0 | 4005176578243 | 268 | 42 587 SD0 | 4005176563447 | 796 | 47 364 000 | 4005176171819 | 779 |
| 41 068 000 | 4005176578304 | 268 | 42 593 000 | 4005176566417 | 734, 803 | 47 439 000 | 4005176811975 | 777 |
| 41 068 A00 | 4005176578380 | 268 | 42 633 000 | 4005176758775 | 89 | 47 450 000 | 4005176076190 | 776 |
| 41 068 AL0 | 4005176578397 | 268 | 42 634 000 | 4005176758782 | 89 | 47 483 000 | 4005176815409 | 778 |
| 41 068 BE0 | 4005176578328 | 268 | 42 635 000 | 4005176758799 | 89 | 47 532 000 | 4005176206795 | 777 |
| 41 068 DA0 | 4005176578366 | 268 | 42 636 000 | 4005176758805 | 89 | 47 533 000 | 4005176207181 | 627, 645 |
| 41 068 DC0 | 4005176578311 | 268 | 42 637 000 | 4005176758812 | 89 | 47 598 000 | 4005176229169 | 777 |
| 41 068 DL0 | 4005176578373 | 268 | 42 740 000 | 4005176230653 | 802 | 47 600 000 | 4005176228995 | 777 |
| 41 068 EN0 | 4005176578335 | 268 | 42 740 00M | 4005176222092 | 803 | 47 780 000 | 4005176836541 | 618, 631 |
| 41 068 GL0 | 4005176578342 | 268 | 42 766 000 | 4005176222115 | 722 | 47 781 000 | 4005176836558 | 631 |
| 41 068 GN0 | 4005176578359 | 268 | 42 774 000 | 4005176221590 | 731 | 47 790 000 | 4005176841491 | 364 |
| 41 069 000 | 4005176578410 | 269 | 42 886 000 | 4005176200670 | 649, 793 | 47 885 000 | 4005176924729 | 778 |
| 41 069 A00 | 4005176578496 | 269 | 43 | | | 47 994 000 | 4005176364723 | 631 |
| 41 069 AL0 | 4005176578502 | 269 | 43 352 000 | 4005176832413 | 732 | 48 | | |
| 41 069 BE0 | 4005176578434 | 269 | 43 486 000 | 4005176157158 | 731 | 48 051 000 | 4005176890024 | 446, 454 |
| 41 069 DA0 | 4005176578472 | 269 | 43 506 000 | 4005176157356 | 802 | 48 053 000 | 4005176890031 | 406 |
| 41 069 DC0 | 4005176578427 | 269 | 43 537 000 | 4005176157653 | 729 | 48 054 000 | 4005176890048 | 406 |
| 41 069 DL0 | 4005176578489 | 269 | 43 544 000 | 4005176157738 | 733, 802 | 48 099 000 | 4005176908583 | 798 |
| 41 069 EN0 | 4005176578441 | 269 | 43 617 000 | 4005176841163 | 723, 740 | 48 166 000 | 4005176923197 | 801 |
| 41 069 GL0 | 4005176578458 | 269 | 43 733 000 | 4005176158926 | 730 | 48 177 000 | 4005176924248 | 798 |
| 41 069 GN0 | 4005176578465 | 269 | 43 758 00M | 4005176159121 | 730, 803 | 48 189 000 | 4005176928772 | 787 |
| 41 076 000 | 4005176578526 | 269 | 43 907 PI0 | 4005176177545 | 729 | 48 190 000 | 4005176928987 | 787 |
| 41 076 A00 | 4005176578601 | 269 | 43 908 000 | 4005176160257 | 732 | 48 191 000 | 4005176928994 | 787 |
| 41 076 AL0 | 4005176578618 | 269 | 45 | | | 48 293 000 | 4005176358593 | 795 |
| 41 076 BE0 | 4005176578540 | 269 | 45 314 000 | 4005176099250 | 646 | 48 349 000 | 4005176409851 | 382, 406 |
| 41 076 DA0 | 4005176578588 | 269 | 45 342 000 | 4005176129865 | 780 | 48 350 000 | 4005176409868 | 382, 406 |
| 41 076 DC0 | 4005176578533 | 269 | 45 346 000 | 4005176104572 | 780 | 48 359 000 | 4005176442810 | 775 |
| 41 076 DL0 | 4005176578595 | 269 | 45 363 000 | 4005176112324 | 798 | 48 456 000 | 4005176520778 | 39 |
| 41 076 EN0 | 4005176578557 | 269 | 45 459 000 | 4005176056444 | 483 | 48 457 000 | 4005176520785 | 39 |
| 41 076 GL0 | 4005176578564 | 269 | | | | | | |
| 41 076 GN0 | 4005176578571 | 269 | | | | | | |
| 41 077 000 | 4005176578632 | 269 | | | | | | |

GROHE SURVEY OF CONTENTS

| Ref. No. | EAN | Page |
|------------|---------------|------|
| 48 458 000 | 4005176523793 | 44 |
| 48 458 AL0 | 4005176788475 | 44 |
| 48 458 DA0 | 4005176788468 | 44 |
| 48 458 DC0 | 4005176787249 | 44 |
| 48 458 GL0 | 4005176787256 | 44 |
| 48 459 000 | 4005176523809 | 44 |
| 48 459 AL0 | 4005176788512 | 44 |
| 48 459 DA0 | 4005176788505 | 44 |
| 48 459 DC0 | 4005176788482 | 44 |
| 48 459 GL0 | 4005176788499 | 44 |
| 48 460 000 | 4005176523816 | 40 |
| 48 461 000 | 4005176523823 | 40 |
| 48 462 000 | 4005176523830 | 41 |
| 48 463 000 | 4005176523847 | 41 |
| 48 464 000 | 4005176523854 | 45 |
| 48 464 AL0 | 4005176788550 | 45 |
| 48 464 DA0 | 4005176788543 | 45 |
| 48 464 DC0 | 4005176788529 | 45 |
| 48 464 GL0 | 4005176788536 | 45 |
| 48 465 000 | 4005176523861 | 45 |
| 48 465 AL0 | 4005176788598 | 45 |
| 48 465 DA0 | 4005176788581 | 45 |
| 48 465 DC0 | 4005176788567 | 45 |
| 48 465 GL0 | 4005176788574 | 45 |
| 48 466 000 | 4005176523878 | 42 |
| 48 467 000 | 4005176523885 | 42 |
| 49 | | |
| 49 002 00M | 4005176372193 | 799 |
| 49 003 000 | 4005176413537 | 365 |
| 49 024 000 | 4005176454196 | 805 |
| 49 028 000 | 4005176442827 | 778 |
| 49 113 000 | 4005176571398 | 674 |
| 49 113 SH0 | 4005176571404 | 674 |
| 49 115 000 | 4005176571411 | 674 |
| 49 510 000 | 4005176373329 | 805 |
| 49 516 000 | 4005176373381 | 805 |
| 49 526 000 | 4005176421129 | 805 |
| 49 533 000 | 4005176478475 | 696 |
| 49 533 SH0 | 4005176560033 | 696 |
| 49 534 000 | 4005176478482 | 696 |
| 49 534 SH0 | 4005176560040 | 696 |
| 64 | | |
| 64 508 001 | 4005176984112 | 531 |
| 65 | | |
| 65 807 000 | 4005176849893 | 789 |
| 65 807 A00 | 4005176467721 | 789 |
| 65 807 AL0 | 4005176467714 | 789 |
| 65 807 BE0 | 4005176467691 | 789 |
| 65 807 DA0 | 4005176467752 | 789 |
| 65 807 DC0 | 4005176442797 | 789 |
| 65 807 DL0 | 4005176467769 | 789 |
| 65 807 EN0 | 4005176467707 | 789 |
| 65 807 GL0 | 4005176467738 | 789 |
| 65 807 GN0 | 4005176467745 | 789 |
| 65 807 LSO | 4005176849916 | 789 |
| 65 808 000 | 4005176860065 | 789 |
| 66 | | |
| 66 791 000 | 4005176866562 | 722 |

GROHE REPLACEMENT PRODUCTS

| New Professional / SPA exclusive SKU | Old SKU | New Professional / SPA exclusive SKU | Old SKU | New Professional / SPA exclusive SKU | Old SKU | New Professional / SPA exclusive SKU | Old SKU |
|--------------------------------------|------------|--------------------------------------|------------|--------------------------------------|------------|--------------------------------------|------------|
| 13 | | 20 658 AL0 | 20 021 AL3 | 24 168 A01 | 24 057 A01 | 24 182 001 | 23 799 001 |
| 13 264 001 | 13 264 000 | 20 658 DA0 | 20 021 DA3 | 24 168 AL1 | 24 057 AL1 | 24 183 001 | 23 379 001 |
| 13 317 001 | 13 317 000 | 20 658 DC0 | 20 021 DC3 | 24 168 DA1 | 24 057 DA1 | 24 259 000 | 24 067 000 |
| 13 484 000 | 13 341 000 | 20 658 GL0 | 20 021 GL3 | 24 168 DC1 | 24 057 DC1 | 24 259 IGO | 24 067 IGO |
| 13 484 DA0 | 13 341 DA0 | 20 661 000 | 20 164 003 | 24 168 DL1 | 24 057 DL1 | 24 260 000 | 24 068 000 |
| 13 484 IGO | 13 341 IGO | 20 661 AL0 | 20 164 AL3 | 24 168 GL1 | 24 057 GL1 | 24 260 DA0 | 24 068 DA0 |
| 13 485 000 | 13 299 000 | 20 661 DA0 | 20 164 DA3 | 24 168 GN1 | 24 057 GN1 | 24 260 IGO | 24 068 IGO |
| 13 485 AL0 | 13 299 AL0 | 20 661 DC0 | 20 164 DC3 | 24 169 001 | 24 092 001 | 24 277 000 | 24 071 000 |
| 13 485 DC0 | 13 299 DC0 | 20 661 EN0 | 20 164 EN3 | 24 169 A01 | 24 092 A01 | 24 277 AL0 | 24 071 AL0 |
| 13 486 000 | 13 319 000 | 20 661 GL0 | 20 164 GL3 | 24 169 AL1 | 24 092 AL1 | 24 277 DC0 | 24 071 DC0 |
| 13 486 AL0 | 13 319 AL0 | 20 662 000 | 20 169 003 | 24 169 DA1 | 24 092 DA1 | 24 279 000 | 24 072 000 |
| 13 486 DC0 | 13 319 DC0 | 20 662 AL0 | 20 169 AL3 | 24 169 DC1 | 24 092 DC1 | 24 279 AL0 | 24 072 AL0 |
| 13 487 000 | 13 139 003 | 20 662 DA0 | 20 169 DA3 | 24 169 DL1 | 24 092 DL1 | 24 279 DC0 | 24 072 DC0 |
| 13 487 AL0 | 13 139 AL3 | 20 662 DC0 | 20 169 DC3 | 24 169 GL1 | 24 092 GL1 | 24 340 000 | 24 099 000 |
| 13 487 DA0 | 13 139 DA3 | 20 662 GL0 | 20 169 GL3 | 24 169 GN1 | 24 092 GN1 | 24 340 AL0 | 24 099 AL0 |
| 13 487 DC0 | 13 139 DC3 | 20 664 SD0 | 20 609 SD0 | 24 170 001 | 32 901 001 | 24 340 DC0 | 24 099 DC0 |
| 13 487 GL0 | 13 139 GL3 | 20 665 SD0 | 20 614 SD0 | 24 170 A01 | 32 901 A01 | 24 341 000 | 23 029 000 |
| 19 | | 20 666 000 | 21 107 000 | 24 170 AL1 | 32 901 AL1 | 24 341 AL0 | 23 029 AL0 |
| 19 309 002 | 19 309 000 | 20 666 IGO | 21 107 IGO | 24 170 DA1 | 32 901 DA1 | 24 341 DC0 | 23 029 DC0 |
| 19 315 001 | 24 070 000 | 21 | | 24 170 DC1 | 32 901 DC1 | 24 342 000 | 23 033 000 |
| 19 316 001 | 19 316 000 | 21 144 000 | 21 019 003 | 24 170 DL1 | 32 901 DL1 | 24 342 AL0 | 23 033 AL0 |
| 19 317 001 | 24 069 000 | 21 144 AL0 | 21 019 AL3 | 24 170 GL1 | 32 901 GL1 | 24 342 DC0 | 23 033 DC0 |
| 19 334 001 | 19 334 000 | 21 144 DA0 | 21 019 DA3 | 24 170 GN1 | 32 901 GN1 | 24 344 000 | 23 109 000 |
| 19 386 002 | 19 386 000 | 21 144 DC0 | 21 019 DC3 | 24 171 001 | 23 589 001 | 24 344 AL0 | 23 109 AL0 |
| 19 588 001 | 19 588 000 | 21 144 GL0 | 21 019 GL3 | 24 171 A01 | 23 589 A01 | 24 344 DC0 | 23 109 DC0 |
| 19 589 001 | 19 589 000 | 21 145 000 | 21 022 003 | 24 171 AL1 | 23 589 AL1 | 24 345 000 | 23 112 000 |
| 19 590 001 | 19 590 000 | 21 145 AL0 | 21 022 AL3 | 24 171 DA1 | 23 589 DA1 | 24 345 AL0 | 23 112 AL0 |
| 20 | | 21 145 DC0 | 21 022 DC3 | 24 171 DC1 | 23 589 DC1 | 24 345 DC0 | 23 112 DC0 |
| 20 188 001 | 20 188 000 | 21 145 DA0 | 21 022 DA3 | 24 171 DL1 | 23 589 DL1 | 24 346 000 | 23 114 000 |
| 20 189 002 | 20 189 000 | 21 145 DC0 | 21 022 DC3 | 24 171 GL1 | 23 589 GL1 | 24 346 AL0 | 23 114 AL0 |
| 20 193 002 | 20 193 000 | 21 145 GL0 | 21 022 GL3 | 24 171 GN1 | 23 589 GN1 | 24 346 DC0 | 23 114 DC0 |
| 20 584 001 | 20 191 00A | 21 149 000 | 21 044 003 | 24 172 001 | 23 590 001 | 24 347 000 | 23 117 000 |
| 20 619 000 | 20 389 000 | 21 149 AL0 | 21 044 AL3 | 24 172 A01 | 23 590 A01 | 24 347 AL0 | 23 117 AL0 |
| 20 619 DA0 | 20 389 DA0 | 21 149 DA0 | 21 044 DA3 | 24 172 AL1 | 23 590 AL1 | 24 347 DC0 | 23 117 DC0 |
| 20 619 IGO | 20 389 IGO | 21 149 DC0 | 21 044 DC3 | 24 172 DA1 | 23 590 DA1 | 24 348 000 | 23 119 000 |
| 20 622 000 | 20 414 000 | 21 149 GL0 | 21 044 GL3 | 24 172 DC1 | 23 590 DC1 | 24 348 001 | 23 119 001 |
| 20 622 IGO | 20 414 IGO | 23 | | 24 172 DL1 | 23 590 DL1 | 24 348 AL0 | 23 119 AL0 |
| 20 623 000 | 20 415 000 | 23 061 003 | 23 061 002 | 24 172 GL1 | 23 590 GL1 | 24 348 DC0 | 23 119 DC0 |
| 20 623 IGO | 20 415 IGO | 23 127 00E | 23 127 000 | 24 172 GN1 | 23 590 GN1 | 24 353 000 | 24 027 003 |
| 20 624 000 | 20 417 000 | 23 132 00E | 23 132 000 | 24 173 001 | 23 462 001 | 24 353 AL0 | 24 027 AL3 |
| 20 624 IGO | 20 417 IGO | 23 135 00E | 23 135 000 | 24 173 A01 | 23 462 A01 | 24 353 DA0 | 24 027 DA3 |
| 20 626 000 | 20 342 000 | 23 374 LS3 | 23 709 LS3 | 24 173 AL1 | 23 462 AL1 | 24 353 DC0 | 24 027 DC3 |
| 20 626 AL0 | 20 342 AL0 | 23 403 001 | 23 403 000 | 24 173 DA1 | 23 462 DA1 | 24 353 GL0 | 24 027 GL3 |
| 20 626 DC0 | 20 342 DC0 | 23 459 003 | 32 764 000 | 24 173 DC1 | 23 462 DC1 | 24 354 000 | 24 065 003 |
| 20 627 000 | 20 344 000 | 23 569 LS3 | 23 718 LS3 | 24 173 DL1 | 23 462 DL1 | 24 354 AL0 | 24 065 AL3 |
| 20 627 AL0 | 20 344 AL0 | 23 570 LS3 | 23 719 LS3 | 24 173 GL1 | 23 462 GL1 | 24 354 DA0 | 24 065 DA3 |
| 20 627 DC0 | 20 344 DC0 | 23 707 003 | 23 708 003 | 24 173 GN1 | 23 462 GN1 | 24 354 DC0 | 24 065 DC3 |
| 20 628 000 | 20 346 000 | 23 710 003 | 33 561 003 | 24 174 001 | 32 628 001 | 24 354 GL0 | 24 065 GL3 |
| 20 628 AL0 | 20 346 AL0 | 23 715 003 | 23 716 003 | 24 174 A01 | 32 628 A01 | 24 355 000 | 24 066 003 |
| 20 628 DC0 | 20 346 DC0 | 23 715 003 | 23 716 003 | 24 174 AL1 | 32 628 AL1 | 24 355 AL0 | 24 066 AL3 |
| 20 629 000 | 20 348 000 | 23 980 003 | 23 293 000 | 24 174 DA1 | 32 628 DA1 | 24 355 DA0 | 24 066 DA3 |
| 20 629 AL0 | 20 348 AL0 | 23 980 003 | 23 294 000 | 24 174 DC1 | 32 628 DC1 | 24 355 DC0 | 24 066 DC3 |
| 20 629 DC0 | 20 348 DC0 | 23 980 003 | 32 870 000 | 24 174 DL1 | 32 628 DL1 | 24 355 GL0 | 24 066 GL3 |
| 20 634 SD0 | 20 603 SD0 | 23 981 003 | 32 871 000 | 24 174 GL1 | 32 628 GL1 | 24 356 000 | 24 096 003 |
| 20 635 SD0 | 20 608 SD0 | 24 | | 24 174 GN1 | 32 628 GN1 | 24 356 AL0 | 24 096 AL3 |
| 20 643 000 | 20 008 003 | 24 048 LS3 | 24 046 LS3 | 24 175 001 | 32 898 001 | 24 356 DA0 | 24 096 DA3 |
| 20 643 AL0 | 20 008 AL3 | 24 049 LS3 | 24 047 LS3 | 24 176 001 | 23 463 001 | 24 356 DC0 | 24 096 DC3 |
| 20 643 DA0 | 20 008 DA3 | 24 068 DA0 | 19 948 DA0 | 24 177 001 | 23 541 001 | 24 356 GL0 | 24 096 GL3 |
| 20 643 DC0 | 20 008 DC3 | 24 160 001 | 32 147 000 | 24 178 001 | 32 935 001 | 24 357 000 | 24 134 003 |
| 20 643 GL0 | 20 008 GL3 | 24 167 001 | 24 058 001 | 24 178 A01 | 32 935 A01 | 24 357 AL0 | 24 134 AL3 |
| 20 649 000 | 20 009 003 | 24 167 A01 | 24 058 A01 | 24 178 AL1 | 32 935 AL1 | 24 357 DA0 | 24 134 DA3 |
| 20 649 AL0 | 20 009 AL3 | 24 167 AL1 | 24 058 AL1 | 24 178 DA1 | 32 935 DA1 | 24 357 DC0 | 24 134 DC3 |
| 20 649 DA0 | 20 009 DA3 | 24 167 DA1 | 24 058 DA1 | 24 178 DC1 | 32 935 DC1 | 24 357 GL0 | 24 134 GL3 |
| 20 649 DC0 | 20 009 DC3 | 24 167 DC1 | 24 058 DC1 | 24 178 DL1 | 32 935 DL1 | 24 357 IGO | 24 135 003 |
| 20 649 GL0 | 20 009 GL3 | 24 167 DL1 | 24 058 DL1 | 24 178 GL1 | 32 935 GL1 | 24 358 000 | 24 135 003 |
| 20 658 000 | 20 021 003 | 24 167 GL1 | 24 058 GL1 | 24 178 GN1 | 32 935 GN1 | 24 358 AL0 | 24 135 AL3 |
| | | 24 167 GN1 | 24 058 GN1 | 24 179 001 | 23 797 001 | 24 358 DA0 | 24 135 DA3 |
| | | 24 168 001 | 24 057 001 | 24 180 001 | 23 591 001 | 24 358 DC0 | 24 135 DC3 |
| | | | | 24 181 001 | 23 798 001 | 24 358 GL0 | 24 135 GL3 |
| | | | | | | 24 359 000 | 24 138 003 |

GROHE REPLACEMENT PRODUCTS

| New Professional / SPA exclusive SKU | Old SKU | New Professional / SPA exclusive SKU | Old SKU | New Professional / SPA exclusive SKU | Old SKU | New Professional / SPA exclusive SKU | Old SKU |
|--------------------------------------|------------|--------------------------------------|------------|--------------------------------------|------------|--------------------------------------|------------|
| 24 359 AL0 | 24 138 AL3 | 25 250 001 | 33 624 001 | 26 859 000 | 26 065 000 | 27 615 002 | 27 615 001 |
| 24 359 DA0 | 24 138 DA3 | 25 250 A01 | 33 624 A01 | 26 860 000 | 26 070 000 | 28 | |
| 24 359 DC0 | 24 138 DC3 | 25 250 AL1 | 33 624 AL1 | 26 861 000 | 26 071 000 | | |
| 24 359 GL0 | 24 138 GL3 | 25 250 DA1 | 33 624 DA1 | 26 862 000 | 26 259 000 | 28 025 001 | 28 025 000 |
| 24 362 000 | 32 042 003 | 25 250 DC1 | 33 624 DC1 | 26 863 000 | 26 373 001 | 28 105 001 | 28 105 000 |
| 24 362 AL0 | 32 042 AL3 | 25 250 DL1 | 33 624 DL1 | 26 864 000 | 26 374 000 | 28 139 001 | 28 139 000 |
| 24 362 DA0 | 32 042 DA3 | 25 250 GL1 | 33 624 GL1 | 26 865 000 | 26 376 001 | 28 140 001 | 28 140 000 |
| 24 362 DC0 | 32 042 DC3 | 25 250 GN1 | 33 624 GN1 | 26 866 000 | 26 465 000 | 28 142 002 | 28 142 000 |
| 24 362 GL0 | 32 042 GL3 | 25 251 001 | 19 578 001 | 26 866 A00 | 26 465 A00 | 28 143 001 | 28 143 000 |
| 24 363 000 | 32 043 003 | 25 251 A01 | 19 578 A01 | 26 866 AL0 | 26 465 AL0 | 28 143 KS1 | 28 143 KS0 |
| 24 363 AL0 | 32 043 AL3 | 25 251 AL1 | 19 578 AL1 | 26 866 BE0 | 26 465 BE0 | 28 143 LS1 | 28 143 LS0 |
| 24 363 DA0 | 32 043 DA3 | 25 251 DA1 | 19 578 DA1 | 26 866 DA0 | 26 465 DA0 | 28 145 001 | 28 145 000 |
| 24 363 DC0 | 32 043 DC3 | 25 251 DC1 | 19 578 DC1 | 26 866 DC0 | 26 465 DC0 | 28 150 002 | 28 150 001 |
| 24 363 GL0 | 32 043 GL3 | 25 251 DL1 | 19 578 DL1 | 26 866 DL0 | 26 465 DL0 | 28 151 002 | 28 151 001 |
| 24 364 000 | 32 108 003 | 25 251 GL1 | 19 578 GL1 | 26 866 EN0 | 26 465 EN0 | 28 151 L02 | 28 151 L01 |
| 24 364 AL0 | 32 108 AL3 | 25 251 GN1 | 19 578 GN1 | 26 866 GL0 | 26 465 GL0 | 28 154 002 | 28 154 001 |
| 24 364 DA0 | 32 108 DA3 | 25 252 001 | 33 636 001 | 26 866 GN0 | 26 465 GN0 | 28 155 002 | 28 155 001 |
| 24 364 DC0 | 32 108 DC3 | 25 252 A01 | 33 636 A01 | 26 867 000 | 26 467 000 | 28 158 001 | 28 158 000 |
| 24 364 GL0 | 32 108 GL3 | 25 252 AL1 | 33 636 AL1 | 26 868 000 | 26 469 000 | 28 161 002 | 28 161 001 |
| 24 365 000 | 32 647 003 | 25 252 DA1 | 33 636 DA1 | 26 871 000 | 27 271 000 | 28 362 001 | 28 362 000 |
| 24 365 AL0 | 32 647 AL3 | 25 252 DC1 | 33 636 DC1 | 26 872 000 | 27 285 000 | 28 362 A01 | 28 362 A00 |
| 24 365 DA0 | 32 647 DA3 | 25 252 DL1 | 33 636 DL1 | 26 873 000 | 27 286 000 | 28 362 BE1 | 28 362 BE0 |
| 24 365 DC0 | 32 647 DC3 | 25 252 GL1 | 33 636 GL1 | 26 874 000 | 27 467 000 | 28 362 DA1 | 28 362 DA0 |
| 24 365 GL0 | 32 647 GL3 | 25 252 GN1 | 33 636 GN1 | 26 876 000 | 27 479 000 | 28 362 DC1 | 28 362 DC0 |
| 24 366 000 | 32 650 003 | 25 268 000 | 25 010 003 | 26 877 000 | 27 480 000 | 28 362 GL1 | 28 362 GL0 |
| 24 366 AL0 | 32 650 AL3 | 25 268 AL0 | 25 010 AL3 | 26 878 000 | 27 621 000 | 28 364 001 | 28 364 000 |
| 24 366 DA0 | 32 650 DA3 | 25 268 DA0 | 25 010 DA3 | 26 879 000 | 27 623 000 | 28 388 001 | 28 388 000 |
| 24 366 DC0 | 32 650 DC3 | 25 268 DC0 | 25 010 DC3 | 26 880 000 | 27 625 000 | 28 388 A01 | 28 388 A00 |
| 24 366 GL0 | 32 650 GL3 | 25 268 GL0 | 25 010 GL3 | 26 883 000 | 27 863 000 | 28 388 BE1 | 28 388 BE0 |
| 24 367 000 | 32 652 003 | 25 272 000 | 25 044 003 | 26 884 000 | 27 884 001 | 28 388 DA1 | 28 388 DA0 |
| 24 367 AL0 | 32 652 AL3 | 25 272 AL0 | 25 044 AL3 | 26 885 000 | 27 888 000 | 28 388 DC1 | 28 388 DC0 |
| 24 367 DA0 | 32 652 DA3 | 25 272 DA0 | 25 044 DA3 | 26 885 A00 | 27 888 A00 | 28 388 GL1 | 28 388 GL0 |
| 24 367 DC0 | 32 652 DC3 | 25 272 DC0 | 25 044 DC3 | 26 885 AL0 | 27 888 AL0 | 28 409 002 | 28 409 001 |
| 24 367 GL0 | 32 652 GL3 | 25 272 EN0 | 25 044 EN3 | 26 885 DC0 | 27 888 DC0 | 28 410 002 | 28 410 001 |
| 24 368 000 | 32 653 003 | 25 272 GL0 | 25 044 GL3 | 26 885 DL0 | 27 888 DL0 | 28 413 002 | 28 413 001 |
| 24 368 AL0 | 32 653 AL3 | 26 | | 26 885 GN0 | 27 888 GN0 | 28 417 001 | 28 417 000 |
| 24 368 DA0 | 32 653 DA3 | | | 26 886 000 | 27 889 000 | 28 680 000 | 28 678 000 |
| 24 368 DC0 | 32 653 DC3 | 26 075 001 | 26 075 000 | 26 887 000 | 27 938 001 | 29 | |
| 24 368 EN0 | 32 653 EN3 | 26 114 002 | 26 114 001 | 26 888 000 | 27 939 001 | | |
| 24 368 GL0 | 32 653 GL3 | 26 241 001 | 26 241 000 | 26 889 000 | 28 034 000 | 29 025 002 | 29 025 000 |
| 24 369 000 | 23 303 000 | 26 334 001 | 26 334 000 | 26 890 000 | 28 308 000 | 29 192 001 | 19 408 001 |
| 24 369 DA0 | 23 303 DA0 | 26 335 001 | 26 335 000 | 26 892 000 | 28 348 000 | 29 192 A01 | 19 408 A01 |
| 24 369 IG0 | 23 303 IG0 | 26 346 001 | 26 346 000 | 26 893 000 | 28 389 000 | 29 192 AL1 | 19 408 AL1 |
| 24 370 000 | 23 310 000 | 26 362 LN1 | 26 362 LN0 | 26 894 000 | 28 690 000 | 29 192 DA1 | 19 408 DA1 |
| 24 370 IG0 | 23 310 IG0 | 26 370 A00 | 27 693 A00 | 26 895 000 | 26 003 003 | 29 192 DC1 | 19 408 DC1 |
| 24 371 000 | 23 313 000 | 26 801 BE0 | 27 251 BE0 | 26 895 AL0 | 26 003 AL3 | 29 192 DL1 | 19 408 DL1 |
| 24 371 IG0 | 23 313 IG0 | 26 801 DA0 | 27 251 DA0 | 26 895 DA0 | 26 003 DA3 | 29 192 GL1 | 19 408 GL1 |
| 24 372 000 | 23 315 000 | 26 801 EN0 | 27 251 EN0 | 26 895 DC0 | 26 003 DC3 | 29 192 GN1 | 19 408 GN1 |
| 24 372 IG0 | 23 315 IG0 | 26 801 GL0 | 27 251 GL0 | 26 895 GL0 | 26 003 GL3 | 29 193 001 | 19 967 001 |
| 24 373 000 | 23 316 000 | 26 839 000 | 26 328 000 | 26 896 000 | 27 969 000 | 29 193 A01 | 19 967 A01 |
| 24 373 IG0 | 23 316 IG0 | 26 840 000 | 26 329 000 | 26 896 DA0 | 27 969 DA0 | 29 193 AL1 | 19 967 AL1 |
| 24 374 000 | 23 317 000 | 26 841 000 | 26 332 000 | 26 896 IG0 | 27 969 IG0 | 29 193 DA1 | 19 967 DA1 |
| 24 374 IG0 | 23 317 IG0 | 26 842 000 | 26 333 000 | 26 897 000 | 27 970 000 | 29 193 DC1 | 19 967 DC1 |
| 24 375 000 | 23 318 000 | 26 847 000 | 27 706 000 | 26 897 DA0 | 27 970 DA0 | 29 193 DL1 | 19 967 DL1 |
| 24 375 IG0 | 23 318 IG0 | 26 847 AL0 | 27 706 AL0 | 26 897 IG0 | 27 970 IG0 | 29 193 GL1 | 19 967 GL1 |
| 25 | | 26 847 DC0 | 27 706 DC0 | 26 898 000 | 27 974 000 | 29 193 GN1 | 19 967 GN1 |
| | | 26 850 000 | 27 707 000 | 26 898 DA0 | 27 974 DA0 | 29 396 000 | 19 069 003 |
| 25 222 001 | 32 754 002 | 26 850 AL0 | 27 707 AL0 | 26 898 IG0 | 27 974 IG0 | 29 396 AL0 | 19 069 AL3 |
| 25 241 003 | 32 783 000 | 26 850 DC0 | 27 707 DC0 | 26 899 000 | 27 978 000 | 29 396 DA0 | 19 069 DA3 |
| 25 242 003 | 32 780 000 | 26 852 000 | 26 037 001 | 26 900 000 | 27 986 000 | 29 396 DC0 | 19 069 DC3 |
| 25 248 001 | 23 491 001 | 26 852 IG0 | 26 037 IG0 | 26 900 DA0 | 27 986 DA0 | 29 396 GL0 | 19 069 GL3 |
| 25 248 A01 | 23 491 A01 | 26 853 000 | 26 038 000 | 26 900 IG0 | 27 986 IG0 | 29 397 000 | 19 088 003 |
| 25 248 AL1 | 23 491 AL1 | 26 853 IG0 | 26 038 IG0 | 26 901 000 | 27 993 000 | 29 397 AL0 | 19 088 AL3 |
| 25 248 DA1 | 23 491 DA1 | 26 854 000 | 26 473 000 | 26 901 IG0 | 27 993 IG0 | 29 397 DA0 | 19 088 DA3 |
| 25 248 DC1 | 23 491 DC1 | 26 854 EN0 | 26 473 EN0 | 27 | | 29 397 DC0 | 19 088 DC3 |
| 25 248 DL1 | 23 491 DL1 | 26 855 000 | 26 042 000 | | | 29 397 GL0 | 19 088 GL3 |
| 25 248 GL1 | 23 491 GL1 | 26 856 000 | 26 054 000 | 27 137 001 | 27 137 000 | 29 398 000 | 19 796 000 |
| 25 248 GN1 | 23 491 GN1 | 26 857 000 | 26 060 000 | 27 296 003 | 27 296 002 | 29 398 AL0 | 19 796 AL0 |
| 25 249 001 | 33 628 001 | 26 858 000 | 26 064 000 | 27 473 002 | 27 473 001 | 29 398 DC0 | 19 796 DC0 |

GROHE REPLACEMENT PRODUCTS

| New Professional / SPA exclusive SKU | Old SKU | New Professional / SPA exclusive SKU | Old SKU | New Professional / SPA exclusive SKU | Old SKU | New Professional / SPA exclusive SKU | Old SKU | | | | | | |
|--------------------------------------|------------|--------------------------------------|------------|--------------------------------------|------------|--------------------------------------|------------|------------|------------|------------|------------|--|--|
| 29 399 000 | 19 798 000 | 30 609 AL0 | 30 362 AL0 | 36 475 000 | 36 371 000 | 40 889 DC0 | 40 309 DC3 | | | | | | |
| 29 399 AL0 | 19 798 AL0 | 30 609 DC0 | 30 362 DC0 | 36 476 000 | 36 397 000 | 40 889 EN0 | 40 309 EN3 | | | | | | |
| 29 399 DC0 | 19 798 DC0 | 30 619 000 | 30 567 000 | 38 | | | | | | | | | |
| 29 402 000 | 19 781 000 | 30 978 000 | 20 025 000 | | | | | | | | | | |
| 29 402 AL0 | 19 781 AL0 | 31 | | | | | | | | | | | |
| 29 402 DC0 | 19 781 DC0 | | | | | | | | | | | | |
| 29 403 000 | 19 783 000 | | | | | | | 31 170 000 | 31 159 002 | | | | |
| 29 403 AL0 | 19 783 AL0 | | | | | | | 31 391 003 | 33 772 002 | | | | |
| 29 403 DC0 | 19 783 DC0 | | | | | | | 31 481 001 | 31 126 004 | | | | |
| 29 405 000 | 19 787 001 | | | | | | | 31 481 001 | 31 482 003 | | | | |
| 29 405 AL0 | 19 787 AL1 | | | | | | | 31 794 000 | 33 982 002 | | | | |
| 29 405 DC0 | 19 787 DC1 | | | | | | | 31 886 000 | 31 593 002 | | | | |
| 29 406 000 | 19 918 003 | | | 31 886 DC0 | 31 593 DC2 | | | | | | | | |
| 29 406 AL0 | 19 918 AL3 | | | 31 892 000 | 31 615 000 | | | | | | | | |
| 29 406 DA0 | 19 918 DA3 | 31 892 DC0 | 31 615 DC0 | | | | | | | | | | |
| 29 406 DC0 | 19 918 DC3 | 32 | | 39 | | | | | | | | | |
| 29 406 GL0 | 19 918 GL3 | | | | | | | | | | | | |
| 29 407 000 | 19 922 003 | | | | | | | 32 146 001 | 32 146 000 | 39 577 000 | 39 576 000 | | |
| 29 407 AL0 | 19 922 AL3 | | | | | | | 32 221 003 | 32 221 002 | 39 972 000 | 38 809 000 | | |
| 29 407 DA0 | 19 922 DA3 | | | | | | | 32 468 003 | 23 567 003 | 39 973 000 | 38 824 000 | | |
| 29 407 DC0 | 19 922 DC3 | | | | | | | 32 757 001 | 32 757 000 | 39 980 KSO | 39 374 KSO | | |
| 29 407 GL0 | 19 922 GL3 | | | | | | | 32 825 00E | 32 825 000 | 39 980 LSO | 39 374 LSO | | |
| 29 408 000 | 19 923 003 | | | | | | | 32 826 001 | 32 826 000 | 40 | | | |
| 29 408 AL0 | 19 923 AL3 | | | | | | | 32 843 002 | 33 975 004 | | | | |
| 29 408 DA0 | 19 923 DA3 | | | | | | | 32 843 002 | 33 975 40D | | | | |
| 29 408 DC0 | 19 923 DC3 | 32 846 001 | 32 846 000 | | | | | | | | | | |
| 29 408 GL0 | 19 923 GL3 | 33 | | | | | | | | | | | |
| 29 410 000 | 19 287 003 | | | 33 190 20E | 33 190 002 | | | | | | | | |
| 29 410 AL0 | 19 287 AL3 | | | 33 202 003 | 33 202 002 | | | | | | | | |
| 29 410 DA0 | 19 287 DA3 | | | 33 281 DC3 | 33 281 DC2 | | | | | | | | |
| 29 410 DC0 | 19 287 DC3 | | | 33 552 20E | 33 552 002 | | | | | | | | |
| 29 410 GL0 | 19 287 GL3 | | | 33 558 LS3 | 23 707 LS3 | | | | | | | | |
| 29 411 000 | 29 069 000 | | | 33 565 LS3 | 23 720 LS3 | | | | | | | | |
| 29 412 000 | 29 072 000 | | | 33 590 LS3 | 23 722 LS3 | | | | | | | | |
| 29 413 000 | 29 073 000 | | | 33 591 LS3 | 23 726 LS3 | | | | | | | | |
| 29 414 000 | 29 074 000 | | | 34 | | | | | | | | | |
| 29 415 000 | 19 919 000 | 34 813 001 | 34 294 001 | | | | | | | | | | |
| 29 416 000 | 19 929 000 | 34 814 003 | 34 143 003 | | | | | | | | | | |
| 29 416 DA0 | 19 929 DA0 | 34 815 003 | 34 147 003 | | | | | | | | | | |
| 29 416 IGO | 19 929 IGO | 34 816 003 | 34 155 003 | | | | | | | | | | |
| 29 417 000 | 19 930 000 | 34 817 003 | 34 146 003 | | | | | | | | | | |
| 29 417 IGO | 19 930 IGO | 34 819 004 | 34 152 004 | | | | | | | | | | |
| 29 418 000 | 19 936 000 | 34 820 004 | 34 151 004 | | | | | | | | | | |
| 29 418 IGO | 19 936 IGO | 34 823 003 | 34 156 003 | | | | | | | | | | |
| 29 419 000 | 19 942 000 | 34 825 001 | 34 557 001 | | | | | | | | | | |
| 29 419 IGO | 19 942 IGO | 34 827 000 | 34 776 000 | | | | | | | | | | |
| 29 420 000 | 19 944 000 | 34 828 000 | 34 777 000 | | | | | | | | | | |
| 29 420 DA0 | 19 944 DA0 | 34 830 000 | 34 779 000 | | | | | | | | | | |
| 29 420 IGO | 19 944 IGO | 34 831 000 | 34 780 000 | | | | | | | | | | |
| 30 | | | | 34 834 000 | 34 783 000 | 40 884 AL0 | 40 304 AL3 | | | | | | |
| | | | | 30 026 002 | 30 026 DC2 | 34 884 DA0 | 40 304 DA3 | | | | | | |
| | | | | 30 193 000 | 31 124 002 | 40 884 DC0 | 40 304 DC3 | | | | | | |
| | | | | 30 194 000 | 31 127 002 | 40 884 EN0 | 40 304 EN3 | | | | | | |
| | | | | 30 580 000 | 33 251 000 | 40 884 GL0 | 40 304 GL3 | | | | | | |
| | | | | 30 581 000 | 31 303 000 | 40 885 000 | 40 305 003 | | | | | | |
| | | | | 30 582 000 | 30 382 000 | 40 885 AL0 | 40 305 AL3 | | | | | | |
| | | | | 30 583 000 | 30 499 000 | 40 885 DA0 | 40 305 DA3 | | | | | | |
| | | | | 30 583 DC0 | 30 382 DC0 | 40 885 DC0 | 40 305 DC3 | | | | | | |
| | | | | 30 584 000 | 30 383 000 | 40 885 EN0 | 40 305 EN3 | | | | | | |
| 30 586 000 | 30 385 000 | 40 885 GL0 | 40 305 GL3 | | | | | | | | | | |
| 30 587 000 | 30 386 000 | 40 886 000 | 40 306 003 | | | | | | | | | | |
| 30 588 000 | 30 387 000 | 40 886 AL0 | 40 306 AL3 | | | | | | | | | | |
| 30 589 000 | 31 721 000 | 40 886 DA0 | 40 306 DA3 | | | | | | | | | | |
| 30 590 000 | 31 721 DC0 | 40 886 DC0 | 40 306 DC3 | | | | | | | | | | |
| 30 590 DC0 | 31 722 000 | 40 886 EN0 | 40 306 EN3 | | | | | | | | | | |
| 30 590 KFO | 31 723 000 | 40 886 GL0 | 40 306 GL3 | | | | | | | | | | |
| 30 591 000 | 30 393 000 | 40 887 000 | 40 307 003 | | | | | | | | | | |
| 30 609 000 | 30 362 000 | 40 887 AL0 | 40 307 AL3 | | | | | | | | | | |
| | | 40 887 DA0 | 40 307 DA3 | | | | | | | | | | |
| | | 40 887 DC0 | 40 307 DC3 | | | | | | | | | | |
| | | 40 887 EN0 | 40 307 EN3 | | | | | | | | | | |
| | | 40 887 GL0 | 40 307 GL3 | | | | | | | | | | |
| | | 40 888 000 | 40 308 003 | | | | | | | | | | |
| | | 40 888 AL0 | 40 308 AL3 | | | | | | | | | | |
| | | 40 888 DA0 | 40 308 DA3 | | | | | | | | | | |
| | | 40 888 DC0 | 40 308 DC3 | | | | | | | | | | |
| | | 40 888 EN0 | 40 308 EN3 | | | | | | | | | | |
| | | 40 888 GL0 | 40 308 GL3 | | | | | | | | | | |
| | | 40 889 000 | 40 309 003 | | | | | | | | | | |
| | | 40 889 AL0 | 40 309 AL3 | | | | | | | | | | |
| | | 40 889 DA0 | 40 309 DA3 | | | | | | | | | | |
| | | 40 890 000 | 40 312 003 | | | | | | | | | | |
| | | 40 890 AL0 | 40 312 AL3 | | | | | | | | | | |
| | | 40 890 DA0 | 40 312 DA3 | | | | | | | | | | |
| | | 40 890 DC0 | 40 312 DC3 | | | | | | | | | | |
| | | 40 890 EN0 | 40 312 EN3 | | | | | | | | | | |
| | | 40 890 GL0 | 40 312 GL3 | | | | | | | | | | |
| | | 40 891 000 | 40 313 003 | | | | | | | | | | |
| | | 40 891 AL0 | 40 313 AL3 | | | | | | | | | | |
| | | 40 891 DA0 | 40 313 DA3 | | | | | | | | | | |
| | | 40 891 DC0 | 40 313 DC3 | | | | | | | | | | |
| | | 40 891 EN0 | 40 313 EN3 | | | | | | | | | | |
| | | 40 891 GL0 | 40 313 GL3 | | | | | | | | | | |
| | | 40 892 000 | 40 314 003 | | | | | | | | | | |
| | | 40 892 AL0 | 40 314 AL3 | | | | | | | | | | |
| | | 40 892 DA0 | 40 314 DA3 | | | | | | | | | | |
| | | 40 892 DC0 | 40 314 DC3 | | | | | | | | | | |
| | | 40 892 EN0 | 40 314 EN3 | | | | | | | | | | |
| | | 40 892 GL0 | 40 314 GL3 | | | | | | | | | | |
| | | 40 893 000 | 40 493 000 | | | | | | | | | | |
| | | 40 894 000 | 40 494 000 | | | | | | | | | | |
| | | 40 895 000 | 40 496 000 | | | | | | | | | | |
| | | 40 896 000 | 40 497 000 | | | | | | | | | | |
| | | 40 897 000 | 40 498 000 | | | | | | | | | | |
| | | 40 898 000 | 40 499 000 | | | | | | | | | | |
| | | 40 900 000 | 40 500 000 | | | | | | | | | | |
| | | 40 906 000 | 40 503 000 | | | | | | | | | | |
| | | 40 907 000 | 40 504 000 | | | | | | | | | | |
| | | 40 908 000 | 40 625 000 | | | | | | | | | | |
| | | 40 908 EN0 | 40 625 EN0 | | | | | | | | | | |
| | | 40 908 IGO | 40 625 IGO | | | | | | | | | | |
| | | 40 909 000 | 40 626 000 | | | | | | | | | | |
| | | 40 909 IGO | 40 626 IGO | | | | | | | | | | |
| | | 40 910 000 | 40 627 000 | | | | | | | | | | |
| | | 40 910 IGO | 40 627 IGO | | | | | | | | | | |
| | | 40 923 000 | 40 628 000 | | | | | | | | | | |
| | | 40 923 IGO | 40 628 IGO | | | | | | | | | | |
| | | 40 928 000 | 40 629 000 | | | | | | | | | | |
| | | 40 928 EN0 | 40 629 EN0 | | | | | | | | | | |
| | | 40 928 IGO | 40 629 IGO | | | | | | | | | | |
| | | 40 929 000 | 40 630 000 | | | | | | | | | | |
| | | 40 929 EN0 | 40 630 EN0 | | | | | | | | | | |
| | | 40 929 IGO | 40 630 IGO | | | | | | | | | | |
| | | 40 930 000 | 40 631 000 | | | | | | | | | | |
| | | 40 930 IGO | 40 631 IGO | | | | | | | | | | |
| | | 40 946 000 | 40 632 000 | | | | | | | | | | |
| | | 40 946 IGO | 40 632 IGO | | | | | | | | | | |
| | | 40 960 000 | 40 633 000 | | | | | | | | | | |
| | | 40 960 EN0 | 40 633 EN0 | | | | | | | | | | |
| | | 40 960 IGO | 40 633 IGO | | | | | | | | | | |
| | | 40 963 001 | 40 278 000 | | | | | | | | | | |
| | | 42 | | | | | | | | | | | |
| | | | | | | 42 633 000 | 42 429 000 | | | | | | |
| | | | | | | 42 634 000 | 47 837 000 | | | | | | |
| | | | | | | 42 635 000 | 47 867 000 | | | | | | |
| | | | | | | 42 636 000 | 47 868 000 | | | | | | |
| | | | | | | 42 637 000 | 47 877 000 | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |

GROHE PACKAGING INDEX

| Product no. | Carton | Pallet | Product no. | Carton | Pallet | Product no. | Carton | Pallet | Product no. | Carton | Pallet |
|-------------|--------|--------|-------------|--------|--------|-------------|--------|--------|-------------|--------|--------|
| 00 | | | 13 487 DC0 | | 250 | 19 409 AL1 | | 80 | 20 189 GN2 | | 72 |
| 00 798 000 | | 3920 | 13 487 GL0 | | 250 | 19 409 DC1 | | 80 | 20 193 002 | | 80 |
| 06 | | | 13 540 000 | | 644 | 19 446 002 | | 72 | 20 193 A02 | | 72 |
| 06 188 000 | | 800 | 13 927 000 | | 2500 | 19 446 A02 | | 72 | 20 193 DL2 | | 72 |
| 06 765 000 | | 1000 | 13 928 000 | | 1485 | 19 446 DL2 | | 72 | 20 193 GN2 | | 72 |
| 07 | | | 13 929 000 | | 1725 | 19 446 GN2 | | 72 | 20 201 000 | 12 | 144 |
| 07 000 000 | | 810 | 13 952 000 | | 1485 | 19 470 000 | | 600 | 20 203 000 | 16 | 432 |
| 07 025 000 | | 1485 | 13 960 000 | | 960 | 19 506 002 | 12 | 144 | 20 205 000 | 36 | 576 |
| 07 052 000 | | 795 | 14 | | | 19 506 003 | 12 | 144 | 20 208 002 | 9 | 54 |
| 07 146 000 | | 1485 | 14 014 000 | | 146 | 19 506 LS3 | 12 | 144 | 20 216 001 | 9 | 54 |
| 07 182 000 | | 465 | 14 048 000 | | 280 | 19 507 002 | 12 | 144 | 20 296 001 | | 88 |
| 07 264 00M | | 1165 | 14 053 00M | | 1960 | 19 507 003 | 12 | 144 | 20 299 001 | | 88 |
| 07 341 000 | | 521 | 14 055 000 | | 1960 | 19 507 LS3 | 12 | 144 | 20 301 003 | | 100 |
| 07 587 000 | | 1960 | 14 056 000 | | 1120 | 19 571 002 | 10 | 120 | 20 304 001 | | 100 |
| 07 659 000 | | 465 | 14 056 000 | | 1120 | 19 571 003 | 10 | 120 | 20 351 000 | 9 | 54 |
| 08 | | | 14 057 000 | | 1120 | 19 571 LS3 | 10 | 120 | 20 351 AL0 | | 60 |
| 08 915 000 | | 1960 | 14 058 000 | | 2160 | 19 573 002 | | 80 | 20 351 DC0 | | 60 |
| 10 | | | 14 074 000 | | 19 | 19 575 001 | 10 | 120 | 20 393 001 | 16 | 256 |
| 10 099 00M | | 3920 | 14 116 00M | | 1000 | 19 576 002 | | 24 | 20 404 001 | 32 | 512 |
| 12 | | | 14 117 00M | | 1960 | 19 577 001 | | 28 | 20 421 001 | 24 | 288 |
| 12 051 000 | | 720 | 14 917 000 | | 50 | 19 577 AL1 | | 28 | 20 421 10M | 6 | 72 |
| 12 140 000 | | 1000 | 14 926 002 | 30 | 120 | 19 577 DC1 | | 28 | 20 422 001 | 24 | 288 |
| 12 400 000 | | 1500 | 18 | | | 19 577 EN1 | | 28 | 20 575 000 | 24 | 288 |
| 12 433 000 | | 1960 | 18 608 001 | | 384 | 19 590 001 | | 250 | 20 619 000 | | 45 |
| 12 435 000 | | 1000 | 18 700 000 | 34 | 272 | 19 590 A01 | | 250 | 20 619 DA0 | | 45 |
| 12 693 000 | | 1120 | 18 862 000 | | 1960 | 19 590 DL1 | | 250 | 20 619 IG0 | | 45 |
| 13 | | | 18 968 001 | | 112 | 19 590 GN1 | | 250 | 20 622 000 | | 45 |
| 13 034 000 | | 252 | 18 968 A01 | 7 | 140 | 19 808 001 | | 1155 | 20 622 IG0 | | 45 |
| 13 071 000 | | 380 | 18 968 DL1 | 7 | 140 | 19 809 001 | | 1155 | 20 623 000 | | 45 |
| 13 220 000 | | 3100 | 18 968 GN1 | 7 | 140 | 19 830 000 | | 1155 | 20 623 IG0 | | 45 |
| 13 255 001 | 26 | 312 | 19 | | | 19 831 000 | | 1155 | 20 624 000 | | 45 |
| 13 261 000 | 26 | 312 | 19 025 000 | | 792 | 19 840 000 | | 1155 | 20 624 IG0 | | 45 |
| 13 262 000 | 26 | 312 | 19 309 002 | | 80 | 19 841 000 | | 795 | 20 626 000 | | 45 |
| 13 264 001 | | 80 | 19 309 A02 | | 72 | 19 895 000 | 10 | 120 | 20 626 AL0 | | 45 |
| 13 276 002 | 26 | 312 | 19 309 DL2 | | 72 | 19 895 AL0 | | 80 | 20 626 DC0 | | 45 |
| 13 278 002 | | 324 | 19 309 GN2 | | 72 | 19 897 001 | | 28 | 20 627 000 | | 45 |
| 13 280 001 | 26 | 312 | 19 315 001 | | 72 | 19 897 AL1 | | 28 | 20 627 AL0 | | 45 |
| 13 281 001 | 26 | 312 | 19 315 A01 | | 72 | 19 897 DC1 | | 28 | 20 627 DC0 | | 45 |
| 13 303 000 | 26 | 312 | 19 315 DL1 | | 72 | 19 910 000 | 70 | 1120 | 20 628 000 | | 80 |
| 13 303 AL0 | | 338 | 19 315 GN1 | | 72 | 19 952 000 | | 512 | 20 628 AL0 | | 80 |
| 13 303 DC0 | | 338 | 19 316 001 | | 28 | 19 952 A00 | | 512 | 20 628 DC0 | | 80 |
| 13 304 000 | 26 | 312 | 19 316 A01 | | 28 | 19 952 AL0 | | 512 | 20 629 000 | | 80 |
| 13 317 001 | | 60 | 19 316 DL1 | | 28 | 19 952 BE0 | | 512 | 20 629 AL0 | | 80 |
| 13 317 DL1 | | 60 | 19 316 GN1 | | 28 | 19 952 DA0 | | 512 | 20 629 DC0 | | 80 |
| 13 317 GN1 | | 60 | 19 317 001 | | 72 | 19 952 DC0 | | 512 | 20 634 SD0 | | 14 |
| 13 378 000 | 45 | 720 | 19 317 A01 | | 72 | 19 952 DL0 | | 512 | 20 635 SD0 | | 14 |
| 13 380 000 | 36 | 576 | 19 317 DL1 | | 72 | 19 952 EN0 | | 512 | 20 643 000 | | 60 |
| 13 383 001 | | 250 | 19 317 GN1 | | 72 | 19 952 GL0 | | 512 | 20 643 AL0 | | 60 |
| 13 383 DC1 | | 250 | 19 317 DL1 | | 72 | 19 952 GN0 | | 512 | 20 643 DA0 | | 60 |
| 13 404 003 | | 250 | 19 317 GN1 | | 72 | 19 954 000 | | 1725 | 20 643 DC0 | | 60 |
| 13 448 003 | 12 | 144 | 19 332 000 | | 336 | 19 965 001 | | 28 | 20 643 GL0 | | 60 |
| 13 484 000 | | 250 | 19 334 001 | | 600 | 19 966 000 | | 28 | 20 649 000 | | 60 |
| 13 484 DA0 | | 250 | 19 334 A01 | | 600 | 19 968 000 | | 80 | 20 649 AL0 | | 60 |
| 13 484 IG0 | | 250 | 19 334 DL1 | | 600 | 19 969 000 | | 80 | 20 649 DA0 | | 60 |
| 13 485 000 | | 80 | 19 334 GN1 | | 600 | 19 974 002 | | 80 | 20 649 DC0 | | 60 |
| 13 485 AL0 | | 80 | 19 345 001 | 12 | 144 | 19 976 001 | | 28 | 20 649 GL0 | | 60 |
| 13 485 DC0 | | 80 | 19 346 001 | 12 | 144 | 19 997 000 | | 80 | 20 658 000 | | 290 |
| 13 487 000 | | 390 | 19 380 002 | | 72 | 19 998 000 | | 80 | 20 658 AL0 | | 290 |
| 13 487 AL0 | | 250 | 19 380 A02 | | 72 | 20 | | | 20 658 DA0 | | 290 |
| 13 487 DA0 | | 390 | 19 380 DL2 | | 72 | 20 186 001 | 24 | 384 | 20 658 DC0 | | 290 |
| | | | 19 380 GN2 | | 72 | 20 187 000 | | 66 | 20 658 GL0 | | 290 |
| | | | 19 381 000 | | 80 | 20 188 001 | | 66 | 20 661 000 | | 120 |
| | | | 19 382 000 | | 183 | 20 188 001 | | 66 | 20 661 AL0 | | 120 |
| | | | 19 383 000 | | 183 | 20 188 A01 | | 66 | 20 661 DA0 | | 120 |
| | | | 19 386 002 | | 80 | 20 188 DL1 | | 66 | 20 661 DC0 | | 120 |
| | | | 19 386 A02 | | 72 | 20 188 GN1 | | 66 | 20 661 EN0 | | 120 |
| | | | 19 386 DL2 | | 72 | 20 189 002 | | 80 | 20 661 GL0 | | 120 |
| | | | 19 386 GN2 | | 72 | 20 189 A02 | | 72 | 20 662 000 | | 120 |
| | | | 19 409 001 | | 80 | 20 189 DL2 | | 72 | 20 662 AL0 | | 120 |

GROHE PACKAGING INDEX

| Product no. | Carton | Pallet | Product no. | Carton | Pallet | Product no. | Carton | Pallet | Product no. | Carton | Pallet |
|-------------|--------|--------|-------------|--------|--------|-------------|--------|--------|-------------|--------|--------|
| 20 662 DA0 | | 120 | 23 137 000 | | 290 | 23 445 AL0 | | 148 | 23 790 001 | | 160 |
| 20 662 DC0 | | 120 | 23 138 000 | | 200 | 23 445 DC0 | | 128 | 23 791 001 | | 110 |
| 20 662 GL0 | | 120 | 23 140 000 | | 92 | 23 446 000 | | 128 | 23 791 AL1 | | 111 |
| 20 664 SD0 | | 14 | 23 140 AL0 | | 92 | 23 447 000 | | 128 | 23 791 DC1 | | 111 |
| 20 665 SD0 | | 14 | 23 140 DC0 | | 92 | 23 448 002 | | 128 | 23 792 001 | | 9 |
| 20 666 000 | | 60 | 23 141 000 | | 60 | 23 449 002 | | 128 | 23 792 AL1 | | 9 |
| 20 666 IG0 | | 60 | 23 145 000 | | 95 | 23 450 001 | 12 | 96 | 23 792 DC1 | | 9 |
| 21 | | | 23 145 AL0 | | 95 | 23 451 001 | 12 | 96 | 23 792 EN1 | | 9 |
| 21 144 000 | | 48 | 23 145 DC0 | | 72 | 23 456 003 | 8 | 128 | 23 843 003 | | 39 |
| 21 144 AL0 | | 48 | 23 147 001 | | 10 | 23 480 001 | | 96 | 23 843 DC3 | | 39 |
| 21 144 DA0 | | 48 | 23 200 000 | | 145 | 23 537 003 | | 112 | 23 844 003 | | 39 |
| 21 144 DC0 | | 48 | 23 200 002 | | 120 | 23 559 001 | 16 | 192 | 23 845 003 | | 28 |
| 21 144 GL0 | | 48 | 23 296 001 | | 60 | 23 564 003 | 16 | 192 | 23 846 003 | | 9 |
| 21 145 000 | | 48 | 23 296 DC1 | | 60 | 23 567 003 | 16 | 192 | 23 846 AL3 | | 9 |
| 21 145 AL0 | | 48 | 23 302 000 | | 192 | 23 569 003 | | 112 | 23 846 DC3 | | 9 |
| 21 145 DA0 | | 48 | 23 319 000 | | 175 | 23 570 003 | 4 | 48 | 23 851 003 | | 42 |
| 21 145 DC0 | | 48 | 23 322 003 | 11 | 132 | 23 570 LS3 | 4 | 48 | 23 851 AL3 | | 42 |
| 21 145 GL0 | | 48 | 23 323 003 | 11 | 132 | 23 571 000 | | 92 | 23 851 DC3 | | 42 |
| 21 149 000 | | 48 | 23 324 003 | 8 | 128 | 23 602 001 | 6 | 96 | 23 856 001 | | 20 |
| 21 149 AL0 | | 48 | 23 325 000 | 12 | 144 | 23 604 001 | 6 | 96 | 23 856 A01 | | 20 |
| 21 149 DA0 | | 48 | 23 327 000 | 12 | 96 | 23 633 001 | 12 | 144 | 23 856 DL1 | | 20 |
| 21 149 DC0 | | 48 | 23 327 KW0 | 11 | 132 | 23 635 001 | 12 | 144 | 23 856 GN1 | | 20 |
| 21 149 GL0 | | 48 | 23 328 001 | 16 | 192 | 23 654 000 | | 100 | 23 870 003 | | 128 |
| 21 375 001 | 140 | | 23 330 001 | 16 | 192 | 23 656 000 | | 100 | 23 871 003 | | 42 |
| 21 390 001 | 64 | | 23 331 001 | 16 | 192 | 23 657 000 | | 100 | 23 871 AL3 | | 42 |
| 22 | | | 23 335 001 | 16 | 192 | 23 658 000 | | 100 | 23 871 DC3 | | 42 |
| 22 012 000 | 64 | 1024 | 23 337 001 | 16 | 192 | 23 661 000 | | 60 | 23 872 003 | | 42 |
| 22 012 AL0 | 64 | 1024 | 23 338 001 | 16 | 192 | 23 664 000 | | 100 | 23 873 003 | | 42 |
| 22 012 DC0 | 64 | 1024 | 23 372 003 | 11 | 132 | 23 665 000 | | 144 | 23 877 001 | 16 | 192 |
| 22 013 000 | 64 | 1024 | 23 373 20E | 16 | 192 | 23 666 000 | | 60 | 23 878 001 | 16 | 192 |
| 22 016 00M | 16 | 192 | 23 374 003 | 16 | 192 | 23 667 001 | | 20 | 23 879 001 | 16 | 192 |
| 22 017 00M | 16 | 192 | 23 374 20E | 16 | 192 | 23 672 001 | | 20 | 23 883 001 | 16 | 192 |
| 22 018 000 | 200 | 3200 | 23 374 LS3 | 16 | 192 | 23 672 AL1 | | 21 | 23 885 001 | 16 | 192 |
| 22 023 000 | 200 | 3200 | 23 376 00E | 16 | 192 | 23 672 DC1 | | 21 | 23 886 001 | 16 | 192 |
| 22 029 000 | 100 | 1600 | 23 377 00E | 16 | 192 | 23 707 003 | 16 | 192 | 23 887 001 | 16 | 192 |
| 22 032 000 | 100 | 1600 | 23 378 00E | 16 | 192 | 23 707 LS3 | 16 | 192 | 23 891 001 | | 112 |
| 22 033 000 | 72 | 1152 | 23 380 10E | 16 | 192 | 23 708 003 | 16 | 192 | 23 894 001 | 16 | 192 |
| 22 035 000 | 72 | 1152 | 23 382 20E | 160 | | 23 709 003 | 16 | 192 | 23 895 001 | 16 | 192 |
| 22 037 000 | 144 | 2304 | 23 384 20E | 164 | | 23 709 LS3 | 16 | 192 | 23 896 001 | 16 | 192 |
| 22 043 000 | 144 | 2304 | 23 385 10E | 16 | 192 | 23 715 003 | 16 | 192 | 23 899 001 | 16 | 192 |
| 22 046 000 | 100 | 1600 | 23 387 20E | 16 | 192 | 23 716 003 | 16 | 192 | 23 911 001 | | 112 |
| 22 053 000 | 144 | 2304 | 23 389 20E | 164 | | 23 718 003 | | 112 | 23 917 001 | 16 | 192 |
| 22 054 001 | 16 | 192 | 23 390 00E | 200 | | 23 718 LS3 | 6 | 72 | 23 920 001 | 4 | 48 |
| 22 115 000 | | 300 | 23 392 00E | 200 | | 23 719 003 | 4 | 48 | 23 921 000 | 4 | 48 |
| 22 917 000 | | 960 | 23 393 30E | 11 | 132 | 23 719 LS3 | 4 | 48 | 23 922 003 | 11 | 132 |
| 22 939 000 | 72 | 1152 | 23 394 30E | 11 | 132 | 23 720 003 | 16 | 192 | 23 923 003 | 11 | 132 |
| 22 940 000 | 72 | 1152 | 23 395 30E | 11 | 132 | 23 720 LS3 | 16 | 192 | 23 924 003 | 11 | 132 |
| 22 958 00M | | 168 | 23 396 00E | 12 | 96 | 23 722 003 | 12 | 96 | 23 925 000 | 16 | 192 |
| 23 | | | 23 403 001 | | 20 | 23 722 LS3 | 12 | 96 | 23 926 000 | 12 | 96 |
| 23 037 002 | 16 | 192 | 23 403 A01 | | 20 | 23 725 003 | | 60 | 23 927 000 | 16 | 192 |
| 23 039 002 | 24 | 288 | 23 403 DL1 | | 20 | 23 726 003 | 6 | 72 | 23 928 000 | 12 | 96 |
| 23 043 003 | | 67 | 23 403 GN1 | | 20 | 23 726 LS3 | 6 | 72 | 23 929 003 | 16 | 192 |
| 23 048 003 | | 28 | 23 405 001 | | 60 | 23 730 003 | | 60 | 23 930 003 | 16 | 192 |
| 23 049 002 | | 160 | 23 405 AL1 | | 64 | 23 739 002 | | 74 | 23 931 001 | 16 | 192 |
| 23 051 002 | | 290 | 23 405 DC1 | | 64 | 23 741 001 | | 10 | 23 932 001 | 12 | 96 |
| 23 054 003 | | 74 | 23 406 000 | | 60 | 23 741 DC1 | | 10 | 23 933 001 | | 67 |
| 23 055 002 | | 100 | 23 406 AL0 | | 64 | 23 743 003 | | 112 | 23 958 003 | | 39 |
| 23 058 003 | | 10 | 23 406 DC0 | | 64 | 23 751 000 | 16 | 192 | 23 959 003 | | 39 |
| 23 060 001 | 10 | 120 | 23 425 000 | | 100 | 23 752 000 | 16 | 192 | 23 965 003 | 11 | 132 |
| 23 106 001 | | 108 | 23 427 000 | | 100 | 23 753 000 | | 112 | 23 967 003 | 11 | 132 |
| 23 106 AL1 | 8 | 96 | 23 428 000 | | 60 | 23 754 000 | 16 | 192 | 23 968 003 | 11 | 132 |
| 23 106 DC1 | | 120 | 23 429 000 | | 92 | 23 755 000 | 12 | 144 | 23 969 003 | 8 | 128 |
| 23 127 00E | | 200 | 23 430 000 | | 138 | 23 756 000 | 6 | 96 | 23 970 003 | | 112 |
| 23 132 00E | | 200 | 23 431 000 | | 60 | 23 757 001 | 5 | 60 | 23 971 003 | 4 | 48 |
| 23 135 000 | | 60 | 23 432 000 | | 60 | 23 760 001 | | 112 | 23 972 001 | 16 | 192 |
| 23 135 00E | | 60 | 23 444 001 | | 80 | 23 761 001 | 16 | 192 | 23 975 003 | | 39 |
| | | | 23 444 AL1 | | 80 | 23 762 001 | 16 | 192 | 23 976 003 | 8 | 128 |
| | | | 23 444 DC1 | | 80 | 23 763 001 | | 112 | 23 980 003 | 8 | 128 |
| | | | 23 445 000 | | 128 | 23 764 001 | 16 | 192 | 23 981 003 | 8 | 128 |

GROHE PACKAGING INDEX

| Product no. | Carton | Pallet | Product no. | Carton | Pallet | Product no. | Carton | Pallet | Product no. | Carton | Pallet |
|-------------|--------|--------|-------------|--------|--------|-------------|--------|--------|-------------|--------|--------|
| 23 982 003 | 4 | 48 | 24 155 DC0 | | 72 | 24 174 DL1 | | 96 | 24 355 DA0 | | 72 |
| 23 983 003 | 4 | 48 | 24 160 001 | | 39 | 24 174 GL1 | | 96 | 24 355 DC0 | | 72 |
| 23 984 003 | | 72 | 24 160 A01 | | 39 | 24 174 GN1 | | 96 | 24 355 GL0 | | 72 |
| 23 985 003 | | 72 | 24 160 DL1 | | 39 | 24 175 001 | 14 | 168 | 24 356 000 | | 72 |
| 23 986 003 | | 72 | 24 160 GN1 | | 39 | 24 176 001 | | 96 | 24 356 AL0 | | 72 |
| 23 987 003 | | 72 | 24 167 001 | | 72 | 24 176 KF1 | | 96 | 24 356 DA0 | | 72 |
| 23 988 003 | | 72 | 24 167 A01 | | 72 | 24 177 001 | | 96 | 24 356 DC0 | | 72 |
| 23 989 003 | | 72 | 24 167 AL1 | | 72 | 24 177 KF1 | | 96 | 24 356 GL0 | | 72 |
| 24 | | | 24 167 DA1 | | 72 | 24 178 001 | 16 | 192 | 24 357 000 | | 72 |
| 24 036 000 | | 100 | 24 167 DC1 | | 72 | 24 178 A01 | 16 | 192 | 24 357 AL0 | | 72 |
| 24 042 003 | | 72 | 24 167 DL1 | | 72 | 24 178 AL1 | 16 | 192 | 24 357 DA0 | | 72 |
| 24 043 003 | 12 | 72 | 24 167 GL1 | | 72 | 24 178 DA1 | 16 | 192 | 24 357 DC0 | | 72 |
| 24 044 000 | | 72 | 24 167 GN1 | | 72 | 24 178 DC1 | 16 | 192 | 24 357 GL0 | | 72 |
| 24 045 000 | | 72 | 24 167 KF1 | | 72 | 24 178 DL1 | 16 | 192 | 24 358 000 | | 72 |
| 24 046 003 | | 72 | 24 168 001 | | 72 | 24 178 GL1 | 16 | 192 | 24 358 AL0 | | 72 |
| 24 046 LS3 | | 72 | 24 168 A01 | | 72 | 24 178 GN1 | 16 | 192 | 24 358 DA0 | | 72 |
| 24 047 003 | | 72 | 24 168 AL1 | | 72 | 24 179 001 | 8 | 96 | 24 358 DC0 | | 72 |
| 24 047 LS3 | | 72 | 24 168 DA1 | | 72 | 24 180 001 | | 176 | 24 358 GL0 | | 72 |
| 24 048 003 | | 72 | 24 168 DC1 | | 72 | 24 183 001 | 14 | 168 | 24 359 000 | | 72 |
| 24 048 LS3 | | 72 | 24 168 DL1 | | 72 | 24 192 003 | 8 | 128 | 24 359 AL0 | | 72 |
| 24 049 003 | | 72 | 24 168 DL1 | | 72 | 24 193 001 | 8 | 128 | 24 359 DA0 | | 72 |
| 24 049 LS3 | | 72 | 24 168 GL1 | | 72 | 24 259 000 | | 72 | 24 359 DC0 | | 72 |
| 24 051 002 | | 72 | 24 168 GN1 | | 72 | 24 259 IGO | | 72 | 24 359 GL0 | | 72 |
| 24 052 002 | | 72 | 24 169 001 | | 72 | 24 260 000 | | 72 | 24 362 000 | | 48 |
| 24 053 001 | | 72 | 24 169 A01 | | 72 | 24 260 DA0 | | 72 | 24 362 AL0 | | 42 |
| 24 054 001 | | 72 | 24 169 AL1 | | 72 | 24 260 IGO | | 72 | 24 362 DA0 | | 48 |
| 24 055 002 | | 72 | 24 169 DA1 | | 72 | 24 277 000 | | 72 | 24 362 DC0 | | 48 |
| 24 056 002 | | 72 | 24 169 DC1 | | 72 | 24 277 AL0 | | 72 | 24 362 GL0 | | 48 |
| 24 059 003 | | 72 | 24 169 DL1 | | 72 | 24 277 DC0 | | 72 | 24 363 000 | | 48 |
| 24 059 AL3 | | 72 | 24 169 GL1 | | 72 | 24 279 000 | | 72 | 24 363 AL0 | | 42 |
| 24 059 DC3 | | 72 | 24 169 GN1 | | 72 | 24 279 AL0 | | 72 | 24 363 DA0 | | 48 |
| 24 060 003 | | 72 | 24 170 001 | | 66 | 24 279 DC0 | | 72 | 24 363 DC0 | | 48 |
| 24 060 AL3 | | 72 | 24 170 A01 | | 66 | 24 340 000 | | 72 | 24 363 GL0 | | 48 |
| 24 060 DC3 | | 72 | 24 170 AL1 | | 66 | 24 340 AL0 | | 72 | 24 364 000 | | 20 |
| 24 061 000 | | 72 | 24 170 DA1 | | 66 | 24 340 DC0 | | 72 | 24 364 AL0 | | 20 |
| 24 061 AL0 | | 72 | 24 170 DC1 | | 66 | 24 341 000 | | 100 | 24 364 DA0 | | 20 |
| 24 062 000 | | 72 | 24 170 DL1 | | 66 | 24 341 AL0 | | 100 | 24 364 DC0 | | 20 |
| 24 062 AL0 | | 72 | 24 170 GL1 | | 66 | 24 341 DC0 | | 100 | 24 364 GL0 | | 20 |
| 24 062 DC0 | | 72 | 24 170 GN1 | | 66 | 24 342 000 | | 128 | 24 365 000 | | 48 |
| 24 063 001 | | 72 | 24 170 KF1 | | 66 | 24 342 AL0 | | 128 | 24 365 AL0 | | 42 |
| 24 063 AL1 | | 72 | 24 171 001 | | 164 | 24 342 DC0 | | 128 | 24 365 DA0 | | 48 |
| 24 063 DC1 | | 72 | 24 171 A01 | | 164 | 24 344 000 | | 24 | 24 365 DC0 | | 42 |
| 24 064 001 | | 72 | 24 171 AL1 | | 164 | 24 344 AL0 | | 24 | 24 365 GL0 | | 48 |
| 24 064 AL1 | | 72 | 24 171 DA1 | | 164 | 24 344 DC0 | | 24 | 24 366 000 | | 40 |
| 24 064 DC1 | | 72 | 24 171 DL1 | | 164 | 24 345 000 | | 24 | 24 366 AL0 | | 40 |
| 24 075 000 | | 72 | 24 171 GL1 | | 164 | 24 345 AL0 | | 24 | 24 366 DA0 | | 40 |
| 24 076 000 | | 72 | 24 171 GN1 | | 164 | 24 345 DC0 | | 24 | 24 366 DC0 | | 40 |
| 24 077 000 | | 72 | 24 172 001 | | 164 | 24 346 000 | | 45 | 24 366 GL0 | | 40 |
| 24 078 000 | | 72 | 24 172 A01 | | 164 | 24 346 AL0 | | 45 | 24 367 000 | | 40 |
| 24 079 000 | | 72 | 24 172 AL1 | | 164 | 24 346 DC0 | | 45 | 24 367 AL0 | | 40 |
| 24 080 000 | | 72 | 24 172 DA1 | | 164 | 24 347 000 | | 128 | 24 367 DA0 | | 40 |
| 24 093 003 | | 72 | 24 172 DC1 | | 164 | 24 347 AL0 | | 128 | 24 367 DC0 | | 40 |
| 24 093 AL3 | | 72 | 24 172 DL1 | | 164 | 24 347 DC0 | | 128 | 24 367 GL0 | | 40 |
| 24 093 DC3 | | 72 | 24 172 GL1 | | 164 | 24 348 000 | | 8 | 24 368 000 | | 8 |
| 24 094 000 | | 72 | 24 172 GN1 | | 164 | 24 348 001 | | 8 | 24 368 AL0 | | 8 |
| 24 094 AL0 | | 72 | 24 172 KF1 | | 164 | 24 348 AL0 | | 8 | 24 368 DA0 | | 8 |
| 24 094 DC0 | | 72 | 24 173 001 | | 96 | 24 348 DC0 | | 8 | 24 368 DC0 | | 8 |
| 24 095 001 | | 72 | 24 173 A01 | | 96 | 24 353 000 | | 20 | 24 368 EN0 | | 8 |
| 24 095 AL1 | | 72 | 24 173 AL1 | | 96 | 24 353 AL0 | | 20 | 24 368 GL0 | | 8 |
| 24 095 DC1 | | 72 | 24 173 DA1 | | 96 | 24 353 DA0 | | 20 | 24 369 000 | | 100 |
| 24 153 000 | | 72 | 24 173 DC1 | | 96 | 24 353 DC0 | | 20 | 24 369 DA0 | | 100 |
| 24 153 AL0 | | 72 | 24 173 DL1 | | 96 | 24 353 GL0 | | 20 | 24 369 IGO | | 100 |
| 24 153 DC0 | | 72 | 24 173 GL1 | | 96 | 24 354 000 | | 72 | 24 370 000 | | 100 |
| 24 154 000 | | 72 | 24 173 GN1 | | 96 | 24 354 AL0 | | 72 | 24 370 IGO | | 100 |
| 24 154 AL0 | | 72 | 24 174 001 | | 96 | 24 354 DA0 | | 72 | 24 371 000 | | 45 |
| 24 154 DC0 | | 72 | 24 174 A01 | | 96 | 24 354 DC0 | | 72 | 24 371 IGO | | 45 |
| 24 155 000 | | 72 | 24 174 AL1 | | 96 | 24 354 GL0 | | 72 | 24 372 000 | | 100 |
| 24 155 AL0 | | 72 | 24 174 DA1 | | 96 | 24 355 000 | | 72 | 24 372 IGO | | 100 |
| | | | 24 174 DC1 | | 96 | 24 355 AL0 | | 72 | 24 373 000 | | 49 |

GROHE PACKAGING INDEX

| Product no. | Carton | Pallet | Product no. | Carton | Pallet | Product no. | Carton | Pallet | Product no. | Carton | Pallet |
|-------------|--------|--------|-------------|--------|--------|-------------|--------|--------|-------------|--------|--------|
| 24 373 IG0 | | 49 | 25 252 GL1 | | 66 | 26 187 000 | | 16 | 26 477 A00 | | 20 |
| 24 374 000 | | 49 | 25 252 GN1 | | 66 | 26 223 001 | | 25 | 26 477 AL0 | | 20 |
| 24 374 IG0 | | 49 | 25 252 KF1 | | 66 | 26 224 001 | | 10 | 26 477 DA0 | | 20 |
| 24 375 000 | | 8 | 25 268 000 | | 40 | 26 243 000 | | 16 | 26 477 DC0 | | 20 |
| 24 375 IG0 | | 8 | 25 268 AL0 | | 40 | 26 250 000 | | 10 | 26 477 DL0 | | 20 |
| 24 395 KF1 | 16 | 192 | 25 268 DA0 | | 40 | 26 250 LSO | | 10 | 26 477 GL0 | | 20 |
| 25 | | | 25 268 DC0 | | 40 | 26 254 000 | | 12 | 26 477 GN0 | | 20 |
| 25 098 003 | 6 | 36 | 25 268 GL0 | | 40 | 26 254 LSO | | 12 | 26 477 LSO | | 20 |
| 25 102 000 | 9 | 54 | 25 272 000 | | 8 | 26 256 000 | | 26 | 26 479 000 | | 20 |
| 25 104 000 | 9 | 54 | 25 272 AL0 | | 8 | 26 257 000 | | 42 | 26 479 A00 | | 20 |
| 25 105 003 | 6 | 36 | 25 272 DA0 | | 8 | 26 264 001 | | 120 | 26 479 AL0 | | 20 |
| 25 109 000 | 9 | 54 | 25 272 DC0 | | 8 | 26 267 001 | | 350 | 26 479 DC0 | | 20 |
| 25 113 000 | 9 | 54 | 25 272 EN0 | | 8 | 26 302 001 | | 16 | 26 479 DL0 | | 20 |
| 25 128 000 | 9 | 54 | 25 272 GL0 | | 8 | 26 308 001 | | 382 | 26 479 GN0 | | 20 |
| 25 129 000 | 9 | 54 | 25 450 001 | | 193 | 26 330 001 | | 382 | 26 479 LSO | 1 | 12 |
| 25 132 003 | 6 | 36 | 25 452 001 | | 193 | 26 334 000 | | 300 | 26 481 000 | | 20 |
| 25 133 003 | 6 | 36 | 25 460 10A | | 95 | 26 334 001 | | 300 | 26 481 A00 | | 20 |
| 25 136 000 | 9 | 54 | 26 | | | 26 335 000 | | 300 | 26 481 AL0 | | 20 |
| 25 137 000 | 9 | 54 | 26 050 001 | | 637 | 26 335 001 | | 300 | 26 481 DC0 | | 20 |
| 25 216 001 | 6 | 36 | 26 051 001 | | 637 | 26 346 000 | | 300 | 26 481 DL0 | | 20 |
| 25 217 001 | 6 | 36 | 26 052 000 | | 84 | 26 346 001 | | 300 | 26 481 GN0 | | 20 |
| 25 219 001 | | 12 | 26 056 000 | | 42 | 26 352 000 | 40 | 240 | 26 481 LSO | 1 | 12 |
| 25 221 001 | | 28 | 26 060 000 | | 62 | 26 353 000 | 40 | 240 | 26 483 000 | | 310 |
| 25 221 A01 | | 28 | 26 062 000 | | 84 | 26 354 000 | 40 | 240 | 26 484 000 | | 292 |
| 25 221 DL1 | | 28 | 26 063 000 | | 84 | 26 355 ILO | 40 | 240 | 26 507 000 | | 10 |
| 25 221 GN1 | | 28 | 26 066 000 | | 42 | 26 356 ILO | 40 | 240 | 26 507 A00 | | 10 |
| 25 222 001 | | 9 | 26 066 000 | | 42 | 26 357 000 | 20 | 120 | 26 507 AL0 | | 10 |
| 25 222 A01 | | 9 | 26 066 A00 | | 42 | 26 358 000 | | 132 | 26 507 DA0 | | 10 |
| 25 222 DL1 | | 9 | 26 066 AL0 | | 42 | 26 361 000 | | 10 | 26 507 DC0 | | 10 |
| 25 222 GN1 | | 9 | 26 066 DA0 | | 42 | 26 361 LSO | | 10 | 26 507 DL0 | | 10 |
| 25 227 000 | | 8 | 26 066 DC0 | | 42 | 26 363 000 | | 16 | 26 507 GL0 | | 10 |
| 25 231 001 | 6 | 36 | 26 066 DL0 | | 42 | 26 370 000 | 75 | 900 | 26 507 GN0 | | 10 |
| 25 232 001 | 6 | 36 | 26 066 GL0 | | 42 | 26 381 001 | | 28 | 26 507 LSO | | 10 |
| 25 241 003 | 6 | 96 | 26 066 GN0 | | 42 | 26 383 000 | | 16 | 26 508 000 | | 10 |
| 25 242 003 | 6 | 96 | 26 067 000 | | 42 | 26 385 000 | | 1960 | 26 508 A00 | | 10 |
| 25 243 003 | 6 | 96 | 26 067 A00 | | 42 | 26 405 000 | | 132 | 26 508 AL0 | | 10 |
| 25 244 003 | 6 | 96 | 26 067 AL0 | | 42 | 26 406 001 | | 132 | 26 508 DC0 | | 10 |
| 25 248 001 | | 9 | 26 067 DA0 | | 42 | 26 408 000 | | 93 | 26 508 DL0 | | 10 |
| 25 248 A01 | | 9 | 26 067 DC0 | | 42 | 26 409 000 | | 93 | 26 508 GN0 | | 10 |
| 25 248 AL1 | | 9 | 26 067 DL0 | | 42 | 26 410 000 | | 93 | 26 508 LSO | | 10 |
| 25 248 DA1 | | 9 | 26 067 GL0 | | 42 | 26 412 000 | | 93 | 26 509 000 | | 10 |
| 25 248 DC1 | | 9 | 26 067 GN0 | | 42 | 26 413 000 | | 90 | 26 510 000 | | 16 |
| 25 248 DL1 | | 9 | 26 070 000 | | 62 | 26 414 000 | | 90 | 26 513 000 | | 375 |
| 25 248 GL1 | | 9 | 26 071 000 | | 62 | 26 443 000 | | 6 | 26 514 000 | | 16 |
| 25 248 GN1 | | 9 | 26 073 000 | | 60 | 26 443 LSO | | 6 | 26 544 000 | | 408 |
| 25 249 001 | | 56 | 26 075 001 | | 10 | 26 446 000 | | 6 | 26 546 000 | | 64 |
| 25 250 001 | | 66 | 26 075 A00 | 1 | 10 | 26 446 LSO | | 6 | 26 550 000 | | 408 |
| 25 250 A01 | | 66 | 26 075 AL0 | 1 | 10 | 26 449 000 | | 100 | 26 552 000 | | 408 |
| 25 250 AL1 | | 66 | 26 075 DA0 | 1 | 10 | 26 450 000 | | 12 | 26 553 000 | | 332 |
| 25 250 DA1 | | 66 | 26 075 DC0 | 1 | 10 | 26 450 LSO | | 12 | 26 557 000 | | 45 |
| 25 250 DC1 | | 66 | 26 075 DL0 | 1 | 10 | 26 455 000 | | 52 | 26 558 000 | | 45 |
| 25 250 DL1 | | 66 | 26 075 GL0 | 1 | 10 | 26 457 000 | | 52 | 26 559 000 | | 45 |
| 25 250 GL1 | | 66 | 26 075 GN0 | 1 | 10 | 26 458 000 | | 52 | 26 560 000 | | 45 |
| 25 250 GN1 | | 66 | 26 082 002 | | 480 | 26 459 000 | | 52 | 26 561 000 | | 45 |
| 25 250 KF1 | | 66 | 26 083 002 | | 100 | 26 460 000 | | 52 | 26 561 LSO | | 44 |
| 25 251 001 | | 28 | 26 084 002 | | 132 | 26 461 000 | | 52 | 26 562 000 | | 45 |
| 25 251 A01 | | 28 | 26 085 001 | | 480 | 26 468 000 | | 120 | 26 562 LSO | | 45 |
| 25 251 AL1 | | 28 | 26 086 001 | | 100 | 26 472 000 | | 60 | 26 563 000 | | 45 |
| 25 251 DA1 | | 28 | 26 087 000 | | 16 | 26 474 EN0 | 4 | 120 | 26 564 000 | | 45 |
| 25 251 DC1 | | 28 | 26 089 001 | | 350 | 26 475 000 | | 20 | 26 564 AL0 | | 45 |
| 25 251 DL1 | | 28 | 26 090 001 | | 350 | 26 475 A00 | | 20 | 26 564 DL0 | | 45 |
| 25 251 GL1 | | 28 | 26 130 001 | | 480 | 26 475 AL0 | | 20 | 26 564 GN0 | | 45 |
| 25 252 001 | | 66 | 26 145 000 | | 136 | 26 475 DA0 | | 20 | 26 565 000 | | 45 |
| 25 252 A01 | | 66 | 26 146 000 | | 136 | 26 475 DC0 | | 20 | 26 566 000 | | 45 |
| 25 252 AL1 | | 66 | 26 146 LSO | | 133 | 26 475 DL0 | | 20 | 26 566 AL0 | | 10 |
| 25 252 DA1 | | 66 | 26 161 001 | | 480 | 26 475 GL0 | | 20 | 26 566 DC0 | | 10 |
| 25 252 DC1 | | 66 | 26 162 001 | | 100 | 26 475 GN0 | | 20 | 26 566 DL0 | | 10 |
| 25 252 DL1 | | 66 | 26 164 001 | | 132 | 26 475 LSO | | 20 | 26 566 GN0 | | 10 |
| | | | 26 171 000 | | 28 | 26 477 000 | | 20 | 26 567 000 | | 45 |

GROHE PACKAGING INDEX

| Product no. | Carton | Pallet | Product no. | Carton | Pallet | Product no. | Carton | Pallet | Product no. | Carton | Pallet |
|-------------|--------|--------|-------------|--------|--------|-------------|--------|--------|-------------|--------|--------|
| 26 567 LS0 | | 45 | 26 657 000 | | 16 | 27 057 000 | | 1400 | 27 470 LS0 | | 56 |
| 26 568 000 | | 45 | 26 662 000 | | 66 | 27 057 A00 | | 180 | 27 475 001 | | 23 |
| 26 568 LS0 | | 43 | 26 663 000 | | 66 | 27 057 AL0 | | 180 | 27 475 002 | | 23 |
| 26 569 000 | | 45 | 26 664 000 | | 66 | 27 057 DA0 | | 180 | 27 477 000 | | 60 |
| 26 570 000 | | 45 | 26 666 000 | | 66 | 27 057 DCO | | 180 | 27 478 000 | | 60 |
| 26 574 000 | | 408 | 26 668 000 | | 66 | 27 057 DL0 | | 1400 | 27 484 000 | | 240 |
| 26 574 A00 | | 408 | 26 669 000 | | 66 | 27 057 GL0 | | 180 | 27 485 000 | | 275 |
| 26 574 AL0 | | 408 | 26 670 000 | | 16 | 27 057 GN0 | | 180 | 27 488 000 | | 279 |
| 26 574 DA0 | | 408 | 26 681 000 | | 66 | 27 058 000 | | 16 | 27 492 000 | | 93 |
| 26 574 DCO | | 408 | 26 682 000 | | 66 | 27 062 000 | | 320 | 27 499 000 | | 156 |
| 26 574 DL0 | | 408 | 26 683 000 | | 66 | 27 067 000 | | 800 | 27 500 000 | | 102 |
| 26 574 GL0 | | 408 | 26 685 000 | | 66 | 27 074 000 | | 1400 | 27 512 001 | 150 | 90 |
| 26 574 GN0 | | 408 | 26 687 000 | | 66 | 27 074 A00 | | 180 | 27 513 001 | 40 | 240 |
| 26 574 LS0 | | 408 | 26 688 000 | | 66 | 27 074 AL0 | | 180 | 27 514 001 | 20 | 120 |
| 26 575 000 | | 64 | 26 689 000 | | 16 | 27 074 BE0 | | 1120 | 27 519 000 | | 165 |
| 26 578 000 | | 44 | 26 691 000 | | 27 | 27 074 DA0 | | 180 | 27 521 000 | | 175 |
| 26 578 LS0 | | 44 | 26 723 000 | | 10 | 27 074 DCO | | 180 | 27 522 000 | | 108 |
| 26 579 LS0 | | 44 | 26 801 000 | 12 | 192 | 27 074 DL0 | | 180 | 27 523 000 | | 175 |
| 26 580 000 | | 132 | 26 801 A00 | 12 | 192 | 27 074 EN0 | | 180 | 27 524 000 | | 108 |
| 26 580 LS0 | | 132 | 26 801 AL0 | 12 | 192 | 27 074 GL0 | | 180 | 27 530 000 | | 99 |
| 26 581 000 | | 132 | 26 801 BE0 | 12 | 192 | 27 074 GN0 | | 180 | 27 531 000 | | 183 |
| 26 581 LS0 | | 132 | 26 801 DA0 | 12 | 192 | 27 074 LS0 | | 1400 | 27 541 001 | | 156 |
| 26 582 000 | | 408 | 26 801 DCO | 12 | 192 | 27 075 000 | | 300 | 27 569 000 | | 16 |
| 26 582 A00 | | 408 | 26 801 DL0 | 12 | 192 | 27 076 000 | | 1400 | 27 571 002 | | 480 |
| 26 582 AL0 | | 408 | 26 801 EN0 | 12 | 192 | 27 102 000 | | 315 | 27 571 20E | | 480 |
| 26 582 DCO | | 408 | 26 801 GL0 | 12 | 192 | 27 134 000 | | 114 | 27 572 002 | | 480 |
| 26 582 DL0 | | 408 | 26 801 GN0 | 12 | 192 | 27 135 000 | | 114 | 27 573 002 | | 480 |
| 26 582 GN0 | | 408 | 26 802 000 | 12 | 192 | 27 135 EN0 | 5 | 96 | 27 574 002 | | 480 |
| 26 582 LS0 | | 408 | 26 802 A00 | 12 | 192 | 27 137 000 | | 300 | 27 575 002 | | 480 |
| 26 583 000 | | 64 | 26 802 AL0 | 12 | 192 | 27 137 001 | | 300 | 27 576 002 | | 100 |
| 26 584 000 | | 64 | 26 802 DCO | 12 | 192 | 27 151 000 | | 300 | 27 577 002 | | 100 |
| 26 584 LS0 | | 64 | 26 802 DL0 | 12 | 192 | 27 174 001 | 1 | 4 | 27 578 002 | | 100 |
| 26 585 000 | | 64 | 26 802 GN0 | 12 | 192 | 27 180 000 | | 1485 | 27 578 20E | | 100 |
| 26 586 000 | | 44 | 26 803 000 | | 100 | 27 206 000 | | 520 | 27 579 002 | | 100 |
| 26 586 LS0 | | 44 | 26 839 000 | | 576 | 27 220 000 | | 375 | 27 580 002 | | 100 |
| 26 587 000 | | 44 | 26 840 000 | | 168 | 27 221 000 | | 375 | 27 584 002 | | 132 |
| 26 587 LS0 | | 44 | 26 841 000 | 10 | 120 | 27 221 001 | | 375 | 27 588 002 | | 132 |
| 26 588 000 | | 132 | 26 842 000 | | 1280 | 27 222 000 | | 375 | 27 591 001 | | 637 |
| 26 588 LS0 | | 132 | 26 843 000 | 10 | 120 | 27 224 000 | | 375 | 27 594 000 | | 1960 |
| 26 589 000 | | 132 | 26 847 000 | 80 | 1280 | 27 225 001 | | 50 | 27 595 000 | | 1000 |
| 26 589 LS0 | | 132 | 26 847 AL0 | 80 | 1280 | 27 226 001 | | 50 | 27 596 000 | | 380 |
| 26 590 000 | | 332 | 26 847 DCO | 80 | 1280 | 27 227 001 | | 50 | 27 597 001 | | 480 |
| 26 591 000 | | 64 | 26 850 000 | 80 | 1280 | 27 230 001 | | 100 | 27 597 10E | | 480 |
| 26 592 000 | | 64 | 26 850 AL0 | 80 | 1280 | 27 231 001 | | 100 | 27 598 001 | | 100 |
| 26 592 LS0 | | 64 | 26 850 DCO | 80 | 1280 | 27 232 001 | | 100 | 27 598 10E | | 100 |
| 26 593 000 | | 44 | 26 863 000 | | 1 | 27 237 000 | | 432 | 27 600 001 | | 100 |
| 26 594 000 | | 44 | 26 865 000 | | 5 | 27 238 000 | | 375 | 27 601 10E | | 132 |
| 26 594 LS0 | | 44 | 26 866 000 | | 864 | 27 239 000 | | 375 | 27 606 001 | | 637 |
| 26 602 000 | | 182 | 26 866 A00 | | 864 | 27 239 001 | | 375 | 27 608 001 | | 480 |
| 26 603 000 | | 119 | 26 867 000 | | 864 | 27 242 001 | | 100 | 27 609 001 | | 100 |
| 26 603 A00 | | 80 | 26 878 000 | | 165 | 27 243 001 | | 100 | 27 610 001 | | 637 |
| 26 603 AL0 | | 80 | 26 879 000 | | 840 | 27 256 001 | | 90 | 27 615 002 | | 14 |
| 26 603 BE0 | | 80 | 26 880 000 | | 297 | 27 265 000 | | 375 | 27 641 000 | | 25 |
| 26 603 DA0 | | 80 | 26 895 000 | | 40 | 27 265 00E | | 375 | 27 644 001 | | 100 |
| 26 603 DL0 | | 80 | 26 895 AL0 | | 40 | 27 266 001 | | 100 | 27 645 001 | | 100 |
| 26 603 EN0 | | 80 | 26 895 DA0 | | 40 | 27 266 00E | | 100 | 27 646 001 | | 50 |
| 26 603 GL0 | | 80 | 26 895 DCO | | 40 | 27 267 001 | | 50 | 27 646 10E | | 50 |
| 26 603 GN0 | | 80 | 26 895 GL0 | | 40 | 27 274 000 | | 160 | 27 693 000 | 80 | 1280 |
| 26 608 000 | | 10 | 26 896 000 | | 800 | 27 296 001 | | 16 | 27 696 000 | | 16 |
| 26 640 000 | | 45 | 26 896 DA0 | | 800 | 27 296 003 | | 14 | 27 698 000 | | 900 |
| 26 641 000 | | 45 | 26 896 IGO | | 800 | 27 354 000 | | 132 | 27 699 000 | | 900 |
| 26 642 000 | | 45 | 26 897 000 | | 342 | 27 355 000 | | 132 | 27 700 000 | | 38 |
| 26 643 000 | | 45 | 26 897 DA0 | | 342 | 27 367 000 | | 1080 | 27 702 000 | | 156 |
| 26 647 000 | | 10 | 26 897 IGO | | 342 | 27 368 000 | | 50 | 27 703 000 | | 156 |
| 26 647 LS0 | | 10 | | | | 27 369 000 | | 159 | 27 704 000 | 80 | 1280 |
| 26 648 000 | | 10 | | | | 27 400 000 | | 486 | 27 705 000 | | 189 |
| 26 648 LS0 | 1 | 10 | 27 032 001 | | 16 | 27 406 000 | | 231 | 27 706 000 | 80 | 1280 |
| 26 649 000 | | 10 | 27 055 000 | 152 | 1824 | 27 421 002 | | 14 | 27 706 AL0 | 80 | 1280 |
| 26 652 000 | | 10 | 27 056 000 | | 1960 | 27 470 000 | | 62 | 27 706 DCO | 80 | 1280 |

GROHE PACKAGING INDEX

| Product no. | Carton | Pallet | Product no. | Carton | Pallet | Product no. | Carton | Pallet | Product no. | Carton | Pallet |
|-------------|--------|--------|-------------|--------|--------|-------------|--------|--------|-------------|--------|--------|
| 27 707 000 | 80 | 1280 | 28 155 002 | | 300 | 28 623 000 | | 1000 | 29 119 AL0 | | 72 |
| 27 707 AL0 | 80 | 1280 | 28 158 000 | | 216 | 28 626 000 | | 1000 | 29 119 DA0 | | 72 |
| 27 707 DC0 | 80 | 1280 | 28 158 001 | | 300 | 28 628 000 | | 1000 | 29 119 DC0 | | 72 |
| 27 709 000 | | 300 | 28 161 001 | 200 | 200 | 28 631 000 | | 660 | 29 119 DL0 | | 72 |
| 27 711 000 | 25 | 450 | 28 161 002 | | 300 | 28 634 XX0 | | 624 | 29 119 GL0 | | 72 |
| 27 786 002 | | 100 | 28 198 000 | | 800 | 28 636 000 | | 465 | 29 119 GN0 | | 72 |
| 27 787 002 | | 100 | 28 214 003 | | 480 | 28 671 000 | | 930 | 29 120 000 | | 72 |
| 27 790 002 | | 50 | 28 233 000 | | 93 | 28 679 000 | | 1000 | 29 121 000 | | 72 |
| 27 794 001 | | 100 | 28 261 002 | | 480 | 28 680 000 | | 1000 | 29 121 A00 | | 72 |
| 27 795 001 | | 100 | 28 280 004 | | 100 | 28 690 000 | | 1000 | 29 121 AL0 | | 72 |
| 27 796 001 | | 50 | 28 286 000 | | 1400 | 28 724 000 | | 660 | 29 121 DA0 | | 72 |
| 27 798 10E | | 132 | 28 361 000 | | 150 | 28 778 000 | | 26 | 29 121 DC0 | | 72 |
| 27 799 001 | | 132 | 28 362 000 | | 300 | 28 789 002 | | 50 | 29 121 DL0 | | 72 |
| 27 803 10E | | 132 | 28 362 001 | | 300 | 28 796 000 | | 420 | 29 121 GL0 | | 72 |
| 27 805 001 | | 132 | 28 362 A00 | | 315 | 28 799 000 | | 1960 | 29 121 GN0 | | 72 |
| 27 812 IL1 | 40 | 240 | 28 362 A01 | | 300 | 28 817 000 | | 1485 | 29 122 000 | | 72 |
| 27 841 000 | | 90 | 28 362 BE1 | | 300 | 28 856 000 | | 660 | 29 122 A00 | | 72 |
| 27 852 001 | | 480 | 28 362 DA0 | | 315 | 28 874 000 | | 3920 | 29 122 AL0 | | 72 |
| 27 853 001 | | 100 | 28 362 DA1 | | 300 | 28 910 000 | | 175 | 29 122 BE0 | | 72 |
| 27 854 001 | | 50 | 28 362 DC0 | | 216 | 28 912 000 | | 192 | 29 122 DA0 | | 72 |
| 27 869 001 | | 350 | 28 362 DC1 | | 300 | 28 912 AL0 | | 160 | 29 122 DC0 | | 72 |
| 27 891 000 | | 58 | 28 362 GL0 | | 315 | 28 912 DC0 | | 160 | 29 122 DL0 | | 72 |
| 27 892 000 | | 135 | 28 362 GL1 | | 300 | 28 912 DL0 | | 160 | 29 122 EN0 | | 60 |
| 27 922 000 | | 16 | 28 364 000 | | 300 | 28 912 EN0 | | 192 | 29 122 GL0 | | 72 |
| 27 923 001 | | 480 | 28 364 001 | | 300 | 28 912 GN0 | | 160 | 29 122 GN0 | | 72 |
| 27 924 001 | | 100 | 28 368 000 | | 93 | 28 920 000 | | 369 | 29 123 000 | | 72 |
| 27 925 001 | | 50 | 28 368 00E | | 93 | 28 939 000 | | 80 | 29 123 A00 | | 72 |
| 27 926 001 | | 100 | 28 368 LS0 | | 84 | 28 943 000 | | 60 | 29 123 AL0 | | 72 |
| 27 929 002 | | 100 | 28 373 000 | | 93 | 28 948 000 | | 360 | 29 123 DL0 | | 72 |
| 27 932 000 | | 16 | 28 388 000 | | 300 | 28 964 001 | | 80 | 29 123 GN0 | | 72 |
| 27 936 000 | | 58 | 28 388 001 | | 300 | 28 982 000 | | 136 | 29 124 000 | | 72 |
| 27 964 000 | | 16 | 28 388 A00 | | 315 | 28 988 000 | | 4500 | 29 124 A00 | | 72 |
| 27 966 000 | | 10 | 28 388 A01 | | 300 | 28 990 000 | | 72 | 29 124 AL0 | | 72 |
| 27 966 001 | | 10 | 28 388 BE1 | | 300 | 28 991 000 | | 66 | 29 124 DC0 | | 72 |
| 27 967 000 | 1 | 16 | 28 388 DA0 | | 315 | 28 993 000 | | 62 | 29 124 DL0 | | 72 |
| 27 968 001 | | 10 | 28 388 DA1 | | 300 | 28 995 000 | | 14 | 29 124 GN0 | | 72 |
| | | | 28 388 DC0 | | 216 | | | | 29 125 000 | | 72 |
| | | | 28 388 DC1 | | 300 | | | | 29 126 000 | | 72 |
| | | | 28 388 GL0 | | 315 | 29 007 000 | 80 | 3360 | 29 126 A00 | | 72 |
| 28 002 000 | | 1100 | 28 388 GL1 | | 300 | 29 025 002 | | 168 | 29 126 AL0 | | 72 |
| 28 020 L01 | 150 | 900 | 28 389 000 | | 4900 | 29 032 000 | | 1165 | 29 126 DC0 | | 72 |
| 28 025 000 | | 300 | 28 401 000 | | 576 | 29 033 000 | | 407 | 29 126 DL0 | | 72 |
| 28 025 001 | | 300 | 28 403 000 | | 700 | 29 037 000 | | 8 | 29 126 GN0 | | 72 |
| 28 094 000 | | 1725 | 28 404 000 | | 500 | 29 037 001 | | 8 | 29 127 000 | | 72 |
| 28 105 000 | | 300 | 28 405 000 | | 465 | 29 037 002 | | 8 | 29 127 A00 | | 72 |
| 28 105 001 | | 300 | 28 406 000 | | 1000 | 29 078 001 | | 60 | 29 127 AL0 | | 72 |
| 28 139 000 | | 300 | 28 409 001 | | 300 | 29 079 001 | | 60 | 29 127 DC0 | | 72 |
| 28 139 001 | | 300 | 28 409 002 | | 300 | 29 080 001 | | 60 | 29 127 DL0 | | 72 |
| 28 140 000 | | 300 | 28 410 001 | | 300 | 29 081 001 | | 60 | 29 127 GN0 | | 72 |
| 28 140 001 | | 300 | 28 410 002 | | 300 | 29 086 000 | | 60 | 29 150 LS0 | | 72 |
| 28 142 000 | | 216 | 28 413 001 | | 300 | 29 094 000 | | 140 | 29 151 LS0 | | 72 |
| 28 142 002 | | 300 | 28 413 002 | | 300 | 29 095 000 | | 140 | 29 152 LS0 | | 72 |
| 28 143 000 | | 300 | 28 417 000 | | 300 | 29 096 000 | | 183 | 29 153 LS0 | | 72 |
| 28 143 001 | | 300 | 28 417 001 | | 300 | 29 097 003 | 10 | 120 | 29 156 LS0 | | 72 |
| 28 143 KS0 | | 315 | 28 419 002 | | 480 | 29 097 LS3 | 10 | 120 | 29 157 LS0 | | 72 |
| 28 143 KS1 | | 300 | 28 421 002 | | 480 | 29 098 003 | 12 | 144 | 29 158 LS0 | | 72 |
| 28 143 LS0 | | 315 | 28 422 002 | | 480 | 29 098 LS3 | 12 | 144 | 29 176 001 | | 72 |
| 28 143 LS1 | | 300 | 28 429 000 | | 2400 | 29 099 003 | 12 | 144 | 29 176 A01 | | 72 |
| 28 145 000 | | 300 | 28 436 002 | | 100 | 29 099 LS3 | 12 | 144 | 29 176 DL1 | | 72 |
| 28 145 001 | | 300 | 28 438 001 | | 100 | 29 118 000 | | 72 | 29 176 GN1 | | 72 |
| 28 146 000 | | 303 | 28 497 000 | | 250 | 29 118 A00 | | 72 | 29 181 002 | | 72 |
| 28 150 001 | | 300 | 28 541 000 | | 227 | 29 118 AL0 | | 72 | 29 181 A02 | | 72 |
| 28 150 002 | | 300 | 28 576 000 | | 279 | 29 118 DA0 | | 72 | 29 181 DL2 | | 72 |
| 28 151 001 | | 300 | 28 578 002 | | 480 | 29 118 DC0 | | 72 | 29 181 GN2 | | 72 |
| 28 151 002 | | 300 | 28 587 000 | | 50 | 29 118 DL0 | | 72 | 29 192 001 | | 228 |
| 28 151 L01 | | 300 | 28 605 000 | | 700 | 29 118 GL0 | | 72 | 29 192 A01 | | 228 |
| 28 151 L02 | | 300 | 28 620 000 | | 157 | 29 118 GN0 | | 72 | 29 192 AL1 | | 228 |
| 28 154 001 | | 300 | 28 621 000 | | 98 | 29 119 000 | | 72 | 29 192 DA1 | | 228 |
| 28 154 002 | | 300 | 28 622 000 | | 700 | 29 119 A00 | | 72 | 29 192 DC1 | | 228 |
| 28 155 001 | | 300 | | | | | | | | | |

GROHE PACKAGING INDEX

| Product no. | Carton | Pallet | Product no. | Carton | Pallet | Product no. | Carton | Pallet | Product no. | Carton | Pallet |
|-------------|--------|--------|-------------|--------|--------|-------------|--------|--------|-------------|--------|--------|
| 29 192 DL1 | | 228 | 29 416 DA0 | | 80 | 30 341 001 | 1 | 4 | 31 232 001 | | 93 |
| 29 192 GL1 | | 228 | 29 416 IG0 | | 80 | 30 341 AL1 | 1 | 4 | 31 233 001 | | 93 |
| 29 192 GN1 | | 228 | 29 417 000 | | 80 | 30 341 DC1 | 1 | 4 | 31 234 001 | | 93 |
| 29 192 KF1 | | 228 | 29 417 IG0 | | 80 | 30 341 DL1 | 1 | 4 | 31 255 000 | | 30 |
| 29 193 001 | | 148 | 29 418 000 | | 28 | 30 348 001 | | 66 | 31 255 DC0 | 4 | 24 |
| 29 193 A01 | | 148 | 29 418 IG0 | | 28 | 30 362 000 | | 48 | 31 302 002 | 1 | 4 |
| 29 193 AL1 | | 148 | 29 420 000 | | 396 | 30 362 AL0 | | 48 | 31 302 DC2 | 1 | 4 |
| 29 193 DA1 | | 148 | 29 420 DA0 | | 396 | 30 362 DC0 | | 48 | 31 323 002 | 1 | 4 |
| 29 193 DC1 | | 148 | 29 420 IG0 | | 396 | 30 468 000 | | 68 | 31 323 DC2 | 1 | 4 |
| 29 193 DL1 | | 148 | 29 507 KF0 | | 72 | 30 503 000 | | 40 | 31 325 002 | 1 | 4 |
| 29 193 GL1 | | 148 | 29 508 KF0 | | 72 | 30 503 DC0 | | 40 | 31 325 DC2 | 1 | 4 |
| 29 193 GN1 | | 148 | 29 800 000 | | 1165 | 30 503 KF0 | | 40 | 31 326 002 | 1 | 4 |
| 29 303 003 | | 80 | 29 801 000 | | 1165 | 30 504 000 | 8 | 48 | 31 326 DC2 | 1 | 4 |
| 29 303 AL3 | | 80 | 29 802 000 | | 1165 | 30 504 A00 | 8 | 48 | 31 347 003 | 1 | 4 |
| 29 303 DC3 | | 80 | 29 804 000 | | 875 | 30 504 AL0 | 8 | 48 | 31 347 DC3 | 1 | 4 |
| 29 306 003 | | 80 | 29 805 000 | | 693 | 30 504 DA0 | 8 | 48 | 31 358 002 | | 44 |
| 29 307 003 | | 28 | 29 811 000 | | 1165 | 30 504 DC0 | 8 | 48 | 31 358 DC2 | | 44 |
| 29 307 AL3 | | 28 | 29 813 000 | | 1165 | 30 504 DL0 | 8 | 48 | 31 360 001 | | 44 |
| 29 307 DC3 | | 28 | 29 904 LSO | | 72 | 30 504 GL0 | 8 | 48 | 31 360 DC1 | | 44 |
| 29 337 003 | 10 | 120 | | | | 30 504 GN0 | 8 | 48 | 31 367 001 | | 93 |
| 29 338 003 | 10 | 120 | | | | 30 504 KF0 | 8 | 48 | 31 368 001 | | 93 |
| 29 396 000 | | 240 | 30 008 001 | | 1280 | 30 505 000 | 8 | 48 | 31 375 000 | 8 | 64 |
| 29 396 AL0 | | 240 | 30 058 001 | 1 | 4 | 30 505 A00 | 8 | 48 | 31 375 A00 | 8 | 64 |
| 29 396 DA0 | | 240 | 30 058 AL1 | 1 | 4 | 30 505 AL0 | 8 | 48 | 31 375 AL0 | 8 | 64 |
| 29 396 DC0 | | 240 | 30 058 DC1 | 1 | 4 | 30 505 DA0 | 8 | 48 | 31 375 DA0 | 8 | 64 |
| 29 396 GL0 | | 240 | 30 058 DL1 | 1 | 4 | 30 505 DC0 | 8 | 48 | 31 375 DC0 | | 72 |
| 29 397 000 | | 240 | 30 060 001 | 1 | 4 | 30 505 DL0 | 8 | 48 | 31 375 DL0 | 8 | 64 |
| 29 397 AL0 | | 240 | 30 064 001 | 30 | 480 | 30 505 GL0 | 8 | 48 | 31 379 000 | | 17 |
| 29 397 DA0 | | 240 | 30 098 001 | | 780 | 30 505 GN0 | 8 | 48 | 31 379 DC0 | | 17 |
| 29 397 DC0 | | 240 | 30 193 000 | | 108 | 30 505 KF0 | 8 | 48 | 31 391 003 | 9 | 54 |
| 29 397 GL0 | | 576 | 30 193 DC0 | | 108 | 30 506 000 | | 108 | 31 395 000 | 2 | 16 |
| 29 398 000 | | 480 | 30 195 000 | | 52 | 30 580 000 | 4 | 32 | 31 395 DC0 | | 16 |
| 29 398 AL0 | | 480 | 30 199 000 | | 108 | 30 581 000 | | 17 | 31 454 001 | 1 | 4 |
| 29 398 DC0 | | 480 | 30 208 000 | | 52 | 30 582 000 | | 17 | 31 454 AL1 | 1 | 4 |
| 29 399 000 | | 576 | 30 219 002 | | 39 | 30 583 000 | 4 | 32 | 31 454 DC1 | 1 | 4 |
| 29 399 AL0 | | 576 | 30 219 DC2 | | 39 | 30 583 DC0 | | 32 | 31 454 DL1 | 1 | 4 |
| 29 399 DC0 | | 576 | 30 221 002 | | 96 | 30 584 000 | | 17 | 31 455 000 | | 4 |
| 29 402 000 | | 80 | 30 260 003 | | 158 | 30 586 000 | | 9 | 31 455 001 | | 4 |
| 29 402 AL0 | | 80 | 30 273 001 | | 52 | 30 587 000 | | 7 | 31 455 AL1 | 1 | 4 |
| 29 402 DC0 | | 80 | 30 273 DC1 | | 52 | 30 588 000 | 4 | 32 | 31 455 DC0 | 1 | 4 |
| 29 403 000 | | 80 | 30 274 000 | | 72 | 30 589 000 | | 17 | 31 455 DC1 | 1 | 4 |
| 29 403 AL0 | | 80 | 30 274 A00 | | 72 | 30 590 000 | | 32 | 31 455 DL1 | 1 | 4 |
| 29 403 DC0 | | 80 | 30 274 AL0 | | 72 | 30 590 DC0 | | 32 | 31 456 001 | | 4 |
| 29 405 000 | | 28 | 30 274 DA0 | | 72 | 30 590 KF0 | | 32 | 31 456 DC1 | | 4 |
| 29 405 AL0 | | 28 | 30 274 DC0 | | 72 | 30 591 000 | | 19 | 31 481 001 | | 72 |
| 29 405 DC0 | | 28 | 30 274 DL0 | | 72 | 30 609 000 | | 48 | 31 482 003 | | 72 |
| 29 406 000 | | 120 | 30 294 A00 | | 40 | 30 609 AL0 | | 48 | 31 483 002 | | 72 |
| 29 406 AL0 | | 120 | 30 294 AL0 | | 40 | 30 609 DC0 | | 48 | 31 483 DC2 | | 66 |
| 29 406 DA0 | | 120 | 30 294 DA0 | | 40 | 30 978 000 | | 198 | 31 491 000 | | 40 |
| 29 406 DC0 | | 120 | 30 294 DL0 | | 40 | | | | 31 491 DC0 | | 40 |
| 29 406 GL0 | | 120 | 30 294 GL0 | | 40 | | | | 31 498 001 | | 4 |
| 29 407 000 | | 28 | 30 294 GN0 | | 40 | 31 067 001 | | 143 | 31 498 AL1 | 1 | 4 |
| 29 407 AL0 | | 28 | 30 305 001 | | 108 | 31 124 002 | | 108 | 31 498 DC1 | | 4 |
| 29 407 DA0 | | 28 | 30 305 DC1 | | 108 | 31 126 004 | | 72 | 31 498 DL1 | 1 | 4 |
| 29 407 DC0 | | 28 | 30 309 000 | | 74 | 31 127 002 | | 74 | 31 535 001 | | 93 |
| 29 407 GL0 | | 28 | 30 321 DG0 | | 100 | 31 128 001 | | 108 | 31 536 001 | | 93 |
| 29 408 000 | | 28 | 30 321 DP0 | | 39 | 31 128 DC1 | | 108 | 31 538 001 | | 93 |
| 29 408 AL0 | | 28 | 30 321 DU0 | | 100 | 31 129 001 | | 52 | 31 539 000 | | 4 |
| 29 408 DA0 | | 28 | 30 321 GE0 | | 100 | 31 129 DC1 | | 52 | 31 539 DC0 | 1 | 4 |
| 29 408 DC0 | | 28 | 30 321 HG0 | | 100 | 31 159 002 | | 108 | 31 541 000 | | 4 |
| 29 408 GL0 | | 28 | 30 321 MW0 | | 100 | 31 161 000 | | 68 | 31 541 DC0 | | 4 |
| 29 410 000 | | 120 | 30 321 TY0 | | 100 | 31 170 000 | | 108 | 31 543 000 | | 4 |
| 29 410 AL0 | | 120 | 30 321 XC0 | | 100 | 31 179 000 | | 88 | 31 543 DC0 | | 4 |
| 29 410 DA0 | | 120 | 30 321 YF0 | | 100 | 31 180 000 | | 74 | 31 552 SD1 | | 7 |
| 29 410 DC0 | | 120 | 30 321 YR0 | | 100 | 31 187 001 | | 228 | 31 562 SD1 | | 7 |
| 29 410 GL0 | | 120 | 30 328 001 | 1 | 4 | 31 212 003 | | 72 | 31 563 SD1 | | 7 |
| 29 415 000 | | 28 | 30 328 DC1 | 1 | 4 | 31 214 001 | | 52 | 31 564 SD1 | | 7 |
| 29 415 IG0 | | 28 | 30 340 001 | 1 | 4 | 31 230 001 | | 93 | 31 565 SD1 | | 7 |
| 29 416 000 | | 80 | 30 340 DC1 | 1 | 4 | 31 231 001 | | 93 | 31 571 SD1 | | 7 |

30

31

GROHE PACKAGING INDEX

| Product no. | Carton | Pallet | Product no. | Carton | Pallet | Product no. | Carton | Pallet | Product no. | Carton | Pallet |
|-------------|--------|--------|-------------|--------|--------|-------------|--------|--------|-------------|--------|--------|
| 31 572 SD1 | | 7 | 31 829 001 | | 143 | 32 612 30L | | 128 | 32 880 000 | | 60 |
| 31 574 SD1 | | 8 | 31 831 001 | | 143 | 32 612 AL3 | | 148 | 32 917 000 | 8 | 64 |
| 31 575 SD1 | | 10 | 31 868 000 | | 158 | 32 612 DC3 | | 148 | 32 917 A00 | 8 | 64 |
| 31 576 SD1 | | 8 | 31 869 000 | | 108 | 32 618 003 | | 20 | 32 917 AL0 | 8 | 64 |
| 31 577 SD1 | | 8 | 31 928 KF0 | | 60 | 32 618 AL3 | | 20 | 32 917 DA0 | 8 | 64 |
| 31 578 SD1 | | 8 | 31 930 001 | | 68 | 32 618 DC3 | | 20 | 32 917 DC0 | | 72 |
| 31 580 SD1 | | 4 | | | | 32 629 002 | | 67 | 32 917 DL0 | 8 | 64 |
| 31 581 SD1 | | 4 | | | | 32 659 001 | | 108 | 32 917 KS0 | 8 | 64 |
| 31 582 SD1 | | 4 | 32 067 000 | | 72 | 32 661 003 | | 60 | 32 918 000 | 8 | 64 |
| 31 583 SD1 | | 6 | 32 109 001 | | 160 | 32 661 DC3 | | 60 | 32 918 00E | | 72 |
| 31 584 SD1 | | 4 | 32 109 AL1 | | 160 | 32 663 003 | | 66 | 32 918 DC0 | | 72 |
| 31 585 SD1 | | 4 | 32 109 DC1 | | 148 | 32 663 DC3 | | 66 | 32 926 003 | 11 | 132 |
| 31 586 SD1 | | 4 | 32 114 001 | | 128 | 32 700 001 | 6 | 72 | 32 929 003 | 8 | 128 |
| 31 588 SD1 | | 7 | 32 114 DC1 | | 144 | 32 750 000 | | 108 | 32 950 000 | | 17 |
| 31 593 002 | | 60 | 32 146 001 | | 39 | 32 752 000 | | 96 | 32 950 DC0 | | 17 |
| 31 593 DC2 | | 60 | 32 146 A01 | | 39 | 32 757 001 | | 39 | 32 955 000 | 10 | 120 |
| 31 613 000 | | 60 | 32 146 DL1 | | 39 | 32 757 A01 | | 39 | | | |
| 31 613 A00 | | 60 | 32 146 GN1 | | 39 | 32 757 DL1 | | 39 | | | |
| 31 613 DC0 | | 60 | 32 154 003 | 11 | 132 | 32 757 GN1 | | 39 | | | |
| 31 615 000 | | 60 | 32 168 000 | 8 | 64 | 32 762 000 | 16 | 192 | 33 155 002 | | 85 |
| 31 615 A00 | | 60 | 32 168 DC0 | | 72 | 32 763 000 | 16 | 192 | 33 163 003 | | 128 |
| 31 615 AL0 | | 60 | 32 202 10L | 16 | 192 | 32 765 000 | | 128 | 33 183 002 | | 176 |
| 31 615 DA0 | | 60 | 32 204 10E | 16 | 192 | 32 766 000 | | 128 | 33 188 003 | 8 | 128 |
| 31 615 DC0 | | 60 | 32 207 001 | 24 | 288 | 32 767 000 | | 92 | 33 190 20E | | 160 |
| 31 615 DL0 | | 60 | 32 208 001 | 16 | 192 | 32 768 000 | | 92 | 33 192 002 | | 108 |
| 31 615 GL0 | | 60 | 32 210 001 | 12 | 144 | 32 770 000 | | 92 | 33 202 003 | | 60 |
| 31 615 GN0 | | 60 | 32 211 001 | 6 | 72 | 32 771 000 | | 92 | 33 241 003 | | 39 |
| 31 639 AP0 | | 3 | 32 212 001 | 9 | 54 | 32 772 000 | | 63 | 33 241 AL3 | | 39 |
| 31 639 AT0 | | 4 | 32 213 001 | | 60 | 32 773 000 | | 63 | 33 241 DC3 | | 39 |
| 31 640 AP0 | | 3 | 32 214 001 | | 60 | 32 774 000 | | 92 | 33 244 002 | | 200 |
| 31 640 AT0 | | 3 | 32 224 003 | 9 | 54 | 32 775 000 | | 60 | 33 265 003 | 11 | 132 |
| 31 641 AP0 | | 3 | 32 229 002 | 6 | 96 | 32 776 000 | | 92 | 33 265 30L | 8 | 128 |
| 31 641 AT0 | | 3 | 32 240 10E | 16 | 192 | 32 778 000 | | 92 | 33 281 003 | | 158 |
| 31 642 AP0 | | 3 | 32 240 10L | 16 | 192 | 32 779 000 | | 92 | 33 281 30E | | 158 |
| 31 642 AT0 | | 4 | 32 257 001 | | 73 | 32 786 000 | | 96 | 33 281 DC3 | | 158 |
| 31 643 AP0 | | 3 | 32 257 002 | 11 | 66 | 32 787 000 | | 108 | 33 300 003 | 6 | 96 |
| 31 643 AT0 | | 3 | 32 259 003 | | 60 | 32 788 000 | | 128 | 33 302 003 | 9 | 54 |
| 31 644 AP0 | | 3 | 32 294 002 | | 39 | 32 789 000 | | 128 | 33 303 003 | 6 | 72 |
| 31 644 AT0 | | 3 | 32 294 DC2 | | 39 | 32 790 000 | | 128 | 33 305 003 | | 60 |
| 31 645 AP0 | | 3 | 32 321 002 | | 66 | 32 792 000 | | 40 | 33 390 002 | | 92 |
| 31 645 AT0 | | 4 | 32 321 A02 | | 66 | 32 793 000 | | 60 | 33 395 002 | | 48 |
| 31 646 AP0 | | 3 | 32 321 AL2 | | 66 | 32 795 000 | | 69 | 33 547 003 | | 56 |
| 31 646 AT0 | | 3 | 32 321 DA2 | | 66 | 32 823 000 | | 63 | 33 552 20E | 16 | 192 |
| 31 647 AP0 | | 3 | 32 321 DC2 | | 66 | 32 824 000 | 16 | 192 | 33 553 003 | | 66 |
| 31 647 AT0 | | 3 | 32 321 DL2 | | 66 | 32 824 00L | 16 | 192 | 33 553 AL3 | | 66 |
| 31 648 AP0 | | 5 | 32 321 GN2 | 8 | 64 | 32 825 00E | 16 | 192 | 33 553 DC3 | | 66 |
| 31 648 AT0 | | 5 | 32 322 002 | | 66 | 32 825 00L | 16 | 192 | 33 555 003 | 12 | 144 |
| 31 649 AP0 | | 3 | 32 322 A02 | | 66 | 32 826 001 | | 51 | 33 556 003 | | 60 |
| 31 649 AT0 | | 4 | 32 322 AL2 | | 66 | 32 826 A01 | | 51 | 33 557 003 | 16 | 192 |
| 31 650 AP0 | | 6 | 32 322 DA2 | | 66 | 32 826 DL1 | | 51 | 33 558 003 | 16 | 192 |
| 31 650 AT0 | | 6 | 32 322 DC2 | | 66 | 32 826 GN1 | | 51 | 33 558 LS3 | 16 | 192 |
| 31 651 AP0 | | 5 | 32 322 DL2 | | 66 | 32 827 00E | 16 | 192 | 33 561 002 | 10 | 120 |
| 31 651 AT0 | | 5 | 32 467 003 | 11 | 132 | 32 830 001 | | 67 | 33 561 003 | 10 | 120 |
| 31 652 AP0 | | 3 | 32 467 30L | 8 | 128 | 32 831 000 | 6 | 96 | 33 565 002 | 10 | 120 |
| 31 652 AT0 | | 3 | 32 468 003 | 16 | 192 | 32 832 000 | | 60 | 33 565 003 | 16 | 192 |
| 31 653 AP0 | | 6 | 32 468 20E | 16 | 192 | 32 833 000 | 6 | 96 | 33 565 LS3 | 16 | 192 |
| 31 653 AT0 | | 6 | 32 468 20L | 16 | 192 | 32 836 000 | | 108 | 33 569 002 | | 115 |
| 31 654 AP0 | | 6 | 32 469 20E | | 176 | 32 837 000 | 6 | 96 | 33 577 003 | | 49 |
| 31 654 AT0 | | 6 | 32 469 20L | | 176 | 32 839 000 | 16 | 192 | 33 577 AL3 | | 49 |
| 31 655 AP0 | | 5 | 32 488 000 | 8 | 64 | 32 840 000 | 16 | 192 | 33 577 DC3 | | 49 |
| 31 655 AT0 | | 5 | 32 488 A00 | | 64 | 32 842 000 | | 108 | 33 590 002 | 6 | 96 |
| 31 656 AP0 | | 5 | 32 488 AL0 | 8 | 64 | 32 843 002 | | 60 | 33 590 003 | 12 | 96 |
| 31 656 AT0 | | 8 | 32 488 DA0 | 8 | 64 | 32 843 20E | | 60 | 33 590 LS3 | 12 | 96 |
| 31 680 000 | | 88 | 32 488 DC0 | | 72 | 32 843 DC2 | | 60 | 33 591 002 | 6 | 96 |
| 31 688 000 | 11 | 88 | 32 488 DL0 | | 72 | 32 846 001 | | 51 | 33 591 003 | 6 | 72 |
| 31 693 000 | 11 | 88 | 32 511 000 | | 72 | 32 846 A01 | | 51 | 33 591 LS3 | 6 | 96 |
| 31 706 000 | 11 | 88 | 32 553 002 | | 39 | 32 846 DL1 | | 51 | 33 592 20A | | 60 |
| 31 715 000 | 11 | 88 | 32 553 DC2 | | 39 | 32 846 GN1 | | 51 | 33 592 30A | | 60 |
| 31 819 001 | | 143 | 32 612 003 | | 128 | 32 879 000 | | 60 | 33 614 002 | | 108 |
| | | | | | | | | | 33 635 003 | | 60 |

GROHE PACKAGING INDEX

| Product no. | Carton | Pallet | Product no. | Carton | Pallet | Product no. | Carton | Pallet | Product no. | Carton | Pallet |
|-------------|--------|--------|-------------|--------|--------|-------------|--------|--------|-------------|--------|--------|
| 37 547 P00 | | 450 | 38 574 000 | | 240 | 38 857 SH0 | | 40 | 39 349 000 | | 9 |
| 37 547 SH0 | | 430 | 38 629 000 | | 50 | 38 858 000 | | 240 | 39 351 000 | | 12 |
| 37 601 000 | | 240 | 38 661 000 | | 20 | 38 858 P00 | | 240 | 39 354 SH1 | | 2 |
| 37 601 A00 | | 240 | 38 672 SD0 | | 240 | 38 858 SH0 | | 240 | 39 367 000 | | 36 |
| 37 601 AL0 | | 240 | 38 675 001 | | 8 | 38 860 000 | | 11 | 39 368 000 | | 105 |
| 37 601 BE0 | | 240 | 38 691 000 | | 35 | 38 861 000 | | 240 | 39 369 000 | | 50 |
| 37 601 DA0 | | 240 | 38 698 SD1 | | 96 | 38 862 000 | | 240 | 39 374 KS0 | | 5 |
| 37 601 DC0 | | 240 | 38 699 001 | | 50 | 38 862 P00 | | 200 | 39 374 LS0 | | 5 |
| 37 601 DL0 | | 240 | 38 721 001 | | 11 | 38 862 SD0 | | 200 | 39 376 000 | | 11 |
| 37 601 EN0 | | 240 | 38 722 001 | | 11 | 38 862 SH0 | | 240 | 39 383 000 | 10 | 50 |
| 37 601 GL0 | | 240 | 38 732 000 | | 240 | 38 863 000 | | 22 | 39 386 00H | | 10 |
| 37 601 GN0 | | 240 | 38 732 A00 | | 240 | 38 868 000 | | 12 | 39 420 000 | | 18 |
| 37 601 P00 | | 240 | 38 732 AL0 | | 240 | 38 882 000 | 28 | 2240 | 39 421 000 | | 12 |
| 37 601 SH0 | | 240 | 38 732 BE0 | | 240 | 38 885 000 | | 12 | 39 422 000 | | 21 |
| 37 624 000 | | 240 | 38 732 BR0 | | 240 | 38 888 000 | | 10 | 39 423 000 | | 18 |
| 37 624 A00 | | 240 | 38 732 DA0 | | 240 | 38 915 KS0 | | 100 | 39 424 000 | | 27 |
| 37 624 AL0 | | 240 | 38 732 DC0 | | 240 | 38 915 LS0 | | 100 | 39 425 000 | | 30 |
| 37 624 BE0 | | 240 | 38 732 DL0 | | 240 | 38 916 OA0 | | 180 | 39 426 000 | | 30 |
| 37 624 DA0 | | 240 | 38 732 EN0 | | 240 | 38 947 000 | | 10 | 39 427 000 | | 12 |
| 37 624 DC0 | | 240 | 38 732 GL0 | | 240 | 38 948 000 | | 12 | 39 428 000 | | 9 |
| 37 624 DL0 | | 240 | 38 732 GN0 | | 240 | 38 957 000 | 10 | 400 | 39 429 000 | | 9 |
| 37 624 EN0 | | 240 | 38 732 KF0 | | 240 | 38 987 000 | | 20 | 39 430 000 | | 12 |
| 37 624 GL0 | | 240 | 38 732 P00 | | 240 | 38 994 000 | | 11 | 39 431 000 | | 12 |
| 37 624 GN0 | | 240 | 38 732 SD0 | | 240 | | | | 39 432 000 | | 12 |
| 37 624 P00 | | 240 | 38 732 SH0 | | 240 | | | | 39 433 000 | | 12 |
| 37 624 SH0 | | 240 | 38 733 000 | 25 | 400 | 39 002 000 | | 11 | 39 436 000 | | 60 |
| 37 761 000 | 500 | | 38 735 000 | | 200 | 39 052 000 | | 12 | 39 437 000 | | 24 |
| 37 762 SH0 | 45 | | 38 736 000 | | 220 | 39 053 000 | | 80 | 39 438 000 | | 12 |
| 37 791 SH0 | 40 | | 38 748 002 | | 11 | 39 054 000 | | 80 | 39 439 000 | | 12 |
| 37 945 SH0 | 45 | | 38 750 001 | | 11 | 39 056 000 | | 6480 | 39 440 000 | | 21 |
| 37 965 000 | 240 | | 38 761 000 | | 12 | 39 140 000 | | 5 | 39 462 000 | | 4 |
| 37 973 000 | 240 | | 38 764 001 | | 11 | 39 201 000 | | 30 | 39 462 00H | | 4 |
| 37 973 DC0 | 240 | | 38 765 000 | | 240 | 39 202 000 | | 20 | 39 469 00H | | 10 |
| 37 973 P00 | 240 | | 38 765 P00 | | 240 | 39 206 000 | | 12 | 39 473 00H | | 16 |
| 37 973 SH0 | 240 | | 38 765 SH0 | | 240 | 39 206 00H | | 12 | 39 474 00H | | 18 |
| 37 998 000 | 60 | | 38 771 000 | | 500 | 39 208 000 | | 12 | 39 475 00H | | 10 |
| | | | 38 772 001 | | 11 | 39 208 00H | | 12 | 39 476 00H | | 10 |
| | | | 38 772 20A | | 11 | 39 245 00H | | 12 | 39 477 00H | | 16 |
| 38 338 000 | | 800 | 38 773 000 | | 12 | 39 300 000 | | 20 | 39 478 00H | | 18 |
| 38 422 000 | | 35 | 38 773 20A | | 12 | 39 301 000 | | 20 | 39 479 00H | | 16 |
| 38 422 20A | | 35 | 38 776 SD0 | | 240 | 39 302 000 | | 20 | 39 480 00H | | 18 |
| 38 445 SD0 | | 430 | 38 778 000 | | 100 | 39 306 000 | | 20 | 39 481 00H | | 20 |
| 38 505 000 | | 240 | 38 779 000 | | 200 | 39 323 000 | | 12 | 39 482 00H | | 24 |
| 38 505 KF0 | | 240 | 38 784 000 | | 40 | 39 323 00H | | 12 | 39 483 00H | | 22 |
| 38 505 P00 | | 240 | 38 784 P00 | | 40 | 39 324 000 | | 27 | 39 484 00H | | 6 |
| 38 505 SH0 | | 240 | 38 784 SD0 | | 40 | 39 324 00H | | 27 | 39 488 000 | 7 | 84 |
| 38 506 000 | | 240 | 38 786 001 | | 11 | 39 325 000 | | 30 | 39 490 000 | | 24 |
| 38 506 P00 | | 240 | 38 787 000 | | 120 | 39 327 000 | | 36 | 39 491 000 | | 12 |
| 38 506 SH0 | | 240 | 38 796 000 | | 100 | 39 327 00H | | 36 | 39 492 000 | 7 | 84 |
| 38 525 001 | | 10 | 38 803 001 | | 11 | 39 328 000 | | 12 | 39 493 000 | 7 | 84 |
| 38 526 000 | | 12 | 38 804 000 | | 40 | 39 328 00H | | 12 | 39 496 000 | | 4 |
| 38 528 001 | | 11 | 38 804 P00 | | 40 | 39 330 001 | 7 | 84 | 39 497 000 | | 12 |
| 38 536 001 | | 11 | 38 805 000 | | 100 | 39 331 001 | 7 | 84 | 39 500 000 | | 11 |
| 38 539 001 | | 11 | 38 808 000 | | 800 | 39 332 000 | | 24 | 39 501 000 | | 11 |
| 38 541 000 | | 12 | 38 808 P00 | | 40 | 39 333 000 | | 18 | 39 503 000 | | 11 |
| 38 543 000 | | 12 | 38 808 SH0 | | 500 | 39 335 000 | | 12 | 39 504 000 | | 11 |
| 38 545 000 | | 11 | 38 809 000 | | 200 | 39 335 00H | | 12 | 39 538 000 | | 12 |
| 38 546 000 | | 11 | 38 821 000 | | 200 | 39 336 000 | | 14 | 39 554 000 | | 6 |
| 38 553 001 | | 11 | 38 827 000 | | 11 | 39 336 00H | | 14 | 39 564 00H | | 12 |
| 38 554 001 | | 12 | 38 844 000 | | 240 | 39 337 000 | | 18 | 39 565 00H | | 16 |
| 38 557 001 | | 12 | 38 844 P00 | | 240 | 39 337 00H | | 12 | 39 566 00H | | 8 |
| 38 558 00M | 20 | 700 | 38 844 SH0 | | 240 | 39 338 000 | | 6 | 39 567 00H | | 12 |
| 38 559 001 | | 25 | 38 845 KS0 | | 140 | 39 338 00H | | 6 | 39 568 00H | | 16 |
| 38 562 001 | | 72 | 38 845 LS0 | | 140 | 39 339 000 | | 12 | 39 570 000 | | 33 |
| 38 564 000 | | 140 | 38 845 MF0 | | 200 | 39 339 00H | | 12 | 39 571 00H | | 12 |
| 38 564 SH0 | | 140 | 38 846 KS0 | | 200 | 39 340 000 | | 12 | 39 572 00H | | 6 |
| 38 565 000 | | 200 | 38 846 LS0 | | 200 | 39 340 00H | | 12 | 39 573 00H | | 8 |
| 38 573 000 | | 240 | 38 857 000 | | 40 | 39 346 000 | | 4 | 39 574 00H | | 16 |
| 38 573 SH0 | | 240 | 38 857 P00 | | 40 | 39 347 000 | | 4 | 39 575 00H | | 8 |

GROHE PACKAGING INDEX

| Product no. | Carton | Pallet | Product no. | Carton | Pallet | Product no. | Carton | Pallet | Product no. | Carton | Pallet |
|-------------|--------|--------|-------------|--------|--------|-------------|--------|--------|-------------|--------|--------|
| 39 577 000 | 7 | 84 | 40 342 001 | 20 | 160 | 40 374 A01 | 7 | 56 | 40 457 001 | 40 | 480 |
| 39 578 000 | | 24 | 40 342 A01 | 20 | 160 | 40 374 AL1 | 7 | 56 | 40 459 001 | 20 | 240 |
| 39 579 000 | | 24 | 40 342 DL1 | 20 | 160 | 40 374 BE1 | 7 | 56 | 40 460 001 | 28 | 168 |
| 39 581 000 | | 11 | 40 342 GN1 | 20 | 160 | 40 374 DA1 | 7 | 56 | 40 461 001 | 70 | 1120 |
| 39 584 00H | | 12 | 40 344 001 | 10 | 40 | 40 374 DC1 | 7 | 56 | 40 462 001 | 6 | 24 |
| 39 585 00H | | 8 | 40 344 DC1 | 10 | 40 | 40 374 DL1 | 7 | 56 | 40 463 001 | 7 | 56 |
| 39 596 000 | | 8 | 40 364 001 | 70 | 1120 | 40 374 EN1 | 7 | 56 | 40 507 001 | 40 | 480 |
| 39 598 000 | | 8 | 40 364 A01 | 70 | 1120 | 40 374 GL1 | 7 | 56 | 40 507 AL1 | | 320 |
| 39 603 000 | | 8 | 40 364 AL1 | 70 | 1120 | 40 374 GN1 | 7 | 56 | 40 507 DC1 | | 320 |
| 39 604 000 | | 4 | 40 364 BE1 | 70 | 1120 | 40 385 001 | 24 | 288 | 40 508 001 | 57 | 912 |
| 39 608 00H | | 22 | 40 364 DA1 | 70 | 1120 | 40 385 A01 | 24 | 288 | 40 508 AL1 | | 960 |
| 39 609 00H | | 30 | 40 364 DC1 | 70 | 1120 | 40 385 AL1 | 24 | 288 | 40 508 DC1 | | 960 |
| 39 611 000 | | 1 | 40 364 DL1 | 70 | 1120 | 40 385 BE1 | 24 | 288 | 40 509 001 | 21 | 168 |
| 39 617 000 | | 12 | 40 364 EN1 | 70 | 1120 | 40 385 DA1 | 24 | 288 | 40 509 DC1 | | 54 |
| 39 620 00H | | 12 | 40 364 GL1 | 70 | 1120 | 40 385 DC1 | 24 | 288 | 40 510 001 | 34 | 272 |
| 39 622 000 | | 1 | 40 364 GN1 | 70 | 1120 | 40 385 DL1 | 24 | 288 | 40 510 AL1 | | 272 |
| 39 648 SH0 | | 32 | 40 365 001 | 18 | 216 | 40 385 EN1 | 24 | 288 | 40 510 DC1 | | 272 |
| 39 651 SH0 | | 4 | 40 365 A01 | 18 | 216 | 40 385 GL1 | 24 | 288 | 40 511 001 | 70 | 1120 |
| 39 652 SH0 | | 4 | 40 365 AL1 | 18 | 216 | 40 385 GN1 | 24 | 288 | 40 511 AL1 | 70 | 1120 |
| 39 693 000 | | 6 | 40 365 BE1 | 18 | 216 | 40 386 001 | 25 | 100 | 40 511 DC1 | 70 | 1120 |
| 39 703 000 | | 8 | 40 365 DA1 | 18 | 216 | 40 386 A01 | 25 | 100 | 40 512 001 | 7 | 28 |
| 39 729 000 | | 1 | 40 365 DC1 | 18 | 216 | 40 386 AL1 | 25 | 100 | 40 512 AL1 | | 28 |
| 39 806 000 | | 45 | 40 365 DL1 | 18 | 216 | 40 386 BE1 | 25 | 100 | 40 513 001 | 7 | 56 |
| 39 807 000 | | 35 | 40 365 EN1 | 18 | 216 | 40 386 DA1 | 25 | 100 | 40 513 AL1 | 6 | 36 |
| 39 808 000 | | 24 | 40 365 GL1 | 18 | 216 | 40 386 DL1 | 25 | 100 | 40 513 DC1 | 6 | 36 |
| 39 809 000 | | 12 | 40 365 GN1 | 18 | 216 | 40 386 EN1 | 25 | 100 | 40 514 001 | 15 | 180 |
| 39 810 000 | | 18 | 40 366 001 | 24 | 192 | 40 386 GL1 | 25 | 100 | 40 514 AL1 | | 240 |
| 39 811 000 | | 6 | 40 366 A01 | 24 | 192 | 40 386 GN1 | 25 | 100 | 40 514 DC1 | | 240 |
| 39 813 000 | 7 | 168 | 40 366 AL1 | 24 | 192 | 40 394 001 | 21 | 336 | 40 535 000 | 18 | 216 |
| 39 861 000 | | 54 | 40 366 BE1 | 24 | 192 | 40 394 A01 | 21 | 336 | 40 535 A00 | 18 | 216 |
| 39 881 000 | | 60 | 40 366 DA1 | 24 | 192 | 40 394 AL1 | 21 | 336 | 40 535 ALO | 18 | 216 |
| 39 881 KF0 | | 55 | 40 366 DC1 | 24 | 192 | 40 394 BE1 | 21 | 336 | 40 535 DA0 | 18 | 216 |
| 39 881 SH0 | | 60 | 40 366 DL1 | 24 | 192 | 40 394 DA1 | 21 | 336 | 40 535 DC0 | 18 | 216 |
| 39 882 000 | | 60 | 40 366 EN1 | 24 | 192 | 40 394 DC1 | 21 | 336 | 40 535 DLO | 18 | 216 |
| 39 882 KF0 | | 60 | 40 366 GL1 | 24 | 192 | 40 394 DL1 | 21 | 336 | 40 535 GLO | 18 | 216 |
| 39 882 SH0 | | 60 | 40 366 GN1 | 24 | 192 | 40 394 EN1 | 21 | 336 | 40 535 GN0 | 18 | 216 |
| 39 898 000 | 7 | 126 | 40 367 001 | 24 | 384 | 40 394 GL1 | 21 | 336 | 40 536 000 | 18 | 216 |
| 39 910 000 | | 16 | 40 367 A01 | 24 | 384 | 40 394 GN1 | 21 | 336 | 40 536 DC0 | 18 | 216 |
| 39 912 000 | | 60 | 40 367 AL1 | 24 | 384 | 40 404 001 | | 296 | 40 537 000 | 18 | 216 |
| 39 913 000 | | 72 | 40 367 BE1 | 24 | 384 | 40 405 001 | | 140 | 40 537 DC0 | 18 | 216 |
| 39 923 000 | 7 | 168 | 40 367 DA1 | 24 | 384 | 40 407 001 | 6 | 48 | 40 547 001 | | 296 |
| 39 980 KS0 | | 5 | 40 367 DC1 | 24 | 384 | 40 407 DC1 | 6 | 48 | 40 554 002 | 1 | 4 |
| 39 980 LS0 | | 5 | 40 367 DL1 | 24 | 384 | 40 412 001 | | 147 | 40 564 000 | | 192 |
| | | | 40 367 EN1 | 24 | 384 | 40 421 001 | 24 | 288 | 40 564 A00 | | 144 |
| | | | 40 367 GL1 | 24 | 384 | 40 421 A01 | 24 | 288 | 40 564 ALO | | 144 |
| | | | 40 367 GN1 | 24 | 384 | 40 421 AL1 | 24 | 288 | 40 564 DC0 | | 144 |
| 40 278 001 | 42 | 504 | 40 368 001 | 60 | 720 | 40 421 BE1 | 24 | 288 | 40 565 000 | | 1120 |
| 40 278 A01 | 42 | 504 | 40 369 001 | 50 | 800 | 40 421 DA1 | 24 | 288 | 40 565 ALO | 20 | 480 |
| 40 278 DL1 | 42 | 504 | 40 369 A01 | 50 | 800 | 40 421 DC1 | 24 | 288 | 40 565 DC0 | 20 | 480 |
| 40 278 GN1 | 42 | 504 | 40 369 AL1 | 50 | 800 | 40 421 DL1 | 24 | 288 | 40 575 002 | | 296 |
| 40 279 001 | 28 | 336 | 40 369 BE1 | 50 | 800 | 40 421 EN1 | 24 | 288 | 40 585 001 | 72 | 864 |
| 40 279 A01 | 28 | 336 | 40 369 DA1 | 50 | 800 | 40 421 GL1 | 24 | 288 | 40 623 001 | 60 | 960 |
| 40 279 DL1 | 28 | 336 | 40 369 DC1 | 50 | 800 | 40 421 GN1 | 24 | 288 | 40 623 AL1 | | 960 |
| 40 279 GN1 | 28 | 336 | 40 369 DL1 | 50 | 800 | 40 422 000 | | 162 | 40 623 DC1 | | 960 |
| 40 284 001 | 56 | 896 | 40 369 EN1 | 50 | 800 | 40 423 000 | | 100 | 40 624 001 | 21 | 252 |
| 40 284 A01 | 56 | 896 | 40 369 GL1 | 50 | 800 | 40 430 001 | | 200 | 40 624 AL1 | | 240 |
| 40 284 DL1 | 56 | 896 | 40 369 GN1 | 50 | 800 | 40 432 000 | | 32 | 40 624 DC1 | | 252 |
| 40 284 GN1 | 56 | 896 | 40 371 001 | 20 | 240 | 40 434 001 | | 480 | 40 636 SD0 | 120 | 1440 |
| 40 339 001 | 27 | 162 | 40 371 A01 | 20 | 240 | 40 437 000 | | 60 | 40 652 001 | 90 | 720 |
| 40 339 A01 | 27 | 162 | 40 371 AL1 | 20 | 240 | 40 438 001 | | 120 | 40 652 EN1 | 90 | 720 |
| 40 339 DL1 | 27 | 162 | 40 371 BE1 | 20 | 240 | 40 444 001 | 24 | 288 | 40 653 001 | 24 | 144 |
| 40 339 GN1 | 27 | 162 | 40 371 DA1 | 20 | 240 | 40 444 DC1 | 24 | 288 | 40 653 EN1 | 24 | 144 |
| 40 340 001 | 5 | 30 | 40 371 DC1 | 20 | 240 | 40 444 EN1 | 24 | 288 | 40 654 001 | 20 | 80 |
| 40 340 A01 | 5 | 30 | 40 371 DL1 | 20 | 240 | 40 447 001 | 32 | 384 | 40 654 EN1 | 20 | 80 |
| 40 340 DL1 | 5 | 30 | 40 371 EN1 | 20 | 240 | 40 447 DC1 | 32 | 384 | 40 655 001 | 24 | 144 |
| 40 340 GN1 | 5 | 30 | 40 371 GL1 | 20 | 240 | 40 447 EN1 | 32 | 384 | 40 655 EN1 | 24 | 144 |
| 40 341 001 | 20 | 160 | 40 371 GN1 | 20 | 240 | 40 448 001 | 18 | 288 | 40 656 001 | 70 | 1120 |
| 40 341 A01 | 20 | 160 | 40 372 001 | 75 | 900 | 40 448 DC1 | 18 | 288 | 40 656 EN1 | 70 | 1120 |
| 40 341 DL1 | 20 | 160 | 40 374 001 | 7 | 56 | 40 448 EN1 | 18 | 288 | 40 657 001 | 30 | 480 |
| 40 341 GN1 | 20 | 160 | | | | | | | | | |

40

GROHE PACKAGING INDEX

| Product no. | Carton | Pallet | Product no. | Carton | Pallet | Product no. | Carton | Pallet | Product no. | Carton | Pallet |
|-------------|--------|--------|-------------|--------|--------|-------------|--------|--------|-------------|--------|--------|
| 40 657 EN1 | 30 | 480 | 40 800 DL1 | 6 | 24 | 40 889 AL0 | 42 | 168 | 40 963 DL1 | 20 | 320 |
| 40 658 001 | 7 | 56 | 40 800 EN1 | 6 | 24 | 40 889 DA0 | 42 | 168 | 40 963 GN1 | 20 | 320 |
| 40 658 EN1 | 7 | 56 | 40 800 GL1 | 6 | 24 | 40 889 DC0 | 42 | 168 | 40 964 001 | 72 | 1152 |
| 40 659 001 | 60 | 480 | 40 800 GN1 | 6 | 24 | 40 889 EN0 | 42 | 168 | 40 965 001 | 8 | 64 |
| 40 659 EN1 | 60 | 480 | 40 802 001 | 15 | 120 | 40 889 GL0 | 42 | 168 | 40 965 A01 | 8 | 64 |
| 40 660 001 | 6 | 24 | 40 802 A01 | 15 | 120 | 40 890 000 | 70 | 1120 | 40 965 DL1 | 8 | 64 |
| 40 660 EN1 | 6 | 24 | 40 802 AL1 | 15 | 120 | 40 890 AL0 | 70 | 1120 | 40 965 GN1 | 8 | 64 |
| 40 663 001 | 24 | 144 | 40 802 BE1 | 15 | 120 | 40 890 DA0 | 70 | 1120 | 40 966 001 | 10 | 120 |
| 40 664 001 | 24 | 288 | 40 802 DA1 | 15 | 120 | 40 890 DC0 | 70 | 1120 | 40 966 A01 | 10 | 120 |
| 40 684 000 | | 1725 | 40 802 DL1 | 15 | 120 | 40 890 EN0 | 70 | 1120 | 40 966 DL1 | 10 | 120 |
| 40 684 DC0 | | 1725 | 40 802 EN1 | 15 | 120 | 40 890 GL0 | 70 | 1120 | 40 966 GN1 | 10 | 120 |
| 40 687 000 | | 162 | 40 802 GL1 | 15 | 120 | 40 891 000 | 40 | 480 | 40 967 001 | 6 | 72 |
| 40 688 001 | 20 | 240 | 40 802 GN1 | 15 | 120 | 40 891 AL0 | 40 | 480 | 40 967 A01 | 6 | 72 |
| 40 688 A01 | 20 | 240 | 40 804 000 | 6 | 36 | 40 891 DA0 | 40 | 480 | 40 967 DL1 | 6 | 72 |
| 40 688 AL1 | 20 | 240 | 40 805 000 | 36 | 324 | 40 891 DC0 | 40 | 480 | 40 967 GN1 | 6 | 72 |
| 40 688 BE1 | 20 | 240 | 40 806 000 | 40 | 960 | 40 891 EN0 | 40 | 480 | | | |
| 40 688 DA1 | 20 | 240 | 40 807 000 | 8 | 224 | 40 891 GL0 | 40 | 480 | | | |
| 40 688 DC1 | 20 | 240 | 40 808 000 | | 120 | 40 892 000 | 7 | 56 | 41 | | |
| 40 688 DL1 | 20 | 240 | 40 809 000 | 12 | 240 | 40 892 AL0 | 7 | 56 | 41 007 000 | 45 | 1200 |
| 40 688 EN1 | 20 | 240 | 40 824 000 | | 1000 | 40 892 DA0 | 7 | 56 | 41 027 000 | 70 | 1120 |
| 40 688 GL1 | 20 | 240 | 40 834 001 | | 18 | 40 892 DC0 | 7 | 56 | 41 027 A00 | 70 | 1120 |
| 40 688 GN1 | 20 | 240 | 40 841 001 | | 200 | 40 892 EN0 | 7 | 56 | 41 027 AL0 | 70 | 1120 |
| 40 689 001 | 24 | 384 | 40 842 001 | | 27 | 40 892 GL0 | 7 | 56 | 41 027 BE0 | 70 | 1120 |
| 40 689 A01 | 24 | 384 | 40 843 000 | | 189 | 40 893 000 | | 256 | 41 027 DA0 | 70 | 1120 |
| 40 689 AL1 | 24 | 384 | 40 846 001 | 8 | 64 | 40 895 000 | | 96 | 41 027 DC0 | 70 | 1120 |
| 40 689 BE1 | 24 | 384 | 40 847 001 | 8 | 64 | 40 896 000 | | 90 | 41 027 DL0 | 70 | 1120 |
| 40 689 DA1 | 24 | 384 | 40 848 AL0 | 28 | 336 | 40 897 000 | | 600 | 41 027 EN0 | 70 | 1120 |
| 40 689 DC1 | 24 | 384 | 40 848 DL0 | 28 | 336 | 40 899 000 | | 48 | 41 027 GL0 | 70 | 1120 |
| 40 689 DL1 | 24 | 384 | 40 848 GN0 | 28 | 336 | 40 900 000 | 1 | 12 | 41 027 GN0 | 70 | 1120 |
| 40 689 EN1 | 24 | 384 | 40 848 SD0 | 28 | 336 | 40 906 000 | | 72 | 41 028 000 | 24 | 288 |
| 40 689 GL1 | 24 | 384 | 40 855 000 | | 8 | 40 908 000 | 36 | 432 | 41 028 A00 | 24 | 288 |
| 40 689 GN1 | 24 | 384 | 40 857 000 | 10 | 40 | 40 908 EN0 | 36 | 432 | 41 028 AL0 | 24 | 288 |
| 40 691 002 | | 224 | 40 865 000 | 30 | 378 | 40 908 IGO | 36 | 432 | 41 028 BE0 | 24 | 288 |
| 40 694 000 | 120 | 1440 | 40 876 000 | | 100 | 40 909 000 | 16 | 256 | 41 028 DA0 | 24 | 288 |
| 40 711 001 | | 4 | 40 877 000 | | 17 | 40 909 IGO | 16 | 256 | 41 028 DC0 | 24 | 288 |
| 40 754 001 | 24 | 288 | 40 878 000 | | 13 | 40 910 000 | 12 | 192 | 41 028 DL0 | 24 | 288 |
| 40 755 001 | 32 | 384 | 40 882 000 | 80 | 960 | 40 910 IGO | 12 | 192 | 41 028 EN0 | 24 | 288 |
| 40 756 001 | 18 | 288 | 40 883 000 | 60 | 720 | 40 911 000 | | 168 | 41 028 GL0 | 24 | 288 |
| 40 757 001 | 6 | 48 | 40 884 000 | 50 | 800 | 40 915 000 | 375 | 3000 | 41 028 GN0 | 24 | 288 |
| 40 758 001 | 7 | 42 | 40 884 AL0 | 50 | 800 | 40 920 000 | 18 | 648 | 41 029 000 | 80 | 960 |
| 40 766 000 | 24 | 576 | 40 884 DA0 | 50 | 800 | 40 923 000 | 16 | 256 | 41 035 000 | 24 | 384 |
| 40 767 000 | | 256 | 40 884 DC0 | 50 | 800 | 40 923 IGO | 16 | 256 | 41 035 A00 | 24 | 384 |
| 40 768 000 | 16 | 192 | 40 884 EN0 | 50 | 800 | 40 928 000 | 15 | 120 | 41 035 AL0 | 24 | 384 |
| 40 775 001 | 10 | 40 | 40 884 GL0 | 50 | 800 | 40 928 EN0 | 15 | 120 | 41 035 BE0 | 24 | 384 |
| 40 775 DC1 | 10 | 40 | 40 885 000 | 40 | 480 | 40 928 IGO | 15 | 120 | 41 035 DA0 | 24 | 384 |
| 40 775 EN1 | 10 | 40 | 40 885 AL0 | 40 | 480 | 40 929 000 | 20 | 320 | 41 035 DC0 | 24 | 384 |
| 40 776 001 | 10 | 40 | 40 885 DA0 | 40 | 480 | 40 929 EN0 | 20 | 320 | 41 035 DL0 | 24 | 384 |
| 40 776 DC1 | 10 | 40 | 40 885 DC0 | 40 | 480 | 40 929 IGO | 22 | 320 | 41 035 EN0 | 24 | 384 |
| 40 777 001 | 7 | 42 | 40 885 EN0 | 40 | 480 | 40 930 000 | 72 | 1440 | 41 035 GL0 | 24 | 384 |
| 40 778 001 | 7 | 42 | 40 885 GL0 | 40 | 480 | 40 930 IGO | 72 | 1440 | 41 035 GN0 | 24 | 384 |
| 40 781 000 | | 240 | 40 886 000 | 30 | 480 | 40 946 000 | 18 | 72 | 41 036 000 | 18 | 288 |
| 40 782 000 | | 240 | 40 886 AL0 | 30 | 480 | 40 946 IGO | 18 | 72 | 41 037 000 | 30 | 360 |
| 40 783 000 | 30 | 360 | 40 886 DA0 | 30 | 480 | 40 949 000 | | 60 | 41 038 000 | 12 | 144 |
| 40 784 000 | | 200 | 40 886 DC0 | 30 | 480 | 40 950 000 | | 190 | 41 038 A00 | 12 | 144 |
| 40 791 001 | 125 | 1000 | 40 886 EN0 | 30 | 480 | 40 954 000 | | 400 | 41 038 AL0 | 12 | 144 |
| 40 791 KS1 | 125 | 1000 | 40 886 GL0 | 30 | 480 | 40 955 001 | 14 | 224 | 41 038 BE0 | 12 | 144 |
| 40 793 001 | 15 | 120 | 40 887 000 | 34 | 204 | 40 955 A01 | 14 | 224 | 41 038 DA0 | 12 | 144 |
| 40 793 DC1 | 15 | 120 | 40 887 AL0 | 34 | 204 | 40 955 DL1 | 14 | 224 | 41 038 DC0 | 12 | 144 |
| 40 794 001 | 15 | 90 | 40 887 DA0 | 34 | 204 | 40 955 GN1 | 14 | 224 | 41 038 DL0 | 12 | 144 |
| 40 794 DC1 | 15 | 90 | 40 887 DC0 | 34 | 204 | 40 956 001 | 8 | 128 | 41 038 EN0 | 12 | 144 |
| 40 797 001 | 5 | 10 | 40 887 EN0 | 34 | 204 | 40 956 A01 | 8 | 128 | 41 038 GL0 | 12 | 144 |
| 40 799 001 | 10 | 80 | 40 887 GL0 | 34 | 204 | 40 956 DL1 | 8 | 128 | 41 038 GN0 | 12 | 144 |
| 40 799 DC1 | 10 | 80 | 40 888 000 | 28 | 224 | 40 956 GN1 | 8 | 128 | 41 039 000 | 70 | 1120 |
| 40 800 001 | 6 | 24 | 40 888 AL0 | 28 | 224 | 40 960 000 | 16 | 256 | 41 039 A00 | 70 | 1120 |
| 40 800 A01 | 6 | 24 | 40 888 DA0 | 28 | 224 | 40 960 EN0 | 16 | 256 | 41 039 AL0 | 70 | 1120 |
| 40 800 AL1 | 6 | 24 | 40 888 DC0 | 28 | 224 | 40 960 IGO | 16 | 256 | 41 039 BE0 | 70 | 1120 |
| 40 800 BE1 | 6 | 24 | 40 888 EN0 | 28 | 224 | 40 962 000 | 30 | 1200 | 41 039 DA0 | 70 | 1120 |
| 40 800 DA1 | 6 | 24 | 40 888 GL0 | 28 | 224 | 40 963 001 | 20 | 320 | 41 039 DC0 | 70 | 1120 |
| 40 800 DC1 | 6 | 24 | 40 889 000 | 42 | 168 | 40 963 A01 | 20 | 320 | 41 039 DL0 | 70 | 1120 |
| | | | | | | | | | 41 039 EN0 | 70 | 1120 |

GROHE PACKAGING INDEX

| Product no. | Carton | Pallet | Product no. | Carton | Pallet | Product no. | Carton | Pallet | Product no. | Carton | Pallet |
|-------------|--------|--------|-------------|--------|--------|-------------|--------|--------|-------------|--------|--------|
| 41 039 GL0 | 70 | 1120 | 41 066 DL0 | 3 | 18 | 42 297 PI0 | | 128 | 47 310 000 | | 1000 |
| 41 039 GN0 | 70 | 1120 | 41 066 EN0 | 3 | 18 | 42 303 000 | | 240 | 47 349 000 | | 1960 |
| 41 049 000 | 70 | 1120 | 41 066 GL0 | 3 | 18 | 42 304 000 | | 240 | 47 364 000 | | 1960 |
| 41 049 A00 | 70 | 1120 | 41 066 GN0 | 3 | 18 | 42 305 000 | | 240 | 47 439 000 | | 1120 |
| 41 049 AL0 | 70 | 1120 | 41 067 000 | 24 | 384 | 42 314 000 | | 200 | 47 450 000 | | 2000 |
| 41 049 BE0 | 70 | 1120 | 41 067 A00 | 24 | 384 | 42 320 000 | | 200 | 47 483 000 | | 560 |
| 41 049 DA0 | 70 | 1120 | 41 067 AL0 | 24 | 384 | 42 327 000 | | 150 | 47 532 000 | | 2160 |
| 41 049 DC0 | 70 | 1120 | 41 067 BE0 | 24 | 384 | 42 333 000 | | 600 | 47 533 000 | | 432 |
| 41 049 DL0 | 70 | 1120 | 41 067 DA0 | 24 | 384 | 42 383 000 | 26 | 832 | 47 598 000 | | 576 |
| 41 049 EN0 | 70 | 1120 | 41 067 DC0 | 24 | 384 | 42 384 000 | 26 | 832 | 47 600 000 | | 576 |
| 41 049 GL0 | 70 | 1120 | 41 067 DL0 | 24 | 384 | 42 586 SD0 | 25 | 1400 | 47 780 000 | | 1400 |
| 41 049 GN0 | 70 | 1120 | 41 067 EN0 | 24 | 384 | 42 587 SD0 | 25 | 1400 | 47 781 000 | | 1400 |
| 41 056 000 | 15 | 120 | 41 067 GL0 | 24 | 384 | 42 593 000 | | 300 | 47 790 000 | | 500 |
| 41 056 A00 | 15 | 120 | 41 067 GN0 | 24 | 384 | 42 766 000 | | 320 | 47 885 000 | | 1960 |
| 41 056 AL0 | 15 | 120 | 41 068 000 | 36 | 576 | 42 774 000 | | 200 | 47 994 000 | 75 | 1350 |
| 41 056 BE0 | 15 | 120 | 41 068 A00 | 36 | 576 | 42 886 000 | | 183 | 48 | | |
| 41 056 DA0 | 15 | 120 | 41 068 AL0 | 36 | 576 | 43 | | | 48 051 000 | | 3920 |
| 41 056 DC0 | 15 | 120 | 41 068 BE0 | 36 | 576 | 43 352 000 | | 300 | 48 053 000 | | 170 |
| 41 056 DL0 | 15 | 120 | 41 068 DA0 | 36 | 576 | 43 486 000 | 50 | 300 | 48 054 000 | | 45 |
| 41 056 EN0 | 15 | 120 | 41 068 DC0 | 36 | 576 | 43 506 000 | | 200 | 48 099 000 | | 880 |
| 41 056 GL0 | 15 | 120 | 41 068 DL0 | 36 | 576 | 43 537 000 | | 500 | 48 166 000 | | 260 |
| 41 056 GN0 | 15 | 120 | 41 068 EN0 | 36 | 576 | 43 544 000 | | 1400 | 48 177 000 | | 1000 |
| 41 057 000 | | 200 | 41 068 GL0 | 36 | 576 | 43 733 000 | | 250 | 48 189 000 | 50 | 1600 |
| 41 058 000 | 18 | 72 | 41 068 GN0 | 36 | 576 | 43 758 00M | | 150 | 48 190 000 | 50 | 1600 |
| 41 058 A00 | 18 | 72 | 41 069 000 | 36 | 576 | 43 907 PI0 | 20 | 120 | 48 191 000 | 50 | 1600 |
| 41 058 AL0 | 18 | 72 | 41 069 A00 | 36 | 576 | 43 908 000 | | 210 | 48 293 000 | | 300 |
| 41 058 BE0 | 18 | 72 | 41 069 AL0 | 36 | 576 | 45 | | | 48 349 000 | | 50 |
| 41 058 DA0 | 18 | 72 | 41 069 BE0 | 36 | 576 | 45 314 000 | | 1000 | 48 350 000 | 1 | 18 |
| 41 058 DC0 | 18 | 72 | 41 069 DA0 | 36 | 576 | 45 342 000 | | 1485 | 48 359 000 | | 600 |
| 41 058 DL0 | 18 | 72 | 41 069 DC0 | 36 | 576 | 45 346 000 | | 1485 | 49 | | |
| 41 058 EN0 | 18 | 72 | 41 069 DL0 | 36 | 576 | 45 363 000 | | 6380 | 49 002 00M | | 3920 |
| 41 058 GL0 | 18 | 72 | 41 069 EN0 | 36 | 576 | 45 459 000 | | 1725 | 49 003 000 | | 1200 |
| 41 058 GN0 | 18 | 72 | 41 069 GL0 | 36 | 576 | 45 650 IP0 | | 1000 | 49 024 000 | | 200 |
| 41 059 000 | 21 | 252 | 41 069 GN0 | 36 | 576 | 45 869 000 | | 510 | 49 028 000 | | 1400 |
| 41 059 A00 | 21 | 252 | 41 076 000 | 8 | 48 | 45 882 000 | | 3600 | 49 113 000 | | 80 |
| 41 059 AL0 | 21 | 252 | 41 076 A00 | 8 | 48 | 45 883 000 | | 3920 | 49 113 SH0 | | 80 |
| 41 059 BE0 | 21 | 252 | 41 076 AL0 | 8 | 48 | 45 885 000 | | 2100 | 49 115 000 | | 150 |
| 41 059 DA0 | 21 | 252 | 41 076 BE0 | 8 | 48 | 45 888 000 | | 500 | 49 510 000 | | 3200 |
| 41 059 DC0 | 21 | 252 | 41 076 DA0 | 8 | 48 | 45 914 XE0 | | 400 | 49 516 000 | | 2000 |
| 41 059 DL0 | 21 | 252 | 41 076 DC0 | 8 | 48 | 45 937 000 | | 6720 | 49 526 000 | | 864 |
| 41 059 EN0 | 21 | 252 | 41 076 DL0 | 8 | 48 | 45 973 001 | | 480 | 49 533 000 | | 109 |
| 41 059 GL0 | 21 | 252 | 41 076 EN0 | 8 | 48 | 45 984 001 | | 60 | 49 533 SH0 | | 218 |
| 41 059 GN0 | 21 | 252 | 41 076 GL0 | 8 | 48 | 46 | | | 49 534 000 | 24 | 109 |
| 41 063 000 | 20 | 240 | 41 076 GN0 | 8 | 48 | 46 048 000 | | 2100 | 49 534 SH0 | 109 | 218 |
| 41 063 A00 | 20 | 240 | 41 077 000 | 12 | 72 | 46 058 000 | | 1088 | 64 | | |
| 41 063 AL0 | 20 | 240 | 41 077 A00 | 12 | 72 | 46 278 000 | | 1960 | 64 508 001 | 24 | 480 |
| 41 063 BE0 | 20 | 240 | 41 077 AL0 | 12 | 72 | 46 308 000 | | 4900 | 65 | | |
| 41 063 DA0 | 20 | 240 | 41 077 BE0 | 12 | 72 | 46 374 000 | | 1960 | 65 807 000 | | 480 |
| 41 063 DC0 | 20 | 240 | 41 077 DA0 | 12 | 72 | 46 375 000 | | 6300 | 65 807 A00 | | 1280 |
| 41 063 DL0 | 20 | 240 | 41 077 DC0 | 12 | 72 | 46 386 000 | | 1400 | 65 807 AL0 | | 1280 |
| 41 063 DL0 | 20 | 240 | 41 077 DL0 | 12 | 72 | 46 575 000 | | 660 | 65 807 BE0 | | 1280 |
| 41 063 EN0 | 20 | 240 | 41 077 EN0 | 12 | 72 | 46 580 000 | | 1960 | 65 807 DA0 | | 1280 |
| 41 063 GL0 | 20 | 240 | 41 077 GN0 | 12 | 72 | 46 914 000 | 200 | 12000 | 65 807 DC0 | | 1280 |
| 41 063 GN0 | 20 | 240 | 41 077 000 | 12 | 72 | 46 944 001 | | 270 | 65 807 DLO | | 1280 |
| 41 064 000 | 8 | 128 | 41 215 KF0 | | 48 | 47 | | | 65 807 EN0 | | 1280 |
| 41 064 A00 | 8 | 128 | 41 216 KF0 | 70 | 1120 | 47 025 000 | | 250 | 65 807 GL0 | | 1280 |
| 41 064 AL0 | 8 | 128 | 41 217 KF0 | 70 | 1120 | 47 111 000 | | 800 | 65 807 GN0 | | 1280 |
| 41 064 BE0 | 8 | 128 | 41 218 KF0 | 24 | 288 | 47 167 000 | | 1960 | 65 807 LSO | | 720 |
| 41 064 DA0 | 8 | 128 | 41 219 KF0 | 20 | 240 | 47 175 000 | | 700 | 65 808 000 | | 320 |
| 41 064 DC0 | 8 | 128 | 41 220 KF0 | 36 | 576 | 47 186 000 | | 700 | 66 | | |
| 41 064 DL0 | 8 | 128 | 41 225 000 | 20 | 1000 | 47 189 000 | | 1960 | 66 791 000 | | 120 |
| 41 064 EN0 | 8 | 128 | 42 | | | 47 217 000 | | 720 | | | |
| 41 064 GL0 | 8 | 128 | 42 137 000 | | 200 | 47 220 000 | | 800 | | | |
| 41 064 GN0 | 8 | 128 | 42 181 000 | | 320 | 47 262 000 | | 1000 | | | |
| 41 066 000 | 3 | 18 | 42 229 000 | | 1960 | 47 282 000 | | 2160 | | | |
| 41 066 A00 | 3 | 18 | 42 233 000 | | 800 | | | | | | |
| 41 066 AL0 | 3 | 18 | 42 242 000 | | 600 | | | | | | |
| 41 066 BE0 | 3 | 18 | 42 253 000 | | 200 | | | | | | |
| 41 066 DA0 | 3 | 18 | | | | | | | | | |
| 41 066 DC0 | 3 | 18 | | | | | | | | | |

LIXIL MAKES BETTER HOMES

A REALITY FOR EVERYONE, EVERYWHERE.

A better home is made up of surprisingly simple things – baths to escape in after a long day; kitchens that unleash creativity; toilets that provide cleanliness and comfort; doors and windows that connect you with the world outside; showers and faucets to experience water in new ways; interiors and exteriors that bring spaces to life.

Born through a merger of five of Japan's most successful building materials and housing companies, we draw on our long Japanese heritage to create world-leading technology and innovative, high quality products that transform homes. Since then, we've brought together some of the most trusted names in our industry from around the world and are now home to brands including American Standard and GROHE. Today, we're made up of over 70,000 employees in more than 150 countries worldwide. What differentiates LIXIL isn't just what we do or where we do it. It's how and why we do it.

We innovate with meaningful designs that improve how people live, like the smart Ecocarot wall tiles which control odors and humidity. We experiment with leading designers and new thinkers to develop products like the GROHE Sense Guard, which quickly detects water leakages in the home. We adapt our technologies to give access for all, as we did with the SATO range of products, which save lives daily. Finally, we have a responsible business model that enables us to tackle widespread global issues such as our commitment to providing 100 million people with access to safe sanitation by 2020.

› **WE ARE PROUD THAT OUR PRODUCTS TOUCH THE LIVES OF MORE THAN ONE BILLION PEOPLE EVERY DAY, BUT THERE IS POTENTIAL TO DO SO MUCH MORE.**



Visit us:



GROHE Limited
World Business Centre 2
Newall Road
London Heathrow Airport
Hounslow
Middlesex
TW6 2SF
Tel: 0208 283 2840
Fax: 0871 200 3415
E-Mail: info-uk@grohe.com

GB_01/2023 – Copyright by GROHE

PART OF **LIXIL**